ELSEVIER

Discrete Applied Mathematics 106 (2000) 3–120

DISCRETE
APPLIED
MATHEMATICS

Subject Index Volumes 1–92

The numbers mentioned in this Subject Index refer to the Reference List of Indexed Articles (pp. 121–175 of this issue).

0-1 bottleneck Monge matrix, 1590
0-1 collapsing knapsack problem, 1160
0-1 constraint, 2018
0-1 equation, 170
0-1 function, 745
0-1 integer
  linear program, 1677
  programming problem, 1762
0-1 knapsack, 453, 750
  problem, 482, 1009, 1526, 2259
0-1 LP, 481
0-1 matrix, 414, 1551, 1562, 1624, 1639, 1870, 2144, 2198
0-1 minimization problem, 1882
0-1 multidimensional knapsack, 1161
0-1 optimization, 741, 745, 1725
0-1 permanent, 650
0-1 program reformulation, 1019
0-1 programming, 346, 893, 1990
  problems, 867
0-1 programs, 384, 1019, 2281
0-1 quadratic
  posiform, 741
  problem, 1024
0-1 quadratic programming, 1024, 1128
  problem, 193, 1128
0-1 solution, 259
0-1 submodular flow, 1867
0-1 variable, 339
0-1, *see also* zero one
(1,2)-tree, 806
(1,d)-tree, 143
1-broadcasting, 1440
1-center problem, 1124
1-component, 260
1-edge star, 1843
1-factorisation, 123, 436, 871
1-factor, 123, 1986
1-Hamming code, 1426
1-NLC graph, 1496
1-rate wide sense nonblocking, 2010
1-regular problem, 679
1-tough, 2024
  graph, 722, 2093
1-VCUAP, 454
1-way gossip algorithm, 2106
1/4 approximate
  algorithm, 1894
  solution, 1894
(2,3)-tree, 806
2-acyclic, 1706
2-approximation algorithm, 1917
2-bend embedding, 2070
2-bicritical component, 622
2-bicritical graph, 622
2-center problem, 983
2-choosable, 2040
2-color, *see* 2-colour
2-colorability, *see* 2-colourability
2-colorable, *see* 2-colourable
2-coloring, *see* 2-colouring
2-colour degree partition, 44
2-colour one-to-any problem, 345
2-colourability, 138
2-colourable graph, 371
2-colouring, 103, 371, 506
2-colouring of a Steiner quadruple system, 103
2-connected, 460, 715, 1563
  graph, 145, 460, 715, 1379
  outerplane Eulerian graph, 2135
  planar graph, 1041
  plane Eulerian graph, 2135

Elsevier Science B.V.

2-connected plane
graph, 1694
spanning subgraph, 1705
2-connected Steiner subgraph, 1705
polytope, 1705
2-d mesh, 980
2-design, 826
2-edge
coloured, 1453
star, 1843
2-factor, 894, 1695, 2056
graph, 2093
problem, 894
2-hypergraph, 387
2-interchange graph, 2080
2-intersection interval, 2078
2-machine openshop problem, 1964
2-matching relaxation, 676
2-matroid intersection, 1976
2-monotonic positive function, 1828
2-optimal heuristic, 2259
2-pair game, 759
2-partition problem, 983
2-path partition problem, 2006
2-quasi greedy algorithm, 367
2-regular graph, 2042
2-relative neighborhood graph, 941
2-SAT, 2248
2-satisfiability, 1611, *see also* 2-SAT
problem, 1611
2-segmented channel routing problem, 2014
2-terminal one to any problem, 345
2-threshold
covering, 1166
graph, 556
partition, 1166
2-vertex connected, 721
2-way
communication link, 1140
gossip algorithm, 2106
partitioning, 2217
2-weight batching problem, 1895
2FFD, 1726
2NF, 1812
2SAT, *see* 2-SAT
3 connected tournament, 2032
3 top elements, 120
3-colourability, 884
problem, 138
3-colourable, 884
graph, 324
3-connected
component, 2198
graph, 78, 162, 2135
matroid, 409, 422
3-connectivity, 721
3-cycles, 1563
3-dicycle inequality, 1630
3-dimensional
art gallery, 1308
grid, 1786
3-dimensional matching, 282, 610
problem, 610
3-domination critical graph, 2279
3-hypergraph, 387
3-index assignment, 610
polytope, 610
problem, 610
3-index problem, 610
3-interchange graph, 2080
3-intersection interval, 2078
3-pair game, 759
3-partitioning, 1084
3-SAT, 225, 1455, 2248, *see also* 3-satisfiability
clause, 1455
3-satisfiability, 88, 138, 294, *see also* 3-SAT
3-stage Clos network, 2010
3-Steiner ratio, 1615
3-sum, 422
3-valent convex polyhedron, 49
3-vertex connected graph, 721
3/2 approximation algorithm, 1131, 1635
3NF, 1812
3SAT, *see* 3-SAT
4 point condition, 2260
4-chromatic, 1392
4-connected, 191, 1687
claw free well covered graph, 1687
maximal planar graph, 191
planar graph, 656
4-connectivity, 552
4-cycles, 393, 1563, 1687
4-dimensional grid, 1786
4-graph, 1591
4-loop, 393
4-regular, 1687
graph, 436
5-dimensional picture, 269
6-cycle, 499
6-dimensional scene, 269
8-connectivity, 552
(12, 6)-ternary Golay code, 1634
90/150 cellular automaton, 2140

A

a posteriori
analysis, 37
evaluation, 37
A-closure of a set, 565
A-partition problem, 2221

A-trail, 1563, 2135
a.s. correct algorithm, 1788
Abelian
  code, 824
  group, 631, 836, 1005, 1640, 1940, 2049
  square, 2076
Abelian square free
  endomorphism, 2076
  substitution, 2076
  word, 2076
absolute bipartite retract, 1047, 1806
absolute centre, 659
  of a graph, 212
absolute
  deviation, 1517, 1938
  error, 383
  p-centre problem, 464
  reflexive retract, 1047
  retract, 442, 1047
absorbing
  point, 944
  vertex set, 1389
absorption, 184
abstract
  graph, 1745, 1745, 1754
  rooted tree, 158
AC graph, 1055
acanthus, 1425
acausal bond, 1862
  graph, 1862
acausal equivalence, 1851
  operation, 1851
acausally equivalent, 1851, 1862
accelerate convergence, 1150
accelerated cascade algorithm, 362
accepted by a finite automaton, 568, 571
access structure, 1957
accessible
  block, 851
  boundary point, 293
accretion center, 82
accumulation problem, 1434
achievable chromatic difference sequence, 1005
achiral, 507
achromatic number, 2276
Ackermann function, 1134, 1529
activation function, 2150
active
  constraint, 652
  linear network, 54
  matrix set, 668
activity, 375, 485, 541
  duration, 375
acyclic, 210, 296, 627, 669, 692, 1070, 1074, 1306, 1568, 1612, 1706, 1806
acyclic
  conjugated molecule, 2282
  data base scheme, 2142
  digraph, 611, 643, 809, 1078, 1612, 2020, 2192
  directed graph, 188
  graph, 222, 421, 456, 457, 987, 1074, 1762, 2162
  hypergraph, 1450, 2119
  k-connected subgraph, 588
  multiperiod timetabling problem, 863
  multigraph, 280
  network, 1154
  orientation, 156, 1655
  spanning subgraph, 588
acyclic subgraph, 1743
  polytope, 1306
acyclic
  tournament, 1630
  walk, 1074
acyclicity, 982
Adams, 1796
adaptive
  decoding scheme, 821
  group testing, 2209
  procedure, 1904
adaptive sorting, 1552
  algorithm, 1552
additional
  constraint, 356, 528, 999
  variable, 36, 321
additive
  cellular automaton, 851
  function, 827
  rule modulo p, 851
  set function, 211
addressing scheme, 208
Adelson Velski, G M, 297
Adhar, 1530
adherence of a regular language, 800
adjacency, 301, 508, 1122, 1662, 1885, 2080, 2143, 2255
  matrix, 58, 133, 594, 773, 997, 1555, 1745, 1755, 1963, 2120, 2184
  polynomial, 2184
  question, 2080
  relation, 978
adjacency structure, 1662
  of a graph, 429
adjacent events, 410
adjoint, 1609
Adler, 529
Adler, I, 529
admittance
  matrix, 427
  spectrum, 427
adsorption pattern, 1750

affine
chart, 717
combination, 1423
expression, 992
function, 565
hull, 724
space, 814
Aggarwal, 1513
aggregate
constraint, 134
function, 444
aggregating a system of equations, 229
aggregation, 750
method, 2117
of equations, 1356
of votes, 13
agro-industrial sector, 356
Aharoni, 1677
Ahlswede-Daykin theorem, 955
Ahrens, J H, 227
Aigner, M, 254, 596, 897, 994, 2042
Ajtai, M, 686
Akers, A B, 918
Alavi, Y, 1168
algebra, 2, 52, 644, 843, 846
of relations, 222
algebraic
assigment problem, 18
automata, 2280
circulation problem, 272
code, 303
combinatorics, 681
curve, 825
eigenvalue problem, 1364
equation, 2, 1356, 1652
expression, 855
formal power series ring, 823
function over a lattice, 404
geometric code, 825, 829
graph theory, 1719
invariant of a variety, 823
language, 635, 1129
linear function, 125
number, 789
objective, 12, 272
representation of a partial function, 10
series, 803
space curve, 781
algebraic structure, 52, 157, 1588
of a line drawing, 252
algebraic subset, 814
algebraic system, 822
of equations, 822
algebraic variety, 781, 822
algebraically defined class, 2147
algorithm
analysis, 475
design, 737, 822, 2142
for constructing knight tours, 1866
for quantitative group testing, 897
for routing, 981
for shortest paths, 35, 165
of polynomial order, 759
algorithmic characterization, 217, 527
of antimatroids, 723
algorithmic
complexity, 1571, 1624, 1792, 2277
invariant, 2141
problem, 110
alignment, 1924
network, 1926
alkane, 143
all-but-one perfect matching, 1852
all-integer linear program, 64
all-negative graph, 99
all-pairs shortest
length problem, 1824
path algorithm, 1959
all-port communication model, 2099
all-positive graph, 99
all-short cycles, 2026
allele, 2210
allocation
function, 1672
problem, 84, 292, 1031, 1170, 1952, 2034
almost
periodicity, 2173
tree, 274
Alon, 1677, 2005
Alper, T M, 577
Alpern, 2223
alpha complex, 2201
α-acyclic hypergraph, 1450
alphabetic
binary tree, 291
domino, 792
Alspach, 1377, 2032
alternating
6 cycle, 499
group, 810
Hamiltonian circuit, 869
machine, 804
alternating path, 1661, 1773, 1979
method, 1773
trajectory, 1773
alternating
permutation, 878
polynomial, 2184
alternation of home games and away games, 551
alternative vote, 1956

amalgamation, 372
ambiguity proof, 1879
amenable colouring, 1983
amendment procedure, 776
Amstrong, W W, 969
AMT, 1927
analysis
  of algorithms, 324, 345, 2188, 2253
  of approximation algorithms, 382
  of routing schemes, 916
analytic number theory, 170, 1451
analytical solution, 1620
analyzing sequences, 1928
ancestor descendent pair, 1638
ancestral sequence, 2213, 2214
And-Or graph, 1020
Andrasiu, 1879
André reflection principle, 793
annealed VC entropy, 2152
annealing
  at temperature 0, 2127
  process, 1988
annihilator, 2239
  of a language, 2239
anomalies, 1707
anomalous behaviour, 475, 567, 1707
  of algorithms, 567
anomaly, 982, 994
anonymous
  Cayley network, 1640
  computing, 1525
  network, 1640
  secret sharing scheme, 1957
Anstee, R P, 1049
anti-gem, *see* antigem
antibody complexe, 509
antichain, 159, 633, 1781, 1812
  optimisation problem, 1781
anticlique, 297
anticommutative language, 633
anticommutativity, 633
antiferromagnetic bond, 1422
antigem, 2266
antigen antibody complex system, 509
antigenesis, 509
antikey, 1812
antimatroid, 419, 723
antipodal automorphism, 1140
antipodal double
  cover, 826
  covering, 826
antireflexive relation, 1155
antisymmetric sign functions, 354
antiweb inequality, 1566
aperiodic monoid, 947
Apostol, T, 758
apportionment problem, 84
approximability, 1903, 2164, 2203
  of the Steiner tree problem, 2203
approximate
  algorithm, 391, 1081, 1633, 1894, 1952
  embedding algorithm, 1493
  heuristic, 1031
  inclusion exclusion, 1904
  inversion, 1939
  iterative solution, 891
  solution, 37, 183, 598, 1107, 1518, 1644, 1903, 1922, 1977, 2015, 2170, 2224, 2246
  strategy, 943
approximating
  a hypergraph, 1558
  a hyperplane, 1043
  an NP-hard problem, 246
approximation
  algorithm, 37, 93, 147, 175, 246, 382, 396, 567, 585, 680, 716, 753, 754, 967, 1021, 1078, 1084, 1089, 1107, 1114, 1131, 1151, 1477, 1520, 1532, 1599, 1688, 1730, 1841, 1886, 1891, 1901, 1918, 1927, 1943, 1984, 1995, 2039, 2124, 2170, 2186, 2199, 2200, 2203, 2205, 2213, 2234, 2238
  bound, 1584
  error bound, 1021
  method, 1973, 2170
  optimality, 1664
  ratio, 1903, 1918, 2199
  result, 1893
  scheme, 453, 858, 859, 1676, 1922, 2124, 2193
  technique, 1558
  theory, 197, 2151
  threshold, 1898
APSL problem, 1824
APSP, 1959
  algorithm, 1959
  problem, 1824, 1959
APX complete, 2203
arbitrary model, 737
arborescence, 433, 456, 1360, 1562, 1771, 2092
  graphic, 1562
  polytope, 1360
  problem, 1771
arborescence realization, 1562
  problem, 1562
arboricity, 2001
  of a graph, 1509
arc capacitated, 358
arc disjoint, 669, 1447, 2162
  directed paths, 1113
  Hamilton circuits, 2089

arc flow, 420
Archimedene, 1746
architecture, 501, 820, 1447, 1991
areflexive relation, 628
arithmetic code, 303
arithmetic expression, 985
  evaluation, 985
arithmetic progression, 1961
Armen, 2199
Armstrong relations, 976, 1812
Arnborg, 1493
Arnol'd, V I, 95
aromatic
  benzenoid hydrocarbon, 514
  sextet, 1817
arrangement, 174, 439, 785, 786, 1076, 1467, 1494, 1652, 1762, 1836
  of hyperplanes, 785, 786, 1652
  problem, 1560
Arrow
  impossibility theorem, 1109, 1736
  theorem, 1736
art gallery, 1308
assignment, 138, 345, 428, 453, 526, 622, 674, 866, 867, 923, 1044, 1086, 1151, 1158, 1159, 1336, 1361, 1370, 1454, 1481, 1613, 1664, 1684, 1727, 1772, 1773, 1832, 2040, 2088, 2244, 2278
  algorithm, 345, 415
  inequality, 1772
  of jobs to machines, 1481
  polytope, 674, 1028
  problem, 18, 136, 272, 298, 306, 391, 415, 483, 610, 674, 868, 1028, 1073, 1130, 1149, 1151, 1154, 1508, 1514, 1518, 1664, 1682, 1767, 1867, 1976, 1995, 2086
  search, 866
Assmann, S F, 560
associated graded ring, 823
association scheme, 681
associative memory, 1365
associativity formula, 827
Assouad, 1657
asteroidal triple, 1831, 2035, 2161
asymmetric
  median tree, 1927
  rooted tree, 835
  SCP
asymmetric traveling salesman polytope, 1474, 1722
  problem, 366, 2182
asymptotic
  algorithm analysis, 1603
  analysis, 143, 647
  approximation, 2039
asymptotic behaviour, 203, 318, 383, 471, 606, 775, 783, 1158, 1390, 1696
  of Lee codes, 218
asymptotic bound, 2128
  in coding theory, 829
asymptotic
  complexity, 816, 2204
  equivalent, 1134
  formula, 202, 671, 1734
  growth, 910
  normalised length, 1358
  number of symmetries, 671
  optimality, 930, 1668
asymptotic performance, 844, 2209
  ratio, 1901
asymptotic
  probability, 1795
  problems, 829
  property, 318
  value, 725, 1139
  worst case ratio, 1080
asymptotically
  equivalent, 1390
  exact, 391, 2145
  Gaussian, 544
asymptotically optimal, 2048, 2107, 2250
  algorithm, 560
  broadcast, 2107
  gossiping, 1567, 2107
  representation, 241
  time, 1567
asymptotically stable
  attractor trajectory, 525
  fixed-point, 1095
asymptotically tight, 400, 929
asymptotics, 671, 2207
asynchronous
  multiprocessor machine, 489
  totally unlabeled network, 2181
AT free, 2035
Atallah, 1824
ATM network, 2103
attachment order, 1816
attractor, 522, 549
  trajectory, 525
attribute, 969, 970, 974, 976, 1578, 1812
  of a primary key, 976
auction-like method, 1867
Aufbau principle, 1748
augmentation, 147, 721, 1787
  anomaly, 982
  of a partial order, 1787
  problem, 454, 721
augmented fence, 1306
augmenting a graph, 1893

augmenting chain, 763
theorem of matchings, 763
augmenting path, 1106, 1873, 1976
theorem, 420
Autebert, J M, 320
automata
network, 473
theoretic, 992
theory, 2129
automated
assembly, 989
reasoning, 1745
theorem proving, 2079
graph drawing, 2081
image encoding, 1541
automatic
reformulation method, 1019
sequence, 1987
automaton, 196, 320, 392, 405, 473, 549, 568, 571, 603, 757, 802, 840, 898, 1987, 2280
automorphism theory, 2280
with memory, 549
automorphism, 577, 835, 1140, 1745, 1948, 2280
group, 143, 645, 671, 771, 819, 828, 936, 1755, 2280
of a graph, 594
avalanche criterion, 1002
Avann, S P, 230
average
analysis, 575
arc length, 1078
average case
behaviour, 175, 607
complexity, 497
measures, 2103
performance, 714, 1000
average
complexity, 135, 591, 1000
delay, 904
diameter, 980
average distance, 908, 1382, 1934, 1994, 2061
of a graph, 1382, 2061
average
height, 203
number of queries, 2251
performance, 748
shape, 203
Steiner distance, 2029
waiting time, 410
averaging procedure, 146
Avis, 1657
avoiding
a circular sequence, 581, 1030
a sequence, 581, 1030
away game, 115, 551, 664
axial
assignment problem, 1370, 1767
symmetry, 942
axial transportation, 1370
problem, 1370
axiom of choice, 332
axiomatic
convexity, 554
framework, 1926
axiomatization, 972
for the implication problem of SIDs, 972
axioms for a distance function, 122
Azar, Y, 686

B

b-chromatic number, 2276
b-hull of an integer program, 83
B/K-digraph, 2109
b/w-embedding, 1044
of a tree, 1044
b/w-graph, 1044
b/w-tree, 1044
Babai, L, 645
Babic, D, 1092
back to back trees, 1942
backbone property, 503
backhaul, 1763
backlogging, 672, 1149
model, 672
variable, 672
backtracking, 177, 1648
algorithm, 177, 439
backward
hop, 1138
length, 462
optimal ranking, 1813
Baker, 1452
Baker, B S, 967
baking problem, 371
balance, 99, 654, 1002, 1154, 1367, 1581
property, 2226
scale, 1132, 2160
balanced bipartite
biclaw-free graph, 1384
graph, 1718
balanced
block spacing, 978
code, 2261
crossbar network, 930
flow, 423, 959, 1305
graph, 86
hypergraph, 414, 2028
matrix, 200, 1718
balanced network, 1154
flow problem, 2073

balanced
problem, 2073
sequence, 696, 1529
balanced signed
graph, 390
hypergraph, 2226
balanced
solutions, 1154
submodular flow, 423
tournament design, 573
transitive triple, 2163
uncorrelated function, 1002
vertex weighting, 2007
balancing
objective function, 708
partitioning problem, 708
problem, 1154
signed graphs, 86
Balas theorem on facial constraints, 247
Balas, E, 106, 151, 247, 406, 679, 1028, 1662
Balinski, M L, 390
band of sight, 1931
Bandelt, H-J, 230
bandsize labeling, 1153
bandwidth, 612, 770, 886, 926, 1861, 2035, 2125, 2145
constrained graph, 597
cost ratio, 926
minimization problem, 2125
problem, 1830, 2125
Bang, 2031
bank safe problem, 128
bankruptcy
game, 2030
venture, 2030
Banks
set, 2057
winner, 2057
banyan network, 926
bar
and body framework, 269
and joint framework, 269, 1476
framework, 349
Bar Yehuda, 1623
Bar-Noy, 1540
Bar-Noy, A, 683
Barahona, 1630
Barbut, M, 230
Barcia, P, 481
Barkaoui, K, 746
Barrett, 1598
Barth, 2089, 2146
Bartholdi, J J, 66
Bartholdi-Orlin-Ratliff transformation, 66
base polyhedron, 199, 2083, 2134
baseline network, 590
basic algorithm of pseudo-Boolean programming, 744
basis
of conjugate elements, 651
of symmetric functions, 838
batch
processing, 1850
scheduling, 1845, 1850, 2086
Batcher
merging network, 654
odd even merge, 497, 1586
batching, 1112, 1709, 1716, 1845, 1895, 2086
algorithm, 557
jobs, 557
problem, 1895, 1112
result, 1112
Baton, 2027
battle array, 720
Bauer, 2093
Bayer deformation, 827
BBMP, 1607
BCH codes, 303, 430, 819, 825
BCM, 830
code, 830
inner code, 830
scheme, 830
BCNF, 1812
property, 1812
beam search, 1519
Beasley, 2223
Beauquier, J, 320
Becker, 2235
Beeri, 2142
behavior, *see* behaviour
Behzad conjecture, 705
Behzad, M, 1168
Bell
number, 608
polynomial, 476
Bellman-Ford label correcting algorithm, 2188
Ben David, 1985
benchmark
ISCAS circuit, 1720
problem, 1019, 1156, 1519, 1972
Bendek, 1985
Benders
cuts, 26
type scheme, 1145
Bennett model of cytogenetics, 1332
bent
based bent sequence, 952
sequence, 952
Bent, Samuel W, 1563
benzene chain, 194

benzene molecule, 523
benzenoid, 855, 1751, 1753, 1860
  chain, 1860
  hydrocarbon, 499, 506, 514
  molecule, 1753
  structure, 1753
  system, 506
Berge, C, 408, 1764
Berlekamp, E, 116
Berman, 2007, 2233
Berman, J, 631
Bermond, 2108, 2262
Bermond, J C, 927
Bern, 1495, 2223
Bernhard, P J, 1054, 1055
Bessel-Neumann expansion, 845
best first search, 1707
  strategy, 1707
best model, 184
betting game, 7, 718
betweenness, 435
Bezout theorem, 781
BF orderable graph, 421
Bhatt, S N, 967
bi-acyclic hypergraph, 1806
bi-chromatic, *see* bichromatic
bi-circular, *see* bicircular
bi-claw, *see* biclaw
bi-clique, *see* biclique
bi-coloured, *see* bicoloured
bi-connected, *see* biconnected
bi-criterion, *see* bicriterion
bi-critical, *see* bicritical
bi-directed, *see* bidirected
bi-directional, *see* bidirectional
bi-extensible subset of a language, 800
bi-infinite words, 800
bi-matroid, *see* bimatroid
bi-pancyclic, *see* bipancyclic
biased game, 1629
bichromatic
  binary tree theorem, 1105
  evolutionary tree, 1105
bicircular
  generalized network, 613, 988
  matroid, 613, 808, 1042, 1100
  network, 988
biclaw-free, 1384
biclique
  cover, 2174
  decomposition, 2174
biclique partition, 2120
  number, 2120
bicoloured binary tree, 1004
biconnected, 503, 942, 1021, 2070
  component, 274, 1021
  edge subgraph, 941
biconnected graph, 1647, 1816, 1913
bicriterion
  extension, 2002
  optimization, 1641
  path, 2002
bicritical graph, 622
bicycle, 2007
  isomorphism formula, 2007
  problem, 144
bidirected graph, 1804
bidirectional communication model, 2099
bifix code, 2239
bifurcating phylogenetic tree, 2082
bifurcation
  structure, 549
  diagram, 549
bijective proof, 1105
Bilde, O, 362
Bilde-Krarup acceleration, 362
bilinear
  form, 651
  programming problem, 1170
bilinking, 457
bimatroid, 592
bin packing, 37, 175, 284, 543, 560, 567, 791, 844, 998, 1726, 1874, 2039, 2180
  algorithm, 567, 844
  approximation algorithm, 37
  problem, 175, 567, 585, 711, 1726, 1844, 2019
binary
  alphabet, 270, 1947
  BCH code, 430
  Boolean function, 108
  code, 192, 260, 934
  comparison, 1868
  constant weight code, 479
  counting tree, 35
  cube, 1444
  dendogram, 205
  digital image, 552
  expansion of a pseudo-Boolean function, 9
  Gray code, 32
binary linear
  code, 326
  span, 1071
binary matroid, 1600
binary
  morphism, 153
  n-cube, 390
  partitioning, 484
  programming, 1995
  relation, 122, 244, 846, 1155

binary search, 661, 1664
problem, 881
technique, 941
binary
stochastic system, 933
storage device, 625
symmetric trie, 647
system, 1967
binary tree, 203, 243, 291, 471, 653, 775, 1004, 1014, 1473, 1814, 1918, 1991, 2249, 2270
network, 392
binary unate function, 108
binding number, 580, 704
of a graph, 580, 704
binomial
coefficients, 319, 1702
combinatorial property, 506
expansion, 319
identity, 845
moment problem, 700
tree, 1814
biological
assembly, 1527
context, 1332
data, 1922
key, 342
sequence, 1919, 1926
system, 522
biomolecular sequence, 1916
biophysics, 109
biopolymer, 109
bipancyclic, 2102
bipartite
absolute retract, 442
biclaw-free graph, 1384
C4-free graph, 2174
chordal graph, 2174
convex graph, 2174
digraph, 1557, 1697, 1833, 2252
Dilworth optimal order, 853
distance hereditary graph, 2174
domino-free graph, 2174
folding, 660
graph, 28, 86, 248, 268, 371, 385, 425, 442, 455, 621, 624, 628, 749, 763, 798, 839, 864, 869, 881, 884, 903, 958, 989, 1006, 1047, 1048, 1051, 1052, 1053, 1061, 1073, 1117, 1141, 1148, 1334, 1336, 1381, 1384, 1455, 1503, 1607, 1631, 1643, 1658, 1664, 1692, 1708, 1718, 1792, 1806, 1833, 1843, 1880, 1885, 1930, 1963, 1970, 1982, 2011, 2021, 2026, 2040, 2121, 2174, 2191, 2227, 2228, 2248
interval representation, 2021
bipartite matching, 951, 1841, 1589, 1928
problem, 736
bipartite
metric, 1657
multigraph, 1791
order, 853
outerplanar graph, 951
perfect matching, 736
permutation graph, 494, 1870, 2191, 2228
subgraph, 2174
vertex packing, 1692
bipartition, 709, 1631, 1657, 2021
of a graph, 253
problem, 253
bipartitioned set of intervals, 2021
bipartitioning problem, 2123
bipolar orientation, 1655
biprefix, 153
birational equivalence, 817
Birkhoff graph, 594
Biró, 1503
birthday paradox, 957
BISA, 481
bisected knight tour problem, 1866
bisection, 2127
width, 2106, 2145, 2166
bisubmodular function, 1804
bitolerance digraph, 2013
bitonic merging network, 654
bitree, 446, 1654
bivalent
forest, 174
matrix, 860
tree, 174
black white pebbling, 1487
block
code, 633, 681
coded modulation, 830
design, 79, 566
folding, 1381
graph, 1708
in a graph, 368
length, 70, 116, 815
move, 2206
norm, 2237
placement procedure, 1078
spacing problem, 978
triangular canonical form, 699
triangularization, 268, 455, 699
blocking
problem, 1928
procedure, 1444
resources, 1775
Bloniarz, P A, 276
blossom algorithm, 12, 621
Blum, 1659, 2199
Blumer, 1579

BNLC
grammar, 1103
graph grammar, 1103
language, 429
Boasson, L., 320
Bobisud, H M, 122
Bobisud, L E, 122
Bodlaender, 1493
Bogart, K P, 122
boiling point, 502
Bollobás, B, 1036, 2056
Bollobás-Erdös condition, 2056
Bond, 2146
bond, 502, 523
graph, 1851, 1862, 1865
order, 1751
chemical ~, 523
bonding site, 1745
Bondy
bound, 133
constructive lower bound, 133
Bonferroni
bound, 174
inequalities, 1795
book embedding, 1044, 2003
of a tree, 1044
Boole condition, 1620
Boolean
algebra, 101, 404, 742
circuit, 1914
cube, 1948
equation, 101, 330, 849, 1853
expression, 1472
formula, 294, 1102, 1884, 1930
function, 9, 68, 95, 98, 108, 309, 321, 431, 441, 529, 536, 614, 689, 779, 849, 893, 1167, 1578, 1579, 1622, 1640, 1715, 1731, 1828, 1853, 1882, 1909, 1948, 1980, 1992, 2236
m-cube, 2151
mapping, 257
matrix, 222, 232, 558
method, 1980
network, 257
operation, 800
probe clone incidence matrix, 1911
problem, 149
programming, 744
Boolean quadratic function, 893
polytope, 2033
problem, 2033
Boolean
satisfiability, 1571
variable, 575, 810
Booth, 2198, 2212
Boppana, 2127
Borodin, A, 683
Boros, 1472
Bose, 1452
bottleneck, 15, 691, 941, 799, 1590, 1684, 2213
algebra, 1130
bottleneck assignment, 1607
problem, 1514
bottleneck
biconnected edge subgraph problem, 941
bipartite matching problem, 1607
in a graph, 691
independent set problem, 1684
integral flow problem, 124
location problem, 15
machine, 1334
Monge matrix, 1590
bottleneck objective, 12, 272, 318
function, 318
bottleneck
optimality, 2208
part, 1334
problem, 124, 157, 1684
travelling salesman problem, 799, 1110
bound and bound, 90
algorithm, 90
bound improving sequence algorithm, 481
boundary
NLC grammar, 429
set, 1768
bounded
automorphism, 778
call broadcasting, 1433
cyclicity graph, 1982
delay, 1947
depth broadcasting, 1735
discrete representation, 1057
hard decoding, 816
infinite chain, 2257
lattice, 404
soft decoding, 816
tolerance graph, 1091
tree width, 1487
vertex weight, 186
box-tdi system, 1978
boxicity, 180, 762, 1428
of a graph, 180
Boyce-Codd normal form, 1812
bracket algebra, 1476
Bradley-Terry model, 870
Brams-Fishburn no-show paradox, 584
branch and bound, 26, 133, 380, 541, 602, 1017, 1039, 1145, 1307, 1599, 1725, 1809, 1859
algorithm, 137, 193, 311, 366, 487, 489, 678, 892, 1142, 1156, 1170, 1304, 1333, 1707, 1709, 1762, 1922, 1972, 2210

branch and bound
method, 1156
scheme, 131, 744, 1145
branch and cut, 2033
methodology, 2033
branch weight centroid, 82, 2084
of a tree, 82
branching, 379, 502, 509, 518, 1145, 1859
dependency, 970
forest, 1584
in a graph, 502
in molecular species, 518
index, 502
process, 509
program, 2177
branching rule, 892, 2179
in DPLL, 2179
branching strategy, 1859
breadth, 442
first search, 797, 2255
breakpoint, 1641
Bregman, 2144
Brélaz, D, 324
brick tabloids, 838
Brickell vector space construction, 1700
bridge graph, 1816
Brightwell, G R, 955
brittle graph, 777
broadcast, 524, 555, 606, 657, 921, 923, 984, 1430, 1432, 1436, 1437, 1440, 1441, 1443, 1448, 1478, 1604, 1623, 1735, 1740, 2006, 2048, 2094, 2098, 2100, 2104, 2105, 2108, 2253
communication, 1595
digraph, 928
graph, 883, 1440, 1443, 1445, 2108
number, 1437
problem, 1434
protocol, 1433
scheme, 2105
square, 1595
broadcast time, 921, 927, 2048, 2096, 2104, 2250
function, 1433
broadcast trees, 917, 1433
broadcasting, 169, 524, 606, 883, 921, 927, 928, 984, 1430, 1432, 1433, 1434, 1436, 1437, 1438, 1439, 1440, 1446, 1447, 1448, 1449, 1604, 1623, 1735, 1740, 1942, 1949, 1953, 1991, 1994, 2094, 2096, 2099, 2100, 2101, 2104, 2105, 2107, 2108, 2110, 2181, 2250, 2253
algorithm, 1447, 1478, 1994, 2181, 2250
capability, 927
in a network, 1735
broadcasting
in one dimension, 555
multiple messages, 1449, 1478, 1949
problem, 555, 606, 928, 2104
with random faults, 524
broken
cycle, 1816
wheel graph, 1554
Brookes, 1949
Brooks
colouring bounded degree graphs, 1698
theorem, 884
Brown, 1487, 1983
Brownian input heads, 251
Brualdi, R, 344, 621
Bruno, J, 977
BTD, 573
BTSP, 799, 1110
Buchberger algorithm, 827
Bucher, W, 168
bucket structure, 1665
Buckley, 2067
buffer, 1850
assignment problem, 1154
capacity, 1977
size, 1870
Bugrara, K, 1000
Bui, 2127
bull, 993, 1718, 2266
bull-free graph, 993
bump, 559, 1469
for a poset, 559
number, 559, 954, 2038
Buneman construction, 2260
Buneman, P, 2260
Burkard, 1556
Burkard, R, 1158
bus interconnection network, 1782
bus network, 1782
Busemann, 1863
butadiene, 512
butterfly, 932, 1434
architecture, 980
digraph, 2089
graph, 1435, 2262
network, 932, 1439, 2250
oriented, 932
like digraph, 1588
bypass link, 1946
bypath in a tournament, 2032
Byzantine
fault, 2094
type, 2094

C
C programming problem, 271
c-cut, 1673
C-dimension, 1627
c-minimal strongly connected digraph, 530
C_{120}, 1746
C1P, 2212
C_4-free graph, 2174
C_5-free, 2266
C_{60}, 1746
C_{70}, 1746
cable, 1137
Cable, 760
cable diameter of a k-tree, 1137
cable distance, 1137
  optimization problem, 1137
Cable, C, 760
caching algorithms, 957
cactus, 368, 1706
  graph, 1393, 1706
CAD workstation, 677
Cai, 1521
cake cutting, 213, 1888
Camerini, P M, 537
Cameron, 1452, 2137
Camion, P, 1016
cancel and tighten algorithm, 1096
cancellation
  anomaly, 982
  model, 737
  property, 631
cancelling
  negative augmenting cycles, 1369
  positive augmenting cuts, 1096, 1369
canonical
  decomposition, 797
  equation set, 724
  facet, 259
  form, 699
Cantorian attractor, 549
capacitated
  planar graph, 1847
  plant location type problem, 2090
  two parallel machines scheduling, 1001
capacity, 130, 161, 420, 716, 725, 888, 904, 923, 958, 1019, 1144, 1369, 1522, 1544, 1733, 2010, 2068, 2152, 2159
  augmentation, 1106
capacity balanced, 692
  network, 692
capacity
  constraint, 134, 678, 1149
  expansion constraint, 1019
  installation in batches, 2159
  of a channel, 904
capacity
  of a monotonic function, 2152
  semi-balanced network, 692
carbon skeleton of an alkane, 143
cardinality
  order, 678
  restricted chain, 1781
Carlisle, 1682
Carlson, 391
Carter, 2223
Carter, M, 1105
Cartesian
  factoring, 403
  factorisation, 328
  multiplication, 403
  power, 1005
Cartesian product, 33, 196, 208, 403, 469, 1421, 1745, 1984, 2011, 2023, 2085
  graph, 328, 403
  of cycles, 1559, 2023
  of digraphs, 33
  of graphs, 778, 1005, 1559, 2023
cascade, 509
  algorithm, 362
  of swiching elements, 404
  process, 509
  product covering, 2280
  protocol, 534
  theoretical analysis, 509
catacondensed
  benzenoid, 855
  hexagonal system, 1817, 1902
catafused system, 514
Catalan number, 1946
catastrophic fault, 1946
  pattern, 1946
catastrophic set, 1946
categorization, 951
catenation, 547
  of words, 2239
caterpillar, 309, 392, 1750, 2095
Cauchy code, 819
causal
  assignment, 1862
  bond graph, 1862
causality, 1862
cautious scheduler, 982
Cayley
  coset graph, 2096
  digraph, 609, 918, 2049
Cayley graph, 468, 645, 905, 907, 918, 925, 938, 980, 1005, 1377, 1438, 1648, 1940, 1954, 2009, 2046, 2099, 2185
  based network, 2099
  of a group, 468, 980

Cayley network, 1640
CB network, 692
CCO algorithm, 677
CCP, 852, 1107
Cederbaum, 169
cell, 373, 742, 1038, 2246
  aggreagate, 515
cell flipping, 2246
  problem, 2246
cell
  formation process, 1334
  partition, 742
  technology, 2246
cellular automaton, 34, 73, 226, 237, 800, 851, 949, 1702, 2257
cellular manufacturing, 1334
  system, 1334
cellular radio network, 2034
census
  computation, 1540
  function, 1540
  problem, 1540
centre
  location problem, 446
  of a graph, 42, 172, 212
  of an outerplanar graph, 42
  of mass, 851
  problem, 61, 983
  set of a network, 767
central
  character of a symmetric group, 1752
  set, 2084
centroid, 82, 2084
  vertex, 82, 2062
CFL, 23, 320
chain, 194, 297, 409, 449, 763, 801, 968, 1069, 1077, 1143, 1427, 1635, 1773, 1781, 1860, 1928, 1961, 1962, 1971, 2065, 2103, 2270
  ATM network, 2103
  network, 2103
  optimization, 1781
  packing, 763
chain rule, 627
  program, 968
  theorem, 885
chaining problem, 1928
chair-free graph, 993
Chaitin thesis, 2055
chance constraint, 89
Chandru, 1549, 1562
Chandru, V, 1042
Chang, D J, 881, 2235
changeover cost, 1780
channel allocation, 2034
  problem, 2034
channel assignment, 1159, 1988, 2088
  problem, 1988
channel
  capacity, 1522
  fault, 904
  graph, 2094
  router, 967
channel routing, 345, 550, 967, 2014, 2227
  problem, 345, 966
channel
  separation, 2088
  width, 967, 2246
chaotic continuous model, 113
character of a symmetric group, 1752
character state, 1916, 2082
  optimization, 2082
characterisation
  of 2-bicritical graphs, 622
  of all feasible solutions, 142
  of antimatroids, 723
  of balanced signed hypergraphs, 2226
  of BF-orderable graphs, 421
  of bipartite permutation graphs, 1870
  of bounded lattices, 404
  of branching dependencies, 970
  of brittle graphs, 777
  of CCP, 852
  of chordal graph embeddings, 2035
  of competition graphs, 188, 190
  of consensus functions, 1109
  of EOL-languages, 327
  of Eulerian graphs, 626
  of extremal multigraphs, 1779
  of faces, 199
  of fundamental complexity classes, 804
  of generic rigidity, 223
  of graphs, 494, 612, 1791
  of hexagonal systems, 514
  of homorphically full graphs, 1704
  of homotopy bases, 457
  of insertive strict codes, 801
  of interval graphs, 334
  of interval ordered hypergraphs, 1467
  of k-paths in k-trees, 1137
  of languages, 150
  of line graphs, 2075
  of matroids, 527
  of max balanced flows, 959
  of middle graphs, 206
  of minimum systems, 950
  of non-Hamiltonian graphs, 2093
  of normal form relation schemes, 971
  of optimal line broadcasting in cycles, 2105
  of ordered product matrices, 1110

characterisation
of overlap free morphisms, 1104
of P_4-sparse graphs, 857
of perfect graphs, 1636
of φ-tolerance competition graphs, 1727
of primitively realisable bond graphs, 1865
of probe interval graphs, 2211
of protocols, 534
of quantum chemical reaction graphs, 511
of signed hypergraphs, 2226
of synchronized alternating space, 804
of the value function, 289
of threshold functions, 779
of uncolorability, 1958
of visibility graphs, 780
result, 461, 605, 1585
characterisation theorem, 626
of trees with pathwidth k, 882
characterising
acyclic digraphs, 809
branching in molecular species, 518
competition graphs, 189
problems, 1493
split indifference graphs, 2122
characteristic function, 372, 2177
characteristic polynomial, 58, 641, 1691, 1756, 2140
of a graph, 1756
of an adjacency matrix, 58
characteristic
semigroup, 2280
sequence, 213
characterization, *see* characterisation
Chau, 2108
cheapest feasible basic vector, 1118
Chebyshev polynomial, 2128, 2184
Chebyshev-Markov inequality, 700
check digit, 2261
chemical, 500
behavior, 1745
bond, 1745
conformational process, 511
consistency, 1745
distance, 848
chemical graph, 1745
enumeration, 520
chemical
group, 1745
literature, 516
model, 1743
naming, 501
process, 512
property, 502
chemical reaction, 501, 511, 512
graph, 511
chemical reactivity, 520, 1910
chemical
rule, 848
similarity, 500
structural theory, 512
structure, 1745, 1753
treatment, 1775
tree, 143
chemistry, 499, 501, 513, 518, 520, 848, 1745
Chen, 1377
Cheney, E W, 1150
Cheng, 2086
Cheriton, 1665
and Tarjan algorithm, 1665
Cherkasski, B V, 297
Chernikova algorithm, 1722
Chervonenkis, 1993
chessboard, 1331, 1866, 1887
chimeric clone, 1911
Chinese postman problem, 1144
chip area, 978, 1078
choice
function, 1506
number, 2118
Cholesky factor, 1134
Chomsky
hierarchy, 109
language family, 1837
choosability, 1086, 1983, 2040, 2118
choosable, 1086, 1983, 2040
Choquet capacity, 1733
chordal
bipartite graph, 442, 798, 1048, 1778, 1806
comparability graph, 2269
completion number, 2035
chordal graph, 172, 200, 216, 248, 338, 574, 582, 624, 730, 794, 798, 946, 961, 979, 1046, 1058, 1083, 1136, 1393, 1450, 1643, 1708, 1784, 1792, 1801, 1824, 1831, 1959, 2025, 2028, 2119, 2142, 2228, 2247, 2255, 2277
embedding, 2035
chordal
hierarchy, 1959
ring, 939
subgraph, 539
chordality, 798, 2025
chordless
cycle, 258, 579, 1718, 1980
odd loop, 1865
chordless path, 780, 857, 1049, 1058, 1583, 1718, 1822, 2079
Christen, C, 897
Christofides heuristic, 163
chromatic
class, 436
difference sequence, 1005

chromatic
  forcing number, 140
  graph, 2029
chromatic index, 752, 876, 880, 1466, 1981, 2039, 2043, 2122
  critical graph, 1981
  problem, 752, 880, 2122
chromatic number, 133, 140, 429, 526, 550, 777, 876, 877, 986, 1062, 1065, 1159, 1383, 1389, 1392, 1636, 1764, 1840, 1869, 1958, 2069, 2120
  problem, 1893
chromatic scheduling, 1159, 1791, 1975
  problem, 1159
chromosomal segment, 1923
chromosome, 1332, 1917, 1923, 2200, 2208
chronological ordering, 224
Chung, F R K, 266, 604
Church-Rosser property, 426
Chvatal algorithm, 1903
Chvátal, V, 406, 472, 777, 1482, 1657, 1746, 1764, 2093
Chvátal-Gomory rounding, 1482
CI space, 523
ciphertext bit, 1853
circle
  connecting problem, 1107
  graph, 874, 1011, 1050, 1869
  trapezoid graph, 1869
circuit, 177, 309, 409, 675, 690, 734, 888, 893, 911, 1071, 1494, 1635, 1672, 1717, 1720, 1748, 1963, 1978, 2020, 2060, 2183, 2225
  layout, 345, 1491
  packing problem, 422
  placement, 2225
  reconfiguration problem, 2225
  switching, 1140, 2010, 2048
circulant, 799, 1814
  code, 856
  graph, 1814, 1994
circulant matrix, 38, 729, 2049
circular arc
  family, 661
  graph, 336, 875, 1051, 1052, 1361, 1381, 1688, 1706, 1801, 1824, 1827, 1869
circular
  avoiding sequence, 1030
  code, 317
circular permutation, 1925
  diagram, 986
  graph, 986
circular
  sequence, 581, 1672
  string, 1815
circulation problem, 272
circumscribing operation, 1748
circumscription, 1747
city
  street graph, 1169
  transit grid network, 360
C_k-free graph, 752
Clar
  colouring, 506
  count, 506
  covering polynomial, 1817
  formula, 1127, 1817
  graph, 506
  structure, 506
class
  1 graph, 2043
  2 graph, 2043
  3 polygon, 780
  of all languages, 805
  Steiner tree, 2224
class teacher
  time table problem, 1772
  time tabling problem, 863
classic square, 1595
classification, 60, 130, 132, 196, 520, 608, 681, 989, 1115, 1527, 1579, 1811, 2047, 2149, 2175, 2260
  capability, 2047
  of cellular automata, 949
  of infinite networks, 56
  of line drawings, 252
  of normalized cluster methods, 796
  of P_3, 726
  of path covering problems, 1712
  of P_{k2}, 608
  of regular languages, 2129
  of three valued logical functions preserving 0, 726
  problem, 2149
  scheme for resource constraints, 130
claw-free, 1687, 2035
  AT free graph, 2035
  graph, 572, 752, 1049, 1912, 1970, 1980
  perfectly orderable graphs, 1049
  well-covered graph, 1687
clean up activity, 1665
clique, 133, 278, 308, 399, 406, 425, 434, 470, 610, 734, 777, 874, 946, 986, 1019, 1028, 1033, 1056, 1136, 1151, 1389, 1421, 1480, 1553, 1558, 1583, 1636, 1646, 1698, 1784, 1869, 1893, 1928, 1993, 2013, 2069, 2119, 2156, 2211
  algorithm, 874
clique cover, 434, 1869, 2111
  number, 877
  problem, 1784

clique covering, 278, 582, 1632, 1646, 2156
number, 762
problem, 780
clique
graph, 399
number, 133, 429, 877, 2120
packing, 338
partition, 1646
polynomial, 1691
separable graph, 1480
clique transversal
problem, 1784
set, 1784
clique tree, 1474
inequality, 1474
clique triangulated graph, 2141
clone, 628, 1829, 1911
incidence matrix, 1911
library, 1911
ordering, 1829
Clos network, 2010
half plane, 1569
knight tour, 1866
projective subset, 814
spanning walk, 147
surface, 1753
tour, 1866
walk, 1074, 1477
weak hierarchy, 1736
closure, 400, 512, 565, 800, 1379, 1812, 1815, 1837, 2045
of a set, 565
of an $\omega\omega$-regular set, 800
operation, 300, 460, 663, 969, 971
property, 23, 109, 1731
space, 416
theorem, 1379
under splicing, 1837
cluster, 487, 2217
analysis, 74, 205, 796, 2079
expansion, 1743
method, 74, 796
of nodes, 487
of unit circles, 1750
set, 186
theory, 521
clustering, 186, 248, 540, 842, 1023, 1716, 2228, 2234
algorithm, 872
clustering problem, 53, 1304, 1725, 2228
on trees, 186
CMOS
circuit implementation, 2220
functional cell, 2220
CMOS leaf cell, 2220
co-bipartite, *see* cobipartite
co-boxicity, *see* coboxicity
co-chromatic, *see* cochromatic
co-circuit, *see* cocircuit
co-coloring, *see* cocolouring
co-colouring, *see* cocolouring
co-comparability, *see* cocomparability
co-edge, 1958
co-flow, *see* coflow
co-fragment, *see* cofragment
co-graph, *see* cograph
co-interval graph, 180, 762
co-irredundance, 1051
co-irredundant set, 1051
co-monostar, *see* comonostar
co-NP, 975
complete, 1598, 1687, 1731
hard, 1731
co-perfect, *see* coperfect
co-polycondensation, *see* copolycondensation
co-positive, *see* copositive
co-stability, *see* costability
co-tree, *see* cotree
coalescing constraints, 999
coalition, 372, 443
coarsest decomposition, 699
cobipartite graph, 2035, 2044
coboxicity of a graph, 762
Cochand, 1386
cochromatic number, 1136
cocircuit, 409, 690, 1655, 1717
Cockayne, E J, 154
cocoloring, *see* cocolouring
cocolouring, 1136
of a graph, 1136
cocomparability graph, 852, 954, 1637, 1798, 1801, 1824, 1869, 1989, 2025, 2035, 2044, 2161
code, 50, 70, 129, 179, 303, 314, 317, 326, 360, 430, 479, 570, 629, 633, 639, 681, 717, 801, 813, 815, 816, 819, 821, 824, 825, 828, 830, 856, 934, 938, 1069, 1071, 1071, 1121, 1426, 1522, 1634, 1686, 1725, 1755, 1840, 1987, 2058, 2085, 2116, 2128, 2129, 2261
with unbounded delays, 570
codecs, 820
codeword, 479, 601, 717, 815, 1426, 1686, 2261
coding, 202, 327, 587, 623, 625, 801, 2005
algorithm, 514
gain, 830
identity trees, 202
scheme, 830
theory, 586, 826, 829, 934, 938, 1072, 2128
trees, 202

coefficient reduction, 1019
Coffman, 2071
Coffman, E G, 604
Coffman-Graham
  algorithm, 2071
  schedule, 2071
coflow polyhedron, 1978
cofragment, 184
cograph, 248, 594, 738, 842, 857, 1136, 1381, 1496, 1530, 1583, 1745, 1941, 2035, 2079, 2114, 2190, 2194, 2235, 2247
  of an arrangement, 785
Cohen, J E, 180, 465
Cohen, Joel, 728
coherent algebra, 644
  with a simple spectrum, 644
coherent binary system, 1967
Cohoon, 2223
COL, 1155
collagen, 1920
collapsing
  equation, 3
  knapsack problem, 1990
  sign alternating sequence of real numbers, 160
collective
  order, 65
  ranking, 65
Collins, K L, 641
collision model, 737
colllapsible cell partitions, 742
color, *see* colour
colorability, *see* colourability
colored, *see* coloured
coloring, *see* colouring
colour group, 4
colourability, 138, 661, 884, 1832, 2069
  of graphs, 884
colourable subgraph problems, 1784
coloured
  graph, 1155, 1453, 1745, 1913, 1927
  interval graph, 1913
  plane trees, 44
colouring, 4, 76, 278, 371, 406, 506, 550, 617, 628, 662, 834, 871, 872, 876, 884, 1004, 1031, 1086, 1108, 1155, 1164, 1376, 1442, 1480, 1503, 1553, 1565, 1571, 1601, 1670, 1673, 1678, 1682, 1688, 1840, 1941, 1942, 1958, 1975, 1983, 2034, 2040, 2043, 2087, 2118, 2122, 2180, 2276
  a drawing, 989
  a Steiner quadruple system, 103
  a subgraph, 834
  algorithm, 324, 550, 1480, 1682, 1688
  for diagrams, 1383
colouring
  model, 1159
  number, 705
  of a graph, 76, 138, 617, 777, 876, 1086, 1454, 1832
  of a hypergraph, 526
  of a tree, 1791
  of intervals, 1565
  problem, 138, 661, 662, 850, 1155, 1164, 1361, 1454, 1893
column generation method, 482
column graph, 238
  of a matrix, 238
column sum vector, 1465
combination
  of greedy heuristics, 1524
  of resistances, 1494
combinational circuit, 893, 1720
combinatorial
  algorithm, 797, 943, 1078, 1472, 1492, 1544, 2092
  analysis, 456
  canonical form, 699
combinatorial characterisation, 159, 514
  of hexagonal systems, 514
combinatorial
  closure space, 416
  complexity, 1652
  deltahedron, 5
combinatorial design, 828
  problem, 573
combinatorial dynamical system, 592
  theory, 592
combinatorial
  enumeration, 843, 1681
  explosion, 1745
  facial structure, 412
combinatorial game, 332, 643
  theory, 2
combinatorial
  geometry, 1609, 2201
  graph theory, 1476
combinatorial group testing, 2204, 2251
  problem, 2204
combinatorial
  heuristics, 1039
  identity, 126, 845
  leverage phenomenon, 1988
combinatorial optimisation, 60, 129, 301, 316, 318, 379, 380, 381, 402, 418, 585, 589, 677, 716, 748, 943, 964, 1018, 1021, 1147, 1358, 1365, 1482, 1518, 1560, 1561, 1664, 1718, 1773, 1839, 1938, 1988, 1995, 2230, 2244
  algorithm, 381, 677

combinatorial optimisation
problem, 12, 60, 157, 301, 318, 379, 486, 858, 965, 1018, 1037, 1039, 1122, 1147, 1358, 1508, 1659, 1662, 1988, 1995, 2073, 2123
technique, 418, 1031, 2210
theory, 141
combinatorial optimization, *see* combinatorial optimisation
combinatorial
parameter, 2147
path structure, 1519
polyhedron, 1662
polytope, 1482
probability theory, 276
problem, 55, 71, 102, 104, 110, 113, 115, 209, 212, 281, 345, 382, 625, 677, 943, 1039, 1307, 1365, 1492, 1580, 1917, 1988, 2254
property, 429, 506, 529, 1303, 1605, 1839
proposition, 976
set theory, 638
sharing problem, 402
solution algorithm, 1079
structure, 105, 252, 277, 504, 618, 723, 780, 1590, 2147
topology, 908, 2201
type, 787
variability, 2147
combinatorics, 521, 715, 846, 872, 1762, 2207, 2251
of words, 616, 633, 2239
combining algorithms, 1540
commodity routing, 1674
common
1-component, 260
basis, 1658
common due date, 1115, 1845
assignment, 1845
assignment problem, 2086
common enemy, 465
graph, 728
common
factor design, 152
inversion, 953
model, 737
prey, 465
tangent, 784
commoner structural property, 746
communicating pipe, 427
communication, 240, 267, 475, 546, 590, 731, 917, 932, 933, 1138, 1434, 1435, 1441, 1444, 1537, 1610, 1633, 1735, 1782, 1875, 1890, 1942, 2009, 2048, 2098, 2099, 2105, 2106, 2108, 2110, 2166
algorithm, 1994, 2099, 2106, 2110
center, 2186
channel, 1444
communication
complexity, 953, 963, 1423, 1592
delay, 475, 1633, 1890, 1971, 2071
in graphs, 731
in networks, 2048
latency, 1540
library, 1444
line, 883, 927, 928, 1440
link, 1735, 2105
model, 1432, 1434, 1447, 2048, 2097, 2098, 2099, 2106, 2253
network, 208, 588, 604, 701, 771, 902, 909, 937, 984, 1023, 1141, 1431, 1436, 1437, 1439, 1440, 1441, 16832101, 2108, 2157
of parallel processes, 804
problem, 901, 2099, 2163
process, 2101
protocol, 1592, 1953
round, 1478, 1540
scheme, 2096
startup costs, 1971
step, 2106
commutation time, 1633, 1971
delay, 1157
commutation
monoid, 636, 807
system, 636
commutative
algebra, 817, 827
closure, 118
diagram, 456
field, 125
finite automaton, 1881, 1906
group, 273, 306, 600, 1130, 1669
monoid, 807
semigroup, 121, 157
slip language, 118
totally ordered semigroup, 121
commutativity, 456, 636
comonostar, 1958
compact
graph, 773
metric space, 1143
Riemann surface, 253
compactness preserving operations on graphs, 773
comparability graph, 248, 762, 954, 1091, 1136, 1480, 1632, 1801, 1893, 1936, 2269, 2271
augmentation, 1893
comparative judgements of probability, 698
comparing evolutionary trees, 1918
comparison
of codes, 1686
of evolutionary trees, 1918
compatibility, 1918
graph, 979

compatible
2-factor, 894
Euler tours, 2146
Eulerian circuits, 1653
Hamilton decompositions, 2262
competition, 573, 872
common enemy graph, 465, 728
graph, 188, 189, 190, 465, 728, 809, 1093, 1727, 2020, 2111, 2192
in ecology, 180
number, 189, 728, 1093, 2020, 2111, 2192
competitive
algorithm, 1082, 1366
group testing, 1082
location theory, 442
ratio, 1366
compiled strategy, 627
complement
of a forest, 572
of a planar graph, 1061
of a triangulated graph, 1778
reducible graph, 80, 738
complementarity, 357
condition, 2137
problem, 106, 315, 463, 2137
complementary basis, 32, 1658
complementary
face, 896
facet, 896
slackness, 12
complementation, 594, 810, 1128, 1882
complementing a subgraph, 80
completable partial edge colouring, 871
complete binary tree, 932, 1434, 1638, 1994, 2222
complete bipartite
graph, 86, 233, 369, 371, 385, 596, 771, 989, 1718, 1950, 2021, 2121, 2174
subgraph, 2174
complete
code, 1686
decoding, 819
digraph, 276, 683, 2238
complete edge
colored graph, 1453
weighted graph, 2081
complete
Euclidean graph, 1456, 1901
for AC, 735
for co-NP, 975
for LOGCFL, 735
for P, 735
generalized hexagonal system, 879
graph, 115, 123, 163, 208, 275, 385, 480, 664, 683, 771, 871, 872, 984, 1033, 1067, 1421, 1431, 1453, 1566, 1629, 1661, 1843, 1858,
complete
graph (*cont.*), 1901, 1950, 2056, 2101, 2122, 2204
grid graph, 1794
hypergraph, 1457
intersection ideal, 818
invariant, 2091
k-ary tree, 1434
language for DSPACE, 640
monotonicity, 779
complete multipartite
graph, 233, 1957
paired comparison digraph, 1813
complete
multistage graph, 1654
network, 1013, 1435
partial algebra, 628
path cover, 2235
complete set
of binary Boolean functions, 108
of functions, 108
partitioning problem, 173
complete
sigma pi neural network, 2236
signed graph, 1795
subgraph, 278, 338, 399, 1646
symmetric digraph, 1653, 2163
system of automata, 898
transposition graph, 2046, 2145
tree, 1890, 1942
weighted digraph, 1110
completely
bifurcating phylogenetic tree, 1659
connected, 1137
regular binary block codes, 681
regular code, 681
separable graph, 689
completely unimodal
numbering, 529
pseudo-Boolean function, 614, 1622
completely unimodular, 390
completeness criterion, 628
completion time, 130, 137, 892, 1142, 1475, 1641, 1899, 1971, 2278
problem, 77, 459, 678
completion time variance, 1517, 2155
minimization, 1517
complex
dynamics, 522
plane diagram, 1610
complexity, 2, 21, 79, 95, 100, 113, 120, 130, 132, 212, 219, 231, 246, 248, 272, 282, 290, 322, 338, 343, 351, 371, 376, 378, 423, 472, 546, 553, 582, 586, 607, 650, 651, 656, 658, 669, 687, 712, 733, 735, 787, 816, 818, 830,

complexity (*cont.*), 860, 876, 884, 885, 890, 894, 895, 939, 948, 963, 965, 974, 1011, 1021, 1026, 1028, 1034, 1042, 1107, 1112, 1115, 1118, 1123, 1155, 1166, 1305, 1361, 1433, 1454, 1472, 1475, 1548, 1553, 1561, 1578, 1633, 1667, 1670, 1675, 1684, 1685, 1720, 1731, 1732, 1739, 1746, 1767, 1771, 1774, 1790, 1824, 1832, 1835, 1843, 1846, 1871, 1884, 1886, 1893, 1894, 1897, 1909, 1917, 1918, 1941, 1949, 1952, 1966, 1967, 1988, 2001, 2004, 2005, 2014, 2024, 2025, 2055, 2082, 2093, 2097, 2104, 2106, 2164, 2167, 2174, 2177, 2200, 2224, 2228, 2236, 2244, 2248, 2256, 2271, 2276, 2281
analysis, 1871
bound, 484, 1607
class, 831, 2147
for Boolean functions, 95
complexity function, 236
of a language, 236
complexity
gap, 2055
jump, 2104
measure, 95
model, 371
of a decision procedure, 95
of a finite language, 495
of a folding problem, 1381
of a game problem, 2
of a graph problem, 2
of a language, 426
of a normal basis, 651, 733, 1123
of a periodic sequence, 553
of an algorithmic problem, 110
of colouring, 662
of counting colourings, 884
of group testing, 712
of learning, 620
of representation of graphs by set systems, 92
of restricted colorings of graphs, 876
of string folding, 1921
of the convex hull, 100
polynomial, 591
result, 818, 1166, 1365, 1523, 1633, 1784, 2155, 2167
theoretic property, 1039
complexity theory, 831
for parallel computations, 380
compliance, 420
component, 160, 166, 354, 411, 594, 754, 780, 916, 930, 933, 937, 939, 945, 1068, 1095, 1555, 1696, 1726, 1744, 1878, 1973, 2261
failure, 2162
of a Steiner tree, 1615
composite algebraic structure, 456
composite job, 459
composition
for matroids, 1717
of automata, 898
of digraphs, 33
sequence, 1619
compositional complexity, 95
compression, 1686, 2147
scheme, 2147
computational
analysis, 666
biology, 1916, 2199, 2206, 2208, 2213
commutative algebra, 818, 827
computational complexity, 110, 130, 132, 139, 282, 328, 343, 380, 381, 417, 451, 650, 680, 697, 714, 716, 815, 820, 895, 902, 948, 1026, 1037, 1130, 1131, 1475, 1598, 1652, 1659, 1893, 1918, 1961, 2004, 2005, 2086, 2125, 2132, 2142, 2147, 2164, 2200, 2244, 2281
of algorithmic problems, 110
computational
efficiency, 1976
experiment, 234, 602, 674, 1081, 1160, 1161, 1336, 1599, 1709, 1725, 1770, 1891, 1943, 1976, 1990, 2195, 2259
geometry, 682, 685, 693, 713, 715, 780, 790, 843, 1045, 1076, 1107, 1141, 2070
group theory, 833, 907, 980
linguistics, 842
molecular biology, 1912, 2198
power, 1914
result, 90, 137, 173, 175, 193, 281, 357, 363, 365, 483, 487, 608, 652, 666, 703, 744, 751, 933, 1019, 1145, 1156, 1159, 1164, 1333, 1508, 1560, 1618, 1724, 1763, 1768, 1781, 1809, 1892, 1972, 1993, 2246
study, 26, 48, 364, 528, 1081
test, 1017, 1882, 1896, 1979
computer aided
design, 677
structure elucidation, 1745
computer
architecture, 1994
assisted proof search, 994
configuration, 360
science, 267, 501, 842, 980, 1020, 2150
computing connected components, 261
concatenable subtree, 1425
concatenated
code, 830
coding scheme, 830
concatenation product, 2175
concave
cost, 1329
function, 440

concave
minimisation, 440
programming, 311
concentrator, 923, 958
concept class, 2147
concordant, 305
partial ordering, 305
polytope, 724
concurrency, 636, 973, 982
control, 982
degree, 636
measure, 636
concurrent
access, 616
algorithm, 677
execution, 616, 973
system, 313, 351
write PRAM, 737
conditional
colouring, 2256
diameter, 2184
expectation, 373
problem, 286
result, 286
Condorcet
choice function, 1506
principle, 1956
solution, 442
type condition, 584
Condorcet, M-J-A-N de Caritat, marquis de ∼, 17, 1872
conductance, 22
conductor, 615, 817, 1494
of an integral extension, 817
cone property, 301
conference call, 204
configurable parallel
architecture, 1447
computer, 1447
configuration, 284, 503, 508, 523, 642, 787, 811, 851, 949, 989, 999, 1550, 1580, 1754, 1920, 1988
interaction space, 523
of disjoint lines, 811
of polymer molecules, 508
three dimensional ∼, 252
conflict
free access, 919
graph, 316
matrix, 873
resolution, 625, 737
conflictless system, 616
conformational
aspect, 512
process, 511
Conforti, 1721
congruence
class, 564
of finite semigroups, 2175
conjecture
of Behzad, 705
of Bermond, Darrot, Delmas, and Perennes, 2262
of Bollobás and P. Erdös, 2056
of Chang and Hwang, 881
of Demetrovics et al., 663
of Du and Hwang, 1366, 1856
of Entringer and Slater, 1013
of F Dejean, 214
of Foulds and Robinson, 496
of Golomb and Welch, 116
of Graham and Lovász, 641
of Gutman, 2282
of Hamidoune, 609
of Havel, 2095
of Huang, 291
of Hurd, 800
of Ikeno, 930
of Jean de Rumeur, 1997
of Maehara, 2013
of Moulin, 584
of Shinji Masuda, 144
of Stout, 555
of Tovey, 665
on sorting burnt pancakes, 1580
conjunctive normal form, 294
conjugacy problem, 807
conjugate
combination, 1494
element, 651
conjugated
circuits method, 499
cyclic chain, 545
hydrocarbon, 1747
molecule, 2282
tree, 2282
conjunction, 33, 66, 1955
of digraphs, 33
conjunctive query, 975
connected
(n,n)-graph, 1003
chordal graph, 172
colouring, 1376
component, 261, 359, 590, 1021, 1023, 1068, 1309, 1804, 1871, 1935
digraph, 937, 1808, 1933
dominating set, 1011, 2194
domination, 1908, 2194
graph, 208, 217, 230, 274, 308, 328, 368, 399, 464, 533, 634, 731, 909, 912, 920, 977, 1061,

connected
graph (*cont.*), 1066, 1376, 1421, 1425, 1509, 1600, 1777, 1793, 1805, 1863, 1934, 1965, 2020, 2023, 2027, 2029, 2036, 2048, 2062, 2065, 2078, 2120, 2139
hyperforest, 1015
perfect domination, 1708
sequential coloring, 1376
simple graph, 1786
subgraph, 80, 172, 282, 588, 1074, 1547, 1805, 1901, 2005, 2078, 2224
connectedness, 613, 766, 1993
reliability, 1061
connection
graph, 309
matrix, 838
polynomial, 553, 824
problem, 895, 2004
structure, 965
connectivity, 308, 515, 552, 604, 701, 771, 909, 911, 914, 918, 920, 1020, 1107, 1138, 1384, 1509, 1588, 1674, 1701, 1804, 2031
constraint, 1113, 1333
of a generalized prism, 771
preservation, 552
property, 552, 1588, 1721, 2015
coNP, *see* co-NP
Conrad, 1866
consecutive
d-digraphs, 911
interval queries, 2156
consecutive ones
problem, 1911
property, 1911, 2198, 2212
property problem, 2198
consecutive
queries, 2156
retrieval, 1467
consensus function, 1109, 1736
consensus tree, 1927
model, 1927
conservation law, 297
conserved synteny, 1923
consistency, 741, 1707, 1928
of a logical sentence, 1620
consistent
partial order, 1787
path, 2177
set of inputs, 2172
constant
average time algorithm, 878
depth circuit, 734
tolerance, 1029
weight code, 314, 447, 479, 1840
constrained 0-1 polynomial program, 741
constrained bottleneck
independent set problem, 1684
matroid base problem, 1684
constrained
circle connecting problem, 1107
flow, 1479
logic encoding, 2226
min-max partition on trees, 1068
networks, 1479
optimisation, 1602
partitioning problem, 708, 1556
shortest path problem, 281
constraining equations, 315
constraint
aggregation, 750
boundary, 1602
matrix, 173, 414, 613, 749, 2088
over a discrete set, 3
constructing a tournament, 740
constructive
approximation, 1531
complexity, 831
enumeration, 1755
theory of complexity, 831
contact graph, 2069
context free, 150, 1069, 1799, 2055
context free grammar, 94
form, 91
context free
graph grammar, 1488
language, 23, 150, 236, 803, 1585, 1879, 2129, 2239
nonregular, 1799
picture language, 1069
context free production, 495
complexity of a finite language, 495
context free
programmed grammar, 94
string grammar, 426
context sensitive, 2055
language, 804
contiguous submatrix, 2254
continuant, 2140
continued fraction, 19, 38, 319, 855, 2136
continuity, 433, 1712, 1960, 2260
continuous
Boolean function, 441
centre, 767
continuous centre set, 767
of a network, 767
continuous
cluster method, 74
group, 1811
location, 2237
radius of a network, 767

continuous
relaxation, 1128
working problem, 714
contractable edge, 1655
contractibility, 2256
contracting a banyan network, 926
contraction, 78, 99, 162
heuristic, 931
contradictory set of clauses, 1455
controllability, 592
criteria, 592
controllable processing time, 680
convergent duality theory, 481
convex
body, 1515
constraint in bounded integers, 461
differentiable programming problem, 1150
figure, 693
function, 292, 347, 700, 1863, 2083, 2134
game, 372
convex hull, 388, 412, 610, 620, 672, 750, 783, 999, 1360, 1371, 1544, 1564, 1566, 1630, 1649, 1721, 1900, 2038, 2080, 2268, 2272, 2274
of a set of points, 100
of feasible points, 2268
operator, 419
representation, 1371
convex
maximisation, 589
planar region, 620
polygon, 739, 1617, 1690
polyhedron, 31, 49, 685
polyomino, 1129
polytope, 149, 250, 2272
programming, 1150
separable optimization, 1587
set, 784, 1569
subset, 216
sum of automorphisms, 594
convexity, 347, 554, 589, 1515, 1602
in graphs, 1863
space, 2272
convoy scheduling problem, 751
Conway, J H, 1537
Cook, S A, 735
cooling schedule, 1526
cooperative game, 2030
theory, 2030
with side payments, 372
coordinate ring of a variety, 823
Copeland
choice function, 1506
measure, 1506
coperfect
hypergraph, 1958
coperfect
mixed hypergraph, 1958
orderability, 1864
copolycondensation, 72
copositive plus matrix, 315
Coppersmith, D, 1080
Coppersmith, D A, 1099
cops and robbers, 217, 469, 2125
in a graph, 468
copy language, 244
copying
relation, 244
system, 244
Cordovil, R, 785
core, 257, 443, 2235
condition, 584
of the matching game, 443
Corneil, 1831
Cornuéjols, 2090
Cornuéjols, G, 583
coronoid system, 1694, 1883
corporate tax payment scenario, 173
correlated errors, 821
correlation
diagram, 512
function, 1125, 2054
in partially ordered sets, 955
corrupting machine, 2177
coset, 742, 934
coset correlation, 1125
function, 1125
coset
enumeration, 833
graph, 907, 2096
leader weight distribution, 819
cospan gap, 1816
cospectral
digraph, 33
set of vertices, 1756
cost
capacity ratio, 234
function, 243, 375, 591, 602, 1018, 1151, 1329, 1943, 1984, 2030, 2222, 2225
matrix, 483, 799, 1976
of a clique, 1151
performance trade-off, 926
reliability ratio, 255, 859
scaling algorithm, 1867
to time ratio problem, 424
costability number, 1958
cotree construction, 738
Coullard, C R, 1042
countably infinite alphabet, 320
counterfeit
coin, 1581, 2160

counterfeit coins problem, 1132
counting
  bases, 690
  circuits, 690
  cocircuits, 690
  dendrograms, 205
  formula, 305
  isomerisations, 516
  isomers, 516
  polynomial, 513
  polynomials in chemistry, 513
  secondary structures, 1363
  TC operations, 631
  trees, 202
coupled task, 1897
  scheduling, 1897
coupon collector, 957
  problem, 957
course scheduling, 868
  problem, 868
covariance matrix, 544
cover, 14, 278, 321, 610, 904, 945, 998, 1630, 1723
  induced inequality, 1019
  inequality, 1849
  of a graph, 1525
covered cobistar, 1958
covering, 180, 235, 396, 449, 746, 826, 1040, 1067, 1077, 1163, 1165, 1168, 1393, 1528, 1646, 1723, 1781, 2005, 2277, 2280
  code, 1426
  constraint, 259
  graph, 230, 442, 1165
  location problem, 1040
  number, 1393, 2153
  of a strongly connected automaton, 2280
  parameter of a graph, 2277
  polynomial, 1817
  problem, 235, 582, 780, 946, 1071, 1167, 1334, 1712, 1781, 2017
  radius, 218, 303, 430, 681, 813, 819, 825, 826, 934, 1071, 1426, 2128
  salesman problem, 1520
  set, 1393, 1468
  system, 742
Cowan, D D, 14
Coxeter, H S M, 1866
CRCW PRAM, 734, 739, 1529, 1770, 2001
CREW PRAM, 736, 738, 740, 966
criss cross method, 2137
critical concentration, 1422
critical graph, 2279
critical path, 820, 2188
  algorithm, 2188
  analysis, 375
  problem, 2188
Crochemore, 648
cross correlation, 329, 1088
  function, 329, 1088, 2054
cross-correlation, *see* cross correlation
crossbar network, 930
crosscorrelation, *see* cross correlation
crossing
  chord, 689
  family, 450
  number, 2145
crosslinked polymer system, 515
crown, 1680
crumbling wall, 1872
  quorum system, 1872
cryptanalytic method, 571
cryptogram, 546
cryptographic transformation, 1002
cryptography, 546, 566, 586, 1585, 1855
cryptosystem, 546
crystal
  growth, 67, 75
  lattice, 503
  sequence, 67
crystallography, 1527
CS network, 692
Csima, 864
cube, 270, 529, 648, 1034, 1430, 1444, 1875, 1932, 2060
  connected cycle, 1434, 1435
cube connected cycles
  graph, 2102
  network, 932
cube free, 153
  median graph, 2139
  ω-word, 153
cube network, 1444
cubic
  graph, 253, 924, 2017, 2024, 2277
  lattice, 655
Cui, W, 888
Culik, K II, 150, 168, 1541, 1947
cumulative
  bounding, 437
  cost, 1953
cumulatively bounded variables, 437
Cunningham, W A, 287
Cunningham, W H, 977
Cunninghame Green, R, 432
current vanishing at infinity, 778
curve contact graph, 2069
curve contact representation, 2069
  of a clique, 2069
curve fitting algorithm, 197
curve map, 111
  graph, 111, 228

cut, 1, 26, 40, 213, 297, 344, 368, 412, 433, 485, 493, 900, 935, 959, 1020, 1096, 1150, 1369, 1566, 1630, 1665, 1660, 1673, 1713, 1721, 1724, 1725, 1751, 1770, 1779, 1847, 1873, 1888, 1943, 2217
a cake, 213, 1888
cancelling algorithm, 1096
in a graph, 691, 2183
invariant, 1751
metric, 1657
pattern, 674
polytope, 1566, 1721
problem, 2171
segment, 1127
selection rule, 1096
set expansion, 1510
threshold graph, 766
value, 1770
vertex, 368, 1708
width, 612, 886, 1035, 1487, 2145, 2232
cut-off point, 2251
of combinatorial group testing, 2251
cutset, *see* cut set
cutting
a cake, 213
number, 1138
cutting plane, 1, 26, 40, 472, 541, 1019, 1796, 1955
algorithm, 247, 311, 485, 1113, 1150, 1849
proof, 472
theory, 461
cutwidth, *see* cut width
cycle, 73, 86, 99, 172, 174, 204, 209, 249, 265, 288, 331, 354, 368, 424, 428, 433, 455, 530, 536, 579, 588, 611, 650, 662, 689, 769, 771, 862, 880, 887, 903, 913, 929, 989, 991, 1003, 1015, 1041, 1067, 1070, 1096, 1333, 1393, 1425, 1559, 1648, 1665, 1674, 1678, 1693, 1703, 1718, 1721, 1744, 1752, 1795, 1861, 1878, 1880, 1937, 1944, 1950, 2007, 2011, 2025, 2026, 2027, 2032, 2037, 2056, 2063, 2072, 2080, 2085, 2102, 2105, 2142, 2229, 2232, 2238, 2252
cycle code, 1071
of a graph, 1071
cycle
cover, 839, 959
decomposition, 626
cycle free, 1108
order, 853
cycle
in a graph, 86, 288
index series of a species, 835
inequality, 1566, 1721
length, 1470, 1841, 1937
matroid, 99
cycle mean, 66
of a digraph, 66
of a matrix, 600
cycle
period of a permutation, 209
prefix digraph, 2096
structure, 113, 613, 1070, 1752
time, 1672
cyclic
automata network, 1960
automaton, 1960
binary vector, 758
chain, 545
channel assignment problem, 2088
class of permutations, 43
code, 816
cut width, 2232
graph, 2077
group, 742
cyclic linear
code, 303
error correcting code, 820
cyclic
majorities, 1803
optimal policy, 2113
ordering, 435
cyclic permutation, 59, 152, 536, 600, 860, 1984
of integers, 59
cyclic
planar digraph, 88
property, 958
rule, 627
cyclic scheduling, 531, 1166, 1836, 2188
cyclic scheduling problem, 1672, 1696
with deadlines, 761
cyclic
shift, 651
staffing, 66
subgraph, 2077
whist tournament, 1452, 1729, 2169
cyclically monotonous mapping, 348
cyclobutene, 512
cycloid, 1958
cyclomatic number, 456
cyclopropane, 1754
cyclotomic
coset, 639
number, 303
cytogenetics, 1332

D

d-ary tree, 1942, 2213
d-connected digraph, 701
d-dimensional
arrangement, 785

d-dimensional
cube, 529
grid, 1949
hypercube, 1622, 1693
d-disjunct matrices, 2058
d-minimal
bifix code, 2239
language, 2239
word, 2239
d-minimality annihilator, 2239
of a language, 2239
d-superimposed code, 2058
D0L language, 1007
equivalence problem, 1007
D0L sequence, 270, 1007
equivalence problem, 1007
D0L system, 587
DAG, 210
Dagan, 1869
Dahlhaus, 2130, 2171
Damaschke, P, 1798
Danaraj, G, 1622
Dannenbring, D G, 1089
Dantzig-Wolfe decomposition, 541
Darrot, 2262
Darwin, Ch, 418
Dass, B K, 179
Dassow, 1879
data
analysis, 1834
base, *see* database
compression, 2199
dependent bound, 2238
replication, 1872
data structure, 35, 54, 97, 345, 619, 638, 960, 981, 1073, 1583, 1973, 2079, 2219, 2222
of a database system, 638
database, 616, 627, 719, 866, 969, 970, 971, 973, 976, 982, 1871
acyclicity, 1070
concurrency control, 982
design, 974
management system, 638
scheme, 2142
security, 2254
system, 638, 973
theory, 2045
dataflow, 1890
Datalog program, 968
dating to marriage, 1006
Davenport-Schinzel sequence, 2272
Davidson, 516
Davio, M, 98, 101
Davis-Putnam procedure, 135, 467, 575
Davis-Putnam-Logemann-Loveland algorithm, 2179
DAWG, 619
DCS, 1973
de Bruijn
digraph, 911, 921, 927, 935, 936, 1588, 1986, 2003, 2166, 2252
graph, 913, 1435, 1510, 2023, 2166, 2176, 2205
matrix, 595
network, 632, 921, 932, 1439, 2107, 2109
sequence, 439, 595
de Bruijn, N G, 632, 921, 932, 936, 1510, 1588, 1986, 2003, 2107, 2109, 2166, 2252
de Bruijn-Good graph, 929
de la Vega, 2039
de Luca, A, 2136
de Rumeur conjecture, 1997
de Werra, D, 614
deadline, 690, 751, 1427, 1584, 1599, 1780, 1982
scheduling, 1765
deadlock, 746
avoidance, 435, 1994
free, 908, 1994
deadlocked executions, 616
decentralized system, 1597
decidability, 87, 91, 96, 792, 1069, 1303, 1947
of many-to-one simulation of E0L forms, 29
of one-to-many simulation, 96
of the subword equivalence problem, 1947
problem, 802, 804
decidable, 29, 91, 96, 153, 185, 320, 587, 802, 803, 840, 1947, 2173
isomorphism of block designs, 79
isomorphism of graphs, 41
membership, 818
switching equivalence of graphs, 41
whether a graph is a square, 1594
deciphering delay, 325
decision
aid for timetabling, 873
algorithm, 840, 1941
boundary, 2152
maker, 873
making, 13, 267
method for Parikh slenderness, 1879
problem, 109, 435, 697, 807, 831, 840, 953, 1069, 1571, 1585, 1792, 1832, 1914, 2174, 2191, 2225
procedure, 95, 378
process, 1671
theory, 1803
decision tree, 90
algorithm, 100
decision
variable, 680, 2278

decision version of the Steiner problem, 466
decoder, 601, 824
  for error correction, 820
decoding, 732, 816, 819, 820, 821, 1991, 2261
  a multivalued encoding, 601
  algorithm, 820
  an identity tree, 202
  complexity, 816, 821
decomposability, 1715, 1909
decomposable cost, 1151, 1984
  coefficient, 1767
decomposable graph, 2104
decomposing
  a bidirected graph, 1804
  a graph, 622
  a weighted digraph, 444
  an aggregate function, 444
decomposition, 14, 95, 136, 145, 422, 520, 622, 699, 973, 1015, 1024, 1127, 1137, 1153, 1479, 1487, 1696, 1715, 1718, 1768, 1804, 1836, 1843, 1863, 1978, 2104, 2042, 2090, 2116, 2163, 2239, 2262, 2270, 2280
  algorithm, 14, 359, 422, 459, 1768
  for an algebraic variety, 822
  into linear forests, 1153
  into peakless prime subgraphs, 1863
  method, 1148, 1768
  of a CG schedule, 2071
  of a graph, 960, 1509, 1843, 2198
  of a matroid, 422
  of a square, 445
decomposition of a system, 458
  of equations, 455
decomposition
  of a word, 2239
  of the edges of a graph, 702
  procedure, 541, 677, 1509
  theory, 145, 459
decryption, 546
dedicated line, 1025
deductive database, 627
defect
  d matching, 220
  property, 570
defective edge, 1135
deficiency, 1063
  of a subgraph, 1063
degeneracy, 227, 315, 363, 1073, 1368, 2025
degenerate simplex pivot, 1073
degeneration of information, 1735
degree
  constrained spanner, 1786
  constraint, 88, 1063, 1703, 1878
  of a curve, 781
  of a graph, 63
degree of approximation, 2151
  of a function class, 2151
degree
  of intersection, 781
  partition restriction, 44
degree sequence, 387, 709, 1619, 2016
  of a difference graph, 709
Dejean, F, 214
Dejter, 1866
Delannoy number, 793
Delaunay
  simplex, 2201
  triangulation, 1041, 1045, 1695
delay to cost trade-off, 926
deletability, 552
deletable edges, 1655
deletion game, 765
delivery
  date, 1785
  time, 1131, 1709, 1846
Delmas, 2262
Delsarte, Ph, 279, 2128
$\Delta(G)$, 705
(Δ, D)-graph, 900, 903, 940
  problem, 900
(Δ, D, r)-hypergraph problem, 1782
Δ-cut circuit, 1751
Δ-matroid, 621
Δ-sum, 1717
deltahedron, 5, 31, 496
demand
  point, 598, 1107
  service time, 1682
Demetrovics, J, 663, 976
Deming, R W, 622
democratic secret sharing scheme, 1700
democratic threshold scheme, 1700
DENDRAL system, 1749
dendrogram, 205
dense
  digraph, 66, 935
  group network, 905
  language, 547, 2239
  linearly ordered commutative group, 306
  network, 914
  processor interconnection network, 903
  vertex symmetric graph, 1537
density, 91, 113, 345, 503, 558, 805, 967, 1134, 1939, 2127, 2227, 2246
density ordered, 1524
  greedy heuristic, 1524
denumeration
  of multisets, 158
  of rooted trees, 158
dependency graph, 313

dependency
inference problem, 974
set, 974
dependent elements, 456
depth
complexity, 640
function, 1037
of a combinatorial optimization problem, 1037
of a parallel algorithm, 261
of a search, 544
of a tree, 921, 1430
of local minima, 1526
derandomization, 1677, 2039
derivation
process, 109
in an E0L system, 87, 96
derivative of a graph polynomial, 1691
descent search in solution space, 1765
Deschamps, J P, 98, 101
descriptive geometry, 155
design, 152, 546, 629, 701, 828, 939, 1010
of a communications network, 701
of an open pit mine, 548
of digraphs, 1683
of rotators, 152
of vacuum systems, 377
problem, 131, 573
steps, 1031
designing
networks, 1365
parallel programs, 1890
desynchronized E0L forms, 46
detecting structural inconsistency, 295
detection
of a counterfeit coin, 1581
of symmetry, 942
determinacy problem, 712
determinant, 650, 793, 1746
determinantal inequality, 1598
determination of defective elements, 385
deterministic
approximation algorithm, 1677
bounded system, 587
broadcast radio network, 1623
communication complexity, 963, 1592
complexity, 1036
fair protocol, 213
heuristic, 381
protocol, 213
routing algorithm, 1610
time complexity, 1623
detrimental acceleration, 1707
anomaly, 1707
developmental system, 587
deviation property, 1733
devil's staircase, 549
Deza, M, 1566, 1657
diagnosing faulty processors, 1611
diagonal inequality, 1306
diagram of a knot or link, 646
diameter, 202, 266, 632, 645, 701, 900, 903, 905, 906, 910, 915, 917, 921, 924, 925, 932, 935, 937, 938, 1033, 1099, 1510, 1537, 1557, 1582, 1639, 1683, 1697, 1759, 1782, 1833, 1940, 1986, 1994, 1997, 2009, 2011, 2029, 2096, 2100, 2109, 2120, 2184, 2228, 2252
cost function, 1984
of a chordal graph, 172
of a cubic graph, 924
of a digraph, 266
of a graph, 266, 701, 906, 1510
of a partial k-tree, 1137
of a polytope, 149
of a Stirling network, 908
of a tree, 202
of an outerplanar graph, 42
of the hypercube, 917, 1759
one, 149, 1639
two, 997
diameter vulnerability, 266, 1697
dichotomous search, 1101
dicut, 1978
dicycle
cover, 1630
packing, 1630
difference
degree sequence, 709
distance, 187
equation, 178
graph, 709, 1631
difference labeling, 1153
of a graph, 1153
difference
operator, 68
sequence, 1005
difference set, 279, 696, 820
code, 820
differencing method, 1603
differentiable form, 517
differential calculus, 98
for discrete functions, 98
for generalised pseudo-Boolean functions, 98
digital
communication, 830
cross connect system, 1973
trie, 647
digon, 936
digraph, 2, 33, 66, 88, 125, 190, 235, 266, 288,331, 403, 454, 462, 465, 492, 525, 530, 579, 632, 643, 662, 728, 740, 743, 757, 809, 839,

digraph (*cont.*), 911, 918, 921, 927, 928, 935, 937, 991, 1093, 1099, 1141, 1357, 1391, 1537, 1557, 1588, 1612, 1630, 1653, 1683, 1771, 1808, 1822, 1833, 1835, 1873, 1933, 1935, 1986, 1997, 2013, 2021, 2031, 2096, 2109, 2111, 2121, 2188, 2245, 2252
dihedral group, 1377
Dijkstra
like algorithm, 2004
method, 353
Dijkstra
minimum distance algorithm, 488
shortest paths algorithm, 165
Dijkstra, E W, 353
DIL system, 578
dilation, 1034, 1994, 2236
1 embeddings, 1814
Dilworth
number, 210, 1778
optimal, 853
theorem, 445
dimension
formula, 1900
function, 416
measure, 2149
of a polytope, 724
of a poset, 1330, 1627
of a projected polyhedron, 2230
dimensional graph parameter, 1739
dimer, 227, 323, 519
covering, 323, 1390
problem, 1390
Dinic, E A, 297
dinucleotide, 1919
Diophantine
congruence, 374
equation, 142, 374, 491, 1356, 2117
inequality, 374
problem of Frobenius, 615
dipolar word, 2239
Dirac theorem, 2052, 2141
Dirac, P A M, 2052, 2141
directed acyclic
graph, 210, 337, 987, 1098, 1720, 1931
network, 1154
word graph, 619
directed
Cayley graph, 1648
cycle, 249, 331, 662, 899, 1425, 1639, 1841, 1933
edge disjoint paths problem, 1568
forest, 1894
graph, 76, 188, 233, 268, 288, 403, 568, 590,628, 643, 650, 662, 701, 850, 928, 937, 982, 1057, 1113, 1155, 1391, 1389, 1479, 1557,
directed
graph (*cont.*), 1639, 1683, 1727, 1745, 1804, 1841, 2013, 2021, 2092, 2205
hypergraph, 1020, 1639, 1782, 2208
line transversal, 784
max-cut problem, 743
directed Moore
graph, 1639
hypergraph, 1639
directed
network, 297, 1774, 1808, 1926
node label controlled graph grammar, 351
directed path, 457, 1113, 1931, 1932
graph, 1061, 1381
directed
rectangle visibility graph, 1931
square lattice, 503
Steiner problem, 1113
triple system, 2163
directed wrapped butterfly
graph, 2262
network, 2089
direction of motion, 693
directional search, 1163
directionality of an interval order, 1133
Dirichlet integral, 576
formula, 576
discounted Markov decision process, 1671
discrete
algorithm, 2198
bottleneck problem, 124
Chebyshev polynomial, 2184
cube, 1932
derivative, 257
Dirichlet integral formula, 576
dynamical system, 1960
function, 9
geometry, 713
Green formula, 576
Gronwall inequality, 448
infinite transportation problem, 1531
influence system, 348
Laplacian, 576
logarithm problem, 1968
lot sizing and scheduling problem, 1149
mathematics, 548, 1365, 1803
matrix, 1625
moment problem, 700
neuronal equation, 549
discrete optimisation, 151, 481
problem, 19, 38, 51, 301, 1037, 1518, 1766, 1892, 2082
discrete
orthogonality, 2236
potential theory, 576
program, 40

discrete
programming, 43, 121, 157, 481, 1170
Radon transform, 1939
random variable, 700
representation of an interval order, 1057
set, 3
solution space, 1526
space, 1143
structure, 1749
system, 347
time dynamical system, 1095
discriminant, 1862
disjoint
alternating paths, 1661
clusters, 2217
convex polygons, 1690
convex simple objects, 784
covering system, 742
cycles in graphs, 1703
paths, 669, 912, 914, 1483, 1557, 1588, 1674, 1932, 2115, 2235
set of chains, 1427
disjoint shortest paths, 2115
problem, 2115
disjoint union, 594, 1427, 1830, 2239
disjunctive
d-minimal context free language, 2239
language, 2239
method, 461, 672
normal form, 1167, 1472, 1884, 2268
number, 2055
program, 106, 2268
programming, 151, 1371, 2268
sequence, 2055
disk hypergraph, 2119
dispersion
criterion, 1938
problem, 1938
display of symmetry, 942
dissemination of information, 1434, 1872
dissimilarity measure of trees, 2202
dissipation formula, 576
distance
algorithm, 2188
between chemicals, 500
between traveling salesman tours, 1507
between trees, 122
constraint, 1124
data, 1915
degree sequence, 146
domination parameter, 1793
function, 122, 1482, 1786, 2260
graph, 1392, 2224
hereditary graph, 1530, 2194
in trees, 2062
distance
inequality, 852
matrix, 362, 487, 641, 1110, 1421, 2182
measure, 2237
distance metric, 540
on strings, 540
distance
problem, 2119
regular graph, 681
related invariant, 2063
distance sum, 230, 730, 2067
of a vertex, 730, 2067
distant colourings, 1601
distributed
Cayley network, 1640
computation, 843
computer system, 1971
computing, 2023
control, 1875
environment, 1157
memory multiprocessor system, 916
processing, 1971
routing control, 588
system, 1141, 1478, 1540, 1872, 2185
distribution
of keys, 128
of points by degree, 143
system, 933
distributive lattice, 230, 450, 797, 805, 841, 933, 955, 1650
divide and conquer, 147, 1038, 1107, 1469, 1866, 2198
computation, 2109
procedure, 677
dividing the square, 1038
divisible job, 1971
divisor generating function, 476
Djokovic, 1657
DLN, 1099
DLSP, 1149
DMA bound, 927, 1435
DNA, 792, 1815, 1837, 1911, 1914, 1919, 1924, 2211
amplification, 2210
based computer, 1914
computing, 2187
library, 2058
molecule, 792, 1911, 2187
physical mapping, 1913, 1917, 2204
region, 2210
sequence, 1922, 1924, 2214
sequencing, 2205
DNF, 1167, 1731, 1884
DNLC grammar, 313, 351
Dobkin, 1456

Dobson, A J, 122
Docking, 2201
document term matrix, 232
Dolev, D, 632
domain
  monotonicity theorem, 887
  partition, 840
domatic number, 200, 336
  problem, 336
domatic partition, 1688
  problem, 1688, 2028
dominance, 1672
  condition, 1787
  criterion, 711, 1724
  relation, 459, 602, 1803
  rule, 137, 678, 892, 1142
  theorem, 1787
dominant, 1360, 1705
  candidate, 201
  market structure, 357
  subset, 1672
dominated variable, 2195
dominating
  Cartesian product of cycles, 1559
  clique, 1011, 1450, 2044
  cycle, 875
  function, 1792
  real function, 697
dominating set, 154, 200, 248, 336, 368, 434, 533, 562, 574, 597, 697, 1011, 1393, 1555, 1559, 1708, 1793, 1878, 1905, 2008, 2085, 2191
  algorithm, 248
  problem, 246, 961, 1050
dominating vertex set, 1389
dominating-like problem, 2119
domination, 200, 248, 574, 1050, 1393, 1489, 1504, 1559, 1784, 1792, 1908, 1967, 2008, 2044, 2085, 2119, 2120, 2191
  critical graph, 2279
  insensitive, 1066
  number, 154, 533, 1066, 1393, 1555, 1559, 1793, 1794, 2061, 2120, 2279
  of a binary system, 1967
  problem, 574, 1011, 1450, 1637, 1830, 1908, 2191
domino, 792
domino free graph, 2174
  property, 2174
Domoryad, 1866
Donald, 2144
Doshita, 1549
dot depth, 947, 1783
  hierarchy, 1783
dot depth two, 1303
  monoid, 947, 1303
Doubilet, P, 838
double competition
  graph, 2111
  number, 728, 2111
double coset method, 516
double covering, 826
  graph, 99
double loop network, 1099
doubled 2-design, 826
doublet of amino acids, 1919
doubly
  chordal graph, 2119
  convex scheduling matroid, 690
  cyclic channel assignment problem, 2088
  even self dual code, 828
  exponential sequential worst case, 818
doubly extended Reed-Solomon code, 819
  RS code, 819
doubly graded matrix, 1110
doubly stochastic
  matrix, 594, 773, 2231
  primitive matrix, 2231
doubly weighted
  directed graph, 424
  graph, 1078
DP, 1149, 2156
DP algorithm, 1149
DPLL, 2179
DPP, 467
drawing a graph, 715, 1591
Dreyfus, 2223
Drezner, Z, 891
Dridi, 1630
Droop proportionality criterion, 1956
Dror, 1964
DSPACE, 640, 804
Du, D-Z, 712, 911, 923, 1366
duadic code, 639
dual, 65, 111, 142, 159, 228, 287, 297, 311, 402, 419, 485, 668, 691, 741, 943, 1026, 1045, 1096, 1167, 1369, 1531, 1555, 1622, 1782, 1784, 1873, 2005, 2064, 2119, 2177
  algorithm, 1096
  cancel and tighten, 1096
  change, 298
  code, 828
  constraint, 528
  cost transformation, 97
  dependency, 159
  distance, 2128
  distribution, 1004
  feasible basis structure theorem, 700
  formulation, 528
  graph, 1652, 1665
  integral system, 287, 668

dual
LCP, 2137
MCNF algorithm, 1369
method, 402, 423, 481, 1305
minimum path cover problem, 2235
dual objective
function, 1096
value, 1369
dual
of a regular Boolean function, 1167
of C_{120}, 1746
order, 65
problem, 198, 481, 1024, 1483
simplex algorithm, 364
simplicial polytope, 529
dual solution, 528
vector, 396
dual
threshold method, 402
transform, 1076, 1652
type algorithm, 700
version of bin packing, 560
duality, 184, 200, 297, 334, 366, 423, 432, 745, 1020, 1128, 1531, 1609, 2119
bound, 134
gap, 281, 481, 741
model, 432
operator, 1363
property, 374, 2012
relationship, 780
relaxation, 134
duality theorem, 198, 449, 1917
for linear congruences, 198
duality theory, 945
dualization, 431
dually chordal, 2119
graph, 2119
Dubins,, 443
Dubins, L E, 307
Duchet, 1386
Duchet, P, 408
Dudeney, 1866
due date, 995, 1115, 1543, 1675, 1785, 1899, 1962
assignment, 1115, 1845, 2086
Duffin, R J, 293
Dulmage-Mendelsohn decomposition, 455, 699
dummy activity, 207
duo processor system, 707
dyadic interval, 1638
Dyck
language, 150, 2239
path, 635
Dykstra shortest paths algorithm, 35
dynamic behaviour, 473, 1960
of a net, 746
dynamic
bipartite matching, 1928
convex hull, 1045
graph, 512
dynamic matroid
intersection, 397
partitioning, 397
dynamic
monopoly, 2178
nearest neighbor problem, 1045
network flow, 397
polymatroid flow, 397
program, 1517
dynamic programming, 39, 343, 380, 491, 548, 678, 1021, 1101, 1149, 1381, 1493, 1517, 1599, 1798, 1845, 1871, 1896, 2004, 2155, 2156, 2191, 2259
algorithm, 312, 343, 591, 612, 678, 1001, 1785, 2004, 2021, 2103, 2159
recursion, 389, 1990
dynamic
scene, 1045
storage allocation, 290
sublattice, 512
dynamical
behaviour, 245
classification, 2257
property, 949
dynamical system, 592, 1960
theory, 592

E

E0L
form, 11, 29, 87, 96, 119, 185, 333
grammar, 806
language, 327
system, 87, 96, 587
E0Q
formula, 1090
model, 1090
earliest due date first algorithm, 1543
earliness, 1115, 1599
cost, 1785
easy variations of subset sum, 1961
ECC, 278, 821
eccentricity, 42, 1510
echelon matrix, 854
ecological niche, 728
ecology, 180, 2192
economic
lot sizing problem, 1087, 1329
potential, 548
ecosystem, 465
model, 525
Edelsbrunner, H, 1368

edge, 5, 14, 20, 42, 66, 78, 86, 89, 92, 123, 133, 147, 156, 161, 165, 174, 180, 206, 217, 248, 249, 265, 266, 274, 275, 278, 280, 322, 328, 359, 367, 406, 414, 425, 427, 428, 433, 480, 493, 501, 503, 519, 524, 532, 533, 537, 539, 556, 568, 572, 596, 604, 606, 622, 624, 634, 641, 645, 646, 653, 662, 683, 685, 701, 715, 721, 739, 743, 754, 756, 759, 763, 765, 767, 771, 768, 777, 778, 780, 809, 811, 834, 848, 850, 869, 871, 876, 879, 881, 883, 884, 894, 906, 909, 915, 917, 920, 935, 937, 941, 951, 958, 962, 977, 984, 987, 989, 993, 1003, 1025, 1033, 1034, 1044, 1045, 1046, 1049, 1058, 1061, 1062, 1063, 1066, 1067, 1068, 1070, 1073, 1093, 1094, 1097, 1107, 1111, 1135, 1117, 1140, 1141, 1151, 1153, 1155, 1166, 1168, 1307, 1309, 1332, 1336, 1381, 1384, 1388, 1392, 1393, 1421, 1425, 1430, 1437, 1440, 1442, 1443, 1453, 1456, 1468, 1470, 1476, 1488, 1509, 1510, 1521, 1525, 1542, 1547, 1554, 1555, 1558, 1563, 1565, 1566, 1568, 1583, 1591, 1594, 1600, 1607, 1628, 1647, 1654, 1660, 1661, 1664, 1665, 1670, 1673, 1674, 1679, 1683, 1685, 1694, 1701, 1703, 1708, 1713, 1721, 1723, 1744, 1748, 1751, 1755, 1759, 1764, 1768, 1770, 1774, 1782, 1791, 1795, 1805, 1822, 1831, 1834, 1840, 1841, 1843, 1847, 1852, 1856, 1861, 1866, 1885, 1886, 1901, 1902, 1908, 1930, 1931, 1936, 1942, 1958, 1975, 1993, 1994, 2005, 2007, 2009, 2017, 2019, 2020, 2021, 2026, 2043, 2046, 2056, 2063, 2070, 2078, 2080, 2100, 2108, 2122, 2142, 2162, 2164, 2166, 2174, 2180, 2189, 2191, 2213, 2217, 2219, 2222, 2224, 2225, 2234, 2235, 2253, 2260, 2279
  bisection width, 2166
  capacitated planar graph, 1847
  chromatic class, 436
  circle graph, 874
  clique covering, 278
edge colored, *see* edge coloured
edge-colored, *see* edge coloured
edge coloring, *see* edge colouring
edge coloured
  bipartite graph, 869
  complete graph, 1453, 1661, 2056
  graph, 1453, 1661
  interior planar graph, 1689
edge colouring, 702, 752, 865, 871, 872, 876, 880, 1791, 1982, 2042, 2143, 2122, 2180
  problem, 1791
edge connected
  graph, 266
  multigraph, 1779
edge
  connectivity, 721, 771, 935, 1071, 1701, 1833
edge contraction, 78, 82, 162, 1918
  problem, 78
edge
  cover problem, 2006
  covering, 278
edge critical, 1764
  hypergraph, 1764
edge deletion, 78, 162, 906, 1759
  problem, 78
edge density, 1027, 1604
  disjoint, 763, 1309, 2077, 2080, 2115, 2163
  forests, 2143
  Hamiltonian cycles, 2110
  packings, 1309
  path bound, 563
  paths, 563, 694, 1434, 1568, 1660, 1661, 2106, 2115
  polyp packing, 2019
  st-paths, 1654
  subgraphs, 2077
  triangles, 1388
  union, 1332
edge domination insensitive, 533
  graph, 533
edge
  domination problem, 1830, 2191
  eccentricity, 42
  fault, 524, 1430, 2100
  forwarding index, 604, 909, 2046
edge Hamiltonian, 1377
  Cayley graph, 1377
edge in RNG, 788
edge labeled
  digraph, 1525
  graph, 1070, 2185
edge
  labeling, 2185
  labelled, *see* edge labeled
  labelling, *see* edge labeling
  length, 464, 715, 1137, 2115, 2186, 2234
  maximal subgraph, 406
  numbering, 1094
  packing, 2077
edge partition
  problem, 702, 1843
  tree, 754
edge
  partitioning, 338
  perfection, 1062
  preserving map, 442
edge ranking, 754, 2164
  problem, 754
edge reductions, 2253

edge
set of a graph, 759, 808, 1646
subgraph problem, 1886
subtree, 1425
tolerance, 768
edge weighted
binary de Bruijn graph, 2205
forest, 2222
graph, 2081
matching, 2130
tree, 2260
edit distance, 2208, 2213
editing, 540
Edmonds, 1049, 2137
matching polytope theorem, 287
matching theorem, 2075
Edmonds, J, 125, 211, 450, 1049
Edmonds-Gallai
structure theorem, 428
theorem, 428
Edmonds-Giles system, 668
effective Nullstellensatz, 814
efficiency, 221, 367, 402, 528, 591, 602, 892, 904, 1053, 1170, 1336, 1358, 1366, 1601, 1707, 1859, 1895, 1919, 1960, 1988, 1990, 2016, 2179
of a graph, 1053
of a partial k-tree, 1054
of a set, 1053
of an AC graph, 1055
efficient algorithm, 8, 173, 292, 352, 411, 431, 466, 505, 526, 563, 780, 1070, 1135, 1358, 1359, 1638, 1780, 1785, 1866, 1869, 2082, 2204, 2227
efficient broadcasting, 2250
protocol, 2107
efficient edge domination, 2191
problem, 2191
efficient
implementation, 322, 2004
set, 1053, 1054, 1055
solution, 281
EGBT ring, 1367
EGEP, 1920
Eggleton, 1392
Ehrenfeucht
conjecture, 325
game, 772
Ehrenfeucht, A, 95, 256
Ehrenfeucht-Fraissé game, 947, 1303, 1783
eigenspace, 1756
eigenvalue, 133, 427, 887, 1364, 1510, 1725, 1757, 2184, 2282
of a graph, 886, 887
problem, 512
relaxation, 1725
eigenvector, 273, 427, 886, 1364, 2217
ejection chain, 1773, 1988
method, 1979
strategy, 1773, 1988
election, 319
procedure, 105
rule, 1956
system, 13
electoral system, 1956
electric
circuit, 1307
network, 215
electrical
network, 977, 1865, 1926, 2007
resistance, 1858
electricity supply network, 131
electrocyclic reaction, 512
electromagnetism, 517
element distinctness problem, 737
elemental benzenoid, 1753
elementary
bipartite graph, 1148
circuit, 309
function, 1733
pair of matroids, 1148
sequence, 1064
subgraph, 1748
transformation, 457, 848
elevator problem, 2068
elimination
ordering, 216, 794, 961, 1380, 2119, 2142
scheme, 432, 1806, 2269
tree, 1134
ellipsoid approach, 1126
Elmaghraby, S E, 339, 561
Elmore delay, 2219
elution, 184
embeddability in lattice graphs, 146
embeddable
metric, 1657
planar graph, 2060
embedding, 208, 381, 501, 511, 519, 597, 1044, 1054, 1421, 1467, 1487, 1493, 1591, 1610, 1665, 1814, 1921, 2003, 2095, 2103, 2121, 2229
a graph in a book, 1044
a planar graph, 2070
a tree, 146, 1814, 2232
algorithm, 1493
an undirected graph, 1591
information, 501
of a graph, 1470, 1665
of a reaction graph, 511
problem, 1034, 1493, 1920
space, 146

embedding technique, 219
emergency service, 212
Emmons dominance theorem, 1787
empirical
  evaluation, 48
  performance, 1922
  process theory, 2153
  risk, 2149
  study, 360
  testing, 1532
empty
  rectangle problem, 239, 352
  word, 11
emulation, 2109
  of a computation, 1610
enclosing walk, 2229
encoder, 824
encoding, 320, 601, 732, 907, 1542, 1991, 2261
  algorithm, 815, 1542
  of order types, 787
  rule, 815
  scheme, 1542
encryption, 438, 546
  algorithm, 438
  function, 1853
end
  function, 835
  interval, 569
  of a graph, 778
  vertex, 385, 457, 596, 1662, 1804, 2062
energy function, 340
Engeler, E, 110
enriched trees, 835
ensemble, 2091
Entringer, R C, 1013
Entringer-Slater conjecture, 1013
entry terminal, 345
enumerating
  convex polyominoes, 1129
  nonsingular linear transformations, 854
enumeration, 26, 44, 202, 205, 477, 519, 520, 521, 653, 671, 679, 845, 914, 1074, 1170, 1620, 1631, 1655, 1658, 1745, 1753, 1762, 1928, 2112, 2162, 2207
  algorithm, 482, 1618
  method, 381, 833
  of chemical graphs, 520
  of closed walks, 1074
  of dendrograms, 205
  of factors, 623
  of irreducible binary words, 542
  of trees, 202, 653
  polynomial, 477
  problem, 1941
  result, 637
enumeration scheme, 491, 2246
enumerative
  algorithm, 173, 675
  method, 380
  technique, 433
EP theorems, 2137
epidemiography, 643
ε-approximation
  algorithm, 93
  scheme, 453, 898, 1938
ε-optimal solution, 2281
ε-optimality, 1145
ε-production, 11
equality constrained 0-1 polytope, 1662
equality of languages, 11
  modulo ε, 11
equality set of matrices, 159
equalization, 821
equation formulation, 2172
equi-angular lines, 1656
equi-assignment, 38, 51
equi-partitioning, *see* equipartitioning
equiangular, *see* equi-angular
equiassignment, *see* equi-assignment
equicut polytope, 1721
equilateral triangle, 1754
equilibrium
  distribution, 72
  model, 356
equipartition
  application, 391
  problem, 391, 2033
equipartitioning of rectangular domains, 2116
equivalence among optimization problems, 157
  on matrix sets, 157
equivalence class, 328, 515, 608, 613, 1032, 1690, 1925, 1948, 1988, 2257, 2266
  of LR arrays, 1032
equivalence
  of optimization problems, 157
  of states, 1525
  problem for unary output sequential transducers, 802
equivalency theorem, 121, 157
equivalent
  assignment problem, 415
  knapsack problem, 389
  problem, 89, 157, 193, 389
  representations for mixed integer zero one programming problems, 1371
  sets of functions, 108
  speed, 1971
  structures, 1745
eraser machine, 2177
erasing in an E0L form, 333

Erdös problem, 1823
Erdös, P., 504, 977, 1392, 1468, 1528, 1764, 1823, 1983, 2056
Erdös-Rado intersecting set theorem, 737
EREW
  PRAM, 985, 1698, 1825, 1908, 2001, 2079, 2190
  processors, 688
erroneous information, 1868
error, 70, 252, 295, 467, 821, 1138, 1686, 1860, 2209
  bound, 543, 1001, 1021
  control, 830
error correcting
  BCH code, 303
  capability, 681
  code, 50, 70, 681, 820, 821, 938
  database, 719
  Lee code, 116
  NGT algorithm, 2058
  nonadaptive group testing, 2058
error
  correction, 820
  model, 2209
  probability, 821
  propagation, 821
error rate, 830
  performance, 830
error ratio, 2186, 2234
ESMT, 1920
essential test set, 1625
esymptotic enumeration, 2207
η-complexity, 2007
ET0L language, 327
ethernet, 737
Euclidean
  algorithm, 9, 51
  bottleneck biconnected edge subgraph problem, 941
  clustering problem, 53
  cost location problem, 1304
  distance, 789, 891, 1456
  graph embedding problem, 1920
  noncrossing trees, 1762
  p-centre problem, 598
  plane, 111, 228, 1045, 1116, 1660
  proximity graph, 1041
  shortest path, 782
Euclidean space, 146, 226, 260, 508, 785, 786, 788, 1569, 1652, 1842, 1931, 2151, 2272
  embedding, 146
Euclidean
  spanner graph, 1456
  Steiner minimal tree, 1119, 1920
  two parts problem, 1116
Euler
  formula, 1748
  function, 1653
  network, 6
  problem of the King walks, 845
  tour, 1845, 1919, 2146, 2205
Euler, L., 1723, 1748, 1866, 2205
Eulerian
  circuit, 233, 478, 1653
  graph, 626, 687, 1521, 1563, 1660, 2135
Eulerian trail, 626, 1521, 1563
  traversing, 1521
eutactic star, 1756
evaluating
  a Boolean function, 68
  an arithmetic expression, 985
evaluation of a recursive query, 627
even circle matroid, 99
even cycle, 650, 2118
  problem, 1669
even pair, 2271
even-odd partition problem, 1115
evolution, 418, 1815, 1917, 1923
  of approximation, 37
evolutionary
  biology, 2260
  distance, 2200
  history, 1925, 2202, 2208, 2214
  molecular biology, 1917
  path, 1925
  tree, 1105, 1810, 1916, 1918, 1927, 2082, 2202, 2208, 2213, 2214
exact
  algorithm, 487, 1050, 1160, 1508, 1599, 1712, 1943, 2223, 2225, 2259
  arborescence, 433
  classification, 2047
  linear separator, 1076
  separator, 1076
exchange
  of information, 169
  procedure, 867
  property, 262, 301, 416, 1457
exchangeable element, 2083
excised internal structure, 1748
excitable media, 237
excluded minor characterization, 622
exclusive read exclusive write PRAM, 1698
execution model, 1890
exhaustive testing, 1720
existence
  constraint, 976
  of designs, 629
  theorems for (g,f)-factors, 684
existentially polynomial time, 2137

exit terminal, 345
expand and prune, 1039
expanding
  factor, 1679
  morphism, 2173
  parameter, 1510
expansion of a rotator, 152
expected
  complexity, 1673
  cost, 1101
expected number
  of leaves, 835
  of range queries, 16
  of RNA secondary structures, 1689
  of symmetries, 1734
expected
  parallel time, 688
  running time, 529
  speed-up, 1707
expected time, 239, 276, 1673
  complexity, 376, 1043, 1673
expected waste, 1726
experimental
  analysis, 711
  error behaviour, 1676
  results, 714, 1107, 1358, 1447, 2223
expert system, 501
  for organic synthesis discovery, 501
exponent
  of a group, 2049
  of primitivity, 2231
exponential
  complexity, 135, 1988
  distribution, 383
  generating function, 845, 1829
  space hard, 818
  sum, 825
exponential time, 135, 467
  complexity, 1078
  exact algorithm, 2213
expressive power, 1488, 1579
extended
  control language, 26
  covering constraint, 259
  generalized balance ternary ring, 1367
  graph of a function, 749
  Horn satisfiability problem, 1562
  Jackson rule, 1709
  RS code, 819
  unary binary tree, 471
extendibility, 256
extendible graph, 842
extending
  a graph, 634
  a shelling order, 1622
extension
  of a ring, 817
  of a Van Lier sequence, 698
extensional definition, 627
exterior function, 1828
external
  diameter, 782
  farthest neighbor, 782
  path length, 647
  visibility graph, 2274
extrapolating partially defined Boolean functions, 779
extremal
  broadcasting problem, 606
  combinatorics, 846
  digraph, 1933
  doubly even self dual code, 828
  f-tree, 146
extremal graph, 572, 1065, 1066, 1382, 1934, 1993, 2027, 2061
  theory, 1065, 1532
extremal length, 293
  of a network, 293
extremal
  multigraph, 1779
  point, 773
  problem, 63, 369, 533
  self dual code, 2263
  weight enumerator, 2263
extreme point, 6, 149, 412, 709, 1122, 1939
  mathematical program, 311
  mathematical programming problem, 311
  ranking method, 311
extreme ray, 1620
extremum problem, 293

F
f-degree restriction, 1744
f-matching, 265
F-polynomial of a graph, 1817
Faber, 1537
face
  enumeration, 785
  number, 785
facet, 384, 529, 610, 706, 783, 948, 999, 1028, 1113, 1306, 1371, 1474, 1566, 1622, 1721, 1781, 1900, 2081, 2268
  defining inequality, 1649, 1722, 2033
  inducing inequality, 1028, 1900
facetial inequality, 1371
facial
  disjuctive program, 40, 106, 2268
  structure, 412, 610, 1772
faciality, 247
facility location, 1304, 2193, 2237

facility location
  model, 1126
  problem, 1126
  theory, 1126
factor, 310, 319, 1371, 1652, 1947, 2153, 2239
  automaton, 2280
  of a graph, 684
  of a word, 2239
factor-2 approximation algorithm, 1886
factor-3 approximation algorithm, 1886
factoring, 980, 1768
  problem, 980
factorisation, 123, 403, 623, 664, 729, 1639, 2007
  in groups, 630
fading channel, 830
Faigle, U, 104, 1682
failure
  of monotonicity, 105
  probability, 1654, 1872, 1950
fair
  betting game, 7
  protocol, 213
family
  constrained network problem, 365
  of grammars, 91
  of graphs, 76, 902, 1034, 1495, 2176
  of languages, 94, 109, 327
Fano matroid, 422
fanout-free query, 975
Fararon, 2279
Farber, 1555, 2142
Farber, M, 1049
Farber, Martin, 961
Farbey, B A, 362
Farley, A, 1446, 2048
Farrell, E J, 545
Farris, 1659, 2082
Farris, J S, 122
Farris-Swofford-Maddison method, 1659
farthest neighbor, 782
fasciagraph, 1794
fast
  gossiping, 1431
  information sharing, 1013
Fathi, Y, 32
fault coverage, 1720
fault diagnosis, 914
  model, 1611
fault handling ability, 908
fault tolerance, 904, 914, 938, 939, 1946, 2009, 2094, 2100, 2250
  performance parameter, 914
  property, 908
fault tolerant, 632, 904, 916, 937, 939, 2009
  interconnection network, 934
fault tolerant
  loop, 939
  multibus interconnection network, 904
  routing, 632, 2009
faulty
  component, 1138, 1436
  hypercube, 1430
  link, 2094
  node, 908, 1138, 2094
  processor, 1611
  star network, 2100
  transmission, 2101, 2250
FD system, 638
feasibility
  sequence, 1048
  test, 335
feasible
  basic vector, 1118
  basis structure theorem, 700
  direction, 652
  flow, 420, 450
  graph, 377
  matching, 343
  region, 36, 315, 384, 453
  schedule, 335, 714, 1362, 1545, 2132
  solution, 24, 281, 311, 482, 610, 716, 867, 873, 1018, 1039, 1048, 1145, 1371, 1519, 1766, 1892, 1938, 2238, 2278
feedback
  dependency, 898
  loop, 522
  shift register, 553, 824, 929
  vertex set, 2068
feedforward
  net, 2150
  network, 1365, 2150
feedforward neural network, 1811
  design, 1365
Feigenbaum, J, 403
Fellows, 1487
fence, 1306, 1680
Fermat problem, 230, 1823
Ferretti, 2200
ferromagnetism, 1422
Fibonacci
  morphism, 153
  numbers, 19, 375, 1855
  numeration system, 1686
  random number generator, 535
  RNG, 535
  sequence, 298, 310, 506, 1064
  tree, 1814
Fibonacci-like inequality, 698
Fibonaccian algorithm of Christen and Aigner, 897
field programmable gate array, 2014

FIFO rule, 1707
figure
  construction problem, 252
  eight subgraph, 656
fill-in problem, 2161
filtering, 821
Fincke, 1158
finding maximum
  flows, 358
  maximum path length, 2249
finding
  the maximum, 1868, 2077
  the minimum, 893, 1868, 1895, 2006, 2206, 2238
fingerprint of a clone, 1911
finite Abelian
  group, 1005
  p-group, 836
finite
  automata for languages, 637
  automaton, 565, 568, 637, 804, 840, 898, 1702, 1881, 1906, 2140
  basis characterization, 1491
  domain, 976
  feasible region, 36
  field, 10, 303, 586, 729, 1123, 1968
  geometry, 1088
  group, 630, 645, 2049
  incidence structure, 566
  language, 495
  linear group, 1811
  measurement structure, 1064
  metric, 493
  planar subset, 1616
  poset, 337
  sequences theorem, 251
  topological space, 355
  universe, 628
finitely convergent
  algorithm, 106
  procedure, 106
finitely presented module, 817
finiteness proof, 40
Fiol, 1697
firing path, 1960
first fit, 567, 1080, 1874
  algorithm, 2019
  decreasing, 284, 567, 1726
first order
  sentence, 772
  theory, 2173
Fis protein, 1924
Fish, 150
Fishburn theorem, 1680
Fishburn, P C, 1306
Fisher, M E, 1390
Fisher, R A, 211, 227, 323, 583, 1645
Fisher-Wright selection model, 178
fission, 2200
FIVC, 1497
fix point, *see* fixed point
fix-point, *see* fixed point
fixed bond, 1127, 1883
fixed charge
  problem, 1482, 2259
  transportation problem, 365, 1145
fixed edge length graph drawing, 715
fixed length
  code, 815
  reversal, 1925
fixed marginal, 30
fixed point, 73, 340, 606, 627, 854, 982, 1095, 2126, 2173
  equation, 627
  strategy, 627
fixed word, 578
fixpoint, *see* fixed point
FKG
  inequality, 955
  theorem, 955
flag transitive semiplane, 1628
flame cutting, 478
flat, 1652
  cluster method, 74
flattening problem, 1928
fleet maintenance, 180
Fleischner, 1391, 1521
  theorem, 1391
flexible manufacturing
  environment, 1871
  system, 1159, 1505, 1516, 1776
flipping pattern, 2246
Flory, 72
flow, 21, 25, 161, 344, 420, 493, 888, 959, 1106, 1111, 1305, 1479, 1544, 1660, 1847, 1964, 2159, 2162
  augmentation, 1106
flow based
  algorithm, 1675
  heuristic, 2218
flow costs, 2159
flow cover, 1544, 1955
  inequality, 1955
flow
  in a graph, 161
  in a network, 297, 1479
  maxima, 959
  network, 420, 2162
  problem, 81, 344, 358, 407, 450, 715, 888, 990, 1048, 1096, 1145, 1387, 1660, 2073, 2229

flow shop, 1561, 1850
  problem, 1089, 1977
flow shop scheduling, 1089, 1977
  problem, 1545
flow shop type job, 304, 452
flow technique, 1025
flowtime scheduling problem, 1900
Floyd, 1659
fluctuation
  bounds, 2153
  of a stochastic process, 2153
flux, 967
FM problem, 343
  for graphs, 343
FMS, 1505, 1776
fold of a finite string, 1921
folding
  instruction, 1987
  problem in graphs, 1381
football pool
  graph, 1905
  problem, 1905
forbidden
  configuration, 556
  graph, 78
  induced subgraph, 1049, 1865
  isometric wheel, 1806
  minor, 422, 1387
  projection, 1992
  set, 1898
forbidden subgraph, 413, 421, 597, 1049, 1065, 1970
  characterization, 1636
forbidden
  submatrix, 1624
  substructure, 2021
forcing
  edge, 1852
forcing single edge, 1852
Ford, L R, 48, 161, 297, 493
Ford-Bellman algorithm, 424
Ford-Fulkerson augmenting path principle, 297
  labeling method, 1106
  type cut, 493
forest, 174, 572, 596, 1004, 1015, 1153, 1509, 1671, 1825, 1871, 1894, 1899, 2143, 2222
  partition, 2143
form equivalence of E0L forms, 11
form equivalent, 11, 333
  E0L form, 11
form, differentiable $\sim$, 517
formal grammar, 109
formal language, 23, 571, 803, 1815, 2129, 2239
  theory, 109, 1585
formal
  long division algorithm, 64
  power series ring, 823
  series, 803
formally undecidable, 587
Formann, 1591
forward loop, 1138
  backward hop network, 1138
forward optimal ranking, 1813
forwarding diameter, 2176
  of a graph, 2176
forwarding index, 604, 909, 920, 1510, 1679, 1808, 2046
  of a graph, 909
  of a network, 604
forwarding parameter, 1510
forwards induction, 1671
Foulds, 2223
Foulds, L R, 496
Foulds-Robinson conjecture, 496
four
  colour problem, 1764
  point relation, 505
Fourier analysis, 1915
Fourier-Motzkin elimination, 142
fourth power free, 153
fractal, 226, 851
  dimension, 519
  geometry, 1451
  image, 992
fractional
  arboricity, 977
  assignment problem, 1664
  balanced solution, 1154
  cycle elimination constraint, 1333
fractional domination, 1555
  number, 1555
fractional
  factor, 684
  Hausdorff dimension, 226
  independent set problem, 688
fractional matching, 265, 428, 622, 1677
  problem, 265
fractional
  maximum, 1677
  node cover, 622
  packing problem, 2005
  path covering problem, 2005
  programming, 1664, 1823
  subgraph, 1063
  total colouring, 705
Fraenkel, A S, 297
fragment, 184, 297, 1911
frame, 523, 1587, 1624, 1979, 2121
framework, 269, 349

framing number, 2121
Franaszek, P, 616
Frank, A, 199
fraternal orientation, 1425
fraternally oriented, 1425
Fréchet bound, 305
free
  module, 817
  monoid, 256, 317, 378, 633, 1303, 1783
  order, 1383
  partially commutative monoid, 807
  semigroup, 2239
  submonoid, 317
  system, 616
  tree, 1425
  valence, 1745
Freedman, D, 307
Freedman, D A, 443
frequency assignment, 979, 1086, 1159, 1995
  problem, 1995
Friedman, 1456
Friesen, D K, 585
Frieze $\zeta(3)$ limit, 480
Frieze, A M, 480
fringe thickness, 1473, 2249
Frobenius problem, 615, 2195
Fromme, M, 254
frustrated circuit, 257
frustration, 257
fs representable language, 2129
fuel limitation, 164
Fuji, Z, 1902
Fujishige, 1589
Fujishige, S, 699, 888
Fukuda, 2137
Fukuda, K, 785
Fulkerson and Gross simplicial elimination scheme, 2141
Fulkerson property, 1717
Fulkerson, D R, 48, 161, 297
full
  a priori information, 1682
  algebra, 628
  binary tree, 1814
  communication, 804
  component of a Steiner tree, 1615
full duplex all-to-all broadcasting, 1942
  communication, 1447
  link, 1435
  model, 2107
full
  quaternary tree, 1814
  ringed binary tree, 908
Fuller, 1954
Fullerene, 1746, 1998
fully
  connected distributed system, 1013
  indecomposable, 0-1 matrix 2144
function class, 289, 2151
function
  evaluation, 607
  from a finite field, 10
  of a complex variable, 10
  representation, 1733
  symbol, 968
  theory, 10
functional
  cell, 2220
  dependency, 159, 638, 969, 970, 971, 972, 974, 1812
  equation, 618, 832
fundamental circuit, 613
fundamental theorem, 1015
  of algebra, 52
fundamental transversal matroid, 54
fusion, 2200
fuzzy
  automaton, 196
  character, 1745
  nature, 1745
  set, 1939

G

(g,f)-factor, 684, 1063
  of a graph, 684
G-language, 498
Gabai, D, 180
Gabow, 1873
Gale diagram, 250
  of a convex polytope, 250
Gale transform, 713
Gale, D, 1006
Gale-Shapley algorithm, 1146, 1597
Gallai, T, 263
Gallo, 1549
Galois
  connection, 796
  lattice, 2174
Gamal, 2014
game, 2, 55, 115, 217, 254, 332, 469, 643, 664, 718, 720, 735, 759, 765, 870, 947, 1094, 1278, 1623, 1629, 1632, 1645, 1764, 2030, 2178
  Ehrenfeucht ~, 772
  n bet ~, 718
  of cops and robbers, 217, *see also* cops and robbers
  of policemen and robber, 469, *see also* cops and robbers
  problem, 55
  strategy, 2

game
theoretic, 2030, 2125
theory, 2, 2005
with steps, 1278
with two players, 834
without steps, 1278
gamma function, 2144
Ganley, 2223
gap
duality ∼, 481
of a chain, 409
string, 1816
gap-free multiple alignments, 1928
garbled message, 1448, 1567
Gardner, 1866
Garey, M R, 266, 661, 2039
Gasieniec, 2250
gate, 733, 1580
array, 2014
gate matrix
layout, 1487, 1491
problem, 1491
Gaussian
channel, 830
integer, 33
polymer molecule, 508
spectrum, 33
Gavril, F, 228, 1046
gcd η-complexity, 2007
gel formation, 515
gelation criterion, 515
gem, 2266
gene, 1917, 1923, 2200, 2202, 2205
duplication, 2202
tree, 2202
general
linear group, 854
SCP, 2238
generalisation of MDS codes, 1634
generalised
balance ternary ring structure, 1367
bicycle, 2007
bipartite metric, 1657
capacitated plant location problem, 2090
generalised clique covering, 582
transversal problem, 1784
generalised
conjugated cyclic chain, 545
constraint, 1602
cycle, 2252
generalised de Bruijn
digraph, 1986
graph, 911
generalised
de Bruijn-Good graph, 929
generalised degree, 912
condition, 912
generalised
eigenvalue problem, 512
finite automaton, 802
flag, 836
flow cover inequality, 1955
geometric sequence, 2054
graph colouring, 1832
greedy algorithm, 1026
hexagonal system, 879
Horn clause, 1549
interval order, 963
inverse, 508
ladder, 2095
Latin square, 649
lattice point problem, 311
list schedule, 475
matching problem, 343
matrix searching, 682
maximum satisfiability problem, 1095, 1158
generalised network
matrix, 1100
recognition problem, 1100
generalised
partition of a graph, 2256
perfect graph, 1062, 1636
permutahedron, 1900
polyhex graph, 812, 1880
polymatroid, 199
polyphenylene, 545
prism, 771, 1701
pseudo-Boolean function, 98
Shannon switching game, 759
travelling salesman problem, 487
generalised upper bound, 750
constraint, 750
generalised
vertex covering, 946
zeta function, 803
generalized, *see* generalised
generate and reject scheme, 2016
generating
bent sequences, 952
function, 75, 323, 521, 635, 671, 758, 832, 845, 1129, 1689, 1829, 1852, 2207, 2258
set of a group, 918
generation, 113, 599, 797, 933, 992, 1075, 1103, 1145, 1371, 1745, 1765, 1919, 2016
algorithm, 1919
list, 1745
mechanism, 1988
method, 1745
of a timetable, 873
of combinatorial structures, 618

generation
of molecular graphs, 1745
probability, 1988
problem, 933
process, 1745
generator matrix, 717
of a code, 179
generic
algorithm scheme, 2170
line, 1652
local combinatorial optimization, 1039
rigidity, 215, 223
task, 1672, 1696
genetic algorithm, 1072, 1147, 1163, 1979
genetic local search, 1147
algorithm, 1072
genetic sequence, 2208
genome, 1917, 1923, 1925, 2200
physical mapping, 2204
rearrangement, 1917, 2206
genomic distance, 1923
genotyping, 2210
of pooled markers, 2210
genus, 825, 1510, 1679
geodesics, 1863
geometric
algorithm, 682, 685, 2223
concept class, 2147
covering salesman problem, 1520
methods in scheduling theory, 1477
object in the plane, 1428
programming, 1150
separability, 1731
sequence, 1088, 2054
geometrical polyhedron, 5
geometry of geodesics, 1863
Gerbessiotis, 1740
Gergonne p-pile problem, 2126
GF(2^m), 651
GF(p), 553
GF(p^n), 10, 568
GF(q), 1123
GF(q^m), 651
GF(q^m), 1123
giant component, 515
Gibbons, 2223
Gilbert-Varshamov bound, 816
Gilboa, I, 1306
Giles, F R, 287, 450
Giles, R, 125
Gilmore, P C, 386
Gilmore-Gomory traveling salesman problem, 386
Gilmore-Lawler lower bound, 136
girth, 211, 468, 752, 1628, 1643, 1833
of a graph, 468, 1833
global
behaviour, 929
map, 34
optimality, 1163
optimisation, 440, 1358
optimum strategy, 488
similarity, 540
globally consistent orientation, 1640
Glover, F, 367, 561
GMAXSAT, 1158
GMW sequence, 329, 1088
GNET, 363
Godsil, Cl, 545, 918
Goemans, 2218
Goemans-Williamson 0.878 approximation
algorithm, 2218
Goffin, J-L, 1150
Golay code, 1634
Goldberg, A, 135, 1096
Goldberg, A V, 888
golden ratio, 1855
Goldreich, 1623
Goldstein, A A, 1150
Golomb, S W, 116
Golumbic, M C, 877, 1029, 1091, 1614
Gomory function, 289
Gomory, R E, 358, 386, 1016, 1482
Gomory-Hu
cut collection, 2171
result, 358
tree, 1560
Gonzalez, T, 304
Gonzalez, T F, 981
good
(S,a)-E0L form, 185
approximate solutions, 15, 711, 965, 1770, 2170
approximation, 667, 2159, 2170
drawing of an abstract graph, 942
E0L form, 185
routing, 632
Good, I J, 72
Good-de Bruijn graph, 913
goodness, 185, 942
of E0L forms, 185
Goppa code, 825
Gordon, M, 44, 72, 202
Gordon-Temple theorem, 44
gossip, 204, 1431, 984, 1441, 1446, 1693, 2048, 2106
algorithm, 2048, 2106
complexity, 2106
problem, 276, 1434
scheme, 204, 1431
gossiping, 1431, 1434, 1442, 1446, 1540, 1567, 1693, 1942, 1944, 2106, 2107, 2157
scheme, 204, 1431

governmental policy decision, 356
GPO sets, 492
graceful labeling, 1153, 1162
graded ring, 823
gradient, 347
Graham reduction, 2119
Graham, R L, 567, 641, 1764, 1898, 2071
Graham-Lovász conjecture, 641
grammar, 23, 109, 313, 351, 429, 1103
grammar form, 23, 46, 76, 91
  theory, 805
grammatical
  code, 801
  family, 91
graph, 2, 14-15, 27-28, 31, 35, 45, 55, 63, 76, 78-80, 82, 86, 92, 99, 111, 132-133, 140, 147, 156, 161-162, 165, 167, 169, 172, 174, 180-182, 186, 189, 195, 206, 208, 210, 216-217, 224, 230, 233, 235, 238, 240, 242, 248, 249, 254, 265-266, 274-276, 278, 282, 285, 288, 296, 308, 328, 336, 338, 346, 368-369, 377, 385, 387, 393, 395, 399-400, 406, 409, 411, 413, 424, 427-429, 433, 442, 455, 460, 464, 468-469, 474, 478, 484, 488, 492, 494, 501-504, 507-508, 511-512, 514, 517, 519-520, 522-524, 532-533, 537, 539, 545, 550-551, 556, 572, 574, 582, 594, 596-597, 604, 606-607, 611-612, 617, 622, 624, 634, 642, 645-646, 650, 657, 675, 681, 687-688, 689, 692, 697, 702, 709, 715, 721, 734, 737, 744, 747, 752, 754, 760-763, 770-771, 773, 777-778, 808, 826, 834, 837, 839, 842, 850-852, 857, 862, 875-876, 880-884, 886- 887, 893-894, 902-903, 905-906, 908-910, 912-915, 917, 920, 924, 927, 929, 931, 935-936, 938, 942, 951, 954, 959, 962, 965, 977, 980, 984, 987-988, 993, 996-997, 1003, 1015, 1021, 1027, 1029, 1034, 1038, 1041-1042, 1044, 1046-1048, 1052-1053, 1055-1056, 1058-1062, 1065-1066, 1070-1071, 1073-1074, 1083, 1086, 1093, 1097-1098, 1108, 1110, 1127, 1134-1138, 1141, 1151, 1153, 1155, 1159, 1165-1166, 1168, 1309, 1360-1361, 1364, 1376, 1384-1388, 1392-1393, 1421, 1425, 1432, 1434, 1437, 1440, 1442-1443, 1449, 1454-1455, 1466, 1470, 1476, 1479-1480, 1483, 1487-1488, 1492-1493, 1495-1497, 1503-1504, 1510, 1518, 1523, 1525, 1547, 1554-1555, 1558-1560, 1563, 1565, 1568, 1571, 1583, 1591, 1593-1594, 1600-1601, 1604, 1606, 1614, 1619, 1621, 1628, 1632, 1636-1637, 1639, 1643, 1646, 1657, 1660, 1663, 1665, 1667,1670, 1673-1674, 1679, 1687, 1696, 1698, 1701, 1704-1706, 1708, 1718-1719, 1721, 1723, 1725-1727, 1735, 1739,
graph (*cont.*), 1742-1746, 1748, 1750, 1753-1754, 1756, 1762, 1768, 1777-1779, 1784, 1786, 1788, 1792-1794, 1797-1798, 1801, 1804, 1806-1807, 1817, 1822, 1824-1827, 1830-1833, 1840-1843, 1847, 1858, 1860-1861, 1863-1864, 1866, 1869-1870, 1873, 1878, 1880, 1885-1886, 1893, 1896, 1901-1902, 1905, 1915, 1928, 1930-1931, 1933-1934, 1936, 1944, 1949, 1954, 1959-1960, 1965, 1970, 1972, 1975, 1980-1981, 1983, 1989, 1993-1994, 2002, 2005-2007, 2009, 2011, 2013, 2015, 2017, 2019-2021, 2025, 2027, 2029, 2034-2037, 2040, 2043, 2060, 2063-2070, 2077-2080, 2085, 2087, 2093-2094, 2098, 2102-2104, 2106, 2108, 2114-2115, 2118-2122, 2125, 2130, 2135, 2141-2142, 2145, 2159, 2161-2162, 2164, 2170-2171, 2174, 2176, 2178, 2183-2184, 2186, 2188, 2190, 2192, 2204-2205, 2207, 2217-2219, 2223-2225, 2228-2229, 2231-2232, 2234-2235, 2247-2248, 2255, 2266, 2271, 2276-2277, 2279, 2282
  2-colourability, 138
  3-colourability, 2248
  algorithm, 286, 1058, 1136, 1655, 1930, 1989, 2001, 2008, 2068, 2070, 2119, 2142, 2205
  bipartitioning problem, 2123
  bisection, 2106, 2127
  characterisation, 590
  class, 1031, 1381, 1989, 2035, 2104, 2185, 2248, 2277
  coloring, *see* graph colouring
graph colouring, 246, 278, 470, 597, 850, 863, 989, 1159, 1358, 1361, 1673, 1832, 1975, 1983, 2238, 2256
  algorithm, 324
  heuristic, 324
  problem, 138, 324, 884, 1108, 2034
graph
  construction problem, 2015
  controlled table, 94
  decomposition, 14
  domination, 1905
graph drawing, 1655, 2070, 2081
  problem, 715
graph eigenvalue, 1757
graph embedding, 501
  problem, 1920
graph
  enumeration, 520
  factor, 1834
  factorization, 664
  generation scheme, 1745
graph grammar, 313, 426, 429, 1488
  parsing, 426

graph
homomorphism, 850, 1454
invariant, 429
inversion problem, 238
graph isomorphism, 79, 355, 501, 594, 1745
problem, 644
join operation, 1504
k-colourability, 138
graph labeling
algorithm, 2164
problem, 2232
zoo, 1162
graph
language, 429
layout, 715
like object, 1364
metric, 1863
minor, 1992
model, 978, 1739
of an interaction, 522
of bounded tree width, 2104
of boxicity two, 1428
on a surface, 884
on an alphabet, 915
optimization problem, 1021
ordering, 1386
pair, 458
parameter, 1052, 1504, 1739, 2035, 2125
partition, 2248
graph partitioning, 1720, 2186, 2217, 2218, 2228
problem, 1673, 1720, 2218, 2256
graph
polynomial, 1691
problem, 640, 1532, 1665, 2205
property, 1993, 2104, 2170
realizability, 63
reduction, 1681
representation, 455, 2143
retraction, 1047
search method, 337
separation problem, 1638
space, 1842
spectral result, 510
Steiner tree problem, 2223
graph theoretic, 263, 317, 414, 548, 577, 882, 1834, 2015, 2030, 2148, 2226
algorithm, 692
characterization of BF orderable graphs, 421
data structure, 2198
duality, 474
index, 500
invariant, 63, 1748
method, 658, 1503
parameter, 1489
problem, 660
graph theoretical, 34, 55, 508, 512, 551, 590, 626, 778, 1728, 1745, 2225
optimization problems, 318
graph
theory, 72, 115, 123, 222, 278, 297, 424, 432, 508, 520, 638, 646, 777, 805, 843, 848, 860, 997, 1334, 1471, 1522, 1719, 1745, 1773, 1887, 1901, 2089, 2279
transformation, 1757, 2266
graph traversal, 2205
problem, 2205
graph
with few P_4's, 2247
with prescribed degrees and connectivity, 63
without triangles, 1706
graphic matroid, 1684
graphical
partially ordered set, 492
partition, 2016
representation, 523
Grassmann
code, 717
variety, 717
gravitational method, 652
Gray code, 32, 497
graytone image, 1541
greatest common divisor, 51, 615, 1933, 1968, 2007
greedily
obtained lower bound, 133
solvable, 710
greedoid, 370, 527
greedy algorithm, 104, 199, 211, 280, 366, 367, 370, 527, 557, 614, 621, 708, 716, 1026, 1039, 1048, 1063, 1370, 1513,1641, 1682, 1706, 1772, 1867, 1977, 2113, 2142
conjecture, 1424
greedy
behaviour, 407
chain, 1635
concept, 407
curvature, 211
decision, 1713
elimination algorithm, 456
heuristic, 583, 1026, 1467, 1524, 1672
greedy linear
extension, 302, 1635
time algorithm, 946
greedy
nature, 740
network, 1424
placement algorithm, 1977
procedure, 1023
reduction algorithm, 853
result, 407
schedule, 475

greedy
scheme, 280, 943
setup optimization, 853
technique, 1713
type, 1886
greedy-like
algorithm, 708
procedure, 415
Green formula, 576
Green, B F, 535
green-red colouring, 406
Greenberg algorithm, 2195
grey scale transformation, 1023
grid, 694, 895, 1036, 1038, 1531, 1435, 1441, 1446, 1449, 1693, 1786, 1890, 1921, 1949, 2070, 2106, 2116, 2224, 2227
area, 1591
array, 2116
graph, 371, 555, 1169, 1432, 1449, 1794, 1890, 2106
intersection graph, 1428
network, 1435
partitioning, 2116
path, 2070
Griesmer bound, 326, 1121
Griggs, J R, 369
Grillet, P A, 341
Gröbner basis, 824, 827
algorithm, 814
Groebner basis, *see* Gröbner basis
Gröflin, 1978
Gronwall inequality, 448
Grossman, I F, 548
Grötschel, M, 1306, 1474
Grötschel-Pulleyblank clique tree inequality, 1474
groundstate energy, 1422
group, 99, 125, 645, 667, 810, 840, 845, 905, 907, 918, 980, 1058, 1090, 1640, 1845, 2185, 2228, 2280
approach, 231
based collaboration, 2079
dynamics, 73
element, 64
group knapsack, 389
problem, 2195
group
minimisation problem, 64, 231
of automorphisms, 577, 1640
of congruences, 1948
of transformations, 1811
path problem, 1058
problem, 231
relaxation, 231
representation, 1954
solution algorithm, 231
group
technology, 1334, 1505
test, 102, 385, 1082
group testing, 102, 712, 1082, 1135, 1366, 1856, 2209, 2251
problem, 1366, 1856, 2209, 2251
group
theoretic, 1588
theory, 833, 907
valued submodular flow, 125
grouping
heuristic, 1090
operation, 2257
policy, 1090
growing crystal, 75
growth
function, 643
in a crystal, 67
of random knapsacks, 725
rate, 851
Grund, 1749
grundy, 88
Grünwald, N, 1094
GUB, 750
constraint, 750
Guibas, 1368
Guignard, 2090
Guignard, M, 1160
Guo, 2245
Gurvich, V A, 1102
Gusfield, D, 977
Gutjahr, 1835
Gutman, 2282
Gutman, I, 545
Guy, R K, 1537
Györi, 1600
gyrator, 1865

H

(H.A.L$_\infty$)-problem, 121
Habib, 2161
Hadamard
code, 934
conjugation, 2214
design, 826, 934
difference set, 696
matrix, 828, 934, 2214
Häggkvist, R, 156, 2026, 2056
Hajek, B, 1037
Hakimi, 2223
half binomial, 319
half duplex link, 1435
half integral, 493, 1387, 1660, 1847
flow, 1660
multicommodity flow, 493

half integral multiflow problem, 1387
half mesh of trees, 908
Halin
  graph, 580, 1523
  network, 466
  subgraph, 1523
  supergraph, 1523
Hall, M, Jr, 219 629
Hall-Littlewood symmetric functions, 836
Halpern, J, 632
halving hyperplanes, 2237
Hamada, N, 629
Hamidoune, Y O, 609, 918
Hamilton
  circuit, *see* Hamiltonian circuit
  cycle, *see* Hamiltonian cycle
  decomposition, *see* Hamiltonian decomposition
  path, *see* Hamiltonian path
Hamiltonian, 425, 460, 687, 954, 1033, 1071, 1377, 1379, 1384, 1465, 1648, 2037, 2120, 2279
  behaviour, 1391
  Cayley graph, 1377
  chain, 412
Hamiltonian circuit, 235, 434, 460, 487, 597, 869, 1331, 1332, 2089
  property, 1496
Hamiltonian completion problem, 1492
Hamiltonian cycle, 191, 285, 532, 656, 875, 890, 954, 991, 1033, 1041, 1166, 1377, 1379, 1606, 1648, 1695, 1866, 1878, 1994, 2041, 2056, 2080, 2089, 2110, 2204
  polytope, 2080
  problem, 147, 1041
Hamiltonian decomposition, 2089, 2262
Hamiltonian graph, 285, 687, 1379, 2037
  theory, 1379
Hamiltonian inner triangulation, 1041
Hamiltonian path, 32, 210, 285, 768, 890, 954, 991, 1331, 1434, 1648, 1866, 1878, 1887, 1902, 2056, 2205
  cost function, 1984
  problem, 285, 1331
Hamiltonian
  property, 1391
  saddle free injective pseudo-Boolean function, 529
  threshold graph, 425
  tour, 1033, 1110
Hamiltonian walk, 147
  problem, 147
Hamiltonicity, 887, 1379, 1384, 1465, 1648, 2080, 2120, 2279
Hammer, P L, 151, 614, 744, 1128, 1622, 1882
Hamming code, 1426
Hamming distance, 208, 934, 1421
  form, 901
Hamming
  graph, 1421, 2064
  labeling, 2064
  weight, 934
Hanazawa, 2082
handballene, 1746
handicap ranking, 2007
handle, 137, 356, 1114, 1782, 2052
Hansen SAMD descent ascent method, 1095
Hansen, P, 1095, 1128, 1764
Harary, F, 233, 369, 530, 2067
Hard, 1866
hard, 2, 15, 79, 246, 281, 360, 412, 546, 662, 740, 943, 1025, 1156, 1376, 1508, 1523, 1532, 1594, 1667, 1670, 1959, 1961, 2104, 2147, 2164
  bottleneck location problem, 15
  combinatorial optimization problem, 943
  constrained shortest path problem, 281
  counting problem, 417
  to color graphs, 1376
  variations of subset sum, 1961
hardness of group testing, 712
hardware design, 651, 1031
Harju, 1947
harmonic
  bin packing algorithm, 844
  function on a graph, 778
harmonious
  chromatic number, 1670
  colouring, 1670
  labeling, 1162
Hasse graph, 797
Haurie, A, 1150
Hausdorff dimension, 226, 851
Havel, 2095
Hayward, R B, 408
HC polytope, 2080
head, 251, 1804, 2007
Head, Tom, 792, 1815, 1837, 2138
heap, 476
heat conduction, 1364
  on graphs, 1364
heat treatment furnace, 386
Heath, 1777
Hedetniemi, S T, 1054
Hedlíková, J, 230
height
  equivalence, 806
  function, 13
  of a leaf in a tree, 203
  of a poset, 1330
  of a representative sytem, 13

height of a tree, 1473
Heinrich, K, 684
helicane, 514
Helicopter search problem, 2125
Hell, 1454, 1843
Hell, P, 156, 684, 927
Helleseth, 2128
Helly 2-acyclic family of subtrees, 1706
Helly family, 1706
  of subtrees, 1706
Helly type condition, 442
Hendrickson, 2218
Hendry, G R T, 695
Hendy, M, 1105
Hennig, U, 1091
hereditary
  family of graphs, 1062, 1636
  graph property, 2170
  set system, 527
Hermite normal form, 1809
Hershberger, J, 403
Hertz, 1505
Herzog, M, 1764
heterogeneous
  multiprocessor system, 1971
  vehicle fleet, 1763
Heuchenne, C, 341
heuristic, 137, 163, 283, 285, 324, 381, 383, 396, 464, 488, 557, 575, 583, 863, 931, 943, 957, 1001, 1026, 1031, 1039, 1040, 1080, 1081, 1089, 1145, 1151, 1161, 1164, 1170, 1333, 1365, 1481, 1520, 1523, 1524, 1671, 1676, 1688, 1709, 1726, 1739, 1763, 1765, 1767, 1785, 1790, 1838, 1892, 1912, 1922, 1952, 2018, 2113, 2159, 2217, 2218, 2219, 2224
  algorithm, 318, 396, 711, 791, 886, 900, 965, 1017, 1144, 1365, 1724, 1770, 1894
  approach, 281, 751, 863, 1770
  iterative procedure, 867
  method, 283, 383, 543, 602, 965, 1142, 1775, 1776, 1973
  priority scheme, 866
  procedure, 391, 863, 1358
  scheduling algorithm, 1775
heuristic search, 900
  technique, 1526
heuristic solution, 183, 1519
heuristics, *see* heuristic
hex, 759
hexagon, 756, 879, 1477, 1694, 1883, 1902, 1965
hexagonal
  chain, 2065
  close packing, 1750
  covering, 1753
  grid, 2227
hexagonal
  jagged rectangle, 2065
  net, 1965
  rectangle, 2065
  squeeze, 2064
  system, 514, 756, 879, 1127, 1694, 1817, 1852, 1883, 1902
  tiling, 1367
Heydemann, M C, 909
hierarchical
  approach, 486
  Cayley digraph, 918
  classification, 122
hierarchy, 1736
  of functions, 1622
  of network devices, 54
  of paroids, 943
  of relaxations, 679, 1371, 1796
high
  multiplicity total weighted tardiness problem, 995
  order spectral null code, 2261
higher
  moments, 383, 476, 851
  order network, 2236
Hilbert 13-th problem, 95
hill climbing, 1037, 1039, 2127
  algorithm, 1037, 1924
hillclimbing, *see* hill climbing
Hilton, 1777
Hirsch conjecture, 1073, 1662
history
  independent, 588
  of recombinations, 2208
hitting
  an object with straight lines, 753
hitting
  line, 753
  set problem, 753, 1899
Hoàng, 1732
Hoàng, C T, 777
Hoare, C A R, 112
Hochbaum, 1587
Hochbaum, D S, 464, 995
Hock, J L, 323
Hoffman, 432, 1513, 1978
Hoffman, A J, 1049
Hofstadter, D, 1855
hole in a random graph, 769
Holyer, I, 219
home game, 115, 551, 664
home-away schedule, 872
homogeneous
  algebra, 644
  configuration, 642

homogenous decomposition, 2247
of a graph, 2247
homogenous
game, 1278
Kirchhoff equations, 778
lattice valued relation, 196
pair, 1826
set, 1970
homogeneously representable interval graph, 569
homologous gene, 1923
homomorphic
characterization, 107
image, 419, 1704, 2280
homomorphically full graph, 1704
homomorphism, 107, 419, 840, 1155, 2109, 2256
problem, 1835
homotopy, 357
algorithm, 357
base, 456, 457
equivalence, 355
Hooker, 1562
hop skip and jump algorithm, 1167
Hopcroft, 1665, 1670
Hopfield networks, 2236
Hopfield-type neural networks, 2236
Hopkins, L B, 233
Horn
decomposability, 1909
formula, 1472, 1549
function, 1909
Horn satisfiability, 746
problem, 1562
Horn
scheme, 1909
set, 1613
Hsu, 1058
Hsu, D F, 911
Hu, T C, 161, 243, 297, 358, 362, 844
Hu-Khang algorithm, 844
Huang conjecture, 291
Hückel type electrocyclic four center reaction, 512
Huffman codes, 1686
human genome project, 2058
Hungarian
method, 12, 483
rings, 438
structure, 297
Hurd conjecture, 800
Hwang, F K, 443, 881, 911, 923, 958, 1094, 1366
hybrid
algorithm, 26
code, 26
hybridization
data, 2212
state, 1745
hydrocarbon, 506, 514, 1743, 1747
hyper edge, *see* hyperedge
hyper-edge, *see* hyperedge
hyperarc, 1639
hypercode, 633
hypercube, 53, 607, 916, 917, 1034, 1095, 1140, 1430, 1431, 1434, 1435, 1588, 1657, 1679, 1693, 1759, 1944, 1994, 2023, 2060, 2095, 2101, 2106, 2145, 2176
embedding, 1657
of processors, 1971
topology, 1140
hyperedge, 526, 1558, 1871, 2028
hyperedge replacement, 1103
grammar, 1103
hyperforest, 1015
hypergeometric series, 1689
hypergraph, 387, 414, 492, 515, 642, 765, 1015, 1020, 1166, 1334, 1450, 1457, 1467, 1468, 1505, 1558, 1563, 1618, 1639, 1677, 1737, 1764, 1782, 1806, 1856, 1871, 1958, 2028, 2119, 2221, 2226
colouring, 1832
degree sequence, 387
matching, 1677
optimization, 1871
partitioning problem, 1558
Ramsey number, 1737
hypermatchability, 945
hypermetric inequality, 1566
hyperplane, 279, 685, 779, 1076, 1088, 1578, 1579, 1609, 1652, 2237
arrangement, 1762
stabber, 685
stabbing problem, 685
transversal, 685
hypersphere, 1015, 1043, 1076
hypertree, 1457, 2119
structure, 2119
hypomatchable component, 945

I

Ibaraki, 1509
Ibarra, O H, 802
IC design, 2244
Ichimori, 1138
ideal in a polynomial ring, 827
idempotent, 639
identical parallel machines, 1142, 1481, 1780, 2155, 2167
identity tree, 202
IFS method, 992
Ikeno, N, 930
IL system, 578, 670
ILP, 90, 142, 2180

image
  data compression method, 1541
  degradation, 1023
  description, 992
  digital ∼, 552
  processing, 1023, 1541, 1716
  transformation, 1541
  immunocyto-chemical system, 515
immunological
  reaction, 184
  test data, 184
immutable code, 815, 2261
imperfect
  gas, 521
  liquid, 521
implementation
  of a parallel language, 475
  strategy, 548
implementing parallelism, 1537
implicit enumeration, 1170, 1859
  procedure, 406
  scheme, 1160
implicit representation, 2001
  for a graph, 2001
imprecise computation, 1362, 2018
in-core/out-of-core, 360
  shortest path algorithm, 360
inaccessible algorithm, 831
incidence
  graph, 1806
  matrix, 613, 808, 988, 1911, 1974
  step matrix, 795
incidence structure, 252, 566
  of a polyhedron, 252
incidence vector, 1278, 1562, 1630, 1721, 1781, 2038
  of a rooted arborescence, 1360
inclusion exclusion, 1904
  principle, 1074
inclusion
  of comparabilities, 1330
  relation, 1303, 1783
  relationship, 435
incomparability
  graph, 550
  in parallel computation, 737
incompatibility graph, 1031
incompatible jobs, 1503
incomplete
  feedback, 889
  sigma pi neural network, 2236
increasing subsequence, 562
indefinite
  problem, 193
  zero one quadratic problem, 193
independence, 1050, 1052, 1489, 1504, 1691, 1934, 2277
  axiom, 1109
  number, 1052, 1382, 1793, 1934, 2279
  of irrelevant alternatives, 1109
  of norm result, 2237
  parameter of a graph, 2277
  system, 60, 211, 287, 999, 1039
independent dominating set, 200, 562
independent domination, 200, 1908, 2277
  problem, 1908
independent
  matching, 1589
  partition, 176
  path sets, 702
independent perfect domination, 1708
  problem, 1637
independent
  random points, 783
  reference model, 957
independent set, 211, 246, 312, 425, 434, 506, 597, 688, 708, 862, 986, 1021, 1050, 1136, 1389, 1793, 1869, 1912, 1934, 2027, 2276
  algorithm, 874
  of maximum weight, 874
  problem, 246, 688, 862, 1050, 1684, 2123
independent
  spanning trees, 2094
  subset, 1673, 1912
  tasks, 284, 791, 1675, 1739
  two processor tasks, 707
indeterminate link, 1860
index
  of a graph, 429, 604
  of maximum density, 558
indexing
  function, 885
  scheme, 885
indifference, 1146
  graph, 2122
indirect addressing, 1444
induced
  cycle, 769, 1831
  function, 2083
  matching, 624
  permutation automaton, 2280
  subgraph, 248, 624, 771, 777, 1061, 1065, 1151, 1384, 1632, 1718, 1832, 2067, 2192, 2194, 2266
  subtree, 1014
  tree, 401
induction of an M convex function, 2083
industrial technology, 1015
inequality constraint, 114, 1602
inference of images, 992

inference of phylogenies, 2200
inferring
  a phylogenetic tree, 1916
  a functional dependency, 974
infinite binary
  sequence, 310
  word, 1855
infinite
  de Bruijn array, 595
  graph, 424, 1454
  network, 22, 56, 293
  regular graph, 778
  resistive network, 778
  shared memory, 737
  square lattice, 1390
  Thue-Morse word, 623
  transportation problem, 1531
  word, 153, 1799, 1947, 2136, 2173
infinitesimal rigidity, 349
infinitesimally rigid, 950, 1476
  bar framework, 349
influence system, 348
information
  diffusion, 2157
  digit, 815, 2261
information dissemination, 1013, 1433, 1436, 1735, 2108
  process, 883, 927, 928, 1440
information
  exchange, 1013
  rate, 218
  retrieval, 232, 267
  sequence, 815
information theoretic
  bound, 596, 889
  lower bound, 385, 881, 2204
information theory, 1924
informational macromolecule, 792
inheritance
  dependency, 972
  of attribute values, 972
inner
  linearization, 1160
  triangulation, 1041
input
  head, 251
  pattern, 1720
  semigroup, 840
inscribable polyhedron, 1695
  algorithm, 1519
  into a heap, 476
  path length, 544
insertion sort, 2233
  algorithm, 2233
insertive strict code, 801
instance distribution, 127, 135, 575
integer
  allocation problem, 84
  balanced solution, 1154
  interval linear programming, 1
integer knapsack, 1544
  problem, 1524
integer linear
  problem, 1128
  program, 6, 142, 339, 487, 1128, 1333
integer linear programming, 675, 1587, 2180
  problem, 231, 379, 1335, 1859
integer
  making theorem, 62
  matrix, 305
  minimization, 84
  partition, 2016
  polyhedron, 1978
  program, 3, 83, 142, 264, 374, 964, 1335, 2116
integer programming, 26, 64, 198, 528, 541, 561, 703, 964, 999, 1149, 1587, 1677, 1718, 1773, 2159, 2221
  feasibility, 727
  formulation, 36, 136, 705, 2033
  problem, 36, 231, 437, 673, 727, 999, 1149, 1555, 1849
integer quadratic
  optimization problem, 1587
  problem, 1587
integer
  residue ring, 824
  solution, 129
  valued demand, 161
integral
  capacity, 493
  closure, 817
  dicycle packing, 1630
  domain, 1359
  extension, 817
integral flow, 420, 1305
  property, 692
integral
  k-matching, 1677
  lattice, 1656
  max-min relations, 449
  monoid, 727
  representation, 957
  spectrum, 33
  submodular system, 262
  system, 287
  two commodity flow, 1111
  vector, 1465, 2083
integrality
  condition, 379
  property, 1009

integrality theorem, 420
integrated circuit, 550, 1720
  layout, 345, 962
integrity, 693, 902, 1989
  of a graph, 902
intensional part of a database, 627
interacting
  dimers, 519
  feedback loops, 522
interaction
  corfficient, 245
  energy, 166
  rule, 1527
interactive
  L system, 587
  user, 677
intercell move, 1334, 1505
interchange
  graph, 1033, 1465, 2080
  property, 1892
interconnected structures, 223
interconnection, 152, 215, 223, 240, 590, 2223
  architecture, 1971
  design, 2017
interconnection network, 590, 826, 903, 904, 905, 907, 908, 914, 915, 926, 932, 934, 938, 939, 980, 1434, 1537, 1782, 1875, 2023, 2096, 2099, 2106, 2145, 2166, 2252
  topology, 1994
  of local maps, 34
  of rotators, 152
interdependent subproblems, 677
interior
  function, 1828
  planar graph, 1689
interior point
  cutting plane algorithm, 1150
  method, 1939, 1995
interleaving, 221
internal visibility graph, 2274
interpoint distance, 1616
interpretation
  of a grammar form, 76
  rule, 459
interpreted strategy, 627
interprocessor communication delay, 475, 1157, 1633
intersecting
  intervals, 1565, 1638
  set system, 441
intersection, 685, 781, 784, 811, 1974
  behaviour, 1083
  factor, 184
  graph, 167, 180, 224, 233, 242, 336, 399, 610, 986, 1011, 1029, 1046, 1050, 1060, 1425, 1428, 1638, 1706, 1728, 1798, 1989, 2069
intersection
  graph of subtrees, 1706
  ideal, 818
  of intervals, 258
  of languages, 568
  of minimum dominating sets, 2008
  of submonoids, 317
  problem, 568, 781
  property, 260, 854, 1690
  theorem, 199
  theory, 781
intersection-union system, 184
intersymbol interference, 821
intertwined infinite binary words, 1855
interval
  assignment, 979
  bigraph, 2021
  catch digraph, 1389, 2013
  colouring problem, 1893
  completion number, 1831, 2035
  counts, 224
  digraph, 1389, 2021
interval dimension, 1626
  of a poset, 762
interval
  graph, 167, 180, 224, 258, 334, 434, 470, 504, 550, 569, 572, 809, 946, 1056, 1361, 1381, 1637, 1682, 1688, 1728, 1798, 1801, 1831, 1869, 1908, 1913, 1989, 2008, 2021, 2035, 2156, 2211, 2228
  hypergraph, 1467, 1958
  linear programming, 1
  model, 874
  nest digraph, 1389
interval number, 167, 233, 242, 369, 572, 1060
  of a graph, 167, 233, 369, 572
interval order, 187, 334, 375, 963, 1057, 1098, 1133, 1383, 1427, 1496, 1635, 1680, 1682, 1899
  dimension, 550
interval
  ordered hypergraph, 1467
  query, 2156
  realiser, 1626
  representation, 224, 242, 569, 1057, 1098, 1467, 2021
  tolerance graph, 1029
interval/gap approach, 2016
intervertex distance, 1617
  problem, 1617
intrachromosomal rearrangement, 1923
intractability, 1491, 1993
intree, 1157
invariance, 1811
invariance property, 1004
  of binary trees, 1004

invariant, 341, 512, 646, 704, 827, 1747, 1748, 1811, 1866, 2063, 2091, 2141
  characteristic, 514
  for edge addition, 917
  neural network, 1811
  of a graph, 1663
  of a variety, 823
  of an ideal, 827
  set of arcs, 344
  theory, 819
inventory, 1780
  control, 1079
  planning, 365
  variable, 672
inverse
  Ackermann function, 1134, 1529, 1613
  finite substitution, 571
  identity, 845
  morphism, 150, 398, 802
  of a circulant matrix, 38
  problem, 444, 2092
  shortest arborescence problem, 2092
  weighted shortest path problem, 2092
inversion, 878, 1636, 1923, 2233
inverted order, 65
invertible generator, 807
inverting a graph, 238
inverting perfection, 1636
  theorem, 1636
investment
  planning, 281
  selection, 1871
involution, 637
  of a hypercube, 1140
involutory automorphism, 1140
IP, 231, 1304
Iri, M, 297, 977
irrational number, 2136
irreducible
  algebraic space curve, 781
  binary word, 542
  Boolean matrix, 558
  curve, 781
  disjoint covering system, 742
  polynomial, 1968
  representation, 1752
  space curve, 781
  symmetric positive definite matrix, 1134
irredundance, 1807
  number, 1807
irredundancy, 1051
irredundant, 259, 1051, 1167, 1722, 1807
  complete subset, 608
  DNF, 1167
  function, 1807
irredundant perfect, 1052
  graph, 1052
irredundant set, 1051, 1807
irreflexive dimension, 1627
irregular
  coin, 889
  colouring number, 2042
  polygon, 531, 1836
irregularity strength, 2042
ISCAS circuit, 1720
Ishiguro, A, 981
Ishizaki, Y, 977
ISI, 821
Ising
  model, 1681, 2091
  ± 1 spin model, 1422
isohedral tiling, 4
isolated
  m-tuple, 758
  memory, 1522
  vertex, 574, 1708, 2027
isolation index, 2260
isomer, 516, 1745, 1749
  counting, 520
isomeric graphs, 848
isomerization, 516
  scheme, 520
isometric
  embedding, 208, 442, 1421
  theorem of Bollobas and Leader, 1036
  wheels, 1806
isometrically
  embeddable, 208, 2060
  embedded, 1657
isomorphic
  dendrograms, 205
  simulation of an automaton, 757
  structure, 1745
isomorphically complete system, 898
isomorphism
  class of graphs, 393
  complete, 355
  group, 196
  of graphs, 41, 181
isomorphism problem, 1745
  for compact graphs, 773
  for tree cographs, 594
isomorphism test for Hadamard designs, 934
isomorphism testing, 79
  for block designs, 79
isomorphism to depth n, 1525
isoperimetric
  inequality, 778
  theorem, 1036
isospectral molecules, 1756

isostatic, 1476
  bar and joint framework, 1476
  graph, 1476
  subgraph, 1476
isotonic regression, 1079, 1124
  model, 1124
  problem, 1079
isotopy class, 787
Itai, 1623, 1985
iterated line
  digraph, 1854
  graph, 502, 1854
iterated
  morphism, 310, 571
  splicing, 1815, 1837
iteration, 226, 482, 501, 592, 744, 867, 891, 1597, 1665
  graph, 309
  index, 1696
  of Boolean mappings, 257
iterative behaviour, 245
iterative characterization, 404
  of Boolean algebras, 404
iterative
  dual change, 298
  property, 404
  solution procedure, 1739

J

jabbering problem, 904
Jackson, 2245
Jackson rule, 1709
Jacobs, D P, 1054
Jacobson, M S, 1059
James, L O, 14
Janowitz model, 796
Jean de Rumeur conjecture, 1997
Jensen, 2031
Jeroslow, R G, 106
JEST algorithm, 1776
job
  completion time, 1517, 1895, 1900, 1962
  processing time, 680, 1641, 1785, 2086
  scheduling, 723
  sequence, 1112
job sequencing, 93
  problem, 1813
  with deadlines, 93
job shop, 1477, 2167
  problem, 1516, 1519
job shop scheduling, 134, 490, 1156, 1516, 1776, 1962
  problem, 134, 1156, 1516, 1776, 2167
job splitting, 892
  methodology, 892
job types, 175, 557, 1009, 1780, 1895
Johnson, 303, 304, 1598
Johnson graph, 826, 1840
Johnson, D, 661
Johnson, D S, 567, 752, 975
Johnson, E L, 151
Johnson, S M, 447
join irreducible element, 1165
joint
  replenishment problem, 1090
  setup costs, 1090
Jones polynomial, 646
  invariant, 646
Jones, K F, 760
Jordan curve, 111, 228
Juels, 2127
jump, 302, 1814, 1960
  function, 2153
jump number, 210, 302, 559, 1330, 1469, 2038
  problem, 1635
junction structure, 1851

K

k-ary perfect maps, 595
K-best perfect matchings, 484
k-best solutions, 301
k-blanket, 2235
k-cardinality assignment problem, 1976
k-centre problem, 1304
k-choosable, 1983
k-chromatic graph, 2029
k-cluster
  in a graph, 248
  problem, 248, 1304
k-colorable, *see* k-colourable
k-colourable, 884
  graph, 834, 1673
k-complete graph, 1137
k-core problem, 2235
k-cycle scheduling problem, 1166
k-dominating set problem, 248
k-edge
  ranking, 754
  subgraph problem, 1886
k-factor, 1986
k-flow graph, 2162
k-gons of maximum area, 388
k-matching, 395
k-NLC
  graph, 1496
  tree, 1496
k-nuclei, 2084
k-person tour, 163
k-regular, 308
  graph, 254
  subgraph, 687, 1797

k-regular subgraph problem, 687
k-repetition
  free, 270
  freeness, 270
k-secure graph, 45
k-size Steiner tree, 1615
k-spanning set, 250
k-Steiner ratio, 1615, 2203
k-terminal recursive, 1495
k-th best valued assignment problem, 1336
k-th power of a graph, 1594
k-trapezoid graph, 1869
k-tree, 248, 597, 1054, 1056, 1137, 1493, 1901
k-vertex
  connected, 454
  connectivity unweighted augmentation problem, 454
k-way graph, 2116
$K_{1,3}$, 1384
$K_{1,3}$-free, 1687
  graph, 1136
$K_{1,4}$-free, 1687
$K_{2,3}$-free, 1825
$K_{3,3}$-free digraph, 1630
K_3-cover, 1723
K_4-free, 1825
K_5-free, 1387
Kahn, 1904
Kahng-Hu algorithm, 844
Kajitani, Y, 977
Kakusho, O, 297
Kalantari, B, 440
Kameda, 1525
Kannan, 2143
Kano, 1813
Karchmer, M, 683
Karhumäki, 1541
Kari, 1541
Karmarkar, 1603
  interior point potential reduction approach, 1995
Karmarkar-Karp differencing method, 1603
Karonski, 1600
Karp, R M, 66, 355, 424, 1078, 1603
Karpinsky, 2130
Karzanov, A V, 297
Kasteleyn, P W, 227, 323, 1390
Kataoka, S, 89
Kauffman bracket polynomial, 646
Kautz, 632, 1510, 2003, 2107, 2109
  digraph, 921, 935, 936, 1986, 2003, 2096, 2252
  network, 632, 921, 2107, 2109
Kazernov, A V, 297
Kececioglu, 1917
Kekulé pattern, 812
  structure, 499, 506, 1127, 1751, 1817
Kekulé structure count, 855
Kekuléan
  benzenoids, 1751
  hexagonal system, 1817
Kelley, J E, 1150
Kelly conjectures, 17
Kelly, J S, 17
Kelmans, A K, 297
Kempe method, 617
Kennedy, J W, 202
kernel, 88, 1278, 1389
  of a digraph, 88
Kernighan, 2218
Kernighan-Lin algorithm, 2218
key distribution, 128, 566
  pattern, 566
  for taxons, 69
  management, 566
key set, 976
key storage, 566
  problem, 566
Khouzam, N, 777
Kim, 2090
Kimura 3ST model, 2214
kinetic
  approach, 1744
  consideration, 520
Kipnis, 1540
Kirchhoff
  equations, 778
  laws, 778, 977
  matrix, 508
Kirkpatrick, 684, 1843
Kishi, G, 977
Klapper, 2054
Klarner, D, 323
Klee, V, 529, 1622
Klein bottle, 1753
Klein, M, 888
Kleitman, D J, 291
Klem, L, 535
Klin, 1745
Klingman, D, 367
Kloks, 2161
Klug, A, 975
knapsack, 321, 380, 674, 725, 1026, 1161, 1524, 2116, 2195
  capacity, 1990
  constraint, 1019
  integer programming problem, 171
  polytope, 171, 259, 948, 999
knapsack problem, 24, 170, 321, 389, 481, 482, 491, 750, 948, 999, 1009, 1026, 1115, 1160, 1524, 1849, 1990, 2074, 2116, 2117, 2193, 2195, 2259

knapsack problem algorithm, 90
knapsack
  set, 1544
  sharing problem, 402
knight
  graph, 1866
  Hamiltonian problem, 1331
  move, 635
knight tour, 1866, 1887
  problem, 1866
knock knee mode, 966
knot, 655
  theory, 646
knots and links, 646
knotted
  hypothetical molecular graph, 507
  molecular graph, 507
knowledge
  assessment algorithm, 554
  space, 554
  structure, 554
knowledgeable enemy, 1701
Knuth
  complementation method, 2261
  monotonicity theorem, 1101
Knuth, D E, 1597
Ko, K-I, 712
Kobayashi, 629
Kobayashi, Y, 629
Kolen, A W J, 1049
Kolmogorov, A N, 95
Komlós, J, 686
König-Egerváry
  component, 622
  graph, 622
Korec, I, 742
Körner, J, 625
Korte, B, 151, 527
Kovalyov, 2086
Kraft inequality, 1592, 1856
Kramer, 1591
Krantz, D H, 577
Krarup, J, 362
Krause, 1873
Krishnamoorthy, 1670
Krishnamurthy, 1954
Krishnamurthy, B, 918
Krogdahl, S, 621
Krohn, 2280
Kronecker product, 1878
Krumme, 1446
Kruskal, 686
Kruskal, J B, 563
Kruskal-Katona bound, 563
Kufta, R W, 958
Kuhn-Tucker complementary slackness, 741
Kuo, D, 2235
Kurosh-Ore theorem, 416

L
L-cluster methods, 74
L-code, 117
L-form, 11, 91
  theory, 11
L-polytope, 1656
L-system theory, 587
L_1 graph, 2060
L_1 norm, 2222
L_1-embeddable planar graphs, 2060
L_∞ approximation, 1043
  algorithm, 1043
l_∞ distance, 983
La Paugh, A S, 981
label correcting
  algorithm, 2188
  code, 360
labeled
  complete digraph, 683
  dendogram, 205
  difference graph, 1631
  digraph, 1525
  graph, 429, 986, 2185
  network, 1640
  planar graph, 241
  stabbing information, 2274
labeling
  algorithm, 312, 574, 1117, 2164
  of a connected graph, 169
  problem, 886, 1153
  procedure, 297
  scheme, 312, 1816
labelled, *see* labeled
labelling, *see* labeling
LAD curve fitting problem, 197
ladder, 2095
Laffond, G, 2057
Lagarias, J, 1094
Lagrange
  multiplier, 137
  polynomial, 700
Lagrangean
  1-tree relaxation, 676
  decomposition, 1009, 2090
Lagrangean dual, 366, 528, 741, 1128
  bound, 1009
  formulation, 528, 1170
Lagrangean
  duality, 481, 1128, 1145, 1170
  method, 1024

Lagrangean
problem, 271
relaxation, 136, 137, 366, 482, 528, 674, 676, 678, 741, 867, 1009, 1024, 1142, 1145, 1943
substitution, 2090
Lagrangian, *see* Lagrangean
Laman theorem, 223
λ-bell particles, 227
landmark, 1842
in a graph, 1842
Lang, 2218
Langston, 1487
Langston, M A, 585
language, 11, 23, 49, 87, 96, 118, 150, 168, 236, 244, 251, 313, 320, 325, 327, 405, 426, 429, 477, 495, 498, 547, 568, 633, 635, 637, 640, 804, 805, 992, 1069, 1103, 1129, 1451, 1585, 1799, 1815, 1837, 2055, 2129, 2138, 2147, 2175, 2187, 2239
equivalence problem, 1007
language family, 29, 118
of an E0L form, 29
language
form, 23
over an infinite alphabeth, 23
language theoretic
complexity gap, 2055
property, 2138
language theory, 571
Laplace eigenvalue, 886
of a graph, 886
Laplace operator, 253
Laplacean, *see* Laplacian
Laplacian, 576, 1510
matrix, 1619
polynomial, 1619
Laplacian spectrum, 1619
of a graph, 887
large
bipartite digraph, 1557, 1697
(Δ, D)-graph, 940
deviation, 276
generalised cycle, 2252
girth, 288, 468, 862, 1628
graph, 910, 1701
homogeneous monochromatic configuration, 642
interconnection network, 915
network, 359, 566
parallel system, 916
planar graph, 1582
large scale
MIMD machine, 980
computer, 926
parallel processor computer, 980
shortest path problem, 360
large scale system, 295, 939
of equations, 455
large scale zero one integer programming problem, 26
large sparse
nonsingular matrix, 268
system of linear equations, 539
large
spider web network, 930
survivable net, 1701
trivalent graph, 925
largest
clique, 1062, 1673
complete subgraph, 140
induced matching, 624
induced tree, 401
polygon, 388
processing time first, 791
strategy, 332
winning strategy, 332
Lascoux, A, 836
Laslier, J F, 2057
latest
schedule, 761
starting time sequence, 761
Latin
brick, 631
marriage problem, 1699
square, 219, 649, 919, 1595
transversal, 764, 1528
Latteux, M, 118
lattice, 98, 196, 201, 227, 393, 404, 805, 836, 933, 945, 971, 1367, 1390, 1422, 1602, 1650, 1733, 1750, 1939, 2258
bandwidth, 770
geometry, 742
graph, 146, 503
majority rule, 1165
matrix, 1974
model, 521
parallelotope, 742
path, 793
point problem, 311
space, 227, 323
structure, 305
theoretic, 971
theoretical, 512, 1609
valued relation, 196
Laurent, M, 1566
Lawler, E L, 341, 723, 1495
laws of electromagnetism, 517
layer of a Boolean function, 1828
layered mixed matrix, 699, 1589
layout
compaction, 962
design, 2227

layout
of a connection structure, 965
problem, 5, 2222
system, 345
width, 2220
LBFS, 2255
LCP, 463, 2137
duality theorem, 2137
mapping, 896
Leader, 1036
leaf
in a tree, 203
node, 205
leaky electrical network, 2007
leapfrog operation, 1748
learnability, 1985
of functions, 1120
learnable concept class, 1012
learning, 620, 1012, 1365, 1652, 2251
algorithm, 2236
application, 2150
from examples model, 1365
problem, 1365
theory, 620, 1652, 1811, 1992, 2150
least cost
fault detection problem, 77
problem, 591
least
fixed point, 627
least median of squares regression, 376
line, 376
least
recently used caching, 957
squares estimation, 1926
uniform spanning tree, 411
lecicographic permutation, 8
Lee, 50, 1866, 2133
code, 50, 70, 85, 116, 218, 447, 2085
metric, 116
MLPT, 2133
Lee, S L, 981
left continuity, 74
leftmost
maximal periodicities, 648
substring, 648
Legendre sum, 856
Leighton, 2145
Leighton, F T, 967
Leland, 2218
Lemke algorithm, 32, 315
Lengauer, 1591
length
of a leaf, 291
uniform morphism, 270
Lepp, M, 988
Lerchs, H, 548
Lesniak-Foster, L M, 1168
letter to letter morphism, 805
level set, 1863
of a flow, 959
Levenshtein metric, 540
leverage theorem, 1988
Lewin, M, 263, 2231
LexBFS, 2141
lexicographic
best solution, 1809
breadth first scheme, 2255
multicriterion objective, 272
lexicographic optimization, 863
problem, 863
lexicographic
order, 8, 678, 1816
product, 2121
Liang lower bound, 998
Liang, F M, 998
#LICOL, 1941
LICOL problem, 1941
Lieb, E H, 227
Liebling, Th M, 614
Liestman, 1944, 2108
Liestman, A L, 927
lift and project, 2268
lifted
facet, 948
inequality, 948, 1849
lifting, 817, 948, 1019, 1566
cover inequality, 1849
procedure, 1849, 1566
ligase, 792
limit
behaviour, 473
cycle, 257
of heights of leafs, 203
of languages, 23
limitation of fuel, 164
limited
buffer, 1850
capacity, 1775
compaction, 290
completion time, 1641
sharing, 716
vehicle capacity, 1144
Lin, 1530, 2218
Lin-Kernighan
heuristic, 1039
method, 1979
Lindenmayer, A, 587
Lindsay, 1749
line broadcast, 1953, 2105
scheme, 1953

line
broadcasting, 2105
communication model, 2048
connectivity, 63
digraph, 207, 743, 936, 1854, 1986, 2107, 2109, 2252
line drawing, 252, 277
of a polyhedron, 155, 252, 277
line graph, 58, 399, 502, 752, 880, 1136, 1646, 1993, 2075, 2192
of a bipartite graph, 752, 2191
of a claw-free graph, 752
line map, 111
graph, 111
line
probing algorithm, 1652
protocol, 1953
transversal, 784
linear
algebra, 818, 1010, 1471, 1669
algorithm, 154, 191, 368, 961, 1058, 1489, 1583, 1801, 1891, 2025, 2070, 2082
linear arrangement, 1560
problem, 1560
linear
array, 1610, 1946
based bent sequence, 952
binary code, 260
block code, 717
cellular automaton, 1702
classifier, 2152
code, 57, 303, 816, 2177
collective order, 65
complementarity problem, 32, 106, 315, 463, 1658, 2137
complexity, 696, 1098, 1684, 1712
conductor, 1494
congruence, 198
linear constraint, 21, 412, 605, 1018, 1696
in bounded integers, 461
representation, 412
linear
cost function, 280
cut width, 2232
decision tree algorithm, 100
dependence, 523
diophantine inequality, 374
dynamical system, 525
extension, 302, 559, 955, 1467, 1469, 1635, 1649, 1787, 1900, 2038
extremal equation, 273
fit problem, 2237
forest, 1153
function on a module, 631
graph, 1696
linear
homogeneous congruence, 142
hull operator, 419
hypergraph, 1563
independence, 1130
inequality, 841, 1360, 1471
linear integer program, 83
linear integer programming, 943
problem, 106
linear
L_1 approximation, 2237
language, 1799
layout, 612
matroid parity problem, 945
maximization on a partially ordered set, 104
linear network, 54
theory, 223
linear
nonregular, 1799
objective function, 20, 370, 2281
optimization, 197, 1587
order, 17, 65, 120, 187, 1049, 1167, 1803, 1816
linear ordering, 1306, 1487, 1931, 2217
polytope, 1306, 1630
linear
processor bound, 1530
program, 83, 613, 668, 676, 1118, 1938
linear programming, 12, 21, 83, 197, 198, 283, 297, 380, 538, 613, 652, 668, 674, 676, 685, 700, 749, 943, 959, 1073, 1118, 1149, 1471, 1531, 1560, 1620, 1677, 1692, 1765, 1796, 1882, 1938, 1939, 2039, 2268
assignment problem, 1149
heuristic, 283
method, 379, 1939
polyhedron, 6
problem, 265, 679, 700, 741, 749, 808, 979, 1472, 1555, 1587, 1900, 1939
relaxation, 142, 482, 528, 610, 705, 1026, 1170, 1304, 1371, 2180
linear recognition, 1593
linear recurring
array, 1032, 1968
m-array, 1125
linear
recursion property, 696
relaxation, 461
representation of a signed graph, 99
section, 854
separator, 1076, 1579
sharing problem, 402
spatial equilibrium, 357
storage, 666
storage approximation scheme, 666
string grammar, 351

linear
structure of graphs, 1831
threshold function, 1579
linear time, 42, 225, 283, 290, 540, 562, 612, 659, 660, 697, 732, 784, 844, 893, 961, 981, 1028, 1112, 1137, 1431, 1472, 1479, 1493, 1509, 1549, 1583, 1853, 1866, 1941, 2068, 2119, 2122, 2124, 2141, 2198, 2228, 2247, 2269
algorithm, 71, 127, 154, 191, 206, 256, 290, 330, 341, 346, 368, 466, 580, 588, 597, 689, 807, 861, 880, 884, 890, 981, 983, 984, 996, 1023, 1041, 1044, 1053, 1054, 1055, 1076, 1137, 1479, 1493, 1495, 1550, 1562, 1665, 1674, 1708, 1792, 1804, 1830, 1843, 1866, 1870, 1891, 1913, 1930, 1946, 1958, 2006, 2008, 2039, 2130, 2132, 2191, 2194, 2235, 2255, 2269
linear time and space, 666
algorithm, 1098
linear time
approximation algorithm, 2213
complexity, 744, 2220
computation, 42
greedy algorithm, 2142
labeling algorithm, 312
maximisation algorithm, 390
optimisation algorithm, 1583
recognition algorithm, 494, 1593, 1830
sequential implementation, 702
solution, 421
solvability, 1492
linearisation, 745, 1170
technique, 1170
linearization, *see* linearisation
linearly
bounded transmission fault, 2101, 2250
independent, 1130
linearly ordered
character state, 2082
commutative group, 273, 306, 600, 1130, 1669
set, 1130, 1680
linearly separable Boolean function, 1578
linguistics, 842
linial, 683, 1904
link, 634, 903, 908, 1163, 1430, 1436, 1537, 1640, 2094, 2110, 2176, 2181
linked strings, 792
linking
probability, 930
system, 592
Linzertorte problem, 371
list coloring, *see* list colouring
list colouring, 1571, 1983, 2040, 2118
problem, 1571, 1941
list schedule, 475, 1543
list scheduling
heuristic, 1481
method, 391, 1675
rule, 1481
list
independent set in a ∼, 688
T-coloring, 2118
literal, 294, 575, 1000
Liu, G, 684
Liu, R, 133
liveness, 746
Lloyd, 1682
LM matrix, 699
load
balancing, 311, 1971
of a vertex, 1808
local
adaptation, 1647
algebra, 823
algebraic invariants of a variety, 823
alignments, 1912
area network, 1099
broadcasting, 2105
combinatorial optimization, 1039
local density, 1583, 2079
metric, 2079
local
grayness function, 1541
growth, 587
local improvement
algorithm, 529, 1912
heuristic, 1164, 1912
local
information, 208, 1493
interchange property, 1892
map, 34
median, 730
minimum of a matrix, 1038
local multiple alignment, 1928
local optima, 607, 1164
topology, 1164
local
optimality, 375, 1022, 1163
optimisation on a graph, 607
local optimum, 381, 607, 867, 1038, 1164
strategy, 488
local
permutation routing, 1875
property, 230, 837, 1495
ratio theorem, 2170
ring, 823
local search, 544, 607, 1022, 1038, 1039, 1147, 1766, 1892, 2123
heuristic, 1766, 1767, 1892
scheme, 943
time, 544

local
structure, 1379
testability, 2187
tournament, 2031, 2245
waiting time, 1809
localisation
of the coordinate ring of a variety, 823
result, 1170
locality, 1495
localization, *see* localisation
locally connected spanning tree, 1901
locally finite
infinite network, 22
pseudovariety, 2175
variety, 2175
locally
semicomplete digraph, 2031, 2245
triangular, 837
locating
a facility, 891
a tree shaped facility, 2193
communication center, 2186
location allocation, 1170
problem, 1170, 1952
location
model, 446, 1126
problem, 15, 891, 1009, 1040, 1107, 1124, 1152, 1304, 1685, 2090, 2119
theory, 442
vector, 785
locking, 297, 616, 973
algorithm, 973
problem, 297
property of multiflows, 297
log-space completeness, 380
log-time parallel implementation, 702
logarithmic
concave, 786
time, 1698
LOGCFL, 735
logic
circuit, 893
gate, 893
program, 968
logic programming, 866
problem, 746
logic
simulation, 893
synthesis, 2226
logic testing, 1720
of a combinational circuit, 1720
logical
clause, 1158
constraint, 2268
design, 68
logical
functions preserving 0, 726
sentence, 1620
structure of a system, 522
LOGNP, 1993
long cycle, 1878
long division, 64
algorithm, 64
long path, 1878
longest
cycle, 2026, 2279
increasing subsequence, 1117
path, 1696
longest processing time, 755
algorithm, 755
longest remaining path first schedule, 1543
look-up table, 439
labels, 439
loop, 190, 373, 399, 442, 522, 645, 848, 911, 936, 939, 1063, 1103, 1556, 1653, 1896, 1971, 2129, 2146
network, 939, 2009
loose value automorphism, 577
Lorea, M, 1764
Lorentz transformation, 517
loss preventing strategy, 332
lot size scheduling, 1780
lot sizing, 1149
problem, 672
Lotka-Volterra system, 525
Lovász
duality theory, 945
local lemma, 764
Lovász, L, 527, 622, 641, 684, 1468, 1764
low
complexity normal basis, 651, 733
degree curves, 781
density series expansion, 503
lower and upper bound, 292, 326, 400, 463, 505, 607, 700, 885, 929, 1036, 1063, 1072, 1161, 1333, 1620, 1690, 1735, 2036, 2145, 2150
lower bound, 16, 21, 39, 53, 90, 100, 110, 114, 133, 137, 140, 151, 167, 168, 200, 314, 326, 353, 366, 371, 396, 402, 676, 678, 683, 701, 711, 734, 737, 739, 742, 784, 813, 881, 885, 889, 892, 903, 905, 927, 929, 935, 967, 974, 976, 998, 1013, 1036, 1038, 1057, 1071, 1072, 1099, 1142, 1145, 1170, 1385, 1432, 1434, 1435, 1439, 1455, 1478, 1516, 1560, 1578, 1586, 1591, 1592, 1599, 1615, 1623, 1654, 1677, 1679, 1683, 1697, 1699, 1724, 1725, 1737, 1786, 1840, 1844, 1882, 1934, 1887, 1934, 1943, 1991, 2097, 2106, 2146, 2177, 2183, 2221
technique, 739, 1439

lower
chromatic number, 1958
probability, 1733
valuation, 1165
LP, 26, 1118, 1149, 1304
code, 485
duality, 12
LP relaxation, 129, 379, 1677, 2159, 2221
bound, 1009
LP solver, 2180
LPT, 543, 755, 791
algorithm, 284, 755, 1084, 2133
rule, 383, 1481
LR
array, 1032
m-array, 1125
LRU caching, 957
Lubiw, A, 1049
Lubotzky, A, 645
Lucas numbers, 1702
Lucchesi, 1630
Luce, R D, 577
Lueker, 2039, 2198, 2212
lumped
power conserving system, 2172
system, 2172
Lundgren, J R, 530, 760
Lyapunov functional, 473

M
m-adic residue codes, 639
m-ary balanced code, 2261
M-convex function, 2083, 2134
M-decomposition, 455
M-irreducible component, 455
m-machine problem, 1898
m-recognizable, 565
M-sequence, 329, 1088
m-traveling salesmen problem, 366
Macaulay theorem, 827
machine
capacity constraint, 678, 1142
dependent processing time, 956, 1964
duplication, 1334
learning, 2152
scheduling, 2132, 2133
speed, 452, 1545
subject to failure, 1642
MacLane exchange property, 416
MacMahon cube law approximation, 319
MacWilliams transform, 2128
MADA, 1938
Maddison, 1659, 2082
MADLP, 1938
MADM, 1938
Maehara, 2013
magic trick, 2126
magnetic crystal system, 1422
magnetization, 1422
Mahesh, 1824
Mahjoub, 1723
maintenance, 173, 866, 1977, 2113
service, 2113
Maiorov, 2151
majorities problem, 1803
majority
function, 340
preference, 776
rule, 1165
strategy, 2066
tournament, 776
tree, 1927
voting, 13, 776
makespan, 383, 755, 791, 956, 1009, 1157, 1475, 1481, 1503, 1543, 1545, 1584, 1603, 1709, 1730, 1739, 1846, 1897, 1898, 1982
makespan minimisation, 1850, 1943, 1977
problem, 1009, 1850
makespan
schedule, 1561
scheduling, 1603
Mallow ranking model, 1008
Manber, Udi, 1563
Manhattan
channel router, 967
model, 967
routing, 967
Manhattan street network, 2110
of processors, 2110
manufacturing
management, 672
process, 1009
system, 486, 1159, 1334
many-one reducibility, 640
many-to-one simulation, 29
of E0L forms, 29
many-valued logic, 108, 774
mapmaker dilemma, 834
mapping
of a graph onto a circle, 1777
of a tree onto a circle, 1777
Marcus, 1799
market equilibrium, 356, 357
Markov
chain, 47, 1515, 1988, 2007
decision process, 1671
model, 2214
process, 2214
tree, 1015
Markov, A A, 2136

marriage
problem, 864, 1006, 1650, 1699
stability, 1597
married sequence, 1855
Marsh, A B, 287
Martello, 1676, 1844
Martin algorithm, 439
martingale, 373
extension, 373
Mason
determinant rule, 1862
gain formula, 1862
mass center, 230
Massey-Omura multiplier, 733
massively parallel
computer, 917, 2166
computing system, 1611
MAST, 1918
master matroid, 223
Masuda, Shinji, 144
Masuyama, H, 1138
match making application, 864
match-up strategy, 1668
matchable pair, 1471
matching, 220, 265, 287, 307, 338, 343, 433, 540, 621, 624, 676, 702, 893, 945, 951, 1095, 1146, 1168, 1336, 1359, 1434, 1453, 1546, 1589, 1597, 1607, 1677, 1691, 1726, 1841, 1852, 1857, 1873, 1921, 1928, 1932, 1938, 1950, 2130, 2142, 2278
algorithm, 739, 864, 1422
game, 443
in benzene chains, 194
in graphs, 428
matroid, 763
method, 1453
number, 395, 1051, 1382, 1468
parentheses in parallel, 985
polyhedron, 402
polynomial, 194, 220, 394, 510, 545, 1092
polytope, 287, 1122
problem, 12, 28, 307, 343, 610, 736, 1117, 1471, 1483, 2269, 2278
solution space, 484
theory, 1063, 1873
with two nodes, 194
matchoid, 60
problem, 60
Mateescu, 2187
mathematical
chemistry, 520
language, 1745
model of triangulanes, 1754
program, 311, 1558
mathematical programming, 129, 1664
code, 129
mathematical
representation, 1745
theory, 87, 1015
MATLAB implementation, 1150
Matousek, 1493
matrix over a ring, 1959
matrix representation, 1745, 2045
of a closure operation, 300, 663
matrix
searching, 2156
set, 157
transpose, 2097
transposition, 1444
tree theorem, 99
matroid, 25, 99, 211, 221, 223, 262, 263, 277, 367, 409, 419, 422, 433, 456, 527, 592, 613, 621, 690, 708, 763, 785, 786, 808, 943, 977, 1042, 1100, 1148, 1518, 1556, 1589, 1600, 1602, 1634, 1658, 1684, 1717, 2083, 2134, 2171, 2172, 2205
axiomatics, 60
base problem, 1684
constrained, 1556
elongation, 1600
generalization, 263, 411
matroid intersection, 60, 221, 397, 1602, 1719
algorithm, 221
problem, 1148
matroid
matching, 945
of a graph, 99
of a signed graph, 99
optimisation, 221, 1602
pair, 1148
parity problem, 945
partitioning, 397, 2001
problem, 367
structure, 2205, 2278
theoretic framework, 592
theory, 215, 626, 943, 1070, 1359, 1634
union, 223
matroidal
bottleneck problem, 1684
model, 54, 223
problem, 1684
structure, 1684
matroids for rigidity, 215
Matthews, 233
Matthews, M, 233
Maurer, H, 168
max-algebra, 1130
max-balanced, 959
flow, 959

max-cut, 1725
problem, 743, 1496, 1725
max-distribution matrix, 1110
max-flow, 21, 344, 2073, *see also* maximal flow, maximum flow
max-flow min-cut
property, 422
theorem, 297, 420
max-flow problem, 21
with parametric capacities, 21
max-flow
procedure, 1305
value, 21
max-linear
combinatorial optimisation, 1018
equation system, 1514
objective function, 1018
max-M-flow min-cut theorem, 25
max-min
algebra, 1935
integer allocation problem, 84
location problem, 891
matrix, 1935
max-min problem, 531
on finite automata, 603
MAX-SNP
complete, 2017
hard, 2199
hardness, 2224
maxcut, *see* max-cut
maxflow, *see* max-flow
maximal
chain, 846, 1330, 1469
checking, 1875
chordal subgraph, 539
maximal clique, 979, 1019, 1083, 1646, 1928, 2035, 2119
module, 2141
maximal
connected subgraph, 368, 1928
cost to time ratio, 424
false points, 431
maximal flow, 1048, *see also* max-flow, maximum flow
algorithm, 420
problem, 390
maximal
graph, 900
ideal topology, 823
increasing subsequence, 562
independent set, 211, 312, 688, 2027
irredundant function, 1807
nonkey, 1812
outerplanar graph, 1497
maximal partial
clone, 628
triple system, 526
maximal
path length, 1473
period, 535
periodicity, 648
planar graph, 31, 147, 191
subclone, 608
word, 370
maximally connected, 935, 1683
d-regular digraph, 1683
maximally edge connected, 1833
maximisation of average performance, 748
maximising traveling salesman problem, 1644
maximization, *see* maximisation
maximum
absolute deviation, 84
agreement subtree problem, 1918
maximum average distance, 1382
of a graph, 1382
maximum balance, 2226
maximum balanced flow, 1305
problem, 423
maximum bipartite matching, 1841
maximum
bivalent tree, 174
capacity augmentation algorithm, 1106
capacity cut, 412
cardinality bottleneck bipartite matching problem, 1607
cardinality search, 1863, 2255
completion time, 130, 283, 304, 452, 1429, 1561, 2167
connectivity, 701, 918, 1833
maximum cycle mean, 600, 860, 959
of a matrix, 600
maximum degree, 62, 63, 143, 202, 235, 322, 596, 612, 634, 687, 702, 705, 880, 884, 915, 924, 927, 935, 1056, 1061, 1466, 1582, 1591, 1639, 1697, 1703, 1786, 1791, 2025
of a graph, 1035
maximum
density, 558
disjoint paths, 1483
distance separable code, 819, 1634
domatic partition, 1688
efficiency, 1053, 1055
maximum empty rectangle, 352
problem, 239
maximum feasible packing, 1717
maximum flow, 81, 316, 359, 959, 1505, *see also* max-flow, maximal flow
algorithm, 1685
network problem, 48

maximum flow
problem, 48, 81, 358, 990, 1106, 1145
maximum
fractional matching, 428
frequency, 1696
maximum independent set, 246, 986, 1051, 1927, 2025, 2123
problem, 539, 2123
maximum integral two commodity flow, 1111
problem, 1111
maximum job completion time, 1503, 1962, 2132
maximum lateness, 1017, 1114, 1429, 1543, 1675, 1962, 1982, 2167
criterion, 1114
maximum load, 604
maximum matching, 945, 1726, 2142
of a graph, 621
problem, 1483, 1719, 2142, 2269
maximum
mean cut, 1096, 1369
neighbourhood ordering, 1806, 2119
node weight, 1886
noncrossing matching problem, 1117
out-degree, 1537, 1557, 1697, 2252
parsimony, 2082, 2214
partial coverage, 583
maximum path digraph, 1357
maximum path length, 1473, 2249
tree, 2249
maximum
principle, 589
refinement subtree problem, 1918
satisfiability problem, 1095, 1158
size immutable code, 815
spanning tree, 1665
stable set problem, 1621
tardiness, 1982
total weight, 1565, 1781
transmission delay, 701
tree packing problem, 861
maximum two flow, 1847
problem, 1847
maximum
unit circle caterpillar, 1750
vertex weighted matching, 2130
maximum weight
circulation, 81
clique, 406
spanning forest, 1665
stable set problem, 743
maximum weighted
acyclic subgraph, 748
clique, 434, 689, 1480, 1553, 1869, 2087
independent set, 434, 1553
maximum working time, 714
maxmin, *see* max-min
Maxwell, J Clerk, 811
Maybee, J S, 530
Mayer
cluster theory, 521
problem, 521
McCulloch Pitts
neuron, 2047
unit, 2047
McEliece bound, 447
McEliece, R J, 447
McKee, T A, 626
McKenzie, R, 631
McLennan, A, 1306
MCM, 600
McMorris, F R, 1059
MCNF, 1096, 1369
algorithm, 1369
McQuistan, R B, 323
MCS scheme, 2255
MDP, 1671
MDS codes, 1634
MDT-P, 1483
mean distance, 240, 695
mean flow time, 956, 1517, 1561
schedule, 1561
mean
internodal distance, 2110
relative error, 1040
square radius of gyration, 508
meaningfulness, 748
measurable transformation, 949
measure
of complexity, 95
of presortedness, 1008, 1552
of similarity, 500
or complexity, 95
measure theoretic
approach, 949
property, 1531
measurement theory, 748
measuring complexity, 371
mechanism, 155, 633, 800, 806, 1946, 2208
medial construction, 646
median, 82, 230, 376, 686, 730, 1165, 1805, 1938, 2084, 2139
distance, 2200
for a weight metric, 1165
graph, 230, 1685, 2078, 2066, 2139
median hyperplane, 2237
problem, 2237
median
interval, 1659
of a profile, 2139
of squares regression, 376

median
  problem, 230, 2200
  procedure, 2139
median semilattice, 230
median set, 730, 2066
  of a graph, 730
median
  space, 1685
  tree, 1927
  value, 1805
medical imaging, 1638
Megiddo, N, 598
Mellin transform, 619
membership problem, 351, 792, 818, 972, 1731
memorization, 2259
memory allocation, 290
memory management, 842
  system, 957
memory
  module, 919
  technology, 59
Mendelsohn design, 1075, 2169
Menger, 445
Menger decomposition, 455
  of a graph, 455
Menger
  path systems, 912
  theorem, 445, 1004, 1674
Menger-type
  condition, 1557
  linking, 455
merge, 139, 686
  recognition problem, 112, 139
merging networks, 654, 1586
meromorphic function, 619
mesh, 908, 916, 932, 1610, 1921, 1991, 2097
mesh connected
  computer, 885, 1994, 2097
  processor array, 885
mesh
  of trees, 908, 932
  with multiple broadcasting, 1991
message
  broadcasting, 2253
  complexity, 2181, 2250
  dissemination, 1439
message passing
  communication library, 1444
  system, 1478, 1540
message
  routing scheme, 916
message transmission, 2094, 2176
metaheuristic, 1163, 1979
metric, 230, 297, 493, 540, 848, 1008, 1165, 1507, 1657, 1660, 1915, 2079, 2149, 2151, 2260
metric basis, 1842
metric dimension, 1842
  of a graph, 1842
metric
  on strings, 540
  property, 1531
  space, 230, 1615, 1842, 2148, 2203, 2213
Metropolis algorithm, 2127
Meyer, J C, 909
Meyer, R R, 461
Meyniel
  graph, 1864, 2052
  weakly triangulated graph, 1864, 2052
Meyniel, M, 408
MF, 791
  algorithm, 791
MFP, 431
Middendorf, 1387, 1732
middle graph, 206
  of a hypergraph, 206
Miller, 1764
Miller, G, 661
Miller, N R, 776
Miltersen, 1586
MIMD machine, 980
min max, *see* min-max
min sum, *see* min-sum
min-algebra, 432, 1669
min-algebraic
  duality, 432
  equation, 432
min-clique scheduling problem, 1896
min-cost flow, 1976, 2159
min-cut, 344
min-linear equation system, 1514
min-max
  buffer assignment problem, 1154
  criterion, 1124
  integer allocation problem, 84
  location problem, 15
min-max objective, 1952
  function, 669
min-max
  partition on a tree, 1068
  path, 1716
  problem, 531, 1068
  relation, 1723
  result, 763
  theorem, 433, 2183
min-sum
  hyperplane, 2237
  linear assignment problem, 483
  p-clustering, 2234
  problem, 886, 1938
  see also minimum sum

min-weighted set cover problem, 1903
Minc, H, 2144
minclique, *see* min-clique
mine planning, 548
mineral deposit, 548
mini cycle set, 439
Minieka, E, 249
minimal
  Armstrong relation, 1812
  automaton, 603
  chordal embedding, 2035
  connected enclosure, 2229
  cost reliability ratio spanning tree problem, 255
  cost to time ratio, 424
  cost/capacity ratio, 234
  cover, 259, 321, 948, 999, 1019, 1831
minimal covering, 1077
  of an infinite set, 1077
  set, 1468
minimal deadlock, 746
minimal dominating
  function, 697
  set, 697
minimal
  enclosure, 2229
  energy, 2282
  generator, 1812
  idempotent, 2280
  invariant set, 344
  inverse, 238
  key, 719, 976, 1812
  language, 2239
  lateness, 1891
  minus dominating function, 1792
  nondeletable set, 552
  number of productions, 168
  path routing scheme, 916
  pcc, 746
  perimeter, 445
  polynomial, 1968
  proper alternating cycle rotation graph, 1880
  robber speed, 2125
  separator, 2035, 2141
  set, 43, 259, 724
  spanning tree, 480
  subtree, 446
  test pattern, 552
  totally dual integral system, 287
  trap, 746
  triangulation, 114, 1831, 2035, 2141
  true point, 431
  vertex separator, 2255
  weight codeword, 717
  word, 2239
minimax
  algebra, 306
  number of group tests, 102
  problem, 52
  routing, 1790
  theorem, 1483
minimisation
  of separable objectives, 402
  of the number of misclassifications, 160
  problem, 36, 271, 1767, 1922
minimising
  broadcast cost, 2253
  bumps for a poset, 559
  irregularity, 115
  maximum cost, 602
  maximum lateness, 1017, 1114
minimization, *see* minimisation
minimum
  balanced separator, 1989
  bandwidth, 434
minimum biclique
  cover, 2174
  decomposition, 2174
minimum
  bisection, 2127
  broadcast digraph, 928
  broadcast graph, 883, 1443, 1445, 2108
  buffer size problem, 1870
  call gossip scheme, 204
  capacity cocircuit, 1717
minimum cardinality dominating
  clique, 1011
  cycle, 875
minimum
  clique cover, 434
  colouring, 1031, 1583, 1791
  connected dominating set, 1011
minimum cost base, 1602
minimum cost flow
  algorithm, 280
  problem, 280, 450, 888, 1048
minimum cost network flow, 1096, 1369
  problem, 272, 1096, 1145
minimum cost
  partition, 1151, 2221
  permutation, 77
  reliability ratio problem, 859
  subnetwork, 466
  tree, 931
minimum cover, 945
minimum covering, 1583
  problem, 2226
minimum cut, 453, 990, 1560, 1770, 1779, 2131
  problem, 1685, 1770

minimum
cycle mean of a digraph, 66
degree, 63, 468, 935, 986, 1384, 1701, 1703, 2279
dicycle cover, 1630
directed spanning tree, 453
dispersion problem, 1938
minimum distance, 15, 303, 326, 479, 681, 819, 825, 1072, 2057
algorithm, 488
minimum dominating set, 154, 368, 1011
problem, 1050
minimum
eccentricity, 42, 172
edge cut set, 935
energy configurations, 1920
equivalent, 975
feasible graph, 377
minimum fill-in, 1583, 2247
problem, 2161
minimum
fractional cover, 622
Hamiltonian path, 768
height edge partition tree, 754
minimum independent dominating set, 562
problem, 2277
minimum
intersection, 2008
k-broadcast graph, 1440
minimum lenght
tree, 1004
k-person tour, 163
Steiner routing, 2219
minimum makespan, 714
schedule, 1982
minimum mean
circuit, 888
cycle cancelling, 1096
minimum
multiway cut, 2183
odd T-disconnector, 1483
order dominating set, 368
path length metric, 1165
minimum perfect
bipartite matching, 951
matching, 532
minimum
perimeter problem, 2116
range cut algorithm, 1770
ratio computation, 888
rectilinear Steiner tree problem, 1081
resting time, 714
reversing set, 1612
set of a maximal clique, 1646
spanner problem, 1141
minimum spanning
hypertree, 1457
tree, 275, 532, 748, 1134, 1665, 2186
tree problem, 951, 1665
minimum split of a digraph, 207
minimum Steiner tree, 1380, 1615
problem, 2203
minimum sum, 581, 902, *see also* min-sum
minimum
T-join, 1071
threshold completion, 1166
total dominating set, 1011
tree partition, 2186
two cut, 1847
minimum variance, 708
criterion, 858
problem, 858
minimum vertex cover, 274, 1492
problem, 246
minimum vertex weighted deficiency subgraph, 1063
minimum weight, 12, 610, 717, 961, 1113, 1665, 1721, 1792, 1901, 2229
assignment, 674
base, 221, 367
dominating set, 200
hitting set problem, 1899
ratio, 1078
minimum weight set, 2171
of edges, 721
minimum weight spanning
forest, 1665
tree problem, 367
minimum weighted clique, 1896
cover, 1553
minimum weighted
colouring, 1480, 1553
dominating set, 434
Minkowski space, 2237
minmax, *see* min-max
minor, 409, 943, 1387, 1487, 1488
closed class, 1387
of a graph, 1387
Minoux, M, 423, 746, 1305
Minram algorithm, 285
MINRANGE, 2002
MINRATIO, 2002
Minty, G, 529
minus dominating function, 1792
minus domination, 1792
number, 1792
MIP, 672, 750
MIP/370, 26
Mirkin, 2202
mirror image, 507, 2246

misclassification, 160
Mittag-Leffler theorem, 10
mixed
  0 1 programs, 384
  graph, 343, 2238
mixed integer
  bilinear programming problem, 1170
  cut, 26
  linear problem, 1128
  optimization problem, 605
  program, 264, 289, 528, 679, 2246, 2268
mixed integer programming, 461, 605, 672, 1329, 1955
  formulation, 751
  problem, 2090
mixed integer zero one
  problem, 1371
  programming problem, 1371
mixed
  interval hypergraphs, 1958
  postman problem, 6
  scheme, 1909
  shop scheduling problem, 304, 452
mixed zero one linear programming problem, 1859
MLCO, 1018
MLPT, 755, 2133
MMB, 1991
MND set, 552
Mnëv, N E, 1609
mobile computing, 2079
Möbius, 1733
  function, 1743
  inversion, 1733, 1743
model of communication, 1432
  time, 1435
model of information retrieval, 232
modified
  cut width, 1487
  greedy algorithm, 527
  LPT, 755
  simplex method, 297
modular
  construction, 908
  decomposition, 1863, 2087
  function, 1733
  lattice, 337, 442
module, 125, 866, 1305, 2007
  homomorphism, 817
Möhring, 2161
molecular
  biology, 1911, 1912, 2198, 2201, 2210, 2212
  bond graph, 507
  branching, 518
  conformation, 505
  design, 1745
molecular
  distribution, 72
  fragment, 1745
  freedom, 323
  geometry, 1910
  graph, 146, 502, 1745, 1746, 1748, 1753, 1755, 1965, 1998
  modeling, 2201
  orbital, 510
  replication, 109
  species, 146, 518
  structure, 514, 1745
  surface, 1910
  weight distribution, 509
molecule, 502, 520, 792, 848, 1746, 1748, 1750, 1910, 2282
MOLGEN, 1749
moment
  curve, 2272
  problem, 700
moments, 544, 851, 1014
monadic second order logic, 1488, 1742
Monge
  array, 1370
  matrix, 1590, 1839, 2156
  property, 1370, 1513, 1517, 1839
  sequence, 415, 710, 1048
  structure, 1839
Monge, G, 415, 1048, 1590, 1839
Monien, 1455
Monien-Speckenmeyer algorithm, 1455
Monma, C L, 877, 1029, 1091, 1614
monochromatic
  configuration, 642
  degree, 2056
  edge, 2040
monograph of a graph, 1794
monoid, 807, 947
  automaton, 840
monomer, 72
monomial
  ideal, 827
  symmetric functions, 838
monostar, 1958
monotone
  array, 1513
  bijection, 148
  Boolean function, 309, 536, 1102
  diameter function, 2228
  function, 84, 148
  Hirsch conjecture, 1662
  measure, 1564
  objective function, 186
  policy, 1101
  polytope, 1722, 1772
  scoring rule, 65

monotone time table polyhedron, 1772
monotonic
  Boolean function, 431
  classifier, 2152
  sequence, 1662
monotonically labeled
  Motzkin tree, 471
  tree structure, 203
monotonicity, 105, 1101, 1716, 1733, 1956
  paradox, 105
  theorem of Knuth, 1101
monotonized polyhedron, 2230
Moore, 1525, 1537
  bound, 924, 1639, 1997
  graph, 1639
  hypergraph, 1639
moplex, 2141
Moran, S, 1044
Morgan, 2235
Morgenstern, O, 1278
morphic characterisation, 150, 327
  of EOL languages, 327
  of languages, 150
morphic
  generation, 398
  representation, 150, 327
  word, 1947
morphism, 150, 153, 270, 310, 325, 327, 398, 802, 1104, 1947, 2173
  with bounded delay, 325
Morse sequence, 310
most parsimonious reconstruction, 1659
  problem, 2082
  set, 2082
most parsimonious scenario, 1917
most uniform
  path partitioning, 1023
  spanning tree, 411, 537
motion of a framework, 269
motion planning, 1045, 1652, 1848, 2068
  scheme, 693
Motzkin tree, 471
Moulin conjecture, 584
Moulin, H, 584
MPAC
  graph, 1880
  rotation graph, 1880
  system, 1880
MPM
  job shop problem, 1516
  problem, 1659, 2082
  set, 2082
MRST, 1918
MST, 1134
MTP, 431
MTSP, 1644
Muchnik, 2202
Mühlbacher, J, 428
Mulder, H M, 1059
multi-arm balance, 1581, 2160
multi-attribute decision making, 13
multi-index transportation problem, 1984
multibus interconnection networks, 904
multicentre location problem, 1124
multichromosomal genomes, 1917, 2200
multicommodity flow, 493, 692, 964
  in a graph, 161
  problem, 691, 692, 1660
multicommodity network flow, 297
multicomputer, 926
multiconstrained spanning tree, 132
multicovering problem, 396
multicriteria
  arborescence problem, 1771
  optimization, 1018
multidimensional
  0-1 knapsack problem, 1161
  assignment problem, 1151
  bin packing, 2039
  grid, 1446, 1786
  lattice, 770
  matching, 2142
multidimensional periodic scheduling, 2244
  problem, 2244
multidrop
  broadcast, 2098
  communication model, 2098
multifacility location problem, 1685
MULTIFIT, 543, 791
  algorithm, 284
  scheduling, 791
multiflow
  bottleneck, 297
  problem, 297, 1387, 1660
multigraph, 1063, 1307, 1332, 1525, 1755, 1770, 1779, 1235
multihead automaton, 804
multihop network, 1623
multiknapsack problem, 1026
multilayer VLSI chip, 1044
multilevel algorithm of Hendrickson and Leland, 2218
multilinear mixed integer zero one polynomial programming problem, 1371
multimachine scheduling, 2155
multinode
  broadcast, 2110
  broadcasting, 2099
  scattering, 2099

multiparametric linear programming problem, 21
multipartite
  graph, 233, 1957
  PCD, 1813
multiple
  access channel, 625
  alignment, 1924, 1928
  broadcasting architecture, 1991
  depot locations, 1144
  edges, 399, 442, 1103, 1779
  eigenvector, 2217
  intervertex distances, 1617
  job types, 1009
  knapsack problem, 90
  section grouping, 873
  sends and receives, 1693
  sequence alignment, 1928, 2213
multiplex PCR method, 2204
multiplexer, 152
multiplexing, 2131
multiplication
  of affine combinations, 1423
  table, 1495
multiplicative circulant graph, 1994
multiplicative
  circulant network, 1994
  structure of GF(q^n), 1123
multiplicativity, 899
  of directed cycles, 899
multiplicity equivalence problem, 802
  for unary output sequential transducers, 802
multiplicity
  of a minimal vertex separator, 2255
  of an eigenvalue, 1757
  of interpoint distances, 1616
multiplier, 339, 1142, 2259
multiplying field elements, 586
multiprocessor
  architecture, 590
  computer, 1611
multiprocessor scheduling, 543, 791, 1084, 1893
  algorithm, 567
  problem, 175, 755, 1893
multiprocessor
  system, 475, 908
  task, 1475, 1765, 1891
multiproduct network, 356
multipurpose machine, 1516
multiset, 158
  of destinations, 2131
multistage
  game, 720
  interconnection network, 590
multistationarity, 522
multitape automata, 804
multiterminal channel routing, 2227
  problem, 2227
multiterminal cut problem, 2171
multiterminal duality, 474
  principle, 474
multiterminal
  maximum flows, 358
  multicommodity flow, 964
multiterminal net, 2227
  problem, 967
multiterminal network flow, 359
multitolerance graph, 2161
multivalued
  dependency, 638
  encoding, 601
multiversion cautious scheduler, 982
multiway cut in a graph, 2183
Murota, 2083, 2134
Murota, K, 457
Murty, 906
  algorithm, 32
Murty, K G, 32
mutation, 2208
Muttoo, S K, 179
mutual exclusion, 1872
MVD system, 638
Mycielski, 2120
  graph, 2120
  inequality, 742
Myers, B R, 133

N

n cube graph, 1094
n-channel graph, 2094
n-code, 633
  property, 633
n-cube, 32, 114, 614, 810, 771, 938
N-free order, 1383
n-free poset, 341
n-pair game, 759
n-similar, 119
n-variable representative system, 13
Nadeau, 2200
Nagamochi, 1509
Nakai, M, 56
Nakamura, T, 293
name stamp protocol, 534
Narayanan, H, 977
Narens, L, 577
narrowness, 882
national resident matching program, 1857
natural
  language processing, 882
  polytope, 724

navigating agent, 1842
Nawijn, 1682
NC
  algorithm, 1825, 2028, 2079
  class, 2028
  parallel algorithm, 2228
near optimal broadcast, 1437
near optimal broadcasting, 1740
  algorithm, 1438
near optimal solution, 281, 2116
near prime factor design, 152
nearest
  neighbour, 500, 739
  point problem, 652
nearly
  linear time, 1613
  on-line scheduling, 1675
nearly sorted, 2233
  input, 1008
necessary solvability condition, 273
necklace type hydrocarbon, 506
Negami, 1663
  polynomial, 1663
Negami, S, 409
negative
  arc cost, 272
  circuit, 888
negative circuit method, 125
  of Klein, 888
negative
  cycle, 331, 1057
  edge, 174
  literal, 575
  positive function, 316
neighborhood, *see* neighbourhood
neighbour connectivity, 308
neighbourhood chordal, 1706
  graph, 1706
neighbourhood
  graph, 788, 941, 1519
  heuristic, 1519
  number, 1784
  ordering, 2119
  search, 1773
  structure, 607, 747, 1037, 1039, 1766, 1892, 1988, 2127
neighbourhood subtree, 1029
  tolerance graph, 1029
Nelson tree, 1927
Nemhauser, G L, 211, 391, 583
Nesetril, 1454
Nesetril, J, 406
NeST graphs, 1029
nest representation, 1389
nested
  constraints, 437, 673
  cycles, 1041
  hierarchy, 13
  periodic structure, 2199
  rectangles, 694
  relational databases, 976
nesting property, 990
net, 196, 345, 746, 966, 981, 2150, 2186, 2246
network, 22, 45, 54, 56, 81, 125, 152, 204, 215, 240, 280, 297, 316, 340, 353, 356, 357, 359, 360, 365, 392, 466, 477, 488, 524, 590, 604, 613, 632, 634, 654, 659, 669, 692, 701, 757, 766, 778, 883, 895, 903, 904, 905, 907, 908, 914, 915, 917, 920, 922, 923, 926, 927, 928, 930, 931, 932, 933, 937, 938, 939, 965, 977, 980, 984, 988, 990, 1025, 1061, 1073, 1099, 1106, 1108, 1112, 1138, 1144, 1154, 1305, 1365, 1366, 1431, 1433, 1434, 1435, 1436, 1437, 1439, 1440, 1449, 1494, 1505, 1525, 1554, 1586, 1595, 1610, 1640, 1647, 1652, 1685, 1701, 1716, 1735, 1768, 1774, 1782, 1808, 1809, 1811, 1865, 1926, 1937, 1950, 1971, 1973, 1994, 2009, 2010, 2047, 2048, 2083, 2094, 2098, 2099, 2100, 2101, 2103, 2104, 2105, 2107, 2108, 2110, 2131, 2150, 2157, 2162, 2163, 2166, 2176, 2177, 2181, 2188, 2203, 2236, 2250, 2253
  algorithm, 356
  architecture, 980, 1693
  constraint, 365
  design, 466, 1544
  emulation, 932
network flow, 297, 397, 420, 1048, 1479, 2131
  problem, 81, 272, 316, 344, 356, 407, 808, 1063, 1145, 1505, 1836, 2073
  technique, 2131
  theory, 1154
network
  interconnection, 215
  model, 356
  of processors, 917
  of two state automata, 757
network optimisation, 48, 1809
  problem, 951
network
  performance, 926, 980
  problem, 365, 2163
network reliability, 563, 597, 1138, 1768, 1950
  evaluation, 1768
  index, 935
  model, 1003
network
  routing, 281
  security, 566

network
structure, 356, 1100
theory, 54, 215, 223, 474, 576
topology, 926
traffic, 980
vulnerability, 1554
networking, 2079
neural
computation, 2015
network, 354, 1120, 1365, 1579, 1811, 1866, 1948, 2047, 2150, 2236
neurobiology, 504
neuronal equation, 549
Newton
approach, 2073
method, 1664, 2073
NextFit, 1080, 1874
NGT, 2058
niche
graph, 611, 760
number, 611, 760
Nijenhuis, A, 1648
nilpotency, 2257
nilpotent
Boolean matrix, 222
matrix, 222
Nishizeki, T, 981
NLC grammar, 429
NLC graph, 1496
language, 429
no communication, 804
no wait constraint, 1775
node
arc incidence matrix, 613
binary trees, 1991
capacitated network, 358
cover, 1334
deletion problem, 2170
disjoint paths, 588
node label controlled, 429, 1496
grammar, 429
node labeled undirected graph, 429
node labeling, 1692
scheme, 1692
node
ranking, 2190
search number, 1487
Noetherian ring, 827
non strong maximal clone, 628
non tree-like event, 2208
non-Hamiltonian graph, 2041, 2093
nonadaptive group testing, 2058, 2209
nonbiased game, 1629
nonbicolourable hypergraph, 1764
nonbinary code, 1121
nonbipartite graph, 1422
nonblocking self routing network, 922
nonbranched catacondensed benzenoid, 855
nonclique graph, 2141
nonconvex
mathematical program, 311
programming problem, 2268
noncrossing
matching, 1117
partition, 2112
nondecreasing submodular set function, 211
nondegeneracy in a Boolean function, 1853
nondegenerate
function, 1853
iteration, 20
permutation, 1853
nondeterministic communication complexity, 963
nondominated solution, 1429
nonexistence of designs, 629
nonfactorial algorithm, 181
nonfrustrated circuit, 257
nonintersecting
Eulerian circuits, 478
paths, 1116
random walks, 521
nonisotopic configurations, 1550
nonlinear
0-1 optimization, 745
combinatorial geometry, 1609
constrained networks, 1479
inequalities, 841
knapsack, 1990
language, 1799
nonlinear optimisation, 1995
problem, 271
nonlinear
partial difference equation, 720
resistive circuit, 1307
nonmajorizability property, 709
nonmonotonic
algorithm, 567
procedure, 105
nonnegative
integer valued equations, 229
matrix, 305, 558
random variable, 275, 276, 480
nonoriented bond, 523
nonoverlapping
m-tuples, 758
set of tasks, 690
words, 2239
nonpolynomial period, 1960
nonpreemptive assignment, 791
schedule, 1543

nonpreemptive scheduling, 284, 1846
problem, 1739
nonpreemptive single machine scheduling problem, 1785
nonregular cost function, 243
nonrenewable resource, 865
nonrooted network, 1154
nonserial dynamic programming, 39, 597
nonserializable semi-order, 1469
nonsimultaneous machine available time, 2133
nonsingular
causal assignment, 1862
linear transformation, 854
nonstrict xyz-inequality, 955
nonsymmetric
digraph, 33
protocol, 534
nontoroidal grid, 1446
nonuniform domain, 976
Nordhaus, E A, 1168
normal basis, 586, 651, 733, 1123
for multiplication, 586
representation, 651
normal
code, 813
coronoid system, 1883
normal form, 1125, 1812
relation scheme, 971
normal
hexagonal system, 1127
subhexagonal system, 1127
normalized cluster method, 796
normed space, 2237
Norse bound, 826
northwest corner rule, 1513
greedy algorithm, 1513
Nowakowski, R, 217
NP, 435, 662, 1797, 1918
NP co-NP, 1598
NP-complete, 28, 88, 92, 103, 132, 138, 139, 147, 164, 175, 180, 219, 225, 235, 242, 248, 321, 336, 338, 343, 377, 387, 399, 412, 466, 470, 478, 526, 574, 575, 579, 582, 610, 624, 628, 660, 669, 687, 697, 714, 721, 751, 752, 779, 791, 850, 862, 880, 884, 893, 946, 951, 972, 996, 1001, 1011, 1034, 1056, 1058, 1068, 1136, 1141, 1155, 1166, 1309, 1387, 1427, 1428, 1457, 1503, 1549, 1563, 1568, 1571, 1598, 1624, 1633, 1657, 1661, 1674, 1695, 1708, 1732, 1781, 1792, 1801, 1832, 1835, 1843, 1873, 1886, 1901, 1911, 1913, 1922, 1941, 1952, 1975, 1982, 2019, 2025, 2044, 2068, 2093, 2115, 2123, 2135, 2137, 2142, 2155, 2174, 2186, 2191, 2192, 2194, 2208, 2226, 2228, 2248, 2278
NP-complete
graph problem, 1496
homomorphism problem, 1835
in the strong sense, 412, 2014, 2155
language, 426
matching problem, 28
problem, 37, 154, 235, 387, 412, 435, 494, 501, 743, 762, 865, 894, 962, 954, 1084, 1491, 1695, 2025
tree, 1835
NP-completeness, 2, 61, 138, 164, 235, 274, 282, 321, 475, 712, 752, 850, 876, 1034, 1053, 1141, 1381, 1387, 1428, 1454, 1549, 1563, 1568, 1715, 1767, 1832, 1909, 1982, 2005, 2014, 2024, 2077, 2155, 2164, 2225, 2248
NP-eness results, 2277
NP-hard, 78, 162, 290, 411, 420, 475, 598, 661, 662, 691, 715, 716, 722, 753, 886, 895, 956, 1017, 1018, 1042, 1061, 1083, 1107, 1112, 1115, 1154, 1157, 1305, 1333, 1453, 1477, 1480, 1587, 1591, 1594, 1644, 1654, 1670, 1672, 1688, 1721, 1731, 1739, 1780, 1809, 1828, 1845, 1850, 1870, 1871, 1898, 1912, 1918, 1921, 1927, 1938, 1939, 1950, 2005, 2018, 2024, 2033, 2035, 2086, 2104, 2125, 2159, 2162, 2164, 2181, 2189, 2193, 2200, 2222, 2224, 2229, 2235, 2244, 2276
0-1 problems, 2281
combinatorial optimization problem, 381
graph problem, 1532
in the strong sense, 1599, 1838, 1846, 1893, 1977
problem, 186, 274, 381, 412, 597, 1112, 1118, 1520, 1532, 1561, 1583, 1790, 1943, 1966, 1993, 2039, 2281
NP-hardness, 2, 162, 381, 1107, 1115, 1561, 1587, 1879, 2086, 2167
reduction, 1532
NSPACE, 804
nucleic acid sequence, 2207
nucleolus, 1278, 2030
of a game, 1278
of homogeneous games with steps, 1278
nucleotide
pattern probability, 2214
sequence, 2214
nucleus, 2084
null
clause, 1000
context splicing system, 2138
Nullstellensatz, 814
number
of avoiding sequences, 1030
of chains, 763, 841
of comparisons in a search tree, 544

number
of late jobs, 2167
of locks, 128
of partitions, 532
of planted plane trees, 44
of productions, 168
of spanning trees, 508, 1619, 1681, 1746, 1854
of Van Lier sequences, 698
system, 117
theory, 491, 843, 1764, 2195
numbered graph, 1745
numerical representation, 795
nuts and bolts model, 1868

O

O'Rourke, J, 780
objective function, 12, 20, 271, 301, 318, 370, 389, 410, 411, 437, 440, 529, 605, 741, 867, 873, 951, 1114, 1124, 1126, 1128, 1144, 1149, 1545, 1641, 1739, 1771, 1995, 2090, 2228
representation, 605
objective value, 741, 1037, 1124, 2221
obstacles, 1848
obstruction set isolation, 1491
oc-irredundancy, 1051
occlusion, 269
occupation time, 47
occupational degeneracy, 227
for dimers, 227
octahedral tetrahedral truss, 2165
octahedron, 2070
odd cycle, 265, 297, 880, 1504, 1678, 1930
length, 1933
odd even
cycle, 579
merge, 497
merging network, 654
partition, 832
odd
graph, 826, 914, 934
hole, 610, 1028
pair, 2271
wheel inequalities, 1723
odd/even cycle, 579
off-line machines, 251
off-shore gas field, 129
Ohkami-Hosoya conjecture, 812
Ohm law, 977
Ohtsuka, M, 293
Ohtsuki, T, 977
Okamura, H, 161, 981
Olariu, 1530
oligopoly, 372
omega word, 2126
ω-sequence equivalence problem, 1947
ω-word, 153
$\omega\omega$-finite automaton, 800
$\omega\omega$-language, 800
$\omega\omega$-rational relation, 800
$\omega\omega$-regular set, 800
on-line
algorithm, 1632, 1682, 1874
bin packing, 998
on-line colouring, 1688
algorithm, 1688
on-line
method, 1080
scheduling, 1675
transitive orientation, 1632, 1634
Onaga, K, 297
one machine batching, 1716
problems, 1112
one machine
problem, 557
scheduling, 1787
total tardiness problem, 1787
total weighted completion time problem, 77
one pass batching algorithm, 557
one story building, 950
one-dimensional linear cellular automata, 1702
one-graph inversion, 238
one-to-many simulation, 29, 96
one-way dependency, 372
oo-irredundance, 1051
Opatrny, J, 909
open knight tour, 1866
open pit mine, 548
open shop, 1561, 1966, 1975, 1982, 2012
makespan problem, 2012
preemptive schedule, 865
problem, 865, 956, 1548, 1972, 1982
open shop scheduling, 865, 956, 1791, 1964, 1972, 2012
problem, 1429
open shop type jobs, 304, 452
open tour, 1866
openshop, *see* open shop
operations research, 180, 316, 432, 1020, 1762, 1764, 1848, 2237
OPM, 1110
optical
network, 2131
passive star network, 1937
optimal
algorithm, 304, 875, 956, 1031, 1132, 1366, 1434, 1540, 1552, 1583, 1846, 1964, 2001, 2014, 2097
alphabetic binary tree, 243
optimal assignment, 867, 979, 1950, 2088
problem, 81

optimal
b/w embedding of a tree, 1044
battle array, 720
binary tree, 2270
bisection, 2127
broadcast, 657, 1740
broadcasting, 1430, 1740
optimal channel assignment, 2088
utilization, 1444
optimal colouring, 617, 1442
algorithm, 550
optimal
communication algorithm, 2110
compression, 1686
computation, 1540
cost flow problem, 407
cyclic production problem, 761
dichotomous search, 1101
double loop network, 1099
edge colouring, 880
edge ranking, 2164
flipping pattern, 2246
frequency, 1696
gossiping scheme, 204
greedy k-coloring algorithm, 1682
hyperplane, 2237
optimal key, 69
for a taxon, 69
optimal
knapsack, 725
labeling, 886
layout, 2103, 2222
optimal linear
extension, 1635
labeling, 886
optimal
machine speed pair, 452
makespan schedule, 1561
mass production, 39
match-up strategy, 1668
mean flow time schedule, 1561
multiple interval assignment, 979
normal basis, 586, 1123
numbering, 1861
on-line algorithm, 1682
one way protocol, 963
optimal order, 853
of lifting, 1849
optimal orientation, 1169, 2011
optimal parallel algorithm, 985, 1698, 1959, 2190
connectivity algorithm, 261
optimal
partition, 708
path, 1020
policy, 1671, 2113
postman tour, 6
optimal ranking, 2190
problem, 2190
optimal
routing table, 907
run statistics, 696
schedule, 410, 452, 475, 714, 791, 1017, 1444, 1545, 1638, 1675, 1776, 1898, 1977, 2018, 2113
separable partitioning, 1564
sequential gossiping, 2157
spanning tree, 89
speedup, 740
strategy, 7, 718, 720, 870, 1334, 1505, 1645
strongly connected orientation, 1169
submodular pseudoflow, 1867
threshold decomposition, 1731
wavelength routed multicasting, 2131
optimally
reliable graph, 1388
sparse, 1451
optimisation on a graph, 607
optimisation problem, 19, 200, 271, 301, 461, 532, 597, 621, 673, 689, 749, 1122, 1137, 1150, 1163, 1505, 1553, 1662, 1682, 1688, 1836, 1839, 1927, 2034, 2038, 2039, 2073, 2104, 2123, 2226
in 0-1 variables, 414
on a graph, 377
optimisation
problems on a matrix set, 157
strategy, 528
technique, 2210
optimise queries, 627
optimization, *see* optimisation
optimum
branching problem, 379
channel width, 967
code, 813
colouring, 777
partitioning, 1974
pit limit, 548
optional sample theorem, 373
OR matching algorithm, 1422
oracle machine, 831
orbit, 810, 949, 1452, 1948
of a Boolean function, 1948
size, 143
orbital, 523
order
constraint, 2270
dimension, 1869
of a point, 787
order polynomial, 417
of an ordered set, 417

order
  preserving injection, 836
  structure, 959
order theoretic
  interval, 230
  model, 74, 796
order type, 787, 2274
orderability problem, 660
  for bipartite folding, 660
orderable graph, 413, 421
ordered algebraic structure, 157
ordered commutative
  field, 125
  group, 273, 306
  semigroup, 57, 121
ordered
  graph, 1386
  hypergraph, 1467
  partition, 2272
  product matrix, 1110
ordered set, 221, 302, 417, 554, 693, 853, 955, 1130, 1632, 1680, 1936
  of tasks, 1775
ordered
  stabbing, 784
  tree, 203, 1991, 2103
ordering, 413, 518, 1094, 1829, 2119, *see also* order
  cellular automata, 2257
  constraints, 435
ordering of graphs, 395
ordinal sums, 272
organic chemistry, 848, 1745
orientability, 797
orientable
  graph, 1822
  surface, 511
orientation, 296, 307, 1169, 1386, 1488, 1521, 1632, 1655, 1732, 1822, 1917,2007, 2011
  problem, 715
orientational degeneracy, 227
oriented
  arc, 2238
  Cayley network, 1640
  colouring, 664
  edge colouring, 872
  factorisation, 115
  graph, 1141, 2173
  matroid, 785, 786, 1609
  path, 1155
  tree, 1835
orienteering problem, 675
origin of life, 504
Orlin, J B, 66, 661, 988
Orlin-Ahuja algorithm, 1867
orthocomplementary vector spaces, 1609
orthogonal
  distance, 1076
  L_1 regression, 2237
  L_∞ approximation, 1043
  matrix, 1745
  normal basis, 1123
  polygon, 780
  weighted linear L_1 and L_∞ approximation, 1043
orthogonality of generalized Latin squares, 649
orthomodular
  poset, 393
  structure, 393
OS scheme, 599
oscillations, 237, 619
Ostmann, A, 1278
out-of-kilter method, 272, 450
out-tree, 1157, 1548
outer
  face, 692
  linearisation, 1160
outerplanar
  condition, 2135
  graph, 42, 942, 951, 1492, 1497
  network, 466
outerplane Eulerian graph, 2135
overdetermined equation, 197
overfull
  conjecture, 1981
  subgraph, 1466
overlap free, 1104
  morphism, 1104
  words, 542, 1104
OxyR proteins, 1924

P

$P = NP$, 464, 1731, 1828, 1838, 1898, 2039, 2104, 2186, 2224, 2281
$P \neq NP$, 88
P, complexity class $\sim$, 1309
$(p, \Delta, \delta, \lambda)$-graph, 63
$(p, \Delta, \delta, \lambda)$-realizable, 63
(p,q)-graph, 1745
p-adic integers, 1367
p-center problem, 61, 464, 598
p-competition
  graph, 1093
  number, 1093
#P-complete, 84, 1667, 1967
p-group, 836
p-party protocol, 534
p-traveling salesmen problem, 1952
P2/tree/Cmax, 1894
P_4 sparse graph, 2079
P_4-comparability graphs, 2271
P_4-free, 2266

P_4-reducible graph, 857, 1583, 2114
P_4-sparse, 857, 1583
  graph, 857, 1583, 2114
P_4-tree, 960
P_5-free, 1864
  graph, 1864, 2087
PA, 584
PAC
  learnability, 1120
  learning, 1012
packet routing, 1875
  algorithm, 1875
packing, 433, 449, 763, 1453, 1489, 1527, 1630, 1717, 1718, 2005, 2077, 2120, 2124
  number, 2120, 2148
  of paths, 2019
  problem, 183, 338, 410, 861, 1309, 1453, 1970, 2005, 2019
Padberg, 1662
page cut, 1
paging, 1023
painting problem, 371
pair
  comparison, 591
  connected reliability, 1003
  of graphs, 238, 458
pairable graph, 2163
paired comparison digraph, 462, 1813
pairs of knapsack constraints, 1019
pairwise
  compatible Euler tours, 2146
  decomposition, 973
palindrome, 177
Palmer, D S, 1089
Palmer, E M, 837
Pan, Y, 1000
pancake
  graph, 1438
  problem, 1580
pancyclic, 2102
  graph, 2026
paneling planar graphs, 2072
Papadimitriou, 1580
Papadimitriou, C, 661
paperfolding
  sequence, 1987
  word, 1987
Papernov, B A, 297
parachute in a bipartite graph, 1718
parachute-free, 1718
paradox, 584
parallel algorithm, 380, 434, 552, 688, 738, 739, 740, 908, 966, 985, 1022, 1358, 1380, 1450, 1530, 1770, 1866, 1891, 1908, 1959, 1991, 2001, 2079, 2142, 2190, 2228
parallel
  architecture, 932, 1434, 1447, 2096
  array access, 919
  branch and bound algorithm, 489, 1707
  chains constraint, 1813
  combination, 1494
  combinations in series, 1494
  comparison tree model, 686
  complexity, 739, 804, 968, 1825
  computation, 640, 739, 804, 843, 885, 1358, 2001, 2106
parallel computer, 380, 434, 980, 1540
  system, 1891
parallel
  computing, 1022, 2023
  connectivity algorithm, 261
  formulation, 833
  implementation, 1763
  iteration, 354
  languages, 475
  local search, 1022
  logarithmic time algorithm, 966
parallel machine, 130, 283, 1009, 1115, 1641, 1675, 1780, 1943
  architecture, 1866
parallel machine scheduling, 755, 1115, 1838, 1996, 2133
  problem, 1001, 1838
parallel
  model of computation, 688
  parentheses matching, 1529
parallel processing, 677, 905, 1580, 1707, 1890, 1891
  architecture, 1099
parallel
  processors, 156, 791, 1543, 1672
  programming, 112, 139
parallel recognition, 738
  algorithms, 1530
parallel
  selection, 686
  sorting, 156
  system, 587, 1478
  tabu search algorithm, 1358
  thinning algorithm, 552
parallelism, 380, 616, 1537
  in combinatorial optimisation, 380
parallelizable algorithm, 1910
paramagnetism, 1422
parametric
  algorithm, 66, 1369
  capacity, 21
  characterization, 453, 858, 859
  critical path problem, 2188
  maximum flow problem, 990

parametric
network, 990
optimization, 1163
programming, 1664
resource allocation problem, 292
parametric shortest path
algorithm, 66
problem, 281, 2188
parametrization of knowledge structure, 554
parentheses matching, 985, 1991
problem, 985, 1529
Pareto property, 1165
Parikh slender language, 1879
parity
condition, 263
function, 779
path problem, 1058, 1801, 1822, 2271
problem, 945
Park, 1513
paroid, 943, 1039
paroid search, 1039
algorithm, 943
parse tree, 1495
representation, 738
parsimonious
history, 2208
parsimonious scenario, 1917
parsimony, 1004, 1916, 2082
parsing, 426
partial
algebra, 628
clone, 628
concentrator, 923, 958
dependency, 969
derivative, 98
difference equation, 720
edge colouring, 871
function, 10, 969
information, 546
k-tree, 597, 1054, 1061, 1137, 1488, 1493, 1496, 1941, 2119
Latin square, 219
match, 540
matrix, 682
order, 122, 210, 372, 375, 449, 613, 633, 747, 933, 954, 955, 1070, 1146, 1330, 1552, 1787, 2276, *see also* partial ordering, partially ordered set
ordering, 8, 251, 305, 863, 1467, *see also* partial order, partially ordered set
orientation, 1655
path cover, 2235
plane, 393
partial set covering, 583
problem, 583
partial triple system, 526
partially commutative
free monoid, 378
monoid, 807
partially
defined Boolean function, 779, 1715, 1909
ordered set, 104, 475, 492, 550, 559, 637, 723, 846, 955, 1626, 1627, 1635, 1743, 1781, 1869, *see also* partial order, partial ordering, poset
reflexive graph, 1047
participation axiom, 584
partition, 8, 28, 44, 176, 186, 336, 372, 591, 610, 708, 731, 742, 832, 836, 840, 943, 1023, 1027, 1041, 1062, 1068, 1084, 1090, 1112, 1136, 1142, 1151, 1153, 1479, 1546, 1556, 1558, 1566, 1602, 1636, 1674, 1684, 1690, 1709, 1713, 1719, 1721, 1723, 1768, 1843, 2006, 2016, 2028, 2112, 2116, 2143, 2174, 2186, 2221, 2228, 2234, 2270, 2272, 2276, *see also* partitioning
algorithm, 591
function, 2091
identity, 832
in a graph, 977
inequality, 1772
into cliques, 1389, 2087, 2256
matroid, 1684
of a graph, 2156, 2256
of an integer, 400, 1752
of graph pairs, 458
polytope, 1566
problem, 983
theory, 47
tree, 754
partitioning, 53, 235, 361, 484, 964, 1023, 1027, 1163, 1564, 1603, 1646, 1713, 1720, 1724, 1825, 1843, 1871, 1974, 2028, 2217, 2218, *see also* partition
a planar graph, 1825, 2143
a point set, 1690
a set of points, 53
a tree, 1713
a tripartite graph, 219
algorithm, 1558, 2218
an integer, 591
graph, 282
heuristic, 2217
on a graph, 2228
polytope, 1796
problem, 173, 235, 708, 1023, 1112, 1329, 1556, 1716, 1719, 1720, 1974, 2116, 2180
property, 914
shortest path algorithm, 361
strategy, 301

Pascal triangle, 1702
passive star network, 1937
Paterson, M S, 1143
path, 411, 424, 456, 457, 604, 611, 635, 669, 694, 702, 754, 842, 903, 920, 944, 996, 1020, 1027, 1046, 1068, 1078, 1091, 1140, 1154, 1357, 1473, 1519, 1537, 1579, 1660, 1674, 1744, 1801, 1808, 1824, 1861, 1932, 1950, 1953, 1967, 1978, 1993, 2006, 2011, 2019, 2079, 2085, 2105, 2114, 2115, 2131, 2162, 2176, 2225, 2235, 2258
  avoiding forbidden pairs, 1873
path branch weight, 2084
  centroid, 2084
path cover, 2235
path covering, 1712
  problem, 1712, 2005
path
  distance optimisation problem, 1137
  factor, 1878
  graph, 1046, 1784
  in a tree, 230
path length, 508
  minimisation algorithm, 1078
path
  location, 2237
  metric, 1657
  network, 1953
path number, 235
  of a digraph, 235
  of a graph, 235
path optimisation, 2218
path partition, 702, 2006
  problem, 702, 2006
path partitioning, 1023
  problem, 1716
path
  problem, 272, 2002
  routing scheme, 916
  search, 1519
  width, *see* pathwidth
  with minimum range, 2002
pathwidth, 882, 1035, 1083, 1487, 1831, 2025, 2035, 2125, 2161
  problem, 1083
pattern, 269, 525, 528, 552, 653, 872, 930, 1750, 1811, 2214
  classifier, 1811
  in a tree, 653
  matching, 843
  recognition, 1045, 1076, 1811, 2152
  restriction, 637
patterned starter, 1452, 2169
Pauling bond order, 1751
Păun, Gh, 1570, 1605, 1799, 1879
paved
  duality, 745
  upper plane, 745
paving matroid, 1634
Payan, 1600
Payan, C, 977
PC
  2-factor, 2056
  Hamiltonian path, 2056
PCC, 746
PCD, 1813
PCP, 1800
  word, 1800
PDIL system, 670
PDSC 73 error correcting code, 820
peakless function, 1863
  on a graph, 1863
peakless prime, 1863
pebbling, 1487, 2225
Pelc, 2250
Peled, U N, 431
Peleg, B, 1278
penalty
  formulation, 440
  function, 440, 1545
  weight, 995
pending vertex, 392
Peng, 1530
Penny, D, 1105
pentagonal chain, 220
percent of optimality solution procedure, 361
percolation
  cluster, 503
  model, 503
Percus-Yevick approximation, 521
Perennes, 2262
perfect
  bipartite matching, 951
  broadcasting, 2181
  code, 70
perfect colouring, 4
  of a pattern, 4
perfect
  difference set code, 820
  dominating set, 1708
perfect domination, 1708
  problem, 1637, 1708
perfect elimination
  bipartite graph, 798
  ordering, 216, 794, 1380, 2119, 2141, 2142, 2255
perfect
  error correcting database, 719
  face independent vertex cover, 1497

perfect graph, 248, 258, 408, 413, 470, 689, 752, 777, 780, 877, 1062, 1480, 1504, 1636, 1704, 1784, 1801, 1893, 2035, 2075, 2087, 2248, 2255, 2266, 2269
theorem, 1062
perfect
intersection graph, 1706
interval graph, 2211
Latin square, 919
Lee code, 50, 70, 85, 116, 2085
line graph, 2075
map, 595
perfect matching, 194, 268, 433, 484, 499, 532, 650, 684, 736, 756, 839, 864, 879, 958, 1336, 1658, 1681, 1694, 1753, 1788, 1852, 1880, 1902, 1963, 2089, 2122
algorithm, 268
of graphs, 499
polytope, 1122, 1662
problem, 12, 28, 484
perfect
Mendelsohn design, 2169
multidimensional matching, 2142
ordering, 413
perfect path cover, 2235
of a cograph, 2235
perfect
set, 2055
switching class, 2266
perfection of a line graph, 2075
perfectly orderable, 258, 1049, 1864
graph, 413, 777, 1732, 1778
perfectly ordered graph, 1480
perfectly orientable, 1822
graph, 1822
performability, 2162
analysis, 2162
probability, 2162
performance
analysis, 931
bounds, 1671, 2149
conjecture, 1424
evaluation, 381, 1971
guarantee, 964, 1039, 1114, 1477, 1633, 1675, 1688, 1730, 1841
measure, 707, 933, 2014, 2103
metric, 2018
parameter, 914
ratio, 283, 560, 753, 754, 791, 1090, 1688, 1912, 1918, 2071, 2170, 2200
pericyclic reaction, 512
perifused system, 514
perimeter problem, 2116
period length, 648
period of a matrix, 1935
periodic
assignment, 1361
behaviour, 73
boundary, 2140
crosscorrelation function, 329
event, 658
periodic gossip
scheme, 1442
time, 1442
periodic gossiping, 1942
on trees, 1442
periodic
interval graph, 1361
lattice, 521
network, 1809
omega word, 2126
pattern, 1860
program, 1809
schedule, 1672
scheduling, 335, 1809, 2244
sequence, 553
stucture, 761, 1672
table, 1748
periodically recurring events, 410, 658
periodicity, 648, 1960, 2195, 2257
length, 648
of matrix powers, 1935
perishable production scheduling, 2278
Perl, 2235
permanent, 512, 650, 2144
permanental bounds, 2144
permeability of a graph, 427
permutahedron, 706, 1649, 1900
permutation, 8, 43, 77, 113, 121, 209, 229, 302, 435, 536, 600, 637, 771, 810, 835, 878, 953, 986, 1089, 1117, 1370, 1444, 1470, 1590, 1649, 1701, 1745, 1767, 1853, 1919, 1925, 1948, 2043, 2198, 2206, 2212, 2233
automaton, 2280
channel routing problem, 966
flow shop model, 1977
graph, 258, 494, 550, 562, 771, 986, 1050, 1061, 1728, 1801, 1824, 1869, 1870, 1908, 1989
group, 110, 1745, 2280
matrix, 594
of integers, 59, 591
of wires, 209
problem, 435
representation, 4
routing, 1875
schedule, 1977
permutational matrix, 1745
permuted bottleneck Monge matrix, 1590
permutohedra, 1367

perpetual gossiping problem, 1944
persistence, 914
persistent strategy, 332
perspective interconnection network, 2166
PERT, 761, 2162
  network, 207, 2188
perverse behaviour of voting rules, 584
Peters, J G, 927
Petri net, 746
  analysis, 746
Pfaffian, 227, 1359
  of a matrix, 1359
  orientation, 650
Pfeiffer, 1387, 1732
phase transition, 504, 1422
phasing number, 979
phenylene, 2064
φ-tolerance competition graph, 1727
Phillips, 1957
photonic switch, 922
phylogenetic number, 191
phylogenetic tree, 1659, 2202, 2082, 2214
  reconstruction, 2192
phylogeny, 1916, 1918, 2082, 2203
  digraph, 2192
  graph, 2192
  number, 2192
physical map of chromosomes, 2209
physical mapping, 2204, 2211
  of DNA, 2211
  problem, 1911, 2198
physicochemical property, 518
π-network, 1753
Pick algorithm, 1659
pick and choose heuristic, 583
picture, 252, 269, 811, 1069
  language, 1069
piecewise linear
  concave cost, 1329
  efficient frontier, 1641
  function, 52
  non convex continuous function, 212
piecewise polynomial, 2150
Pin, 1783, 2175
pivot, 285, 1073
  operation, 1658, 1662
pivoting idea, 297
PKC, 546
PL(n,e,q)-codes, 116
PLA, 660
  folding, 660, 1381
  partitioning, 964
placement algorithm for VLSI layout, 978
plaintext bit, 1853
planar
  3-satisfiability, 88
  bar and joint framework, 1476
  bipartite graph, 1053
  cellular automaton, 237
planar directed
  graph, 433
  network, 692
planar embedding, 1816
  of a graph, 1665
planar graph, 31, 217, 241, 269, 282, 433, 656, 688, 715, 996, 1056, 1111, 1385, 1387, 1487, 1488, 1542, 1571, 1582, 1654, 1660, 1665, 1674, 1681, 1687, 1689, 1797, 1825 1847, 2060, 2070, 2072, 2077, 22081, 2104, 2106, 2115, 2143, 2162, 2207, 2229, 2277
  partition, 2143
planar
  isostatic framework, 1476
  k-set, 2237
  kernel, 88
  layout, 2222
  map, 111, 1542
  min-V'-cut problem, 2171
  multiterminal cut problem, 2171
  perfect graph, 1801
  satisfiability problem, 1428
  segmentation, 42
  set, 1616
  signed graph, 646
  topology, 2220
  transportation problem, 350
  vertex labeled graph, 2207
planarity, 1721
plane
  bipartite graph, 1880, 1963
  crystallographic group, 4
  cycle, 1067
  embedding, 1497
  Eulerian graph, 1563, 2135
  grid, 694
  isometry, 4
  pattern, 4
plane picture, 269
  of lines, 811
plane
  stabber, 685
  tree, 44
plant
  layout problem, 5, 31
  location problem, 1009, 1137, 1152, 2090
plate and bar framework, 269
player interdependence, 372
Plesník, 1833

Plotkin range, 447
PLS, 607
plurality ballot, 201
PN sequence, 696
PO algorithm, 2218
pocket in a macromolecule, 2201
point
  configuration, 787
  connectivity, 63
point to point
  connection problem, 2004
  delivery problem, 895
point to point network, 1782
pointed star, 393
polarity, 1609, 1769
pole, 619
policemen and robber, 469, *see also* cops and robbers
Pollack, 323
Pollack, J, 323
poly-log time, 1770
polyadic codes, 639
polycondensation system, 72
polycyclic conjugated hydrocarbon, 1747
polyfunctional monomer, 72
polygon, 42, 99, 388, 531, 1685, 1694, 1836
  covering problem, 780
  graph, 1050
  matroid, 99
  scheduling, 1836
polygonal
  obstacle, 1116
  system, 1747
polygraph, 394, 515, 1092, 2063
polyhedral
  analysis, 2090
  characterisation, 2075
  combinatorial algorithm, 1781
  combinatorics, 1974, 1978, 2038
  graph, 2041
  method in combinatorial optimisation, 379
  proof method, 379
  scene, 252
  structure, 999, 1849, 2033, 2090
  theory, 594, 1474, 1955
polyhedron, 6, 20, 49, 252, 389, 402, 450, 589, 679, 685, 811, 1113, 1544, 1620, 1652, 1662, 1695, 1762, 1772, 1978, 2072, 2081, 2083, 2090, 2230
  in 3-space, 811
polyhex
  covering, 1753
  fragment graph, 812
  graph, 812, 1748
  system, 1748
polylog parallel algorithm, 380
polylogarithmic parallel time, 968
polymatroid, 155, 199, 262, 372, 407
  flow, 397
  theory, 372
polymatroidal
  flow, 420
  network flow, 420
  structure, 155
polymer, 44, 394, 515
  configuration, 508
  molecule, 508
  system, 515
polymerase chain reaction, 1922
polynomial
  algorithm, 88, 112, 182, 200, 210, 234, 255, 285, 316, 321, 381, 386, 391, 399, 431, 433, 464, 464, 598, 615, 680, 746, 766, 785, 797, 895, 948, 995, 1068, 1106, 1073, 1083, 1112, 1115, 1119, 1389, 1427, 1480, 1496, 1521, 1548, 1587, 1621, 1685, 1701, 1718, 1780, 1801, 1813, 1822, 1828, 1847, 1871, 1897, 1938, 1982, 2012, 2025, 2115, 2135, 2162, 2186, 2229, 2248
  approximation scheme, 186, 666, 1676, 1845, 2193
  association scheme, 681
polynomial average
  complexity, 135, 1000
  time, 1000
polynomial
  complexity, 423, 1720
  dynamic programming algorithm, 2103
  graph colouring, 850
  growth, 778
  heuristic, 773
  ideal, 818, 824
  inequality, 259
polynomial invariant, 1663, 2091
  of a graph, 1663
polynomial
  knapsack polytope, 259
  method, 423, 622, 2281
  mixed integer zero one problem, 1371
  number of processors, 968, 1770
  order algorithm, 89
  parallel complexity, 818
  recognition algorithm, 390, 1657
  ring, 817
  scheme, 681
  separator, 1579
  solution, 387, 1381, 1453, 1873, 1990
  solvability, 876, 995, 1126
  surface, 1579
  testing, 255

polynomial time, 15, 53, 132, 138, 139, 283, 321, 335, 343, 364, 377, 386, 403, 414, 417, 433, 452, 490, 575, 687, 690, 704, 746, 749, 762, 777, 785, 799, 831, 842, 857, 858, 859, 865, 884, 886, 893, 951, 964, 975, 982, 993, 995, 1039, 1050, 1142, 1167, 1307, 1334, 1369, 1387, 1469, 1477, 1488, 1493, 1549, 1602, 1619, 1621,1667, 1672, 1687, 1706, 1732, 1767, 1791, 1828, 1842, 1850, 1916, 1918, 1938, 1941, 1950, 1970, 1975, 1976, 1993, 2005, 2013, 2021, 2028, 2039, 2167, 2170, 2182, 2189, 2208, 2213, 2266, 2281
algorithm, 28, 111, 139, 208, 317, 321, 328, 453, 454, 494, 556, 598, 613, 669, 707, 712, 876, 988, 1011, 1042, 1046, 1049, 1056, 1061, 1062, 1100, 1136, 1146, 1157, 1515, 1657, 1664, 1674, 1675, 1715, 1807, 1812, 1871, 1886, 1917, 1927, 1938, 1941, 1962, 1980, 1982, 1989, 2018, 2039, 2104, 2134, 2142, 2162, 2208, 2235, 2278
polynomial time approximation, 1677, 2017, 2039
algorithm, 753, 862, 1503, 1898, 2200, 2213, 2224
scheme, 453, 666, 858, 859
polynomial time
complexity, 1491
computable, 691
decidable, 850
dynamic programming algorithm, 582
equivalence, 650
equivalent, 41, 79
graph theoretic algorithm, 692
heuristic, 1838
problem, 2
solution, 840, 954, 1899, 2164, 2205
solvability, 589, 831
solvable, 1624, 1781, 1918, 2276
polynomial tractability, 799
polynomially
bounded rounding algorithm, 1335
equivalent, 355, 656, 1669, 1873
polynomially solvable, 164, 272, 343, 453, 1112, 1157, 1571, 1587, 1621, 1836, 1975, 2012, 2137, 2244
class, 894, 2182
problem, 746
polynucleotide, 2207
polyomino, 1129
polyp, 2019
packing problem, 2019
polypent/polyhex graph, 1748
system, 1748
polyphenylene, 545
polytope, 149, 171, 529, 610, 773, 896, 1033, 1122, 1306, 1360, 1482, 1622, 1630, 1656, 1662, 1705, 1718, 1722, 1723, 1781, 1796, 1900, 2033, 2081
of bipartite degree sequences, 709
Ponder, C, 1451
pooling designs, 2058, 2209
population
density, 113
genetics, 178
Porubsky, S, 742
Posa, 285
algorithm, 285
Posa, L, 285
poset, 341, 375, 393, 419, 498, 846, 969, 1330, 1383, 1635, 1649, 1650, 1743, 1781, 1900, 2038, *see also* partially ordered set
of all posets, 1330
structure, 1804
posiform, 741
positive
atom, 609
automata network, 473
Boolean function, 1167
decomposability, 1909
definite matrix, 1134, 1598
positive edge, 174, 931, 2171
length, 446, 1774, 2115
positive
feedback loop, 522
function, 473
literal, 575
loop, 522
semidefinite matrix, 2137
spanning set, 250
Posner, M, 1160
Posner, M E, 679
possible experience, 1620
postal model, 1540
posterior probability function, 2149
postman
problem, 6, 249
tour, 6
postoptimal analysis, 1518
postoptimality analysis, 2281
potential
energy hypersurface, 511, 520
theoretic property, 56
theory, 576
power
language, 805
law, 319
moment problem, 700
of a chordal graph, 172
of a circular arc graph, 1827

power
of a cocomparibility graph, 852
of a digraph, 1391
of synchronization, 804
operation, 1827
poset, 1330
PQ-tree, 2198, 2212
PRAM, 985, 1890, 2198
algorithm, 968
Pratt, 1659
pre-order, 413, 456, 805, 2257
pre-ordered matroid, 456
pre-period, *see* preperiod
preassignment, 551, 1791
requirement, 1975
precedence constrained
knapsack problem, 999, 1849
maximum value sub hypergraph problem, 1871
problem, 77
precedence
constraint, 77, 134, 312, 459, 602, 723, 999, 1124, 1475, 1543, 1671, 1696, 1849, 1871, 1892, 1899
delay, 1846
graph, 1890
relation, 1894, 1900
relationship, 77, 1871
precolouring, 1975
extension problem, 1941
preconservative component, 746
preemptive independent task, 1675
preemptive open shop scheduling, 1791
problem, 865
preemptive
periodic scheduling, 335
policy, 1671
priority scheduling algorithm, 1543
schedule, 1362, 1543
preemptive scheduling, 335, 707, 1543, 1641, 1675, 1769, 1846, 1891, 2018
problem, 1543
preference
function, 332
modeling, 795
order, 1546, 201
ranking, 105
preferential
election rule, 1956
voting rule, 1956
prefix
code, 633, 1592
reversal, 1580
pregeometric space time, 517
premultiplied mixed integer constraint set, 289
preperiod, 348
preprocessing procedure, 1023, 1161
preservation of connectivity, 552
presortedness, 1008, 1552
prespecified processor allocations, 1475
#PREXT, 1941
PREXT problem, 1941
price directive, 541
decomposition procedure, 541
price function, 541
primal
algorithm, 1976
MCNF algorithm, 1369
problem, 198, 481, 485
relaxation, 2090
simplex algorithm, 363, 1073, 1692
variable, 485
primal-dual
algorithms, 483
integer programming algorithm, 1085
primary path, 1014
prime
assigned Euler network, 6
distance graph, 1392
prime factor, 328
design, 152
of a graph, 328
prime
factorisation, 403
ideal, 823
length, 639
partial algebra, 628
postman tour, 6
subfield, 825
word, 1800
primer selection problem, 1922
primitive
Cayley digraph, 2049
electrical network, 1865
matrix, 2231
morphism, 1947
network, 1865
parity problem, 945
polynomial, 329, 1088, 1968
starlike graph, 1083
symmetric digraph, 1933
primitively realisable, 1865
bond graph, 1865
principal
component analysis, 500
ideal domain, 2007
principal partition, 372, 458, 977, 1589
in a graph, 977
principal
structure, 699, 1589

principle
of maximum parsimony, 2082
of minimal structural change, 848
of parsimony, 1004
of valency conservation, 512
printed circuit testing, 1712
priority
algorithm, 1675
model, 737
schedule, 1543
prism, 771, 1701
probabilistic
algorithm, 285
probabilistic analysis, 53, 127, 135, 286, 467, 575, 1026, 1040, 1304, 1604
of an algorithm, 286
probabilistic
behaviour, 575
encryption, 546
error bound, 318
finite generator, 992
graph, 1654
network, 563, 1061
performance, 575, 1026
satisfiability, 1620
probabilistic single processor scheduling, 690
problem, 690
probabilistic
speed-up, 376
time complexity, 1623
probability
content, 783
distribution, 700, 957, 1686, 1733, 1856, 1985
generating function, 72
of a dominant candidate, 201
of diameter two, 997
theory, 174, 373, 1451
probably approximately correct learning, 1012
probe
clone incidence matrix, 1911
interval graph, 2211
probing, 1652
of gossiping, 1446, 1567, 1693, 2157
problem
reduction, 1988, 2014
topology, 360
process
planning problem, 486
selection, 486
processing
cost, 1641
environment, 360
order, 137, 362, 452, 680, 1845
time, 383, 1481, 1599, 1633, 1641, 1739, 1897, 1977, 2012, 2155
processor
bound, 1435
reliability, 690
processors using shared buses, 1971
Prodon, A, 1360
product
matrix, 1423
network, 932, 2094
of complete graphs, 208, 1421
of graphs, 604, 1858, 2023
partial order, 449
set, 631
shuffle network, 932
production
planning, 1079
variable, 672
profile, 65, 105, 1543, 2066, 2139
scheduling, 1675
programmable
logic array, 660, 1381
structure, 2225
programmed grammar, 94
progressive black-white pebbling, 1487
project
evaluation, 281
management, 863
network, 375
scheduling, 863
projection of a polyhedron, 2230
projective
closure, 814
equivalence, 988
space, 279, 785, 854
projectivization, 854
Prolog rule system, 866
proneness to anomaly, 1707
propagating
EOL form, 333
OS scheme, 599
proper
augmentation, 1787
circular arc graph, 1827
gap, 1816
tolerance graph, 258, 1614
vertex colouring, 1670
properly coloured, 2056
Hamiltonian path, 2056
property
on graphs, 78, 162
preserving extension of a graph, 634
propositional
calculus, 472
Horn formula, 1549
logic, 774, 1020
satisfiability problem, 1618

Proskurowski, 1446, 1493
protein, 1910, 1919, 1920, 1924
provably secure, 546
pruning, 1755
PS network, 932
PSD matrice, 2137
pseudo-Boolean
  function, 9, 98, 316, 390, 529, 614, 741, 749, 893, 1622, 1882, 1980
  problem, 149
  programming, 744
  quadratic function, 893
pseudo-exhaustive testing, 1720
pseudo-unimodular matrix, 1016
pseudoflow, 1867
pseudohalving hyperplane, 2237
pseudominimal set, 1733
pseudomodular matroid, 1609
pseudopolynomial, 491, 888
  algorithm, 281, 1115
  dynamic programming algorithm, 1001, 1785, 1845
  time algorithms, 690, 1962
pseudosplit graphs, 1593
pseudovariety of semigroups, 2175
PSP algorithm, 361
PSPACE
  complete, 840
  completeness, 759
psychometry, 1079
public key
  cryptography, 546
  cryptosystem, 546, 571
Pulleyblank, 1474
punctured first order Reed-Muller code, 934
Purdom, P W, 1000
pure
  conditions, 1476
  fixed charge transportation problem, 1145
  integer program, 264
  literal rule, 135, 467, 1000
pursuit game, 254
PVM, 1763
pyramidal tour, 799, 2182
  with step backs, 2182

Q

q-colourability, 661
q-colourability problem, 661
q-core condition, 584
q-Horn
  Boolean expressions, 1472
  formula, 1472
QR-code, 856
quadratic 0-1
  minimisation problem, 1882
  optimisation, 1725, 1882
  programming, 346, 893
quadratic assignment, 2116
  problem, 136, 318, 489, 1508, 2123
quadratic Boolean equation, 330
quadratic optimisation, 1587
  problem, 463
quadratic
  polytope, 2033
  posiform, 741, 1882
quadratic programming, 463, 1024, 1587
  problem, 1079
quadratic pseudo-Boolean
  function, 1882
  problem, 149
quadratic semi-assignment problem, 391
quadratically related geometric sequences, 1088
quadric, 279
  hypersurface, 1088
quadrisected knight tour problem, 1866
qualitative
  analysis, 525
  stability, 525
qualitatively
  independent partitions, 176
  nonsingular matrix, 331
quantification, 1488
quantifier elimination, 2173
quantitative group testing, 667
  problem, 897
quantum chemical
  reaction graph, 511
  result, 512
quantum
  logic, 393
  theory, 1745
quartic subgraph, 1797
quasi-Cayley graph, 1954
quasiconcave function, 216, 453
quasiconcave program, 453
quasigreedy
  algorithm, 367
  method, 367
quasigroup representation, 1954
quasiharmonic classification
  of infinite networks, 56
  of Riemannian manifolds, 56
quasiharmonic function, 56
quasiminimal, 1683
  diameter, 701, 935, 1683
quasiparity graphs, 408
quasithreshold graph, 1830

quaternary trees, 1814
query, 255, 627, 685, 975, 1038, 1101, 2156, 2204, 2209, 2251
  data structure, 2156
  learning, 2251
  optimisation, 974
queueing theory, 2153
Queyranne, 1900
Quillot, A, 469
quintic subgraph, 1797
quorum system, 1872
  construction, 1872
quotient
  of linear functions, 125
  of polynomials, 52
  ring, 1367
  set, 1988

R
R&Cmax, 1943
r-distant colouring, 1601, 1678
r-partite paired comparison digraph, 462
r-partition, 642
r-regular partial planes, 393
R2-GP, 1744
radio network, 1567, 1997
radius
  of a chordal graph, 172
  of gyration, 508
radix representation, 1994
Rado, 211
Rado-Edmonds
  characterization of matroids, 527
  theorem, 211
Radon
  inversion algorithm, 1939
  transform, 1939
Radzik, 1664
  analysis of the Newton method, 2073
Radzik, T, 1369
RAES, 1089
Raghavachari, M, 440
Raghavan, 1677
Raghavan, P, 1080
railway system, 1809
ramification
  degree, 519
  index, 285
  matrix, 775
Ramsey
  number, 1737, 2036
  property, 419
  theorem, 737
  theory, 267, 642, 1386
Ramsey-like arguments, 739
Ramsey-type
  result, 419
  theorem, 642
random
  algorithm, 529
  arc length, 276
  bipartite graph, 839
  Boolean network, 257
  choice, 843
  combinatorial structures, 504
  complete graph, 275
  design, 2209
  digraph, 839
  edge fault, 524
  f-graph process, 1744
  failure, 933
  fault, 524
random graph, 92, 133, 140, 285, 401, 504, 657, 769, 770, 977, 1027, 1437, 1604, 1725, 1740, 2111, 2127
  model, 2127
  process, 509
random
  hillclimbing, 2127
  hypergraph, 515
  instance of satisfiability, 1000
  Ising ± 1 spin model, 1422
random knapsack, 725, 1139
  problem, 1139
random
  minimum spanning tree problem, 275
  NC, 736
  network, 360
  number generator, 535
  permutation, 438
  polynomial algorithm, 381
  problem generator, 311
  rooted tree, 835
  sampling, 1914
random search, 677
  heuristic, 677
random
  selfavoiding polygon, 655
  sequence, 1552
  set of points, 53
  string, 619
  structure, 504
  variable, 89, 276, 383, 480, 847
  walk, 521, 655, 944, 1858
randomised
  algorithm, 141, 381, 843, 1027, 1515, 1677, 2039
  local search, 381
  parallel algorithm, 736
randomized, *see* randomised

randomly generated
example, 557
finite binary sequence, 696
randomly generated instance, 1040, 1158, 1161, 1995
of SAT, 575
randomly generated
knapsack problem, 2195
poset, 1781
test problem, 483, 666, 1724
range and bound method, 93
range query, 16
rank 4 matroid, 1609
rank, 65, 211, 349, 373, 444, 832, 841, 846, 1146, 1306, 1468, 1602, 1609, 1813, 1856, 1946, 2035, 2190
constraint, 1560
correlation method, 1008
inequality, 1306
of a matroid, 1609
of a polymatroid, 155
of an LM matrix, 699
optimality result, 963
ranked dendogram, 205
ranking, 65, 105, 444, 462, 878, 1813, 2164, 2190, 2278
model, 1008
of a graph, 2190
problem, 754
vertices, 462
Rao, 2218
rapidly mixing, 1515
Rardin, R L, 943, 1039
Raspaud, 2146
rate of convergence, 383
to optimality, 383
rate of simultaneousness, 636
ratio
of arc lengths, 2002
of distances in a tree, 2062
rational
coordinate, 992
expression, 992
function, 67, 803
relation, 992
transduction, 150
rationality, 803
Ratliff, H D, 66
Ratsaby, 2151
Ravi, 1917
Rayleigh fading channel, 830
RDLAP, 1170
re-optimization problem, 1898
reaction
diffusion mechanism, 237
distance, 848
reaction
graph, 511
lattice, 512
parameter, 512
path, 512
skeleton, 512
reactive group, 72
read once Boolean function, 1102
read only
head, 251
input tape, 251
Read, R C, 227
read/write
isolated memory, 1522
step, 982
real
execution time, 1543
spectrum, 33
real-time
system, 2018
trellis automaton, 405
realisability of a spectrum, 121
realisable bond graph, 1865
realisation of a graph, 1674
realization, *see* realisation
reallocation, 290
rearrangeable, 923
rearrangement, 1917
distance problem, 1917
reasoning under uncertainty, 1620
reciprocal diagram, 811
recognition, 111, 206, 252, 386, 689, 749, 766, 797, 1370, 1472, 1479, 1553, 1590, 1745, 2141
algorithm, 228, 414, 494, 747, 749, 777, 1046, 1583, 1593, 1626, 1657, 777, 1706, 1728, 1830, 2013, 2079
of a P_4-sparse graph, 2079
of a trapezoid graphs, 1728
of a well-covered graph, 1687
of middle graph, 206
of the Monge property, 1839
recognition problem, 746, 779, 1042, 1058, 1389, 1433, 1553, 1602, 1811, 1839, 2212
for bicircular matroids, 1042
recognisability of sets, 565
recognisable, 565
recognising
brittle graphs, 777
graphs, 242
hidden bicircular networks, 988
interval bigraphs, 2021
q-Horn formulas, 1472
small cliques, 734
supports of line digraphs, 743

recognising tough
  cubic graphs, 2024
  graphs, 722
recognising undirected path graphs, 1046
recombinant
  behavior of DNA, 1815, 1837
  DNA libraries, 2058
recombination, 1918, 2208
reconfigurable
  systolic linear array, 1946
  VLSI/WSI array, 2225
reconfiguration strategy, 1946
reconstructing phylogenies, 2214
reconstruction
  algorithm, 1939
  of a rooted tree, 1810
  of evolutionary history, 2208
  property, 492
rectangle packing, 1080
  problem, 1080
rectangle visibility graph, 1885, 1931
rectangular
  art gallery, 1308
  banyan network, 926
  Boolean matrix, 232
  grid, 1591, 2116
rectifier network, 2177
rectilinear distance, 1170
  location allocation problem, 1170
rectilinear
  embedding, 2070
  obstacle, 1848
  path, 1848
  planar drawing, 989
  Steiner tree problem, 2223
recurrence
  parameter, 1489
  relation, 194, 394, 499, 854, 1092, 1489, 1817, 1829
recurrent
  constructive scheme, 1755
  network, 2150
  neural network, 2150
recurring event, 410
recursion formula, 128
recursive
  circulant, 1814
  dominance, 654
  exchange algorithm, 2097
  family of graphs, 1495
  formulation, 1659, 2103
  graph theory, 834
  query, 627
  rule, 627
  structure, 466
recursively
  decomposable Cayley graph, 1438
  enumerable language, 150
Redfield-Read superposition theorem, 516
reduced
  bond graph, 1862
  complexity decoding, 816
reducibility, 373, 640, 2040
reduction, 77, 88, 219, 232, 435, 481, 491, 562, 586, 688, 736, 863, 1007, 1034, 1115, 1160, 1161, 1387, 1545, 1563, 1745, 1768, 1797, 1988, 1990, 1995, 2167, 2210, 2223
  algorithm, 711, 853
  method, 339, 561
  procedure, 676, 711
  result, 2206
  rule, 1493
redundance, 1489
redundancy, 342, 939, 1620, 1643, 1745
  of a tree, 342
redundant, 496, 939, 1436, 1578, 1643, 1946
  constraint, 652
Reed, 1674, 1732
Reed-Muller code, 57, 179, 934
Reed-Solomon code, 819
reference structure, 1773
reflection principle, 793
reflexive
  and transitive closure, 244
  dimension, 1627
  graph, 1047
reformulation linearization technique, 1170, 1796
regeneration in an IL system, 578
regenerative IL system, 670
regression, 197
  function, 2149
  model, 1124
  problem, 1079
regular
  arrangement of cells, 820
  bipartite graph, 864, 869, 1006, 1628
  Boolean function, 431
  chain code picture language, 1069
  class, 564
  comparability graph, 752
  coronoid system, 1883
  cycle, 2113
  digraph, 935, 1683, 1854
  directed node label controlled graph grammar, 351
  DNLC grammar, 351
  expression, 2140
  function, 431, 1167
regular graph, 279, 308, 436, 645, 681, 752, 778, 884, 1393, 1746, 1981, 2024, 2185

regular
graph property, 1495
hexagon, 1694
hypergraph, 1563
k-cycle free graphs, 752
labeled graph, 2185
language, 107, 118, 150, 251, 320, 327, 398, 498, 564, 571, 800, 957, 1585, 1815, 1837, 2055, 2129, 2175, 2187, 2239
regular line
drawing, 277
graph, 752
regular
matroid, 25, 1600
measure of performance, 375
nonsymmetric digraph, 33
regular partial
concentrator, 958
plane, 393
regular
planar graph, 1797
resonance structure, 523
self complementary graph, 2043
semigroup, 792
sequence, 698
set, 317, 792, 800, 2140
regular set covering, 321
problem, 1167
regular subgraph, 1797
problem, 687
recognition, 687
regular substructure, 277
regularity, 277, 461, 840, 1130, 1495, 1669, 1815
of a drawing, 277
of a language, 244
of a line drawing, 277
of a matrix, 306, 1669
of a splicing system, 792
Reid, 2032, 2084
Reid, K B, 776
Reiman, M I, 604
Reisch, S, 759
relation scheme, 971, 972, 1812
relational algebra, 975
relational database, 627, 638, 969, 971, 972, 976, 1020
design, 974
model, 970
scheme, 1070, 2119
system, 638, 1870
theory, 976, 1070
relational
datamodel, 1812
structure, 1488, 1742
system, 577, 1155
relative neighbourhood graph, 788, 941
relatively prime integers, 733, 953
relatively rigid, 2165
truss, 2165
relaxation, 129, 134, 136, 198, 231, 379, 461, 481, 528, 676, 679, 688, 768, 867, 1024, 1128, 1161, 1333, 1371, 1516, 1725, 1796, 1834, 2090, 2159, 2180, 2259
bound, 1009
branch and bound algorithm, 1333
method, 1924
strategy, 361
relaxed
linear program, 964
problem, 137
release date, 137, 490, 602, 679, 892, 1475, 1675, 1962, 1966, 1982
constraint, 137
release date/deadline interval, 1982
release time, 710, 1131, 1709, 1846, 1977
constraint, 710
reliability, 423, 701, 859, 933, 1003, 1768, 1946, 1950, 1973, 2094
analysis, 1946
bound, 563
evaluation, 1973
measure, 1061
model, 758
of decoded data, 821
problem, 423, 1305, 1768
ratio problem, 859
reliable
broadcasting, 1436, 2094
edge, 1547
graph, 1388
network, 1388
relinkage, 634
renamable Horn clause, 1549
renaming
of a formula, 1549
of a Horn formula, 1549
renewable
and nonrenewable resource, 865
resource, 1739
Rényi, A, 504
repetition
free, 270, 628
freeness, 270
in a word, 214
repetitive polling game, 2178
replacement grammar, 1103
replying to queries, 627
representability, 461, 605, 1064
of a function, 605
representable interval graph, 334, 569

representable set, 461, 1108
representation
  for a set partitioning problem, 1796
  graph, 455
  of a bicircular matroid, 808
  of a constraint, 605
  of a general unlabeled graph, 732
representation of a graph, 241, 962, 1488, 1742, 2001
  by a relational structure, 1488, 1742
  by a set system, 92
representation
  of a orthomodular poset, 393
  of a positive integer, 497
  of a semiorder, 795
  of a set, 461
  of a stage graph, 1936
  of an automaton, 898
  of an interval order, 1057
  theorem of the suffixes of characteristic sequences, 2136
  theory, 1811
representative
  graph, 393
  sytem, 13
representing
  an order, 693
  a graph by a tree, 80
  an objects by a point, 753
reproducing power, 599
rerouting, 1973
residual
  connectedness reliability, 1061, 1547
  network reliability, 1950
  node connectedness reliability, 1061, 1950
residuated map, 796
residue
  class, 410
  set, 742
resilience, 914, 916
resistance, 778, 1494, 1858
  movement, 45
resistive
  circuit, 1307
  electrical network, 2007
  network, 778
resolution, 19, 518, 522, 1455, 1927
  search, 1859
resolvable perfect Mendelsohn design, 2169
resonance, 1753
  energy, 499, 1743, 1817
  structure, 523, 1753
  theory, 523
resonant hexagon, 756, 879
resource allocation, 716, 1583, 1674
  problem, 84, 292
resource
  bound, 985, 1866
  capacity, 716
resource constrained assignment problem, 674
resource constrained scheduling, 2039, 2132
  problem, 2039
resource
  constraint, 130, 490, 674, 1017, 1161, 1696, 2132
  demand, 716
  set, 1739
  sharing, 716
resting time, 714
restricted colouring, 876, 1975, 2164
restricted fanout, 975
  query, 975
restricted Lagrangean, 1145
  2-matching, 676
restricted
  lattice path, 793
  permutation, 637
  Steiner tree problem, 2203
restriction, 28, 45, 99, 470, 591, 842, 1387, 1680, 1939, 2014, 2025, 2157
  enzymes, 792, 2187
RET, 1543
  task, 1543
retraction, 2260
retrieval
  of information, 627
  tree, 342
return function, 113
reversal
  distance, 1925
  sequence sorting, 1925
reverse
  order, 65, 1580
  polar, 2268
  ranking, 65
reverse search, 1762
  technique, 1762
reversibility problem, 2140
reversible
  90/150 cellular automaton, 2140
  digraph, 207
  string, 2140
reversing number, 1612
reward rate, 1671
rewritable medium, 1522
Rf-GP, 1744
Rhys, J M W, 390, 1128
ri-metric, 1008
ribonucleic acid, 1689
ribonucleotide bond, 1689
Richards, 1944

Richards, G W, 923, 958
Riemann surface, 253
Riemannian manifold, 56
right
  continuity, 74
  invariant metric, 1008
  linear string grammar, 351
rigid
  body mechanics, 2165
  framework, 349
  unit distance graph, 789
rigidity, 349, 2165
  condition, 349
  matrix, 349
  of a skeletal structure, 215, 223
ring
  family, 1974
  network, 466, 1431, 1435
  structure, 98, 1367
Riordan group, 845
Riordan, John, 845
Rival, I, 693
Rivest, 1659
RNA, 1363, 1689
  molecule, 1689
  secondary structure, 1363, 2207
  structure, 1689
RNG, 535, 788
Roberts, 1601, 2020
Roberts, F S, 180, 577
Robertson, 1487, 1493, 1674
Robertson and Seymour algorithm, 1674
  for k-realisations, 1674
Robertson, N, 831, 996
Robinson, D F, 496
Robinson, J, 616
robot, 693
robotic
  cell, 2188
  scheduling, 2188
robotics, 1141, 1652, 1848
robotized
  analytical system, 1775
  system, 1775
robust
  lower bound, 1131
  regression, 197, 2237
  statistics, 2237
  universal complete code, 1686
robustness, 938, 1481, 1686
Röck, 2039
Roget, 1866
Rohlf, F J, 122
Romanik, 1578
roof duality, 1128, 1882
  gap, 741
root
  of a graph, 1594
  system, 99
rooted binary plane tree, 1014
rooted directed
  spanning tree, 379
  tree, 454
rooted
  network, 1154
  plane tree, 44
  routing, 1674
rooted tree, 835, 1068, 1810, 1880, 2091
  structure, 148, 203, 471
rooted
  vertex disjoint paths, 1674
  virtual path layout problem, 2103
Rose, 2141
Roselle, 2032
Rosen, J B, 440
Rosenfeld, A, 552
Rosenmüller, J, 1278
Rosenthal, 1768
Ross, J A, 344
Rota, G-C, 838
rotagraph, 1794
rotation
  graph, 1880
  number, 549
rotational symmetry, 942
rotator design, 152
Roth, 1597
Roth, R, 629
Roth-Van de Vate algorithm, 1597
round robin tournament, 123, 573
rounding
  a convex body, 1515
  algorithm, 1335
  in a symmetric matrix, 1834
Rouse Ball, 1866
route
  digraph, 632
  graph, 937, 2009
  scheduling, 1441
routing, 345, 588, 604, 632, 916, 920, 937, 964, 978, 980, 981, 1441, 1808, 1848, 1875, 1994, 2009, 2046, 2068, 2097, 2176, 2227
  a multiterminal net, 2227
  a switching network, 922
  algorithm, 915, 980, 2110
  heuristic, 2219
  in a network, 632, 1674
  on a Cayley graph, 980
  plan, 1388

routing problem, 164, 345, 604, 937, 966, 967, 980, 981, 1140, 1510, 1674, 1763, 1808, 2046, 2103, 2176
around a rectangle, 981
routing
scheme, 908, 916
switch, 922
table, 907
theory, 1674
vulnerability, 2009
winter gritting vehicles, 1144
row
echelon matrix, 854
equivalent matrices, 808
graph of a matrix, 238
row sum, 1639, 2144
vector, 1465
Roychowdhury, 2014
RRS, 523
span, 523
RS-code, 819
Rucinski, 1600
Rucinski, A, 977
Rudeanu, S, 744
rule system, 866
rumour problem, 276
Rumsey, H C, Jr, 447
runtime analysis, 328
RVDP, 1674
Ryan, 1645
Ryser, H J, 219

S

(S,a)-E0L form, 185
s-representation, 2129
S_3-maximum graph, 1547
Sabidussi, G, 14, 328
saddle point, 1038
saddle-free, 529
Sahni, S, 304
Saigal, R, 529
Sakai, 1601
Sakarovitch, M, 1049
Saks, M E, 291
Salomaa, A, 150, 1570, 1605, 1879
Salowe, 2223
Saltzman, M J, 1028
SAMD descent ascent method, 1095
Samorodnitsky, 1904
sample compression scheme, 2147
Sankoff, 2200
Sario, L, 56
SASPACE, 804
SAT, 225, 575, 665
satisfiability, 294, 575, 665, 1000, 1571, 1859, 1611, 1613
of Horn sets, 1613
problem, 135, 225, 294, 467, 575, 665, 1158, 1428, 1472, 1549, 1562, 1618, 1914, 1930, 2068, 2179
satisfying assignment, 575, 1914
saturated lattice space, 227, 323
saturation
degeneracy, 227
property, 1017
throughput, 2110
Sauer-Shelah lemma, 2148
saw-tooth sequence, 291
SB heuristic, 2217
SBH, 2205
scalability, 1707
scale
2 embedding, 2060
economy, 488
embedding, 2060
of measurement, 577
sensitive dimension, 2149
scaling
prediction, 1948
technique, 272
scatter search, 1163
scattering number, 1989
scene analysis, 252, 269
SCF ground state, 523
Schäffer, A A, 403
schedule, 93, 115, 123, 283, 304, 375, 383, 410, 490, 543, 551, 714, 791, 865, 868, 872, 873, 989, 1149, 1441, 1444, 1481, 1518, 1519, 1543, 1584, 1599, 1610, 1638, 1672, 1696, 1845, 1937, 1962, 2018, 2039, 2104
induced poset, 375
length, 707, 1475, 1962
scheduled flow graph, 1031
scheduler, 616, 982
scheduling, 55, 115, 130, 134, 283, 284, 311, 335, 380, 386, 475, 531, 543, 557, 707, 751, 755, 761, 842, 863, 892, 956, 1017, 1089, 1114, 1115, 1131, 1142, 1157, 1163, 1358, 1441, 1481, 1503, 1519, 1548, 1561, 1599, 1603, 1633, 1638, 1641, 1642, 1668, 1671, 1672, 1674, 1675, 1682, 1730, 1739, 1769, 1780, 1785, 1787, 1791, 1809, 1838, 1845, 1846, 1850, 1890, 1891, 1894, 1895, 1898, 1943, 1964, 1971, 1975, 1982, 2012, 2039, 2071, 2079, 2086, 2113, 2132, 2133, 2155, 2167, 2188, 2238, 2278
a flow shop, 1477
a sports competition, 551, 573
a tournament, 123

scheduling
activity, 2113
games, 55
imprecise computation, 2018
interval, 1682
jobs, 470, 602, 678, 892, 1142
matroid, 690
multiprocessor tasks, 707, 1475
of conditional executed jobs, 1584
of maintenance service, 2113
parallel programs, 1890
periodic events, 658
policy, 1671
preemptive tasks, 1543
problem, 19, 93, 130, 167, 175, 304, 375, 452, 470, 664, 678, 710, 723, 751, 761, 865, 868, 892, 995, 1001, 1115, 1131, 1156, 1159, 1427, 1429, 1477, 1503, 1516, 1517, 1518, 1543, 1545, 1561, 1584, 1633, 1668, 1684, 1709, 1730, 1739, 1766, 1775, 1785, 1846, 1892, 1896, 1897, 1900, 1962, 1977, 1982, 2039, 2090, 2167, 2244, 2278
program, 38
tasks, 1765, 1898
theory, 382, 383, 791, 1467, 1765, 1891
Scheinerman, 1437, 1740
Schmidt, 2039
Schneider, H, 959
Schneider, M H, 959
Schönheim, J, 228
Schrader, 1900
Schreier coset graph, 907
Schrödinger equation, 1745
Schützenberger product, 2175
Schützenberger, M-P, 836
score
list of a tournament, 740
of a fold, 1921
Scott, Debra, 728
SCP, 2238
Scutellà, 1549
Seager, S, 760
search, 6, 177, 268, 316, 544, 678, 866, 897, 900, 943, 987, 1000, 1031, 1072, 1101, 1147, 1163, 1307, 1519, 1707, 1724, 1762, 1765, 1766, 1859, 1863, 1892, 1905, 1988, 2005, 2089, 2103, 2123
algorithm, 1358
heuristic, 1892
hide game, 2005
number, 612, 987, 1487
ordering heuristic, 501
path, 2005
search problem, 596, 889, 1856, 1859, 2125
on a graph, 385
search theory, 385
search tree, 544, 678, 892, 1333, 1755
searching, 843, 890, 1036, 1868, 2005, 2125, 2156, 2160
second normal form, 1812
formula, 1488
logic, 1488, 1742
secondary
arc weight, 1078
RNA structure, 1689
secondary structure, 1363, 2207
graph, 2207
secret sharing scheme, 1700, 1957
secure
communication, 566
multi party protocol, 534
network, 566
security, 534, 2254
center, 230
problem, 423, 534
segmental
cover, 101
formula, 101
solution, 101
segmented channel, 2014
routing, 2014
routing problem, 2014
Seidel, J J, 1824, 2266
Sekanina, 1391
selecting jobs, 1642
selection, 501, 627, 843, 1922
model, 178
of a site, 212
problem, 120, 1922
selective
inheritance of attribute values, 972
traveling salesman problem, 675
self-assembling biological structure, 1527
self-assembly, 1527
self-avoiding walk, 521
self-complementary graph, 2043
self-dual, 179, 1123
basis, 1123
code, 179, 828, 2263
normal basis, 1123
self-organization, 109
self-organizing search, 957
self-orthogonal code, 828
self-reading sequence, 1570, 1605
self-reducibility, 831
self-reduction, 1487
algorithm, 1487
self-routing
network, 922
photonic switch, 922

self-routing switch, 922
self-service queueing, 2153
self-similar, 992, 1924
  image, 992
Selfridge, J L, 1764
semantic
  branching program, 2177
  read once nondeterministic branching program, 2177
semi-antichains, 449
semi-independence number, 460
semi-order, 187, 417, 795, 1383, 1469
semichain covering, 449
semichordality, 798
semicomplete digraph, 662, 2031, 2245
semidirect product, 2175
semidiscrete, 2129
  language, 2129
semiflat cluster method, 74
semigroup, 157, 310, 792, 840, 1994, 2175
semigroup automaton, 840
  structure, 840
semigroup
  of automata, 840
  of dominoes, 792
  of positive real numbers, 121
semilattice, 337, 1165, 1551
  of closed sets, 971
  structure, 498
semimodular poset, 337
semimodule, 125
seminorm, 473
semipath, 850
semiperfect elimination, 794
  ordering, 794
semistrongly greedy, 1635
  chain, 1635
semisymmetric traffic, 926
semisystolic
  architecture, 820
  decoder, 820
sense of direction, 2185
sensitivity, 1481, 1518, 1898
  analysis, 39, 768, 1079, 1087, 1481, 2074
  of a list scheduling rule, 1481
separability, 287, 689, 1731, 2141
  problem, 693
separable
  graph, 689
  integer programming problem, 437
  objective, 402
  partition, 2272
  partitioning, 1564
separating set, 2052
separation, 693, 779, 1076, 1544, 1569, 1579, 1638, 2033
  algorithm, 1028
  problem, 674, 750, 1649
  procedure, 750
separator, 73, 1989, 2025, 2035, 2141
  graph, 2035
  in a graph, 2025
  theorem, 2025
sequence
  alignment, 1926, 2213
  analysis tools, 1919
  comparison, 540, 1928
  conservation, 1924
  equivalence problem, 1007
  pattern, 2214
sequence shuffling, 1919
  problem, 1919
sequencing, 77, 130, 486, 723, 1112, 1709, 1897, 1917, 2211
  by hybridization, 2205
  problem, 93, 312, 375, 459, 680, 1709, 1892, 2238
sequential
  aggregation, 1356
  algorithm, 261, 740, 1866, 2001, 2198
sequential colouring, 1376
  method, 1376
sequential
  convexification, 2268
  gossiping, 2157
sequential iteration, 166, 536
  of a threshold network, 340
sequential
  labeling, 82
  lifting, 999
  local search, 1022
  matching, 540
sequential partition, 2156
  of a graph, 2156
sequential
  reduction, 339
  transducer, 802
serial dynamic programming, 39
serializability, 435, 616
  problem, 435
serializable system, 616
serialization, 1469
  constraint, 982
series combination, 1494
  in parallel, 1494
series
  decomposable poset, 1649
  decomposition, 1469, 1900
  expansion, 503, 521

series parallel, 280, 346, 466, 474, 1108, 1360, 1492, 1649
graph, 71, 154, 312, 597, 996, 1061, 1360, 1489
network, 280
order, 417, 1383
poset, 341, 706, 1649, 2038
precedence constraint, 312
series parallelness, 474
service center, 1124
set cover problem, 377, 1450, 1903
set covering, 246, 321, 1145, 1718
inequality, 321
problem, 321, 1145, 1167, 1526
set
intersection, 1592
of all feasible solutions, 374
of disjoint cycles, 433
of generators, 1303, 1640
of lines, 1368
set packing
polytope, 1122, 1662
problem, 183
set partitioning
polytope, 1122, 1662
problem, 173, 482, 1603, 1796
set representation, 92
of a graph, 92
set system, 527, 621, 1468, 1993
with Property B, 1764
set valued graph colouring, 2034
set-up, *see* setup
setup
optimisation, 853
polyhedron, 2038
problem, 2038
time, 1709, 2086
sextet
pattern, 812
rotation graph, 812
Seymour, P D, 161, 409, 422, 831, 981, 996, 1387, 1487, 1493, 1674, 1764
Shank characterization theorem, 626
Shank, H, 626
Shannon switching game, 759
Shannon-like game, 759
Shanthikumar, 1587
shape of a protein, 2201
Shapiro, J, 481
Shapley, L S, 81, 1006
shared memory
machine, 926
model, 434, 2079
sharing
problem, 402
scheme, 1700, 1957
Sharmir method, 1700
Shastri, 2108
Sheffer
function, 593
symmetric functions, 593
shelling, 529, 1622
order, 1622
Shepsle, K A, 776
Sherali, 1796
Shields-Harary number, 1554
shift
commuting, 949
dynamical system, 34
shift register, 913
sequence, 913
synthesis, 824
shifting algorithm, 322, 1068, 1713
Shmoys, D B, 464
Sholander, M, 230
shop loading, 672
problem, 672
shop scheduling problem, 1561
Shore, 2223
short
chain packing, 763
cycle, 288, 2026
disjoint cycles, 1703
shortest
arborescence problem, 2092
augmenting path method, 483
average arc length, 1078
closed walk, 147
enclosing walk, 2229
linear feedback shift register, 553
maximal increasing subsequence, 562
path, 35, 66, 97, 208, 281, 353, 360, 361, 380, 453, 470, 748, 782, 909, 1057, 1565, 1824, 1867, 1959, 1973, 2009, 2109, 2115
shortest path
algorithm, 66, 97, 165, 281, 360, 361, 1959
problem, 276, 281, 360, 421, 505, 661, 1112, 1516, 1518, 2092, 2115
routing algorithm, 2110
tree, 1774
shortest
postman route, 249
shortest path tree, 1774
simple path, 1137
superstring problem, 2199
shortness coefficient, 1385
shouting, 555, 1432
broadcast, 555
Shuchat, A, 988
shuffle, 932
cycle, 1588

shuffle exchange, 1434, 1588, 2107
  digraph, 1588
  graph, 1435, 2003, 2107
  network, 932, 1610, 2003, 2107
shuffle oriented
  digraph, 1588
  network, 932
shuffle product, 957
shuffling biological sequences, 1919
Shull, R, 988
SID, 972
side
  constraint, 482, 867, 1763
  payment, 372
Sidney
  decomposition theory, 459
  theory, 459
Sierpinski gasket, 519
sieve number, 1958
sigma-pi
  network, 2236
  neural network, 2236
sigmoidal function, 2150
sign group, 99
sign solvable
  graph, 27, 182
  system, 27
sign
  stability, 525
  symmetric graph, 99
signed
  complete graph, 99
  digraph, 27, 331, 525, 530
  graph, 86, 99, 331, 390, 646, 1795
  hypergraph, 414, 2226
  poset structure, 1804
Simeone, B, 431, 614, 1128
similar graphs, 76
similarity
  depth, 119
  relation, 1332
Simon, B E, 604
Simons, B, 632
simple arrangement, 786
simple graph, 133, 403, 705, 780, 1103, 1108, 1393, 1466, 1547, 1670, 2040, 2111, 2191
  property, 2104
  symmetry, 517
simple group, 645
simple majority
  problem, 1803
  voting, 13
simple
  nestedness, 1041
  ordering heuristic, 2217
simple
  polygon, 782, 2274
  polytope, 529
  surface separation ensemble, 2091
simple undirected graph, 369, 572, 721
  vertex, 574
simplex, 114, 1515
  algorithm, 363, 364, 529, 1073, 1692
  method, 20, 1073, 1692
  pivot, 1073
  tableau, 485
  variant, 1106
simplicial
  complex dual, 1910
  cone, 652
  convex polyhedron, 31
  d-polytope, 1622
  decomposition, 1863
  graph, 1504
  polyhedron, 1695
  polytope, 896
  vertex, 574, 2141
simplifying equations, 3
simulated annealing, 677, 1037, 1144, 1164, 1526, 1766, 1892, 1979, 1988, 2127, 2218, 2225
  algorithm, 677, 1988
simulated trading heuristic, 1763
simulation
  data, 583
  experiment, 1939
  lemma, 29
  of an automaton, 757
  result, 821, 1422
simultaneous aggregation, 1356
  of diophantine equations, 1356
simultaneous send/receive system, 1478
simultaneousness, 636
single exponential
  sequential complexity, 818
  time, 818
single loop, 2129
  representation of a regular language, 2129
single machine scheduling, 1709, 1846
  problem, 710, 1131, 1517, 1709, 1785, 1846
single machine sequencing, 137, 602
  problem, 679
single machine weighted flowtime scheduling problem, 1900
single
  node scattering, 2099
  processor scheduling, 690
  rule logic program, 968
  transferable vote, 1956
  vertex graph, 842, 857
single/multiple machine scheduling, 1896

singular causal assignment, 1862
singularity, 1862
  for a bond graph, 1862
site substitution model, 2214
six element
  crown, 1680
  fence, 1680
size separation, 2210
skeletal structure, 215, 223
skeleton, 1033, 2047, 2072, 2080, 2149
  estimate, 2149
  influence, 512
skew symmetry, 1873
Skilton, 1392
Slater, 2084, 2235
  set, 2057
  winner, 2057
Slater, P J, 230, 1013
slender language, 1585, 1879, 2055
slip language, 118
small
  asymmetric traveling salesman polytope, 1722
  cycle, 2037
  diameter, 906, 925, 1537, 1683, 2252
smallest laxity first, 1543
Smith, 1578, 2202
  rule, 679
  theorem, 532
Smith, J E K, 535
SMM, 434
smooth norm, 2237
social choice theory, 13
sock sorting, 2153
sofic system, 800
Sokal, R R, 122
Solé, 1679, 2128
solid state physics, 1422
Solomon, G, 1121
Solomon-Stiffler code, 1121
solution of algebraic equations, 2
solvability condition, 273
solvent accessible
  model, 2201
  surface, 1910
sonar sequences, 329
Sorokin, 2204
sort routine, 212
sorted
  list of out-degrees, 740
  permutation, 2233
sorting, 156, 380, 591, 654, 686, 843, 885, 1008, 1552, 1580, 1659, 1868, 1925, 2153, 2206, 2233
  algorithm, 774, 885, 1008, 1552
  burnt pancakes, 1580
sorting
  network, 654
  operation, 1580
Sotskov, 1561
Sotteau, D, 909
source sink path, 2162
space
  balancing problem, 978
  complete, 968
  complexity, 97, 640, 1076, 1658
  curve, 781
space filling, 2201
  diagram, 1910
space
  graph, 195
  of instantaneous motions, 269
  of scenes, 269
space-time, 517
spanner, 1141, 1456, 1786, 1901
  of a graph, 1141, 1901
spanning, 656, 687, 931, 1056, 1151, 1371, 1457, 1762, 1886, 1901, 2031, 2245
  2-tree, 1901
  arborescence, 285
  directed p-ary tree, 921
  forest, 1665, 1816
  hypertree, 1457
  k-tree problem, 1056
  local tournament, 2031, 2245
  set, 250, 456
spanning subgraph, 180, 588, 656, 687, 917, 1141, 1786, 2081, 2099
  polytope, 2081
spanning tree, 132, 255, 285, 379, 411, 433, 453, 480, 532, 537, 921, 951, 1074, 1151, 1430, 1447, 1509, 1563, 1619, 1647, 1665, 1692, 1746, 1762, 1854, 1901, 1998, 2007, 2094, 2109, 2186
  expansion, 646
  games, 1629
  problem, 89, 132, 255, 275, 367, 1665
sparse
  basis, 1451
  bipartite graph, 268
  broadcast graph, 883
  cost matrix, 483
  digraph, 662, 928
  graph, 857, 883, 928, 1073, 2001
  language, 547, 1451
  matrix, 483, 1911
  mesh, 1991
  nonsingular matrix, 268
  problem, 483
  random graph, 657
sparsest cut, 691

sparsest cut in a graph, 691
spatial
  equilibrium, 357
  market equilibrium problem, 356
  order in a haploid chromosome complement, 1332
  organisation, 237
  triangle configuration, 1754
spatio-temporal organisation, 237
spatula flip, 1580
special basis problem in LP, 1118
species, 465, 518, 835, 1916, 1923, 1927, 2202, 2214
  tree, 2202
specification number, 1578
specifying a Boolean function, 1578
Speckenmeyer, 1455
spectral
  algorithm, 1896
  bipartitioning, 2217
  method, 1719
  methodology, 724
  null code, 2261
spectral partitioning, 2217
  heuristic, 2217
spectral
  property, 510
  theory, 121
spectrum, 33, 772, 2184
  of a coherent algebra, 644
  of a digraph, 33
  of a graph, 1510, 1619, 1757
  of a Kirchhoff matrix, 508
  of a long BCH code, 825
  of a threshold graph, 1619
  of strong chromatic numbers, 526
speed of convergence, 383
speed-up, 261, 475, 1707
  anomaly, 475
spelling correction, 540
Spencer, 1528
Spencer, J., 1158
Sperner system, 1812, 2045
sphere packing number, 146
spherical
  arrangement, 786
  code, 192
spherical polyhedron, 269, 811, 2072
  in 3-space, 811
spherical separator, 1076
spherically symmetric distribution, 783
sphericity, 195
  of a graph, 195
spider web network, 930
spin glass, 166, 340, 1681
  energy, 340
  interaction energy, 166
spin model, 1422
spine of a book, 1044
spinor, 517
spirocondensed cyclopropane, 1754
splicing
  languages, 1815, 2187
  operation, 1837
  representation, 2187
  rule, 1815, 1837, 2138
splicing semigroups, 792
  of dominoes, 792
splicing system, 792, 2138, 2187
split
  comparability graph, 1056
  cost, 1867
  decomposition, 1915
  deliveries, 1333
  graph, 248, 762, 798, 1056, 1061, 1083, 1381, 1593, 1784, 1893, 2122, 2248
  indifference graph, 2122
  of a digraph, 207
splits graph, 1915
splitting a vertex, 1981
sports schedule, 115
sports scheduling, 664
  problem, 664
Sprague-Grundy function, 88
SPT rule, 1481
SPT schedule, 1517
square factor, 623
square free
  element, 378
  morphism, 2076
  word, 2076
square
  lattice, 1390
  nonnegative integer matrix, 1639
  of a block, 1391
  of an undirected graph, 1594
  prefix, 623
  root of a square graph, 1594
  suffix, 623
square sum, 400
  of a partition of an integer, 400
squaring, 651
ST_2 planar graph, 1847
stabbing
  algorithm, 1043
  hyperplane, 1043
  information, 2274
  problem, 685
stability, 257, 1146, 1518, 1650, 2189
  analysis, 1518, 2189
  in a random Boolean network, 257
  number, 877, 993, 1621, 1980

stability property, 3, 1828
radius, 1518, 2189
region, 1518, 2189
theorem, 332
stable
adaptation, 821
attractor trajectory, 525
core, 257
stable marriage, 1146, 1857
problem, 1146, 1471, 1597, 1650, 1699, 1857
stable matching, 1146, 1471, 1546, 1597, 1699, 1857
problem, 307, 443, 1471, 1546
with couples, 1857
stable
partition, 1546
roommates problem, 1546
stable set, 183, 1168, 1334, 1480, 1583, 1621, 1631, 2087, 2248
problem, 183, 743
stable tree, 1097
Stacker-Crane problem, 2238
stage graph, 1936
representation, 1936
staged optimisation, 366
stages of growth in a crystal, 67
standard
form, 1118, 1851
Gray code, 497
Stanton, R G, 14
star, 641, 1003, 1151, 1554, 1843, 1937, 1993, 2078
costs, 1151
graph, 502, 1435, 2046, 2100, 2145
network, 1937, 2100
number, 1060
of cliques, 1893
of processors, 1971
partition of a graph, 1719
substitution, 1493
star-type set system, 1077
starlike graph, 1083
starting vectors, 535
state
cycle period, 209
equation, 2172
model, 1663
state space
equation, 592
relaxation, 678
static
graph, 512
routing plan, 1388
stress, 269
station fault, 904
stationary distribution, 1988
stationary point, 520
statistical
database, 2254
disclosure, 1834
estimate, 779
group testing, 2251
statistical mechanics, 44, 1681, 2091
of polymers, 44
statistical
physics, 1422
ranking, 2218
statistics, 230, 1079
status
injective graph, 2067
of a vertex, 2062, 2067
steady state, 522
steel production, 1977
Steel, M A, 1105
steepest descent
direction, 652
gravitational method, 652
steepest edge simplex method, 20
Steiger, W L, 686
Stein, 2199
Steiner 1-factorizations, 871
Steiner arborescence, 2229
polytope, 1360
Steiner
distance, 1805, 2029, 2078
interval, 2078
median of a tree, 1805
minimal tree, 1119, 1920
n-distance, 1805
Steiner n-median, 1805
of a tree, 1805
Steiner
network, 1424
point, 2213
Steiner problem, 466, 1081, 1113, 1518
in graphs, 488, 931, 965, 2224
Steiner
quadruple system, 103
ratio, 1920
Steiner routing, 2219
heuristic, 2219
Steiner
subgraph, 1705
system, 1634
Steiner tree, 1081, 1380, 1615, 1920, 2078, 2119, 2194, 2203, 2223
algorithm, 2223
problem, 1119, 2203, 2223
Steiner
triple system, 871, 2042
vertex, 2224

Steiner visibility graph, 1119
Steinhaus graph, 997
Steinitz, 416
  exchange property, 416
step back, 2182
step-off algorithm, 24
Sterboul, F, 622
Stiffler, J J, 1121
Stirling
  network, 908
  number of the second kind, 1631
  table of the first kind, 908
stochastic
  automaton, 196
  dominance relation, 1803
  flow network, 2162
  performance measure, 933
  PERT network, 2162
  process, 2153, 2214
stochastic programming, 1668
  problem, 89, 453
stochastic
  scheduling, 1668, 1671
  spanning tree problem, 89
  system, 933
Stockmayer, W H, 72
Stokes, 2128
storage
  allocation, 290
  description, 784
  problem, 2153
  size, 290
store and forward communication model, 1447, 2099
Storer, 1591
Stout conjecture, 555
Stout, Q F, 555
Strahler number, 775
strategy, 332, 528, 563, 627, 720, 816, 1668, 1859, 1988, 2005
  independence, 870
  theory, 759
stratified
  sampling, 1973
  space time, 517
Straubing dot depth
  k monoid, 1783
  two monoid, 1303
Straubing hierarchy, 947
Straubing, H, 603, 1303
strenghtened rule, 332
strength of a graph, 977
strict
  2-threshold graphs, 556
  avalanche criterion, 1002
  consensus, 1927
  xyz-inequalities, 955
strictly locally testable language, 2187
string
  folding, 1921
  grammar, 351, 426
  language, 1069
  matching, 540
strip packing, 2124
  problem, 2124
stripe decomposition, 2116
striping method, 2116
Strong, 2011
strong
  adjacency property, 1122
  bound, 1139
  chromatic number, 526
strong colouring, 526, 628
  of a hypergraph, 526
strong
  component, 1862
  cut, 1849
  deletability, 552
  digraph, 530
  direct product, 1555
  elimination ordering, 961, 2130
  isomorphism, 644
strong linear
  independence, 306
  program relaxation, 1304
strong
  map relation, 527
  matching number, 1051
  maximal clone, 628
  NP-complete, 2014
  NP-hardness, 1838
  perfect graph conjecture, 1062, 1636
  proximity result, 1154
  regularity of a matrix, 306, 1130
  spanning tree, 1692
  stabbing information, 2274
  stability property, 443
  tree cograph, 594
  unimodularity, 414
  uniqueness, 1939
  valid inequality, 2159
Strong, R, 632
strongly balanced bipartite graph, 1718
strongly chordal, 961, 1029, 2119
  graph, 200, 446, 798, 1380, 1450, 1784, 1824, 2028, 2119, 2130, 2142
strongly connected
  automaton, 2280
  component, 268, 1804, 1935
  digraph, 1841, 1933
  orientation, 1169
  subgraph, 757

strongly
correlated knapsack problems, 2259
feasible basis, 1073
strongly greedy, 1635
chain, 1635
linearly independent, 306, 1130
NP-complete, 669, 876, 2014
NP-hard, 895, 1018, 1785, 1899, 1966
perfect graph, 408, 1052, 1504
strongly polynomial, 888, 1063, 1096, 1106, 1305, 1692
algorithm, 710, 1096, 1154, 1369, 2073, 2092
complexity, 1692
time, 995, 1154
strongly
prime PCP word, 1800
regular graph, 279
structural analysis, 455
of systems of equations, 699
structural
characterization of 2-bicritical graphs, 622
description of a sentence, 882
equivalence, 806
inconsistency, 295
structural property, 337, 370, 498, 746, 945, 1748, 1895, 1959, 2199
of a greedoid, 370
structural
rigidity, 349
similarity of chemicals, 500
solvability, 455
theorem for an optimal solution, 2171
structurally related graph, 510
structure
elucidation, 1745
of a basis, 613
of a decoder, 601
space, 393
with heteroatoms, 1745
structured knight tour, 1887
sub-Fibonacci sequence, 1064
subadditive closure space, 416
subarray partial concentrator, 923, 958
subclone, 608
subcode, 825
subcontracting, 1334, 1505
subdifferential optimisation, 1725
subdividing
a unit square, 445
an edge, 1981
subdivision graph, 1364
of a graph, 58
subexpotential time algorithm, 814
subfield subcode, 825
subforest, 641
subgradient, 347, 366
optimatization procedure, 482
subgradient optimization, 528
strategy, 528
subgraph, 82, 140, 174, 309, 334, 377, 503, 574, 588, 634, 684, 730, 736, 756, 837, 848, 869, 875, 941, 1034, 1056, 1063, 1065, 1113, 1306, 1379, 1421, 1456, 1495, 1523, 1600, 1632, 1704, 1708, 1745, 1748, 1795, 1805, 1831, 1886, 1901, 1913, 2017, 2023, 2060, 2078, 2235, 2247
embedding, 2023
enumeration, 1928
isomorphism, 501, 1034
polytope, 1306
problem on a tree, 186
subhypergraph of maximum value, 1871
subjective probability, 1803
submatroid, 1600
submodular capacity, 420
submodular flow, 125, 402, 450, 888, 1974
problem, 423, 450, 888, 1305
submodular function, 30, 145, 155, 450, 699, 1517
minimization, 423
submodular pseudoflow, 1867
submodular set
constraint, 125
function, 211
submodular system, 30, 145, 199, 262, 699, 1589, 2083
submodularity property, 1126
subquadratic algorithm, 1124
subring inclusion, 817
subset
interconnection design, 2017
subset sum, 703, 1603
problem, 127, 666, 703, 1676, 1961, 2259
substar, 1060
intersection number, 1060
substitution decomposition, 960
of a graph, 960
subsumption, 135
subtour elimination constraint, 1333
subtournament, 2057
subtree, 186, 322, 446, 1014, 1060, 1091, 1126, 1425, 1525, 1615, 1706, 1755, 1810, 1835, 1886, 1918, 2193, 2270
graph, 1706
subtree isomorphism, 736
problem, 736
subtree transfer distance, 1918
subvariety, 823
subword
complexity function, 236

subword
equivalence problem, 1947
equivalent, 1947
inclusion problem, 1947
Sudhölter, P., 1278
Sudit, M., 943, 1039
sufficient matrix, 2137
suffix
of a characteristic sequence, 2136
tree, 619
Sugihara, K., 277
sum
cost, 1151
objective, 272
of chains, 444
of completion times, 490, 557
of job completion times, 1001, 1964
of partial fractions, 52
of products expression, 101
of ranks procedure, 65
summability, 779
sun-free chordal graph, 574
super λ-graph, 935
super-modular, *see* supermodular
super-stable, *see* superstable
superadditive function, 83
superconnectivity, 1833
superedge connectivity, 935
superexponential, 597
supergraph, 1523
superimposable codeword, 2058
superimposed code, 2058
superincreasing, 1961
supermodular, 316, 372, 420
cubic function, 316
function, 1733
pseudo-Boolean function, 316
superpolymer, 515
superpolynomial, 1000
lower bound, 2177
superposed network, 240
superposition of two networks, 240
superstable marriage, 1650
superstring, 2199
approximation algorithm, 2199
Supowit, 1456
Supowit, K.J., 598
supply point, 598
support
graph, 1721
of a digraph, 743
supreme council, 13
surface area, 783
surrogate
constraint, 528
surrogate relaxation, 2259
survivable
net, 1701
network, 1701
Suzuki, H., 981
SVPC, 810
SVPC transformation, 810
set, 810
swapping based algorithm, 1919
sweep number, 987
sweeping hyperplane technique, 2237
switchdec polyhedron, 1978
switching, 99, 1978, 2177, 2266
centre network problem, 488
class, 2266
element, 404
equivalence of graphs, 41
equivalent, 41
function, 2220
model, 1978
network, 922, 2177
switching path, 1978
polyhedron, 1978
switching theory, 68, 222, 1992
Swofford, 1659, 2082
symbol preserving polynomial reduction, 435
symbolic dynamics, 1855
symmetric circulant matrix, 729
symmetric difference, 1773, 1795, 1902
distance, 187
symmetric
digital trie, 647
digraph, 331, 1933
directed graph, 249, 2146
function, 836, 838, 1727
group, 110, 810, 1648, 1752, 1853
irreducible Boolean matrix, 558
labeled graph, 2185
matrix, 149, 347, 348, 1834
name stamp protocol, 534
polytope, 1474
power sum, 1752
protocol, 534
relation, 1155
relational system, 1155
rounding, 1834
symmetric submodular
function, 145
system, 145
symmetric
threshold function, 166
traffic, 926
symmetric traveling salesman
polytope, 1033, 2080
problem, 676

symmetrical, 1746
network, 918
symmetrization, 2153
symmetry, 507, 671, 942, 1304, 1363, 1527, 1734, 1745, 1834, 2185
condition, 1092
group, 1527, 1745
presentation, 507
property of a function, 108
SYNCHEM2, 501
synchronization, 804
primitive, 973
synchronized alternating
finite automata, 804
machines, 804
multihead finite automata, 804
space, 804
synchronized
E0L form, 46
parallel algorithm, 261
synchronous, 1448, 1567, 1875
syndrome space, 819
syntactical congruence, 564
syntenic distance, 1923, 2200
synteny relation, 1923
synthesis
of a cascade of swiching elements, 404
of a hardware structure, 1031
planning, 1745
routes of an organic molecule, 501
Syslo, M M, 853, 1635
system
of equations, 295
of inequalities, 269
system of linear
equations, 273, 539
inequalities, 335, 424, 450, 472
system saturation, 716
systolic
architecture, 820
linear array, 1946
Székely, L A, 1105
Szemerédi, E, 686

T

t-ary trees, 203, 471
T-choice number, 2118
T-colouring, 1086
problem, 850
t-design, 1010
t-interval representation, 242
t-spanner of a graph, 1141
t-tough, 2024
T_0 basis, 726
table systems, 94
tabu list length, 1526
tabu search, 751, 868, 1163, 1164, 1358, 1526, 1766, 1776, 1892, 1896, 1905, 1979, 1988
algorithm, 1905
metaheuristic, 1163, 1765
technique, 868, 1776
tag system, 432, 1987
Takefuji, 1866
Tamassia, R, 962
Tan, 409, 1546
Tan, J J-M, 409
tangent, 784
cone algorithm, 823
Tanner algorithm, 820
B, 820
tardiness
cost, 375
problem, 995
tardy job, 1115, 1845, 1899
unit, 710
tardy task unit, 1362
Tarjan, R E, 888, 1096, 1659, 1665
task
duplication, 1157, 1633
reliability, 690
scheduling, 751
splitting, 1599
tautology, 742
taxon, 69
taxonomic principle of parsimony, 1004
taxonomy, 1004
Taylor expansion, 98
TC
Latin brick, 631
operation, 631
TCM, 830
TDI, 668, 1723
team game, 870
telecommunication, 504
network, 240, 1973
telephone problem, 606
telephonic switching centre network problem, 488
Tellegen theorem, 2172
TEMO, 510
Temperley, H N V, 227, 323, 1390
Teng, A, 661
Teng-Tucker algorithm, 661
tensegrity, 269
framework, 950
tensor product, 1555, 1861
tensor product of a cycle
with a cycle, 1861
with a path, 1861
tensor product
of a path with a path, 1861

tensor product of graphs, 1861
Terlaky, 2137
term condition, 631
term removal, 1884
terminal
  assignment, 345
  network reliability measure, 1061
  node, 205
ternary
  4-cube, 1875
  code, 1072
  Golay code, 1634
  ring structure, 1367
  search problem, 596
  string, 1860
  [4,2] 1-Hamming code, 1426
Tesnière, L., 882
tesselation, 2009
  automaton, 34
test
  pattern, 552
  set, 325, 385, 596, 881, 1532, 1625
testing
  a graph property, 1488
  connectivity preservation, 552
  extendability, 256
  feasibility, 692
  graph isomorphism, 355
  homotopy equivalence, 355
  isomorphism of graphs, 181
  of a combinational circuit, 1720
  of a printed circuit, 1712
  of biconnectivity, 941
  the consecutive ones property, 2198
  unavoidability, 256
tetrahedral truss, 2165
tetrahedron, 5
tetrangle inequality, 505
text
  processing, 540
  retrieval, 619
texture of an image, 992
Thayse, A., 98
theorem of the alternative, 432
theoretical
  complexity, 967
  performance, 967
theory
  of elections, 105
  of evolution, 418
  of graphs, 772
  of hyperforests, 1015
  of linear inequalities, 1471
  of measurement, 577
  of traces, 351
theory of vertical statics, 811
thermodynamic equilibrium, 515
thermodynamical preference, 512
thermodynamics, 520
thin language, 1585
thinning, 552
  algorithm, 552
third normal form, 1812
Thomas, 1493
Thomas, R., 522
Thomassen, 2031, 2245
Thomborson, 2223
three
  axes theorem, 2165
  counterfeit coins problem, 1132
three dimensional
  assignment problem, 1767
  configuration, 252
three dimensional matching, 2278
  model, 2278
three dimensional planar transportation problem, 350
three index assignment, 1028
  polytope, 610, 1028
  problem, 1028
three
  machine open shop problem, 956
  person property, 1075
  valued logic, 593
three valued logical
  function, 726
  functions preserving, 0, 726
threshold, 321, 360, 402, 556, 1059, 1166, 1168, 1422, 1868, 1872, 2127, 2150
  access structure, 1957
threshold automaton, 245
  with memory, 549
threshold
  based algorithm, 360
  decoding, 820
  decomposition, 1731
threshold
  digraph, 1935
  dimension, 762
threshold function, 73, 166, 321, 779, 837, 1652, 1731
  theory, 779
  with separator, 73
threshold
  graph, 425, 556, 709, 766, 1059, 1166, 1168, 1619, 1726, 1778, 1830, 1935, 1950, 2248
  network, 340, 473
  order, 779
  parameter, 549
threshold phenomenon, 504
  in a graph, 504

threshold
recognition problem, 779
scheme, 1700, 1957
spectrum, 772
subgraph, 1166
synthesis, 321
system, 766
value, 766
throughput, 904, 1025, 2210
of a network, 1025
Thue system, 564
Thue-Morse
sequence, 1104
word, 623
tie breaking rule, 459, 1707
Tietäväinen bound, 192, 447
Tietäväinen, A, 447, 2128
tight
approximation, 2039
optimal DLN, 1099
relaxation, 1371
schedule, 1780
upper bound, 696, 1135, 2270
value automorphism, 577
worst case bound, 211
tiling, 4, 1367, 2009
time and space complexity, 1043
time complexity, 376, 454, 673, 941, 1078, 1370, 1434, 1623, 1658, 1664, 1665, 1669, 1794, 2004, 2018, 2171
of embedding, 501
time dependent processing time, 1838, 1996
time
expanded network algorithm, 397
lower bound, 885, 1991
optimal algorithm, 1991
table, *see* timetable
window, 751, 868, 1022, 1682, 1763
square model, 2227
timestamp ordering, 616
timetable, 866, 872, 873, 1772, 1809
construction, 866
polyhedron, 1772
timetabling, 863, 873, 1791, 1975
algorithm, 864
problem, 876, 873, 1975
Todd-Coxeter coset enumeration, 833
method, 833
Toida, S, 626
Toida-McKee characterization theorem, 626
tolerance, 258, 768, 2189
chain graph, 1059
competition graph, 1727
digraph, 2013
graph, 258, 877, 1029, 1091, 1614, 2013, 2161
tolerance intersection, 1029
graph, 1059
of intervals, 1029
tolerance
region, 2189
space, 196
Tollis, I G, 962
TOMATO, 1776
Tomizawa, N, 977
tool path
selection, 486
sequencing, 486
top down greedy technique, 1713
TOP SPIN, 1925
top three elements, 120, 994
topological
compactification, 517
design, 563
dual, 1045
effect on a molecular orbital, 510
topological formula, 223
of linear network theory, 223
topological
gelation criterion, 515
invariant, 511
ordering, 1762
pairing, 1531
plane sweep, 1368
space, 355
structure, 1045
tree, 158
topologically
closed, 800
correct triangulation, 1910
equivalent, 590
toroidal grid, 1693
torus, 1435, 1753, 1994, 2023
graph, 1994
network, 1435
total
colouring number of a graph, 705
completion time, 1475, 1894, 2167
convexity, 1863
cover, 2277
covering, 1168, 2277
total dominating set, 1011
problem, 961
total
domination, 1908, 2044
dual integrality, 1723, 1772
exchange broadcast, 2110
finishing time, 543, 755
total graph, 961
of a tree, 961

total matching, 1168, 2277
problem, 2277
total
perfect domination, 1708
score, 65
total tardiness, 2167
problem, 1787
total
value greedy heuristic, 1524
variation, 2153
total weighted completion time, 137, 892, 1142, 1813, 2167
problem, 459
total weighted tardiness, 678, 995, 2167
problem, 995
scheduling problem, 678
totally balanced
bipartite graph, 1718
hypergraph, 1806, 2028
matrix, 200, 446, 1048, 1049
totally bounded
bitolerance digraph, 2013
metric space, 2148
totally
convex set, 1863
dual integral system, 287, 668
totally monotone
matrix, 682
partial matrix, 682
totally ordered commutative
field, 125
semigroup, 157
totally ordered set, 423, 841
totally unimodular, 446, 668, 749, 1505, 1587
matrix, 446, 749, 1016
Toth, 1676, 1844
tough graph, 722, 2024
toughness, 1989, 2024
tour
cost, 1151
duration, 1022
in a graph, 163
of minimum length, 1520
tournament, 740, 890, 991, 1075, 1452, 1612, 1645, 1827, 2007, 2031, 2032, 2057, 2121, 2245
design, 573
digraph, 991
game, 1645
Toussaint, G T, 941
Tovey conjecture, 665
TR-formative
colouring, 406
edge colouring, 406
trace, 313, 351
function, 329
trace monoid, 807
trace orthogonal normal basis, 1123
track assignment, 1682
problem, 1682
tractability, 360, 831
tractable subclass, 1549
traffic
jam configuration, 297
light scheduling, 1441
phasing, 979
trail, 1563, 2135, 2229
train shuttle service, 1067
trajectory coincidence, 488
trampoline, 2028
transaction system, 973
transducer, 802, 1541
transfer matrix method, 227
transferable utility, 2030
transferring a subtree, 1918
transformation, 1, 3, 66, 77, 129, 138, 193, 374, 457, 536, 613, 810, 848, 854, 949, 1047, 1127, 1371, 1479, 1713, 1728, 1745, 1757, 1811, 1866, 1902, 1976, 1980, 2034, 2082, 2260, 2278
complete, 810
completeness property, 810
graph, 1902
of a multiflow, 297
transformer, 1865
transient
length, 166, 354
point, 340
transistor chaining, 2220
transition
matrix, 838
rule, 226
transitive
automorphism group, 645
closure, 156, 244, 400, 797, 1098
digraph, 312
orientation, 1632, 1893
reduction, 222, 232, 1098
series parallel digraph, 312
simple majority problem, 1803
tournament, 740, 2057, 2121
triple, 2163
transitively orientable graph, 979
translation, 269, 2236
equivalence class, 1032
mechanism, 957
translocation, 1917, 1923, 2200
distance, 1917
transmission, 1448, 1567, 1686, 1735, 1937, 1939, 2062
delay, 701
failure, 1436, 2101

transmission
fault, 2101
link, 1995
parameter, 2176
path, 2098
schedule, 1937
transmitting in the n-dimensional cube, 901
transportation, 751, 1048, 2238
analysis, 1020
efficiency, 658
in a graph, 427
polytope, 350, 363
problem, 272, 350, 363, 364, 365, 373, 415, 710, 995, 1048, 1145, 1370, 1513, 1531, 1984
transposition, 1923
graph, 2145
transputer, 1358, 1447
network, 1358
transshipment problem, 1048
transversal, 54, 685, 764, 784, 1528, 1784, 2028, 2087
matroid, 54
partitioning, 2028
trap, 746
trapdoor
function, 546
predicate, 546
trapezoid graph, 550, 1381, 1728, 1798, 1869, 1908, 1989, 2161
trapezoidal matrix, 1514
Tratch, S S, 1754
Trautman, 1866
traveling salesman, 380, 532, 1039, 1773, 1952, 2104
polytope, 1033, 1705, 1722
problem, 60, 147, 163, 366, 386, 487, 675, 676, 768, 799, 1022, 1110, 1147, 1358, 1474, 1518, 1520, 1644, 1773, 1790, 1979, 2080, 2123, 2182, 2189, 2205
tour, 768, 1151, 1507, 2189
traversal, 2205
traveling salesmen, 1790
travelling salesman, *see* traveling salesman
traversal, 1991
problem, 2205
tree, 8, 80, 82, 143, 146, 154, 174, 186, 202, 203, 230, 274, 309, 322, 342, 366, 371, 390, 446, 454, 466, 469, 471, 544, 594, 597, 606, 641, 645, 653, 671, 695, 697, 736, 747, 754, 763, 771, 801, 806, 812, 835, 850, 861, 892, 960, 961, 984, 985, 1004, 1014, 1029, 1053, 1055, 1056, 1061, 1073, 1091, 1105, 1109, 1126, 1152, 1155, 1307, 1363, 1381, 1427, 1430, 1442, 1453, 1493, 1496, 1509, 1615, 1625, 1659, 1670, 1674, 1693, 1712, 1713, 1734, 1762, 1777, 1784, 1790, 1792, 1805, 1814, 1835, 1878, 1886, 1894, 1901, 1916, 1918, 1927, 1941, 1942, 1952, 1971, 1975, 1991, 1993, 2006, 2030, 2048, 2062, 2066, 2068, 2078, 2062, 2082, 2084, 2091, 2103, 2108, 2112, 2164, 2175, 2183, 2193, 2202, 2203, 2213, 2214, 2219, 2222, 2224, 2232, 2235, 2248, 2249, 2253, 2260, 2270, 2276, 2282
2-spanner of a graph, 1901
algorithm, 1991
alignment, 2213
cograph, 594
computation, 1991
constraint, 1548
cost, 1151
data structure, 322, 2198
decomposition, 1035, 1493
embedding problem, 2103
enterprise, 2030
graph, 1126
hierarchy, 2175
homomorphism, 1835
machine, 908
tree mapping, 2202
measure, 2202
tree
metric, 2260
network, 466, 659, 1152, 2006, 2048, 2253
number, 1060
packing problem, 861
partition, 2186
tree partitioning, 322, 1329
problem, 1329
tree reconstruction, 1991, 2214
tree representation, 80, 842, 857, 2079
of a graph, 80
of data, 205
tree
resolution, 1455
scheduling, 1157
tree search
algorithm, 1724
technique, 90
tree
searching, 714
shaped facility, 2193
structure, 8, 122, 148, 203, 471, 812, 2030, 2119
tree structured
graph, 1496
task system, 1157
tree
transformations, 1473
width, *see* treewidth
with pathwidth k, 882
tree-like event, 2208

tree-like graph, 1941
trees with a perfect matching, 2282
treewidth, 744, 1035, 1487, 1493, 1831, 2025, 2035, 2119, 2161, 2247
  of a graph, 2247
trellis
  automaton, 405
  coded modulation, 830
tri-connected component, 359
triadic code, 639
triangle free, 167
  competition, 728
  edge splitting, 1476
  graph, 728
  subgraph polytope, 1723
triangle
  graph, 2036
  inequality, 505, 1022, 1151, 1723, 1901, 2186, 2234, 2238
triangulane, 1754
triangular canonical form, 699
triangularization, 268, 455
triangulated graph, 406, 780, 1480, 1778, 1831, 1864, 2052, 2141, 2192
triangulating
  a multitolerance graph, 2161
  graph with few P_4's, 2247
  the surface of a molecule, 1910
triangulation, 1041, 1762, 1831, 1842, 1910, 2035, 2247
  of the plane, 31
  problem, 2035
trie, 647
trio, 118
triple
  helix configuration, 1920
  system, 526, 2163
triplet of amino acids, 1919
trivalent
  Cayley graph, 925
  graph, 925
trivially perfect graph, 2035
Trotter, W T, 180, 233, 369, 1091, 1614
Troxell, 1678
Truemper, K, 409
truncated cluster expansion, 1743
truss, 2165
TSP, 1022, 1850, 2189, 2205
  ejection chain, 1979
  polytope, 1033
TSPLIB library, 2189
Tucker, A, 661
Turán theorem for graphs, 737
Turing
  machine, 251, 640, 2177
Turing reducibility, 640
turnpike
  optimal strategy, 1668
  solution, 1668
  strategy, 1668
turnstile, 1925
Tutte
  decomposition, 2198
  planted plane tree result, 44
  polynomial, 646, 1667
Tutte, W T, 44, 145, 684
Tverberg, 1622
TWDM, 1937
twig sequences, 1015
twin shuffle language, 150
two commodity flow, 1111
two dimensional
  framework, 155
  grid, 1441, 2070
  mesh, 916
  random Ising ± 1 spin model, 1422
  transportation problem, 1513
two layer neural net, 2047
two machine flow shop, 1850
  scheduling problem, 304, 1545
two machine
  maximum flow time problem, 77
  no wait flow shop, 1850
two machine open shop scheduling, 1964
  problem, 304, 1429
two machine
  shop scheduling problem, 304
  unit time release date job shop schedule length problem, 1962
two party election, 319
two person game, 735, 1632
  of perfect information, 735
two phase locking, 616
  algorithm, 616
two processor problem, 543
two state
  automata, 757
  Markov chain, 47
two symbol grammar form, 91
two terminal net, 981
  channel routing, 966
two
  terminal reliability, 563
  travelling salesmen on a tree, 1790
two weight
  code, 279
  projective code, 279
two-connected graph, 2029, 2081
two-flow, 1847

two-graph, 41, 99, 181, 238, 395, 848, 1504, 1555, 1745
partitioning problem, 1673
theorem, 238
two-stage broadcast, 923
two-valued logic, 774
type partition, 44
typed task system, 1427

U
UET, 475, 1543
scheduling, 475
Uhry, 428
ultimately periodic, 1570
sequence, 1987
unaminity property, 1165
unary binary tree, 471
unate
Boolean function, 390
function, 108, 1992
unavoidability, 256
unavoidable
idle time, 1548
repetition, 214
set, 256
unborderd word, 2239
unbounded
convex polyhedron, 412
delay, 570
domain, 976
fan, 734
uncapacitated
single level economic lot sizing problem, 1087
plant location problem, 1152
uncoded reference system, 830
unconditional transfer, 94
unconstrained flow, 1479
uncorrelated
binary sequence, 696
sequence, 696
uncorrelatedness, 1002
undecidability of form equivalence, 11
undecidable, 11, 802, 803
underdiagonal
lattice path, 2258
path, 2258
undetectable update, 815
undirected
edge disjoint paths problem, 1568
graph, 14, 76, 154, 190, 224, 249, 261, 265, 285, 403, 493, 594, 604, 612, 645, 743, 754, 908, 946, 996, 1027, 1046, 1049, 1053, 1078, 1107, 1391, 1425, 1488, 1654, 1665, 1703, 1773, 1834, 1871, 2015, 2016, 2020, 2107, 2115, 2141
undirected
network, 358, 1774
path graph, 1046, 1784
simple graph, 773
tree, 446, 1046, 1496
weighted graph, 768
uni-antichain, 449
unichain, 449
unicyclic
graph, 880, 1003, 1393
network, 659
uniform
balanced network flow problem, 2073
circuit, 640
closure operation, 663
constraint, 1672
cost location problem, 1304
distribution, 1856
uniform duo processor, 707
system, 707
uniform
graph, 1672
homomorphism, 2109
uniform machine, 1641, 2132
scheduling, 2132
uniform
matroid, 211, 1684
processors, 791
spanning tree, 537
uniformly
dense matroid, 1600
packed code, 681
unimodal, 614, 641, 786
numbering, 529
sequence, 641
simple polytope, 1622
unimodular, 390, 414
function, 390, 749
matrix, 414, 446, 749, 1016
uniprocessor task, 707
unique
factorization, 403
representation in a number system, 117
unique satisfiability, 1613
of a Horn set, 1613
unique
sink, 296
source, 296
tree representation, 842, 857, 2114
uniquely solvable, 306, 330
uniqueness theory, 577
unit
circle caterpillar, 1750
cycle, 613
distance graph, 789

unit
execution time, 475, 1543, 1982
interval graph, 572
interval number of a graph, 572
processing time, 1548, 1966
unit time job, 130, 2132
shop, 2167
unit time job shop scheduling, 2167
problem, 2167
unit
time operation, 490, 1962, 1966, 2167
tolerance graph, 258, 1614
universal
algebra, 631
algorithm, 68
CA, 2257
chain problem, 1143
completeness criterion, 628
concept class, 2147
correlation theorems of Winkler and Brightwell, 955
universal cover, 1525
of a graph, 1525
universal
retrieval tree, 342
sequence, 683
unknotted, 655
unlabeled
difference graph, 1631
graph, 429, 732
network, 1640, 2181
planar graph, 241
tree, 671, 1734
unmixed polynomial ideal, 818
unoriented
Cayley network, 1640
cycle matroid, 99
edge, 2238
matroid, 1609
unquad cycle, 1718
unrank, 1946
unranking algorithm, 878
unreliable message, 1431
unrestricted
minimal lattice path, 793
steps, 2258
unsatisfiability, 575
of a formula, 472
unsatisfied clause, 1158
upper and lower bounds, 81, 236, 567, 619, 675, 771, 826, 886, 927, 928, 934, 947, 1038, 1057, 1072, 1145, 1522, 1578, 1739, 1759, 1805, 1925, 1936, 2166
upper bound, 53, 163, 174, 195, 236, 270, 348, 384, 431, 437, 447, 468, 572, 591, 620, 630, 741, 761, 813, 826, 909, 920, 921, 923, 927, 947, 958, 1035, 1037, 1057, 1072, 1080, 1090, 1123, 1128, 1135, 1154, 1159, 1382, 1423, 1432, 1435, 1439, 1445, 1455, 1487, 1522, 1557, 1578, 1579, 1580, 1586, 1592, 1604, 1639, 1697, 1780, 1808, 1887, 1888, 1905, 1934, 1985, 2025, 2039, 2061, 2096, 2117, 2123, 2128, 2189, 2133, 2157, 2166, 2200
graph, 1504
upper
bounding plane, 741
chromatic number, 1958
digraph, 530
upper domination, 1504
number, 1052
upper fractional domination, 697, 1504
upper irredundance, 1052, 1504
number, 1052
ups and downs in a permutation, 878
Urrutia, J, 693
utility
difference, 1803
maximization, 748
uv-backbone, 503

V

V-cut segment, 1751
Vacroux, A G, 958
vacuum system, 377
Valdes, J, 341
valence bond Hamiltonian, 506
valency, 900
conservation, 512
Valiant
learning from examples model, 1365
model, 620
probably approximately correct framework, 1579
Valiant, L G, 686, 1365, 1579, 2015
valid inequality, 83, 384, 674, 679, 750, 948, 1566, 1796, 1900, 2180
validity proof, 1713
valuated matroid, 2083
valuation, 109
value
automorphism, 577
function, 264, 289
of a game, 332
valued graph, 795, 1696
van de Vate, 1597
van der Waerden number, 177
van Leeuwen, J, 1591
Van Lier sequences, 698
van Rees, G H J, 629

Van Roy, 1955
Van Scoy, 1949
Vanstone, S A, 629
Vapnik, V N, 1120, 1993
Vapnik-Chervonenkis
  class, 2147
  dimension, 620, 1012, 1579, 1881, 1906, 1993, 2148, 2150, 2151, 2272
variable deletion control set problem, 1884
variable dimension, 357
variable dimension homotopy, 357
  algorithm, 357
  on a network, 357
variable
  folding, 1381
  profile, 1543
  redefinition, 672
variable sized bin packing, 585, 1874
  problem, 1874
variable upper bounding constraint, 1019
variance
  minimization, 1517, 2155
  of a channel, 821
variety
  of finite semigroups, 2175
  of monoids, 947
Varshamov-Gilbert bound, 218
Vartak, M N, 977
VC-bound, 2152
VC-dimension, 1579, 1881, 1906, 1993, 2147, 2150, 2151, 2152
VC-entropy, 2152
VCC, 278
VCUAP, 454
vector exchange property, 262
vector partitioning, 2217
  problem, 2217
vehicle routing, 1333, 2068
  problem, 1333, 1763
vertex, 5, 20, 66, 82, 92, 138, 147, 154, 208, 217, 230, 242, 249, 252, 367, 368, 369, 377, 385, 387, 446, 457, 460, 462, 503, 524, 529, 568, 572, 574, 596, 597, 604, 611, 612, 617, 621, 634, 645, 656, 657, 682, 683, 694, 697, 739, 765, 777, 782, 809, 837, 842, 850, 874, 875, 876, 894, 909, 920, 938, 946, 959, 991, 1023, 1041, 1051, 1053, 1056, 1063, 1068, 1086, 1091, 1093, 1094, 1107, 1137, 1151, 1153, 1155, 1168, 1376, 1381, 1387, 1392, 1393, 1421, 1425, 1432, 1437, 1440, 1467, 1488, 1495, 1497, 1510, 1525, 1563, 1571, 1583, 1594, 1601, 1620, 1637, 1643, 1653, 1654, 1661, 1664, 1665, 1673, 1681, 1706, 1708, 1727, 1728, 1740, 1744, 1755, 1774, 1792, 1793, 1804, 1805, 1807, 1813, 1825, 1826,
vertex (*cont.*), 1830, 1831, 1832, 1834, 1835, 1843, 1847, 1873, 1901, 1944, 1953, 1959, 1983, 1993, 1997, 2002, 2006, 2007, 2009, 2015, 2017, 2019, 2020, 2021, 2040, 2042, 2052, 2056, 2057, 2062, 2063, 2064, 2066, 2067, 2068, 2084, 2100, 2108, 2111, 2115, 2118, 2120, 2121, 2125, 2127, 2130, 2139, 2146, 2176, 2178, 2180, 2190, 2191, 2192, 2194, 2224, 2225, 2235, 2247, 2253, 2274
  adjacency, 2001
  and edge capacitated, 1847
  and ray enumeration, 1620
  balancing algorithm, 1078
vertex bisection width, 2106, 2166
  of a Kautz graph, 2166
vertex
  capacitated planar graph, 1847
  clique covering, 278
vertex coloured multigraph, 1755
vertex colouring, 1688, 1698, 2040, 2118, 2180
  problem, 876
vertex
  compression, 1023
  connectivity, 454, 1833
  convex polygon, 682
vertex cover, 183, 246, 274, 1021, 1497, 1878, 2104
  problem, 246, 582, 946, 2017
vertex critical hypergraph, 1764
vertex degree, 133, 406, 539, 612, 1456, 1744, 1745
  sequence, 133
vertex disjoint, 265, 669, 1434, 1453, 1661, 2098
  cycles, 1703
  paths, 996, 1027, 1661, 1674, 2106, 2115
  trees, 861, 1674
vertex
  elimination ordering, 2119
  fault, 2100
  independence number, 1097
  integrity, 1989
  labeled digraph, 1525
vertex labeling, 1103
  BNLC grammar, 1103
vertex
  neighborhood constraint, 1044
  of minimum distance, 82
vertex packing, 60, 1039, 1482, 1692, 1970
  in a finite graph, 60
  polytope, 1662
  problem, 60, 1970
vertex
  partitioning, 338
  ranking problem, 2035
  restricted multifacility location problem, 1685
  search number, 1487
  separation number, 1487

vertex
  separator, 2255
  splitting, 1728, 1981
vertex symmetric, 1537, 1994
  digraph, 1537
vertex transitive, 778, 1628, 1954
  automorphism group, 645
  digraph, 2121
  graph, 1954
vertex weight, 186, 464, 1023, 2044
  of a matching, 2130
vertex weighted graph, 2064
  hexagonal squeeze, 2064
vertex weighting, 2007
vertical L_1 regression, 2237
very large scale integrated circuit, 2222
Vial, J-P, 1150
vicinal
  order, 747
  pre-order, 413
video signal processing, 2244
Vijayan, K, 906
Vince, A, 977
violated inequality, 384
Vishkin, U, 686
visibility, 780, 1842, 1885, 1931
  graph, 780, 962, 1119, 1885, 1931, 2274
  problem, 780
  relation, 1931
visibility representation, 1885, 1931
  of a graph, 962, 1931
visualizing
  distance data, 1915
  sequence data, 1915
Vitushkin, 95
Vizing, 1555
VLSI, 177, 908, 962, 967, 1044, 1078, 1720, 1848, 2226
  array, 2225
  chip, 1044
VLSI circuit, 1720, 2227
  design, 2070
  layout, 1560
  partitioning, 2217
VLSI design, 964, 965, 1154, 1674, 1848, 2145, 2224, 2246
VLSI layout, 932, 978, 1117, 1381, 1491, 1560, 2227
  design, 967
VLSI
  optimization problem, 2226
  routing, 964
Voloshin, 1958
voltage graph, 99
volume, 783, 1971
  calculation, 1482
von Arnim, 1649, 1900
von Neumann, J, 1278
Voronoi
  cell, 1367, 2201
  diagram, 713, 1045
vote ratio, 319
voter preference, 1803
  ranking, 105
voting
  decision, 776
  order, 776
  paradox, 1956
  rule, 584
VPC transformation, 810
  group, 810
VRP, 1333
vulnerability, 908, 1697, 1989
  measure, 1701

W

W_4-free graphs, 1705
Wagner, 1591, 2223
  decomposition, 1630
Wagner, D K, 1042
Wagner, H M, 1087
Wagner-Whitin algorithm, 1087
waiting time, 410, 1809
Waksman, 2270
Wallis product approximation, 319
Walsh functio, 2236
Wang, 1579, 1601, 1900
Waring problem, 303
Warme, 2223
Watanabe, H, 977
wave front, 237
wavelength division multiplexing, 2131
wavelet, 1638
weak chain, 968
  rule program, 968
weak
  coding, 327
  dependency, 159
  equivalence of optimization problems, 157
  hierarchy, 1736
  integral closure, 817
  linear separator, 1076
  order, 1680
  separation, 1076
  spherical separator, 1076
  subgraph, 1065
weakly
  connected digraph, 403
  cycle free order, 853

weakly
pancyclic graph, 2026
sparse language, 547
triangulated, 1029, 2211
weakly triangulated graph, 408, 780, 1029, 1553, 1864, 2052
weaving, 371, 811
problem, 371
Weber, 1037, 1094
weight
assignment, 1134, 2170
circulation, 81
distribution, 816, 934
equivalence, 806
of a codeword, 856
of a dominating function, 697
weighted
2-center problem, 983
2-threshold covering, 1166
2-threshold partition, 1166
clique, 434, 1896
completion time, 137, 892, 1114, 1142, 1599
connected domination, 2044, 2194
digraph, 462, 1813
dominating set, 434
weighted domination, 2044
problem, 2044
weighted efficient edge domination problem, 2191
weighted finite
automaton, 1541
transducer, 1541
weighted graph, 1078, 1117, 1615, 1920
weighted independent perfect domination, 1637
problem, 1637, 2044
weighted independent set, 434, 1869
algorithm, 1869
weighted
matroid intersection problem, 221
node covering problem, 1334
number of late jobs, 1966, 2167
parameter, 2087
perfect domination problem, 1708
shortest arborescence problem, 2092
stable set, 183, 689, 1334
sum of distances, 1685
tailored 2-partition problem, 983
tardiness problem, 995
trapezoid graph, 1908
weighted vertex
cover, 1021
packing problem, 1692
weighted
voting, 13
method, 1926
Weinberg, L., 977
Weingast, B., 776
Welch, L R., 116
well-connectedness, 427
well-covered graph, 1687
well-irredundant graph, 1643
well-partial ordering, 251
well-quasi-order, 87, 96
well-rounded, 1515
Welsh-Powell upper bound, 133
Welzl, 1835
Werman, M., 683
WFA, 1541
image, 1541
WFT, 1541
transformation, 1541
Wheatstone net, 1494
wheel, 771, 1554, 1723, 1806
free, 1718
wheel graph, 760, 1554
with deleted outer edges, 1554
wheel in a bipartite graph, 1718
whispering, 555, 1432
whispering broadcast, 555
scheme, 1432
whist tournament, 1075, 1452, 1729, 2169
Whitin, T M., 1087
Whitney theorem, 191
Whittle, P., 72
wide exact linear separator, 1076
wide sense nonblocking, 2010
self routing network, 922
wide
separation of sets, 1076
weak linear separator, 1076
Widmer, 1776
width, 210, 323, 343, 417, 559, 612, 967, 1043, 1129, 1330, 1526, 1781, 1872, 1931, 2025, 2124, 2125, 2227, 2229
algorithm, 1043
of local minima, 1526
Wiedemann, D., 1622
Wiener
index, 1860, 2062, 2063
number, 1965, 2064, 2065
Wierman, 1437, 1740
Wig, M K., 339
Wilf, 1648
Williams, 1579
Williamson, 2218
windy postman problem, 249
Winkler, P., 403
Winkler, P M., 955
Winkler, R P., 217

winning
2-set, 847
move, 1632
probability, 870
strategy, 332
t-set problem, 847
winter gritting vehicle, 1144
wire
cycle period, 209
layout, 966
routing, 964, 1674, 1848
wireless network, 2079
Woeginger, 1835
Wolf, J K, 625
Wolfram, 2257
Wolfsthal, Y, 1044
Wolsey, L A, 211, 1955
women and cats versus mice and men, 720
Wong, 1495
Wong, C K, 1099
Woodall, D R, 580
word
coding a tree, 801
problem, 807
work preserving emulation, 1610
working time, 714
Wormald, N C, 1105
wormhole routing, 2097
worst case analysis, 104, 324, 543, 680, 791, 1026, 1084, 1089, 1131, 1709, 1785, 1790, 1844, 1874, 2018, 2238
of an approximation algorithm, 680
worst case
behaviour, 20, 324, 376, 607, 614, 1984
bound, 48, 147, 211, 585, 1084, 1151, 1838, 2113, 2238
complexity, 988, 1607
effectiveness, 77
worst case error
bound, 1001
ratio, 464
worst case
measure, 2103
number of tests, 889, 1135
worst case performance, 175, 396, 666, 711, 716, 931, 1151, 1524, 1844, 1874, 2180, 2238
bound, 1891
ratio, 283, 754, 791, 1089, 1090, 2133
worst case ratio, 284, 583, 1080, 1898
of 2, 585
worst case relative error, 1790, 1952
bound, 482
complexity, 97, 539, 1517, 1875
Wotschke, D, 168
WP free balanced bipartite graph, 1718
WPP, 249
wrap around grid, 1693
wrapped butterfly digraph, 2089
wreath product, 110
write
once memory, 625, 815
unidirectional memory, 625
WUM, 625
Wyner, A D, 625

X

X-deletable sets, 552
X-join, 14
XY-routing, 2097

Y

Y-sums, 1717
Yamasaki, M, 293
Yamashita, 1525
Yao, 1556, 1586
Yebra, 1697
Yokoi, S, 552
Young diagram, 1752
Younger, 1630
Yuster, 2005

Z

Z-cyclic whist tournament, 1452, 1729, 2169
Zaw Win, 2084
ZCPS-Wh(v), 1452, 2169
Zeckendorf expansion, 1855
Zefirov, 1745
Zelinka, 2084
Zelinka, B, 230
zero
dimensional intersection ideal, 818
knowledge proof, 1423
zero one integer program, 311
zero one integer programming, 440
problem, 1859
zero one
multiple knapsack problem, 90
nonlinear programming, 440
polynomial programming problem, 1371
principle, 774
zero one quadratic
problem, 193
programming, 1882
zero one, *see also* 0-1
zero
ramification index, 285
sum game, 2005
zeta function, 803
of a series, 803

$\zeta(3)$ limit, 480
Zhang, 1377
Zinoviev lower bound, 314
Zinoviev, V A, 314
Ziv, J, 625
Znám, 1833
zonotope, 2237
Zwick, 2005

ELSEVIER

Discrete Applied Mathematics 106 (2000) 121–175

DISCRETE
APPLIED
MATHEMATICS

Reference List of Indexed Articles

This Reference List of Indexed Articles belongs to the Subject Index Volumes 1–92 (pp. 3–120 of this issue).

1. R. Armstrong, A. Charnes and F. Phillips, Page cuts for integer interval linear programming **1** (1979) 1–14
2. A.S. Fraenkel and Y. Yesha, Complexity of problems in games, graphs and algebraic equations **1** (1979) 15–30
3. R.R. Meyer, Equivalent constraints for discrete sets **1** (1979) 31–50
4. M. Senechal, Color groups **1** (1979) 51–73
5. L.R. Foulds and D.F. Robinson, Construction properties of combinatorial deltahedra **1** (1979) 75–87
6. C.H. Kappauf and G.J. Koenhler, The mixed postman problem **1** (1979) 89–103
7. M.M. Klawe, Optimal strategies for a fair betting game **1** (1979) 105–115
8. D.E. Knuth, Lexicographic permutations with restrictions **1** (1979) 117–125
9. A. Thayse, Discrete function expansions in integer powers **1** (1979) 127–136
10. T.C. Wesselkamper, The algebraic representation of partial functions **1** (1979) 137–142
11. W. Ainhirn and H.A. Maurer, On ε productions for terminals in E0L forms **1** (1979) 155–166
12. U. Derigs, A generalized Hungarian method for solving minimum weight perfect matching problems with algebraic objective **1** (1979) 167–180
13. P.C. Fishburn, Heights of representative sytems **1** (1979) 181–199
14. M. Habib and M.C. Maurer, On the X-join decompositions for undirected graphs **1** (1979) 201–207
15. W.-L. Hsu and G.L. Nemhauser, Easy and hard bottleneck location problems **1** (1979) 209–215
16. J.B. Saxe, On the number of range queries in k-space **1** (1979) 217–225
17. P.C. Fishburn, W.V. Gehrlein and E. Maskin, Condorcet proportions and Kelly's conjectures **1** (1979) 229–252
18. A.M. Frieze, An algorithm for algebraic assignment problems **1** (1979) 253–259
19. F. Giannessi, Continued fractions and explicit solutions of a particular discrete optimization problem **1** (1979) 261–275
20. D. Goldfarb and W.Y. Sit, Worst case behavior of the steepest edge simplex method **1** (1979) 277
21. J. Somers and I. Adler, The max-flow problem with parametric capacities **1** (1979) 287–300
22. M. Yamasaki, Maximization of input conductances of an infinite network **1** (1979) 301–309
23. J.-M. Autebert, J. Beauquier and L. Boasson, Langages sur des alphabets infinis **2** (1980) 1–20
24. H. Greenberg and I. Feldman, A better step-off algorithm for the knapsack problem **2** (1980) 21–25
25. H. Hamacher, Algebraic flows in regular matroids **2** (1980) 27–38
26. E.L. Johnson and U.H. Suhl, Experiments in integer programming **2** (1980) 39–55
27. J.S. Maybee, Sign solvable graphs **2** (1980) 57–63
28. D.A. Plaisted and S. Zaks, An NP-complete matching problem **2** (1980) 65–72
29. A. Ehrenfeucht, G. Rozenberg and R. Verraedt, Many-to-one simulation in E0L forms is decidable (*Communication*) **2** (1980) 73–76
30. S. Fujishige, Principal structures of submodular systems (*Communication*) **2** (1980) 77–79

Elsevier Science B.V.

31. J. Lehel, Deltahedra are realizable as simplicial convex polyhedra (*Communication*) **2** (1980) 81–84
32. R.W. Cottle, Observations on a class of nasty linear complementarity problems **2** (1980) 89–111
33. F. Esser and F. Harary, Digraphs with real and gaussian spectra **2** (1980) 113–124
34. M. Nasu, An interconnection of local maps inducing onto global maps **2** (1980) 125–150
35. P. Hansen, An O($m \log D$) algorithm for shortest paths (*Note*) **2** (1980) 151–153
36. T. Ibaraki, The number of additional variables required for the integer programming formulation (*Note*) **2** (1980) 155–158
37. A. Aiello, E. Burattini, A. Massarotti and F. Ventriglia, "A posteriori" evaluation of bin packing approximation algorithms (*Communication*) **2** (1980) 159–161
38. C. Marrazzini, Characterization of the inverse of a particular circulant matrix by means of a continued fraction (*Communication*) **2** (1980) 163–165
39. A. Rosenthal, Optimal mass production (*Communication*) **2** (1980) 167–170
40. C.E. Blair, Facial disjunctive programs and sequences of cutting-planes **2** (1980) 173–179
41. C.J. Colbourn and D.G. Corneil, On deciding switching equivalence of graphs **2** (1980) 181–184
42. A.M. Farley and A. Proskurowski, Computation of the center and diameter of outerplanar graphs **2** (1980) 185–191
43. E.Ya. Gabovich and I.I. Melamed, On constant discrete programming problems **2** (1980) 193–205
44. M. Gordon and J.A. Torkington, Enumeration of coloured plane trees with a given type partition **2** (1980) 207–223
45. G. Gunther and B.L. Hartnell, Optimal k-secure graphs **2** (1980) 225–231
46. G. Rozenberg and R. Verraedt, Synchronized and desynchronized E0L forms **2** (1980) 233–247
47. S.K. Bhattacharya and A.K. Gupta, Occupation times for two-state Markov chains (*Note*) **2** (1980) 249–250
48. F. Glover, D. Klingman, J. Mote and D. Whitman, An extended abstract of an indepth algorithmic and computational study for maximum flow problems (*Note*) **2** (1980) 251–254
49. M. Hucher, G. Sabatier and J. Grolier, Effectifs des diverses sequences de polyedres 3-valents convexes ayant moins de 11 faces et de polyedres sans face triangulaire ayant de 11 a 14 faces (*Communication*) **2** (1980) 255–257
50. A.I. Riihonen, A note on perfect Lee-codes (*Communication*) **2** (1980) 259–260
51. A. Volpentesta, Equi-assignments and explicit solutions of a particular discrete optimization problem (*Communication*) **2** (1980) 261–265
52. R.A. Cuninghame-Green and P.F.J. Meijer, An algebra for piecewise-linear minimax problems **2** (1980) 267–294
53. A.M. Frieze, Probabilistic analysis of some Euclidean clustering problems **2** (1980) 295–309
54. A. Recski and M. Iri, Network theory and transversal matroids **2** (1980) 311–326
55. D. de Werra, Geography, games and graphs **2** (1980) 327–337
56. M. Yamasaki, Quasiharmonic classification of infinite networks **2** (1980) 339–344
57. B.K. Dass and S.K. Muttoo, A note on Reed-Muller codes (*Note*) **2** (1980) 345–348
58. S. Shinoda, On the characteristic polynomial of the adjacency matrix of the subdivision graph of a graph (*Note*) **2** (1980) 349–351
59. R. Dvornicich, On a problem of cyclic permutations of integers (*Communication*) **2** (1980) 353–355
60. R. Euler, On a classification of independence systems (*Communication*) **2** (1980) 357–360
61. T. Kikuno, N. Yoshida and Y. Kakuda, NP-completeness of some type of p-center problem (*Communication*) **2** (1980) 361–363
62. J. Beck and T. Fiala, "Integer-making" theorems **3** (1981) 1–8
63. F.T. Boesch and C.L. Suffel, Realizability of p-point graphs with prescribed minimum degree, maximum degree, and point-connectivity **3** (1981) 9–18
64. R.A. Cuninghame-Green, Integer programming by long division **3** (1981) 19–25
65. P.C. Fishburn, Inverted orders for monotone scoring rules **3** (1981) 27–36
66. R.M. Karp and J.B. Orlin, Parametric shortest path algorithms with an application to cyclic staffing **3** (1981) 37–45
67. D.A. Klarner, Mathematical crystal growth I **3** (1981) 47–52
68. A. Thayse, Universal algorithms for evaluating Boolean functions **3** (1981) 53–65
69. R.E. Krichevskii, B.Ya. Ryabko and A.Yu. Haritonov, Optimal key for taxons ordered in accordance with their frequencies (*Note*) **3** (1981) 67–72

70. T. Lepistö, A note on perfect Lee-codes over small alphabets (*Communication*) **3** (1981) 73–74
71. K. Takamizawa, T. Nishizeki and N. Saito, Combinatorial problems on series-parallel graphs (*Communication*) **3** (1981) 75–76
72. D. Durand and C.-M. Bruneau, Graph theory and molecular distribution **3** (1981) 79–91
73. E. Goles and J. Olivos, Comportement periodique des fonctions a seuil binaires et applications **3** (1981) 93–105
74. M.F. Janowitz, Continous L-cluster methods **3** (1981) 107–112
75. D.A. Klarner, Mathematical crystal growth II **3** (1981) 113–117
76. H.A. Maurer, A. Salomaa and D. Wood, Colorings and interpretations: A connection between graphs and grammar forms **3** (1981) 119–135
77. C.L. Monma, Sequencing with general precedence constraints **3** (1981) 137–150
78. T. Watanabe, T. Ae and A. Nakamura, On the removal of forbidden graphs by edge-deletion or by edge-contraction (*Communication*) **3** (1981) 151–153
79. M.J. Colbourn and C.J. Colbourn, Concerning the complexity of deciding isomorphism of block designs **3** (1981) 155–162
80. D.G. Corneil, H. Lerchs and L. Stewart Burlingham, Complement reducible graphs **3** (1981) 163–174
81. D. Gale and T. Politof, Substitutes and complements in network flow problems **3** (1981) 175–186
82. P.J. Slater, Accretion centers: A generalization of branch weight centroids **3** (1981) 187–192
83. L.A. Wolsey, The b-hull of an integer program **3** (1981) 193–201
84. Z. Zeitlin, Minimization of maximum absolute deviation in integers **3** (1981) 203–220
85. D.B. Holdridge and J.A. Davis, Comment on "A note on perfect Lee-codes" (*Note*) **3** (1981) 221
86. J. Akiyama, D. Avis, V. Chvátal and H. Era, Balancing signed graphs **3** (1981) 227–233
87. A. Ehrenfeucht, G. Rozenberg and R. Verraedt, Basic formulas and languages. Part I. The theory **3** (1981) 235–255
88. A.S. Fraenkel, Planar kernel and grundy with $d \leqslant 3$, $d_{\text{out}} \leqslant 2$, $d_{\text{in}} \leqslant 2$ are NP-complete **3** (1981) 257–262
89. H. Ishii, S. Shiode, T. Nishida and Y. Namasuya, Stochastic spanning tree problem **3** (1981) 263–273
90. S. Martello and P. Toth, A Bound and Bound algorithm for the Zero-One Multiple Knapsack Problem **3** (1981) 275–288
91. H.A. Maurer, A. Salomaa and D. Wood, Decidability and density in two-symbol grammar forms **3** (1981) 289–299
92. S. Poljak, V. Rödl and D. Turzík, Complexity of representation of graphs by set systems **3** (1981) 301–312
93. G.V. Gens and E.V. Levner, Fast approximation algorithm for job sequencing with deadlines (*Note*) **3** (1981) 313–318
94. G. Rozenberg and A. Salomaa, Table systems with unconditional transfer (*Communication*) **3** (1981) 319–322
95. H. Abelson, A. Ehrenfeucht, J. Fickett and J. Mycielski, Compositional complexity of Boolean functions **4** (1982) 1–10
96. A. Ehrenfeucht, G. Rozenberg and R. Verraedt, Basic formulas and languages. Part II. Applications to E0L systems and forms **4** (1982) 11–22
97. G. Gallo and S. Pallottino, A new algorithm to find the shortest paths between all pairs of nodes **4** (1982) 23–35
98. C. Ghilezan, Les derivees partielles des fonctions pseudo-Booleennes generalisees **4** (1982) 37–45
99. T. Zaslavsky, Signed graphs **4** (1982) 47–74
100. D. Avis, On the complexity of finding the convex hull of a set of points **4** (1982) 81–86
101. F.M. Brown, Segmental solutions of Boolean equations **4** (1982) 87–96
102. G.J. Chang, F.K. Hwang and S. Lin, Group testing with two defectives **4** (1982) 97–102
103. C.J. Colbourn, M.J. Colbourn, K.T. Phelps and V. Rödl, Colouring Steiner quadruple systems **4** (1982) 103–111
104. C. Croitoru, An analysis of the greedy algorithm for partially ordered sets **4** (1982) 113–117
105. P.C. Fishburn, Monotonicity paradoxes in the theory of elections **4** (1982) 119–134
106. H.D. Sherali and C.M. Shetty, A finitely convergent procedure for facial disjunctive programs **4** (1982) 135–148

107. K. Culik, F.E. Fich and A. Salomaa, A homomorphic characterization of regular languages (*Note*) **4** (1982) 149–152
108. J. Henno, On equivalent sets of functions (*Note*) **4** (1982) 153–156
109. J. Dassow, Grammars with valuations – A discrete model for self-organization of biopolymers **4** (1982) 161–174
110. G. Gati, Maximizing a lower bound on the computational complexity **4** (1982) 175–180
111. F. Gavril and J. Schönheim, Characterization and algorithms of curve map graphs **4** (1982) 181–191
112. A. Mansfield, An algorithm for a merge recognition problem **4** (1982) 193–197
113. T.D. Rogers and J.R. Pounder, Cycle structure in discrete-density models **4** (1982) 199–210
114. J.F. Sallee, A note on minimal triangulations of an n-cube **4** (1982) 211–215
115. D. de Werra, Minimizing irregularities in sports schedules using graph theory **4** (1982) 217–226
116. J. Astola, A note on perfect Lee-codes over small alphabets (*Note*) **4** (1982) 227–228
117. J. Honkala, Unique representation in number systems and L codes (*Note*) **4** (1982) 229–232
118. J. Kortelainen, A result concerning the trios generated by commutative slip-languages (*Communication*) **4** (1982) 233–236
119. G. Rozenberg and R. Verraedt, A note on the similarity depth (*Communication*) **4** (1982) 237–241
120. M. Aigner, Selecting the top three elements **4** (1982) 247–267
121. E.Ya. Gabovich, On spectral theory in discrete programming **4** (1982) 269–280
122. T. Margush, Distances between trees **4** (1982) 281–290
123. A. Rosa and W.D. Wallis, Premature sets of 1-factors or how not to schedule round robin tournaments **4** (1982) 291–297
124. A. Tamir, On the solution of discrete bottleneck problems **4** (1982) 299–302
125. U. Zimmermann, Minimization on submodular flows **4** (1982) 303–323
126. D.S. Clark, A class of combinatorial identities (*Note*) **4** (1982) 325–327
127. G. D'atri and C. Puech, Probabilistic analysis of the subset-sum problem (*Note*) **4** (1982) 329–334
128. R. von Randow, The bank safe problem (*Note*) **4** (1982) 335–337
129. E.M.L. Beale, A mathematical programming model for the long-term development of an off-shore gas field **5** (1983) 1–9
130. J. Błażewicz, J.K. Lenstra and A.H.G. Rinnooy Kan, Scheduling subject to resource constraints: Classification and complexity **5** (1983) 11–24
131. T.B. Boffey and J.R. Green, Design of electricity supply networks **5** (1983) 25–38
132. P.M. Camerini, G. Galbiati and F. Maffioli, On the complexity of finding multi-constrained spanning trees **5** (1983) 39–50
133. C.S. Edwards and C.H. Elphick, Lower bounds for the clique and the chromatic numbers of a graph **5** (1983) 51–64
134. M.L. Fisher, B.J. Lageweg, J.K. Lenstra and A.H.G. Rinnooy Kan, Surrogate duality relaxation for job shop scheduling **5** (1983) 65–75
135. J. Franco and M. Paull, Probabilistic analysis of the Davis Putnam Procedure for solving the Satisfiability problem **5** (1983) 77–87
136. A.M. Frieze and J. Yadegar, On the quadratic assignment problem **5** (1983) 89–98
137. A.M.A. Hariri and C.N. Potts, An algorithm for single machine sequencing with release dates to minimize total weighted completion time **5** (1983) 99–109
138. R.W. Irving, NP-completeness of a family of graph-colouring problems **5** (1983) 111–117
139. A. Mansfield, On the computational complexity of a merge recognition problem **5** (1983) 119–122
140. C. McDiarmid, On the chromatic forcing number of a random graph **5** (1983) 123–132
141. D.J.A. Welsh, Randomised algorithms **5** (1983) 133–145
142. H.P. Williams, A characterisation of all feasible solutions to an integer program **5** (1983) 147–155
143. C.K. Bailey, E.M. Palmer and J.W. Kennedy, Points by degree and orbit size in chemical trees, II **5** (1983) 157–164
144. V. Chvátal, On the bicycle problem **5** (1983) 165–173
145. S. Fujishige, Canonical decompositions of symmetric submodular systems **5** (1983) 175–190
146. J.W. Kennedy and L.V. Quintas, Extremal f-trees and embedding spaces for molecular graphs **5** (1983) 191–209
147. T. Nishizeki, T. Asano and T. Watanabe, An approximation algorithm for the hamiltonian walk problem on maximal planar graphs **5** (1983) 211–222

148. H. Prodinger and F.J. Urbanek, On monotone functions of tree structures **5** (1983) 223–239
149. A.K. Pujari, A.K. Mittal and S.K. Gupta, A convex polytope of diameter one (*Note*) **5** (1983) 241–242
150. J. Karhumäki and M. Linna, A note on morphic characterization of languages (*Communication*) **5** (1983) 243–246
151. E. Balas, Erratum **5** (1983) 247–248
152. M. Davio and C. Ronse, Rotator design **5** (1983) 253–277
153. J. Karhumäki, On cube-free ω-words generated by binary morphisms **5** (1983) 279–297
154. T. Kikuno, N. Yoshida and Y. Kakuda, A linear algorithm for the domination number of a series-parallel graph **5** (1983) 299–311
155. K. Sugihara, A unifying approach to descriptive geometry and mechanisms **5** (1983) 313–328
156. B. Bollobás and A. Thomason, Parallel sorting **6** (1983) 1–11
157. M.S. Burgin and E.Ya. Gabovich, Equivalence among optimization problems on matrix sets **6** (1983) 13–24
158. N.G. de Bruijn, Denumerations of rooted trees and multisets **6** (1983) 25–33
159. J. Demetrovics and Gy. Gyepesi, Some generalized type functional dependencies formalized as equality set on matrices **6** (1983) 35–47
160. D.J. Kleitman and R.A. Lew, An algorithm for collapsing sign alternating sequences of real numbers **6** (1983) 49–53
161. H. Okamura, Multicommodity flows in graphs **6** (1983) 55–62
162. T. Watanabe, T. Ae and A. Nakamura, On the NP-hardness of edge-deletion and -contraction problems **6** (1983) 63–78
163. A.M. Frieze, An extension of christofides heuristic to the k-person travelling salesman problem (*Note*) **6** (1983) 79–83
164. T. Ichimori, H. Ishii and T. Nishida, Two routing problems with the limitation of fuel (*Note*) **6** (1983) 85–89
165. R.G. Karlsson and P.V. Poblete, An $O(m \log\log D)$ algorithm for shortest paths (*Note*) **6** (1983) 91–93
166. F. Fogelman, E. Goles and G. Weisbuch, Transient length in sequential iteration of threshold functions (*Communication*) **6** (1983) 95–98
167. C. Maas, Some results about the interval number of a graph (*Communication*) **6** (1983) 99–102
168. B. Alspach, P. Eades and G. Rose, A lower-bound for the number of productions required for a certain class of languages **6** (1983) 109–115
169. S.F. Assmann and D.J. Kleitman, The number of rounds needed to exchange information within a graph **6** (1983) 117–125
170. P.L. Buzytsky and G.A. Freiman, An effective formula for the number of solutions of a system of two 0, 1-equations **6** (1983) 127–133
171. A.C. Hayes and D.G. Larman, The vertices of the Knapsack polytope **6** (1983) 135–138
172. R. Laskar and D. Shier, On powers and centers of chordal graphs **6** (1983) 139–147
173. C.-H.M. Lin and H.M. Salkin, An efficient algorithm for the complete set partitioning problem **6** (1983) 149–156
174. W. Maurer, Bivalent trees and forests or upper bounds for the probability of a union revisited **6** (1983) 157–171
175. I. Morihara, T. Ibaraki and T. Hasegawa, Bin packing and multiprocessors scheduling problems with side constraint on job types **6** (1983) 173–191
176. S. Poljak, A. Pultr and V. Rödl, On qualitatively independent partitions and related problems **6** (1983) 193–205
177. M.D. Beeler, A new van der Waerden number (*Note*) **6** (1983) 207
178. D. Dorninger and H. Länger, An explicit formula for the solution of the Fisher–Wright selection model in population genetics (*Note*) **6** (1983) 209–211
179. M.L. Kaushik, Comments on "A note on Reed–Muller codes" (*Note*) **6** (1983) 213–214
180. M.B. Cozzens and F.S. Roberts, Computing the boxicity of a graph by covering its complement by cointerval graphs **6** (1983) 217–228
181. M.K. Goldberg, A nonfactorial algorithm for testing isomorphism of two graphs **6** (1983) 229–236
182. P. Hansen, Recognizing sign solvable graphs **6** (1983) 237–241
183. D.S. Hochbaum, Efficient bounds for the stable set, vertex cover and set packing problems **6** (1983) 243–254

184. G. Markowsky and A. Wohlgemuth, Intersection-union systems **6** (1983) 255–262
185. G. Rozenberg and R. Verraedt, The goodness of S, a-EOL forms is decidable **6** (1983) 263–299
186. R. Schrader, Approximations to clustering and subgraph problems on trees **6** (1983) 301–309
187. M. Roubens and P. Vincke, Linear orders and semiorders close to an interval order (*Note*) **6** (1983) 311–314
188. R.D. Dutton and R.C. Brigham, A characterization of competition graphs (*Note*) **6** (1983) 315–317
189. J.R. Lundgren and J.S. Maybee, A characterization of graphs of competition number m (*Note*) **6** (1983) 319–322
190. F.S. Roberts and J.E. Steif, A characterization of competition graphs of arbitrary digraphs (*Note*) **6** (1983) 323–326
191. T. Asano, S. Kikuchi and N. Saito, A linear algorithm for finding Hamiltonian cycles in 4-connected maximal planar graphs **7** (1984) 1–15
192. J.T. Astola, The Tietäväinen bound for spherical codes **7** (1984) 17–21
193. M.W. Carter, The indefinite zero–one quadratic problem **7** (1984) 23–44
194. E.J. Farrell and S.A. Wahid, Matching in benzene chains **7** (1984) 45–54
195. H. Maehara, Space graphs and sphericity **7** (1984) 55–64
196. A. Muir and M.W. Warner, Lattice valued relations and automata **7** (1984) 65–78
197. E. Seneta and W.L. Steiger, A new lad curve-fitting algorithm: Slightly overdetermined equation systems in L_1 **7** (1984) 79–91
198. H.P. Williams, A duality theorem for linear congruences **7** (1984) 93–103
199. S. Fujishige, A note on Frank's generalized polymatroids (*Communication*) **7** (1984) 105–109
200. M. Farber, Domination, independent domination, and duality in strongly chordal graphs **7** (1984) 115–130
201. P.C. Fishburn, Probabilities of dominant candidates based on first-place votes **7** (1984) 131–140
202. C.W. Haigh, J.W. Kennedy and L.V. Quintas, Counting and coding identity trees with fixed diameter and bounded degree **7** (1984) 141–160
203. P. Kirschenhofer, On the average shape of monotonically labelled tree structures **7** (1984) 161–181
204. A.L. Liestman and D. Richards, Toward optimal gossiping schemes with conference calls **7** (1984) 183–189
205. F. Murtagh, Counting dendrograms: A survey **7** (1984) 191–199
206. M. Skowrońska and M.M. Syslo, An algorithm to recognize a middle graph **7** (1984) 201–208
207. M.M. Syslo, Optimal constructions of reversible digraphs **7** (1984) 209–220
208. P.M. Winkler, Isometric embedding in products of complete graphs **7** (1984) 221–225
209. F.M. Brown and Y. Igarashi, On permutations of wires and states **7** (1984) 231–241
210. M. Chein and M. Habib, Jump number of dags having Dilworth number 2 **7** (1984) 243–250
211. M. Conforti and G. Cornuéjols, Submodular set functions, matroids and the greedy algorithm: Tight worst-case bounds and some generalizations of the Rado–Edmonds theorem **7** (1984) 251–274
212. R.A. Cuninghame-Green, The absolute centre of a graph **7** (1984) 275–283
213. S. Even and A. Paz, A note on cake cutting **7** (1984) 285–296
214. J.-J. Pansiot, A propos d'une conjecture de F. Dejean sur les répétitions dans les mots **7** (1984) 297–311
215. A. Recski, A network theory approach to the rigidity of skeletal structures. Part I. Modelling and interconnection **7** (1984) 313–324
216. D.R. Shier, Some aspects of perfect elimination orderings in chordal graphs **7** (1984) 325–331
217. M. Aigner and M. Fromme, A game of cops and robbers **8** (1984) 1–12
218. J. Astola, On the asymptotic behaviour of Lee-codes **8** (1984) 13–23
219. C.J. Colbourn, The complexity of completing partial Latin squares **8** (1984) 25–30
220. E.J. Farrell and S.A. Wahid, Matchings in pentagonal chains **8** (1984) 31–40
221. D. Gusfield, Matroid optimization with the interleaving of two ordered sets **8** (1984) 41–50
222. H. Hashimoto, Transitive reduction of a nilpotent boolean matrix **8** (1984) 51–61
223. A. Recski, A network theory approach to the rigidity of skeletal structures. Part II. Laman's theorem and topological formulae **8** (1984) 63–68
224. D. Skrien, Chronological orderings of interval graphs **8** (1984) 69–83
225. C.A. Tovey, A simplified NP-complete satisfiability problem **8** (1984) 85–89
226. S.J. Willson, Cellular automata can generate fractals **8** (1984) 91–99

227. J.L. Hock and R.B. McQuistan, A note on the occupational degeneracy for dimers on a saturated two-dimensional lattice space (*Note*) **8** (1984) 101–104
228. S.F. Assmann and D.J. Kleitman, Characterization of curve map graphs **8** (1984) 109–124
229. D.A. Babayev and F. Glover, Aggregations of nonnegative integer-valued equations **8** (1984) 125–130
230. H.J. Bandelt and J.P. Barthélemy, Medians in median graphs **8** (1984) 131–142
231. P. Bertolazzi, C. Leporelli and M. Lucertini, Alternative group relaxation of integer programming problems **8** (1984) 143–151
232. H. Hashimoto, Transitive reduction of a rectangular boolean matrix **8** (1984) 153–161
233. L.B. Hopkins, W.T. Trotter and D.B. West, The interval number of a complete multipartite graph **8** (1984) 163–187
234. E.Q.V. Martins, An algorithm to determine a path with minimal cost/capacity ratio **8** (1984) 189–194
235. B. Péroche, NP-Completeness of some problems of partitioning and covering in graphs **8** (1984) 195–208
236. A. Sajo, On subword complexity functions (*Communication*) **8** (1984) 209–212
237. J.-P. Allouche and C. Reder, Oscillations spatio-temporelles engendrees par un automate cellulaire **8** (1984) 215–254
238. H.J. Greenberg, J.R. Lundgren and J.S. Maybee, Inverting graphs of rectangular matrices **8** (1984) 255–265
239. A. Naamad, D.T. Lee and W.-L. Hsu, On the maximum empty rectangle problem **8** (1984) 267–277
240. M. Paoli, Comparison of mean distance in superposed networks **8** (1984) 279–287
241. G. Turán, On the succinct representation of graphs **8** (1984) 289–294
242. D.B. West and D.B. Shmoys, Recognizing graphs with fixed interval number is NP-complete **8** (1984) 295–305
243. C.-Q. Zhang, Optimal alphabetic binary tree for a nonregular cost function **8** (1984) 307–312
244. A. Ehrenfeucht and G. Rozenberg, On regularity of languages generated by copying systems (*Note*) **8** (1984) 313–317
245. E. Goles and M. Tchuente, Iterative behaviour of one-dimensional threshold automata (*Communication*) **8** (1984) 319–322
246. R. Bar-Yehuda and S. Moran, On approximation problems related to the Independent Set and Vertex Cover problems **9** (1984) 1–10
247. C.E. Blair and R.G. Jeroslow, Extensions of a theorem of Balas **9** (1984) 11–26
248. D.G. Corneil and Y. Perl, Clustering and domination in perfect graphs **9** (1984) 27–39
249. M. Guan, On the windy postman problem **9** (1984) 41–46
250. D.A. Marcus, Gale diagrams of convex polytopes and positive spanning sets of vectors **9** (1984) 47–67
251. K. Ruohonen, A note on off-line machines with 'Brownian' input heads **9** (1984) 69–75
252. K. Sugihara, An algebraic and combinatorial approach to the analysis of line drawings of polyhedra **9** (1984) 77–104
253. P. Buser, On the bipartition of graphs (*Note*) **9** (1984) 105–109
254. T. Andreae, Note on a pursuit game played on graphs **9** (1984) 111–115
255. R. Chandrasekaran and A. Tamir, Polynomial testing of the query "Is $a^b \geqslant c^d \cdot ?$" with application to finding a minimal cost reliability ratio spanning tree **9** (1984) 117–123
256. C. Choffrut and K. Culik, On extendibility of unavoidable sets **9** (1984) 125–137
257. F. Fogelman-Soulie, Frustration and stability in random boolean networks **9** (1984) 139–156
258. M.C. Golumbic, C.L. Monma and W.T. Trotter, Tolerance graphs **9** (1984) 157–170
259. D. Granot and F. Granot, Minimal covers, minimal sets and canonical facets of the posynomial knapsack polytope **9** (1984) 171–185
260. D. Miklós, Linear binary codes with intersection properties **9** (1984) 187–196
261. U. Vishkin, An optimal parallel connectivity algorithm **9** (1984) 197–207
262. U. Faigle, A vector exchange property of submodular systems (*Note*) **9** (1984) 209–211
263. Y. Kajitani and S. Ueno, A matroid generalization of theorems of Lewin and Gallai (*Note*) **9** (1984) 213–216
264. C.E. Blair and R.G. Jeroslow, Constructive characterizations of the value-function of a mixed-integer program I **9** (1984) 217–233
265. J.R. Mühlbacher, F.X. Steinparz and G. Tinhofer, On certain classes of fractional matchings **9** (1984) 235–244
266. C. Peyrat, Diameter vulnerability of graphs **9** (1984) 245–250

267. F.S. Roberts, Applications of Ramsey theory **9** (1984) 251–261
268. E. Toczylowski, A perfect matching algorithm for sparse bipartite graphs **9** (1984) 263–268
269. W. Whiteley, A correspondence between scene analysis and motions of frameworks **9** (1984) 269–295
270. V. Keränen, On k-repetition freeness of length uniform morphisms over a binary alphabet (*Note*) **9** (1984) 297–300
271. M. Sniedovich, C-programming problems: A class of non-linear optimization problems (*Communication*) **9** (1984) 301–305
272. P. Brucker and W. Papenjohann, An out-of-kilter method for the algebraic circulation problem **10** (1985) 1–18
273. P. Butkovič, Necessary solvability conditions of systems of linear extremal equations **10** (1985) 19–26
274. D. Coppersmith and U. Vishkin, Solving NP-hard problems in 'almost trees': Vertex cover **10** (1985) 27–45
275. A.M. Frieze, On the value of a random minimum spanning tree problem **10** (1985) 47–56
276. A.M. Frieze and G.R. Grimmett, The shortest-path problem for graphs with random arc-lengths **10** (1985) 57–77
277. H. Imai, On combinatorial structures of line drawings of polyhedra **10** (1985) 79–92
278. F.S. Roberts, Applications of edge coverings by cliques **10** (1985) 93–109
279. A.E. Brouwer, Some new two-weight codes and strongly regular graphs (*Note*) **10** (1985) 111–114
280. W.W. Bein, P. Brucker and A. Tamir, Minimum cost flow algorithms for series-parallel networks **10** (1985) 117–124
281. C.C. Ribeiro and M. Minoux, A heuristic approach to hard constrained shortest path problems **10** (1985) 125–137
282. M.E. Dyer and A.M. Frieze, On the complexity of partitioning graphs into connected subgraphs **10** (1985) 139–153
283. C.N. Potts, Analysis of a linear programming heuristic for scheduling unrelated parallel machines **10** (1985) 155–164
284. M. Kunde and H. Steppat, First fit decreasing scheduling on uniform multiprocessors **10** (1985) 165–177
285. G.L. Thompson and S. Singhal, A successful algorithm for the undirected Hamiltonian Path problem **10** (1985) 179–195
286. C. McDiarmid, On some conditioning results in the probabilistic analysis of algorithms **10** (1985) 197–201
287. W. Cook, A note on matchings and separability **10** (1985) 203–209
288. E.W. Allender, On the number of cycles possible in digraphs with large girth **10** (1985) 211–225
289. C.E. Blair and R.G. Jeroslow, Constructive characterization of the value function of a mixed-integer program II **10** (1985) 227–240
290. J. Błażewicz and J.R. Nawrocki, Dynamic storage allocation with limited compaction – complexity and some practical implications **10** (1985) 241–253
291. C. Yung-ching (Zhu Youngjin), An extended result of Kleitman and Saks concerning binary trees **10** (1985) 255–259
292. N. Katoh and T. Ibaraki, An efficient algorithm for the parametric resource allocation problem **10** (1985) 261–274
293. T. Kayano, Extremal length of an infinite network related to an accessible boundary point **10** (1985) 275–285
294. B. Monien and E. Speckenmeyer, Solving satisfiability in less than 2^n steps **10** (1985) 287–295
295. K. Sugihara, Detection of structural inconsistency in systems of equations with degrees of freedom and its applications **10** (1985) 297–312
296. J.L. Szwarcfiter, R.C.M. Persiano and A.A.F. Oliveira, Orientations with single source and sink **10** (1985) 313–321
297. M.V. Lomonosov, Combinatorial approaches to multiflow problems **11** (1985) 1–93
298. J. Aráoz and J. Edmonds, A case of non-convergent dual changes in Assignment Problems **11** (1985) 95–102
300. J. Demetrovics, Z. Füredi and G.O.H. Katona, Minimum matrix representation of closure operations **11** (1985) 115–128
301. U. Derigs, Some basic exchange properties in combinatorial optimization and their application to constructing the k-best solutions **11** (1985) 129–141

302. M.H. El-Zahar and I. Rival, Greedy linear extensions to minimize jumps **11** (1985) 143–156
303. T. Helleseth, On the covering radius of cyclic linear codes and arithmetic codes **11** (1985) 157–173
304. T. Masuda, H. Ishii and T. Nishida, The mixed shop scheduling problem **11** (1985) 175–186
305. T.T. Nguyen and A.R. Sampson, Counting the number of $p \times q$ integer matrices more concordant than a given matrix **11** (1985) 187–205
306. P. Butkovič and F. Hevery, A condition for the strong regularity of matrices in the minimax algebra **11** (1985) 209–222
307. D. Gale and M. Sotomayor, Some remarks on the stable matching problem **11** (1985) 223–232
308. G. Gunther, Neighbour-connectivity in regular graphs **11** (1985) 233–243
309. Y. Robert and M. Tchuente, Connection-graph and iteration-graph of monotone boolean functions **11** (1985) 245–253
310. P. Séébold, Sequences generated by infinitely iterated morphisms **11** (1985) 255–264
311. S. Sen and H.D. Sherali, A branch and bound algorithm for extreme point mathematical programming problems **11** (1985) 265–280
312. G. Steiner, A compact labeling scheme for series-parallel graphs **11** (1985) 281–297
313. IJ.J. Aalbersberg and G. Rozenberg, Traces, dependency graphs and DNLC grammars (*Note*) **11** (1985) 299–306
314. I. Honkala, H. Hämäläinen and M. Kaikkonen, A modification of the Zinoviev lower bound for constant weight codes (*Note*) **11** (1985) 307–310
315. G. Saviozzi, On degeneracy in linear complementarity problems (*Communication*) **11** (1985) 311–314
316. A. Billionnet and M. Minoux, Maximizing a supermodular pseudoboolean function: A polynomial algorithm for supermodular cubic functions **12** (1985) 1–11
317. R.V. Book, The base of the intersection of two free submonoids **12** (1985) 13–20
318. R.E. Burkard and U. Fincke, Probabilistic asymptotic properties of some combinatorial optimization problems **12** (1985) 21–29
319. J.S. Frame and D.C. Gilliland, Votes and a half-binomial **12** (1985) 31–40
320. F. Otto, Classes of regular and context-free languages over countably infinite alphabets **12** (1985) 41–56
321. U.N. Peled and B. Simeone, Polynomial-time algorithms for regular set-covering and threshold synthesis **12** (1985) 57–69
322. Y. Perl and U. Vishkin, Efficient implementation of a shifting algorithm **12** (1985) 71–80
323. R.P. Stanley, On dimer coverings of rectangles of fixed width **12** (1985) 81–87
324. J.P. Spinrad and G. Vijayan, Worst case analysis of a graph coloring algorithm (*Note*) **12** (1985) 89–92
325. C. Choffrut and J. Karhumäki, Test sets for morphisms with bounded delay **12** (1985) 93–101
326. S.M. Dodunekov and N.L. Manev, An improvement of the Griesmer bound for some small minimum distances **12** (1985) 103–114
327. A. Ehrenfeucht, G. Rozenberg and K. Ruohonen, A morphic representation of EOL languages and other ETOL languages **12** (1985) 115–122
328. J. Feigenbaum, J. Hershberger and A.A. Schäffer, A polynomial time algorithm for finding the prime factors of cartesian-product graphs **12** (1985) 123–138
329. R.A. Games, Crosscorrelation of M-sequences and GMW-sequences with the same primitive polynomial **12** (1985) 139–146
330. P. Hansen and B. Jaumard, Uniquely solvable quadratic boolean equations **12** (1985) 147–154
331. F. Harary, J.R. Lundgren and J.S. Maybee, On signed digraphs with all cycles negative **12** (1985) 155–164
332. A. Pultr and J. Úlehla, Remarks on strategies in combinatorial games **12** (1985) 165–173
333. G. Rozenberg and R. Verraedt, On erasing in EOL forms **12** (1985) 175–189
334. P.C. Fishburn, A characterization of uniquely representable interval graphs (*Note*) **12** (1985) 191–194
335. A.A. Bertossi and M.A. Bonuccelli, A polynomial feasibility test for preemptive periodic scheduling of unrelated processors **12** (1985) 195–201
336. M.A. Bonuccelli, Dominating sets and domatic number of circular arc graphs **12** (1985) 203–213
337. J.P. Bordat, Parcours dans les graphes: Un outil pour l'algorithmique des ensembles ordonnes **12** (1985) 215–231
338. D.G. Corneil, The complexity of generalized clique packing **12** (1985) 233–239
339. A.A. Elimam and S.E. Elmaghraby, On the reduction method for integer linear programs, II **12** (1985) 241–260

340. E. Goles-Chacc, F. Fogelman-Soulie and D. Pellegrin, Decreasing energy functions as a tool for studying threshold networks **12** (1985) 261–277
341. M. Habib and R. Jegou, N-free posets as generalizations of series-parallel posets **12** (1985) 279–291
342. R.E. Krichevsky and B.Ya. Ryabko, Universal retrieval trees **12** (1985) 293–302
343. T.-H. Lai and A. Sprague, On the complexity of a family of generalized matching problems **12** (1985) 303–318
344. R.P. Anstee, Invariant sets of arcs in network flow problems **13** (1986) 1–7
345. M.J. Atallah and S.E. Hambrusch, An assignment algorithm with applications to integrated circuit layout **13** (1986) 9–22
346. F. Barahona, A solvable case of quadratic 0–1 programming **13** (1986) 23–26
347. S. Poljak and D. Turzík, On an application of convexity to discrete systems **13** (1986) 27–32
348. S. Poljak and D. Turzík, On pre-periods of discrete influence systems **13** (1986) 33–39
349. I.G. Rosenberg, Structural rigidity II: Almost infinitesimally rigid bar frameworks **13** (1986) 41–59
350. M. Vlach, Conditions for the existence of solutions of the three-dimensional planar transportation problem **13** (1986) 61–78
351. I.J.J. Aalbersberg, G. Rozenberg and A. Ehrenfeucht, On the membership problem for regular DNLC grammars (*Note*) **13** (1986) 79–85
352. M.J. Atallah and G.N. Frederickson, A note on finding a maximum empty rectangle (*Note*) **13** (1986) 87–91
353. J. Bovet, Une amelioration de la methode de Dijkstra pour la recherche d'un plus court chemin dans un reseau (*Note*) **13** (1986) 93–96
354. E. Goles, Antisymmetrical neural networks (*Communication*) **13** (1986) 97–100
355. Y. Zalcstein and S.P. Franklin, Testing homotopy equivalence is isomorphism complete (*Communication*) **13** (1986) 101–104
356. O. Barros and A. Weintraub, Spatial market equilibrium problems as network models **13** (1986) 109–130
357. P.C. Jones, R. Saigal and M.H. Schneider, A variable-dimension homotopy on networks for computing linear spatial equilibria **13** (1986) 131–156
358. F. Granot and R. Hassin, Multi-terminal maximum flows in node-capacitated networks **13** (1986) 157–163
359. M.T. Shing and T.C. Hu, A decomposition algorithm for multi-terminal network flows **13** (1986) 165–181
360. D.D. Klingman and R.F. Schneider, Microcomputer-based algorithms for large scale shortest path problems **13** (1986) 183–206
361. N.V. Phillips, A new variant of the partitioning shortest path algorithm **13** (1986) 207–212
362. A.J. Goldman and P. Tiwari, Allowable processing orders in the accelerated cascade algorithm **13** (1986) 213–221
363. M.S. Hung, W.O. Rom and A.D. Waren, Degeneracy in transportation problems **13** (1986) 223–237
364. Y. Ikura and G.L. Nemhauser, Computational experience with a polynomial-time dual simplex algorithm for the transportation problem **13** (1986) 239–248
365. J. Mote, The family constrained network problem **13** (1986) 249–257
366. A.I. Ali and J.L. Kennington, The asymmetric M-travelling salesmen problem: A duality based branch-and-bound algorithm **13** (1986) 259–276
367. F. Glover and B. Novick, The 2-quasi-greedy algorithm for cardinality constrained matroid bases **13** (1986) 277–286
368. S.T. Hedetniemi, R. Laskar and J. Pfaff, A linear algorithm for finding a minimum dominating set in a cactus **13** (1986) 287–292
369. T. Andreae, On an extremal problem concerning the interval number of a graph **14** (1986) 1–9
370. R.H. Goetschel, Linear objective functions on certain classes of greedoids **14** (1986) 11–16
371. D.S. Hochbaum and E. Wigderson, The Linzertorte problem, or a unified approach to painting, baking and weaving **14** (1986) 17–32
372. H. Kaneko and M. Fushimi, A polymatroid associated with convex games **14** (1986) 33–45
373. T.F. Lin, A system of linear equations related to the transportation problem with application to probability theory **14** (1986) 47–56
374. A. Paz, A duality property for the set of all feasible solutions to an integer program **14** (1986) 57–66
375. F.J. Radermacher, Schedule-induced posets **14** (1986) 67–91

376. J.M. Steele and W.L. Steiger, Algorithms and complexity for least median of squares regression **14** (1986) 93–100
377. D.-Z. Du, An optimization problem on graphs (*Note*) **14** (1986) 101–104
378. A. De Luca and A. Massarotti, A decision procedure on partially commutative free monoids (*Communication*) **14** (1986) 105–108
379. A. Schrijver, Polyhedral proof methods in combinatorial optimization **14** (1986) 111–133
380. G.A.P. Kindervater and J.K. Lenstra, An introduction to parallelism in combinatorial optimization **14** (1986) 135–156
381. F. Maffioli, Randomized algorithms in combinatorial optimization: A survey **14** (1986) 157–170
382. A.H.G. Rinnooy Kan, An introduction to the analysis of approximation algorithms **14** (1986) 171–185
383. J.B.G. Frenk and A.H.G. Rinnooy Kan, The rate of convergence to optimality of the LPT rule **14** (1986) 187–197
384. T.J. Van Roy and L.A. Wolsey, Valid inequalities for mixed 0–1 programs **14** (1986) 199–213
385. M. Aigner, Search problems on graphs **14** (1986) 215–230
386. R. Chandrasekaran, Recognition of Gilmore–Gomory traveling salesman problem **14** (1986) 231–238
387. C.J. Colbourn, W.L. Kocay and D.R. Stinson, Some NP-complete problems for hypergraph degree sequences **14** (1986) 239–254
388. C. Cordes and K.B. Reid, Largest polygons with vertices in a given finite set **14** (1986) 255–262
389. H. Greenberg, On equivalent knapsack problems **14** (1986) 263–268
390. P. Hansen and B. Simeone, Unimodular functions **14** (1986) 269–281
391. B. Simeone, An asymptotically exact polynomial algorithm for equipartition problems **14** (1986) 283–293
392. M. Tchuente, Computation on binary tree-networks **14** (1986) 295–310
393. F.D. Anger, J. Sarmiento and R.V. Rodríguez, Representative graphs of r-regular partial planes and representation of ortnomodular posets **15** (1986) 1–10
394. D. Babić, A. Graovac, B. Mohar and T. Pisanski, The matching polynomial of a polygraph **15** (1986) 11–24
395. I. Gutman and F. Zhang, On the ordering of graphs with respect to their matching numbers **15** (1986) 25–33
396. N.G. Hall and D.S. Hochbaum, A fast approximation algorithm for the multicovering problem **15** (1986) 35–40
397. H.W. Hamacher, Maximal dynamic polymatroid flows and applications **15** (1986) 41–54
398. T. Harju, J. Karhumäki and H.C.M. Kleijn, On morphic generation of regular languages **15** (1986) 55–60
399. B. Hedman, A polynomial algorithm for constucting the clique graph of a line graph **15** (1986) 61–66
400. W.F. McColl and K. Noshita, On the number of edges in the transitive closure of a graph **15** (1986) 67–73
401. Z. Palka and A. Ruciński, On the order of the largest induced tree in a random graph **15** (1986) 75–83
402. U. Zimmermann, Linear and combinatorial sharing problems **15** (1986) 85–104
403. J. Feigenbaum, Directed cartesian-product graphs have unique factorizations that can be computed in polynomial time (*Note*) **15** (1986) 105–110
404. D. Simovici and C. Reischer, Iterative characterizations of Boolean algebras (*Note*) **15** (1986) 111–116
405. S. Yu, A property of real-time trellis automata (*Note*) **15** (1986) 117–119
406. E. Balas, A fast algorithm for finding an edge-maximal subgraph with a TR-formative coloring **15** (1986) 123–134
407. W.W. Bein and P. Brucker, Greedy concepts for network flow problems **15** (1986) 135–144
408. C. Berge, New classes of perfect graphs **15** (1986) 145–154
409. R.E. Bixby and C.R. Coullard, On chains of 3-connected matroids **15** (1986) 155–166
410. R.E. Burkard, Optimal schedules for periodically recurring events **15** (1986) 167–180
411. P.M. Camerini, F. Maffioli, S. Martello and P. Toth, Most and least uniform spanning trees **15** (1986) 181–197
412. S.-J. Chung, K.G. Murty and S.Y. Chang, On $\mathbf{K}^{\Delta}$ **15** (1986) 199–211
413. M. Cochand and D. de Werra, Generalized neighbourhoods and a class of perfectly orderable graphs **15** (1986) 213–220
414. Y. Crama, P.L. Hammer and T. Ibaraki, Strong unimodularity for matrices and hypergraphs **15** (1986) 221–239

415. U. Derigs, O. Goecke and R. Schrader, Monge sequences and a simple assignment algorithm **15** (1986) 241–248
416. U. Faigle, Exchange properties of combinatorial closure spaces **15** (1986) 249–260
417. U. Faigle and R. Schrader, On the computational complexity of the order polynomial **15** (1986) 261–269
418. L.R. Foulds, Testing the theory of evolution: A novel application of combinatorial optimization **15** (1986) 271–282
419. B. Korte and L. Lovász, Homomorphisms and ramsey properties of antimatroids **15** (1986) 283–290
420. E.L. Lawler and C.U. Martel, Polymatroidal flows with lower bounds **15** (1986) 291–313
421. K. Mehlhorn and B.H. Schmidt, On BF-orderable graphs **15** (1986) 315–327
422. F.T. Tseng and K. Truemper, A decomposition of the matroids with the max-flow min-cut property **15** (1986) 329–364
423. U. Zimmermann, Duality for balanced submodular flows **15** (1986) 365–376
424. M.v. Golitschek, The cost-to-time ratio problem for large or infinite graphs **16** (1987) 1–9
425. F. Harary and U. Peled, Hamiltonian threshold graphs **16** (1987) 11–15
426. K.-J. Lange and E. Welzl, String grammars with disconnecting or a basic root of the difficulty in graph grammar parsing **16** (1987) 17–30
427. C. Maas, Transportation in graphs and the admittance spectrum **16** (1987) 31–49
428. W.R. Pulleyblank, Fractional matchings and the Edmonds–Gallai theorem **16** (1987) 51–58
429. G. Rozenberg and E. Welzl, Combinatorial properties of boundary NLC graph languages **16** (1987) 59–73
430. A. Tietäväinen, On the covering radius of long binary BCH codes (*Note*) **16** (1987) 75–77
431. Y. Crama, Dualization of regular Boolean functions (*Communication*) **16** (1987) 79–85
432. D.C. Llewellyn, Min algebraic duality (*Communication*) **16** (1987) 87–90
433. F. Barahona and W.R. Pulleyblank, Exact arborescences, matchings and cycles **16** (1987) 91–99
434. A.A. Bertossi and M.A. Bonuccelli, Some parallel algorithms on interval graphs **16** (1987) 101–111
435. D.P. Bovet and A. Panconesi, Inclusion relationships among permutation problems **16** (1987) 113–123
436. A.G. Chetwynd and A.J.W. Hilton, The edge-chromatic class of regular graphs of degree 4 and their complements **16** (1987) 125–134
437. M.E. Dyer and J. Walker, An algorithm for a separable integer programming problem with cumulatively bounded variables **16** (1987) 135–149
438. J. Hammer and D.G. Sarvate, Encryption using Hungarian rings **16** (1987) 151–155
439. S. Xie, Notes on de Bruijn sequences **16** (1987) 157–177
440. B. Kalantari and J.B. Rosen, Penalty formulation for zero-one nonlinear programming (*Note*) **16** (1987) 179–182
441. Z. Tuza, On two intersecting set systems and k-continuous Boolean functions (*Note*) **16** (1987) 183–185
442. H.J. Bandelt, A. Dählmann and H. Schütte, Absolute retracts of bipartite graphs **16** (1987) 191–215
443. G. Demange, D. Gale and M. Sotomayor, A further note on the stable matching problem **16** (1987) 217–222
444. P.C. Fishburn, Decomposing weighted digraphs into sums of chains **16** (1987) 223–238
445. T.Y. Kong, D.M. Mount and M. Werman, The decomposition of a square into rectangles of minimal perimeter **16** (1987) 239–243
446. A. Tamir, Totally balanced and totally unimodular matrices defined by center location problems **16** (1987) 245–263
447. H. Tarnanen, Upper bounds for constant weight and Lee codes slightly outside the Plotkin range **16** (1987) 265–277
448. D.S. Clark, Short proof of a discrete Gronwall inequality (*Note*) **16** (1987) 279–281
449. L.E. Trotter and D.B. West, Two easy duality theorems for product partial orders (*Note*) **16** (1987) 283–286
450. S. Fujishige, An out-of-kilter method for submodular flows **17** (1987) 3–16
451. M. Iri, A very personal reminiscence on the problem of computational complexity **17** (1987) 17–27
452. H. Ishii, T. Masuda and T. Nishida, Two machine mixed shop scheduling problem with controllable machine speeds **17** (1987) 29–38
453. N. Katoh and T. Ibaraki, A parametric characterization and an ε-approximation scheme for the minimization of a quasiconcave program **17** (1987) 39–66

454. T. Masuzawa, K. Hagihara and N. Tokura, An optimal time algorithm for the k-vertex-connectivity unweighted augmentation problem for rooted directed trees **17** (1987) 67–105
455. K. Murota, Menger-decomposition of a graph and its application to the structural analysis of a large-scale system of equations **17** (1987) 107–134
456. K. Murota, Homotopy base of acyclic graphs – A combinatorial analysis of commutative diagrams by means of preordered matroid **17** (1987) 135–155
457. K. Murota and S. Fujishige, Finding a homotopy base for directed paths in an acyclic graph **17** (1987) 157–162
458. T. Ozawa, The principal partition of a pair of graphs and its applications **17** (1987) 163–186
459. Y. Sekiguchi, A decomposition theory based on a dominance relation and composite jobs **17** (1987) 187–211
460. A. Ainouche and N. Christofides, Semi-independence number of a graph and the existence of hamiltonian circuits **17** (1987) 213–221
461. R.G. Jeroslow, Representability in mixed integer programming, I: Characterization results **17** (1987) 223–243
462. M. Kano, Ranking the vertices of an r-partite paired comparison digraph **17** (1987) 245–253
463. P.M. Pardalos and J.B. Rosen, Bounds for the solution set of linear complementarity problems **17** (1987) 255–261
464. J. Plesník, A heuristic for the p-center problem in graphs **17** (1987) 263–268
465. D.D. Scott, The competition-common enemy graph of a digraph **17** (1987) 269–280
466. P. Winter, Steiner problem in Halin networks **17** (1987) 281–294
467. J. Franco, J.M. Plotkin and J.W. Rosenthal, Correction to probabilistic analysis of the Davis Putnam Procedure for solving the satisfiability problem (*Note*) **17** (1987) 295–299
468. P. Frankl, Cops and robbers in graphs with large girth and Cayley graphs (*Note*) **17** (1987) 301–305
469. M. Maamoun and H. Meyniel, On a game of policemen and robber (*Note*) **17** (1987) 307–309
470. E.M. Arkin and E.B. Silverberg, Scheduling jobs with fixed start and end times **18** (1987) 1–8
471. J. Blieberger, Monotonically labelled Motzkin trees **18** (1987) 9–24
472. W. Cook, C.R. Coullard and Gy. Turán, On the complexity of cutting-plane proofs **18** (1987) 25–38
473. E. Goles Ch. and S. Martínez A., Properties of positive functions and the dynamics of associated automata networks **18** (1987) 39–46
474. T.A. McKee, Multiterminal duality and three-terminal series-parallelness **18** (1987) 47–53
475. V.J. Rayward-Smith, UET scheduling with unit interprocessor communication delays **18** (1987) 55–71
476. K. Uchimura, Divisor generating functions and insertion into a heap **18** (1987) 73–81
477. Ph. Borie, Reseaux et polynomes de denombrement (*Communication*) **18** (1987) 83–86
478. S.W. Bent and U. Manber, On non-intersecting eulerian circuits (*Note*) **18** (1987) 87–94
479. I. Honkala, H. Hämäläinen and M. Kaikkonen, Some lower bounds for constant weight codes (*Note*) **18** (1987) 95–98
480. J.M. Steelle, On Frieze's $\zeta(3)$ limit for lengths of minimal spanning trees (*Note*) **18** (1987) 99–103
481. P. Barcia, Constructive dual methods for discrete programming **18** (1987) 107–117
482. R.E. Campello and N.F. Maculan, Lagrangean relaxation for a lower bound to a set partitioning problem with side constraints: Properties and algorithms **18** (1987) 119–136
483. G. Carpaneto and P. Toth, Primal-dual algorithms for the assignment problem **18** (1987) 137–153
484. C.R. Chegireddy and H.W. Hamacher, Algorithms for finding K-best perfect matchings **18** (1987) 155–165
485. S. Holm, Adding activities to the dual instead of cuts to the primal problem **18** (1987) 167–174
486. A. Kusiak and G. Finke, Hierarchical approach to the process planning problem **18** (1987) 175–184
487. G. Laporte and H. Mercure, Generalized Travelling Salesman Problem through n sets of nodes: The asymmetrical case **18** (1987) 185–197
488. H.P.L. Luna, N. Ziviani and R.H.B. Cabral, The telephonic switching centre network problem: Formalization and computational experience **18** (1987) 199–210
489. C. Roucairol, A parallel branch and bound algorithm for the quadratic assignment problem **18** (1987) 211–225
490. J.L. Szwarcfiter, Job shop scheduling with unit time operations under resource constraints and release dates **18** (1987) 227–233
491. H.H. Yanasse and N.Y. Soma, A new enumeration scheme for the knapsack problem **18** (1987) 235–245

492. L. Borzacchini, Graphical partially ordered sets **18** (1987) 247–262
493. A.V. Karzanov, Half-integral five-terminus flows **18** (1987) 263–278
494. J. Spinrad, A. Brandstädt and L. Stewart, Bipartite permutation graphs **18** (1987) 279–292
495. Z. Tuza, On the context-free production complexity of finite languages **18** (1987) 293–304
496. Q. Ning, On a conjecture of Foulds and Robinson about deltahedra (*Note*) **18** (1987) 305–308
497. G. Larcher and R.F. Tichy, A note on Gray code and odd-even merge (*Communication*) **18** (1987) 309–313
498. I. Mezník, On some structural properties of a subclass of ∞-regular languages (*Communication*) **18** (1987) 315–319
499. A.T. Balaban and I. Tomescu, Alternating 6-cycles in perfect matchings of graphs representing condensed benzenoid hydrocarbons **19** (1988) 5–16
500. S.C. Basak, V.R. Magnuson, G.J. Niemi and R.R. Regal, Determining structural similarity of chemicals using graph-theoretic indices **19** (1988) 17–44
501. J.D. Benstock, D.J. Berndt and K.K. Agarwal, Graph embedding in SYNCHEM2, an expert system for organic synthesis discovery **19** (1988) 45–63
502. S.H. Bertz, Branching in graphs and molecules **19** (1988) 65–83
503. F.M. Bhatti and J.W. Essam, Low density series expansions for backbone properties of percolation clusters **19** (1988) 85–112
504. J.E. Cohen, Threshold phenomena in random structures **19** (1988) 113–128
505. A.W.M. Dress and T.F. Havel, Shortest-path problems and molecular conformation **19** (1988) 129–144
506. S. El-Basil, Binomial-combinatorial properties of clar structures **19** (1988) 145–156
507. E. Flapan, Symmetries of knotted hypothetical molecular graphs **19** (1988) 157–166
508. H. Galina and M.M. Sysło, Some applications of graph theory to the study of polymer configuration **19** (1988) 167–176
509. R. Gross, M.L. Yarmush, J.W. Kennedy and L.V. Quintas, Antigenesis: A cascade-theoretical analysis of the size distributions of antigen–antibody complexes **19** (1988) 177–194
510. I. Gutman, A. Graovac and O.E. Polansky, Spectral properties of some structurally related graphs **19** (1988) 195–203
511. F. Harary and P.G. Mezey, Embedding and characterization of quantum chemical reaction graphs on two-dimensional orientable surfaces **19** (1988) 205–214
512. E.C. Hass and P.J. Plath, The principle of valency conservation. I. The skeleton influence on pericyclic reactions **19** (1988) 215–237
513. H. Hosoya, On some counting polynomials in chemistry **19** (1988) 239–257
514. A.D. Jovanovic, Combinatorial characterization of hexagonal systems **19** (1988) 259–270
515. W. Klonowski, Random hypergraphs and topological gelation criterion for crosslinked polymer systems **19** (1988) 271–288
516. E.K. Lloyd, Redfield's papers and their relevance to counting isomers and isomerizations **19** (1988) 289–304
517. L. Peusner, Space-time 'bonds', electromagnetism and graphs **19** (1988) 305–315
518. D.H. Rouvray, The challenge of characterizing branching in molecular species **19** (1988) 317–338
519. W.A. Seitz, D.J. Klein and G.E. Hite, Interacting dimers on a Sierpinski gasket **19** (1988) 339–348
520. Z. Slanina, Chemical graphs enumeration and chemical reactivity: Thermodynamic and kinetic considerations **19** (1988) 349–365
521. H.N.V. Temperley, New results on the enumeration of non-intersecting random walks **19** (1988) 367–379
522. R. Thomas and J. Richelle, Positive feedback loops and multistationarity **19** (1988) 381–396
523. T.P. Živković, Graphical representation of regular resonance structures and their linear dependence **19** (1988) 397–414
524. D. Bienstock, Broadcasting with random faults **20** (1988) 1–7
525. T. Bone, C. Jeffries and V. Klee, A qualitative analysis of $\dot{x} = Ax + b$ **20** (1988) 9–30
526. C.J. Colbourn, D. Jungnickel and A. Rosa, The strong chromatic number of partial triple systems **20** (1988) 31–38
527. O. Goecke, A greedy algorithm for hereditary set systems and a generalization of the Rado–Edmonds characterization of matroids **20** (1988) 39–49
528. H.D. Sherali and D.C. Myers, Dual formulations and subgradient optimization strategies for linear programming relaxations of mixed-integer programs **20** (1988) 51–68

529. K. Williamson Hoke, Completely unimodal numberings of a simple polytope **20** (1988) 69–81
530. G. Chaty, On signed digraphs with all cycles negative (*Note*) **20** (1988) 83–85
531. P. Brucker and W. Meyer, Scheduling two irregular polygons **20** (1988) 91–100
532. M. Chrobak and S. Poljak, On common edges in optimal solutions to traveling salesman and other optimization problems **20** (1988) 101–111
533. R.D. Dutton and R.C. Brigham, An extremal problem for edge domination insensitive graphs **20** (1988) 113–125
534. L. Pan, On the security of p-party protocols **20** (1988) 127–144
535. J.D. Parker, The period of the Fibonacci random number generator **20** (1988) 145–164
536. M. Tchuente, Cycles generated by sequential iterations **20** (1988) 165–172
537. Z. Galil and B. Schieber, On finding most uniform spanning trees (*Note*) **20** (1988) 173–175
538. K.G. Murty, A correction to a result in linear programming (*Note*) **20** (1988) 177–180
539. P.M. Dearing, D.R. Shier and D.D. Warner, Maximal chordal subgraphs **20** (1988) 181–190
540. A. Ehrenfeucht and D. Haussler, A new distance metric on strings computable in linear time **20** (1988) 191–203
541. S. Holm and J. Tind, A unified approach for price directive decomposition procedures in integer programming **20** (1988) 205–219
542. Y. Kobayashi, Enumeration of irreducible binary words **20** (1988) 221–232
543. C.-Y. Lee and J.D. Massey, Multiprocessor scheduling: Combining LPT and multifit **20** (1988) 233–242
544. H.M. Mahmoud and B. Pittel, On the joint distribution of the insertion path length and the number of comparisons in search trees **20** (1988) 243–251
545. F. Zhang and M. Zhou, Matching polynomials of two classes of graphs **20** (1988) 253–260
546. J. Vyskoč, Partial information in public key cryptography (*Note*) **20** (1988) 261–263
547. S. Yu, Can the catenation of two weakly sparse languages be dense? (*Note*) **20** (1988) 265–267
548. L. Caccetta and L.M. Giannini, An application of discrete mathematics in the design of an open pit mine **21** (1988) 1–19
549. M. Cosnard, E. Goles Chacc and D. Moumida, Bifurcation structure of a discrete neuronal equation **21** (1988) 21–34
550. İ. Dagan, M.C. Golumbic and R.Y. Pinter, Trapezoid graphs and their coloring **21** (1988) 35–46
551. D. de Werra, Some models of graphs for scheduling sports competitions **21** (1988) 47–65
552. C. Ronse, Minimal test patterns for connectivity preservation in parallel thinning algorithms for binary digital images **21** (1988) 67–79
553. S. Xie, The complexity of a periodic sequence over GF(p) **21** (1988) 81–86
554. J.-P. Doignon and J.-C. Falmagne, Parametrization of knowledge structures **21** (1988) 87–100
555. P. Hell and A.L. Liestman, Broadcasting in one dimension **21** (1988) 101–111
556. N.V.R. Mahadev and U.N. Peled, Strict 2-threshold graphs **21** (1988) 113–131
557. D. Naddef and C. Santos, One-pass batching algorithms for the one-machine problem **21** (1988) 133–145
558. J.Y. Shao and Q. Li, On the index of maximum density for irreducible Boolean matrices **21** (1988) 147–156
559. N. Zaguia, Minimizing bumps for posets of width two **21** (1988) 157–162
560. J. Csirik and V. Totik, Online algorithms for a dual version of bin packing (*Note*) **21** (1988) 163–167
561. H. Greenberg, A new reduction method in integer programming (*Note*) **21** (1988) 169–172
562. M.J. Atallah, G.K. Manacher and J. Urrutia, Finding a minimum independent dominating set in a permutation graph **21** (1988) 177–183
563. T.B. Brecht and C.I. Colbourn, Lower bounds on two-terminal network reliability **21** (1988) 185–198
564. W. Bucher, A note on regular classes in special Thue systems **21** (1988) 199–205
565. D.A. Klarner, m-Recognizability of sets closed under certain affine functions **21** (1988) 207–214
566. C.J. Mitchell and F.C. Piper, Key storage in secure networks **21** (1988) 215–228
567. F.D. Murgolo, Anomalous behavior in bin packing algorithms **21** (1988) 229–243
568. M. Saks and R. Statman, An intersection problem for finite automata **21** (1988) 245–255
569. J. Gimbel, End vertices in interval graphs (*Note*) **21** (1988) 257–259
570. J. Honkala, A defect property of codes with unbounded delays (*Note*) **21** (1988) 261–264
571. J. Kari, A cryptanalytic observation concerning systems based on language theory (*Note*) **21** (1988) 265–268
572. T. Andreae, On the unit interval number of a graph **22** (1988/89) 1–7

573. D.C. Blest and D.G. Fitzgerald, Scheduling sports competitions with a given distribution of times **22** (1988/89) 9–19
574. G.J. Chang, Labeling algorithms for domination problems in sun-free chordal graphs **22** (1988/89) 21–34
575. J. Franco and Y.C. Ho, Probabilistic performance of a heuristic for the satisfiability problem **22** (1988/89) 35–51
576. T. Kayano and M. Yamasaki, Discrete Dirichlet integral formula **22** (1988/89) 53–68
577. F.S. Roberts and Z. Rosenbaum, Tight and loose value automorphisms **22** (1988/89) 69–79
578. A. Kelemenová, Regeneration in IL systems (*Note*) **22** (1988/89) 81–86
579. A. Lubiw, A note on odd/even cycles (*Note*) **22** (1988/89) 87–92
580. M. Skowrońska, The binding number of Halin graphs (*Note*) **22** (1988/89) 93–97
581. D.S. Clark and J.T. Lewis, Avoiding-sequences with minimum sum **22** (1988/89) 103–108
582. D.G. Corneil and J. Fonlupt, The complexity of generalized clique covering **22** (1988/89) 109–118
583. P.C. Fishburn and W.V. Gehrlein, Pick-and-choose heuristics for partial set covering **22** (1988/89) 119–132
584. R. Holzman, To vote or not to vote: What is the quota? **22** (1988/89) 133–141
585. N.G. Kinnersley and M.A. Langston, Online variable-sized bin packing **22** (1988/89) 143–148
586. R.C. Mullin, I.M. Onyszchuk, S.A. Vanstone and R.M. Wilson, Optimal normal bases in GF(p^n) **22** (1988/89) 149–161
587. Y. Raz, Interactive L systems with a fast local growth **22** (1988/89) 163–179
588. M. Segal and D.M. Topkis, Acyclic k-connected subgraphs for distributed alternate routing in communications networks **22** (1988/89) 181–189
589. F. Tardella, On a class of functions attaining their maximum at the vertices of a polyhedron (*Communication*) **22** (1988/89) 191–195
590. J.C. Bermond, J.M. Fourneau and A. Jean-Marie, A graph theoretical approach to equivalence of multistage interconnection networks **22** (1988/89) 201–214
591. T.J. Marlowe and M.C. Paull, Least-cost partition algorithms **22** (1988/89) 215–239
592. K. Murota, Combinatorial dynamical system theory: General framework and controllability criteria **22** (1988/89) 241–265
593. I. Stojmenović, On Sheffer symmetric functions in three-valued logic **22** (1988/89) 267–274
594. G. Tinhofer, Strong tree-cographs are Birkhoff graphs **22** (1988/89) 275–288
595. A. Iványi, Construction of infinite de Bruijn arrays (*Communication*) **22** (1988/89) 289–293
596. T. Andreae, A ternary search problem on graphs **23** (1989) 1–10
597. S. Arnborg and A. Proskurowski, Linear time algorithms for NP-hard problems restricted to partial k-trees **23** (1989) 11–24
598. L. Aupperle and J.M. Keil, Polynomial algorithms for restricted Euclidean p-centre problems **23** (1989) 25–31
599. W. Bucher, On the generation of powers by OS schemes **23** (1989) 33–43
600. P. Butkovič and J. Plávka, On the dependence of the maximum cycle mean of a matrix on permutations of the rows and columns **23** (1989) 45–53
601. R.M. Capocelli and U. Vaccaro, Structure of decoders for multivalued encodings **23** (1989) 55–71
602. S. Zdrzałka and J. Grabowski, An algorithm for single machine sequencing with release dates to minimize maximum cost **23** (1989) 73–89
603. J.-M. Champarnaud and J.-E. Pin, A maxmin problem on finite automata (*Note*) **23** (1989) 91–96
604. M.C. Heydemann, J.C. Meyer and D. Sotteau, On forwarding indices of networks **23** (1989) 103–123
605. R.G. Jeroslow, Representability of functions **23** (1989) 125–137
606. R. Labahn, Extremal broadcasting problems **23** (1989) 139–155
607. D.C. Llewellyn, C. Tovey and M. Trick, Local optimization on graphs **23** (1989) 157–178
608. M. Miyakawa and I. Stojmenović, Classification of P_{k2} **23** (1989) 179–192
609. G. Zemor, On positive and negative atoms of Cayley digraphs (*Note*) **23** (1989) 193–195
610. E. Balas and M.J. Saltzman, Facets of the three-index assignment polytope **23** (1989) 201–229
611. C. Cable, K.F. Jones, J.R. Lundgren and S. Seager, Niche graphs **23** (1989) 231–241
612. F. Makedon and I.H. Sudborough, On minimizing width in linear layouts **23** (1989) 243–265
613. R. Shull, J.B. Orlin, A. Shuchat and M.L. Gardner, The structure of bases in bicircular matroids **23** (1989) 267–283

614. M.R. Emamy-K., The worst case behavior of a greedy algorithm for a class of pseudo-Boolean functions (*Note*) **23** (1989) 285–287
615. H. Krawczyk and A. Paz, The diophantine problem of Frobenius: A close bound (*Note*) **23** (1989) 289–291
616. D. Arquès, Combinatoire des mots et étude quantitative de la sérialisabilité: Application à la concurrence d'accès à une base de données **24** (1989) 3–23
617. C. Berge, A new color change to improve the coloring of a graph **24** (1989) 25–28
618. F. Bergeron, Algorithms for sequential generation of combinatorial structures **24** (1989) 29–35
619. A. Blumer, A. Ehrenfeucht and D. Haussler, Average sizes of suffix trees and DAWGs **24** (1989) 37–45
620. A. Blumer and N. Littlestone, Learning faster than promised by the Vapnik–Chervonenkis dimension **24** (1989) 47–53
621. A. Bouchet, Matchings and Δ-matroids **24** (1989) 55–62
622. J.-M. Bourjolly and W.R. Pulleyblank, König–Egerváry graphs, 2-bicritical graphs and fractional matchings **24** (1989) 63–82
623. S. Brlek, Enumeration of factors in the Thue–Morse word **24** (1989) 83–96
624. K. Cameron, Induced matchings **24** (1989) 97–102
625. G. Cohen and G. Simonyi, Coding for write-unidirectional memories and conflict resolution **24** (1989) 103–114
626. H. Fleischner, Elementary proofs of (relatively) recent characterizations of Eulerian graphs **24** (1989) 115–119
627. I. Guessarian, Fixpoint strategies for deductive databases **24** (1989) 121–131
628. L. Haddad and I.G. Rosenberg, Maximal partial clones determined by the areflexive relations **24** (1989) 133–143
629. M. Hall, Codes and matrices in studies on designs **24** (1989) 145–152
630. Y.O. Hamidoune, Factorisations courtes dans un groupe fini **24** (1989) 153–165
631. S. Hazan, TC operations and Latin bricks **24** (1989) 167–177
632. N. Homobono and C. Peyrat, Fault-tolerant routings in Kautz and de Bruijn networks **24** (1989) 179–186
633. M. Ito, H. Jürgensen, H.J. Shyr and G. Thierrin, Anti-commutative languages and n-codes **24** (1989) 187–196
634. J.-C. Konig, Extensions de réseaux de connexité donnée **24** (1989) 197–211
635. J. Labelle and Y.-N. Yen, Dyck paths of knight moves **24** (1989) 213–221
636. N. Saheb, Concurrency measure in commutation monoids **24** (1989) 223–236
637. R.E. Simion, Finite automata for languages of combinatorial interest: An order theoretical point of view **24** (1989) 237–246
638. D.A. Simovici and C. Reischer, An algebraic point of view of the data sructures of database systems **24** (1989) 247–260
639. R.A. Brualdi and V.S. Pless, Polyadic codes **25** (1989) 3–17
640. J. Chen, A new complete language for DSPACE($\log n$) **25** (1989) 19–26
641. K.L. Collins, On a conjecture of Graham and Lovász about distance matrices **25** (1989) 27–35
642. P. Erdős and A. Hajnal, Ramsey-type theorems **25** (1989) 37–52
643. A.S. Fraenkel and M. Lorberbom, Epidemiography with various growth functions **25** (1989) 53–71
644. S. Friedland, Coherent algebras and the graph isomorphism problem **25** (1989) 73–98
645. W.M. Kantor, Some Cayley graphs for simple groups **25** (1989) 99–104
646. L.H. Kauffman, A Tutte polynomial for signed graphs **25** (1989) 105–127
647. P. Kirschenhofer, H. Prodinger and W. Szpankowski, On the variance of the external path length in a symmetric digital trie **25** (1989) 129–143
648. M.G. Main, Detecting leftmost maximal periodicities **25** (1989) 145–153
649. X. Shen, C.L. Liu, Y.Z. Cai and C.P. Kruskal, Generalized Latin squares I **25** (1989) 155–178
650. V.V. Vazirani and M. Yannakakis, Pfaffian orientations, 0–1 permanents, and even cycles in directed graphs **25** (1989) 179–190
651. D.W. Ash, I.F. Blake and S.A. Vanstone, Low complexity normal bases **25** (1989) 191–210
652. S.Y. Chang and K.G. Murty, The steepest descent gravitational method for linear programming **25** (1989) 211–239
653. N. Dershowitz and S. Zaks, Patterns in trees **25** (1989) 241–255
654. Y. Perl, Better understanding of Batcher's merging networks **25** (1989) 257–271

655. N. Pippenger, Knots in random walks **25** (1989) 273–278
656. M. Rosenfeld, On spanning subgraphs of 4-connected planar graphs **25** (1989) 279–287
657. E.R. Scheinerman and J.C. Wierman, Optimal and near-optimal broadcast in random graphs **25** (1989) 289–297
658. A. Vince, Scheduling periodic events **25** (1989) 299–310
659. P. Hämäläinen, The absolute center of a unicyclic network (*Note*) **25** (1989) 311–315
660. S.S. Ravi, On the orderability problem for PLA folding (*Note*) **25** (1989) 317–320
661. W.-K. Shih and W.-L. Hsu, An $O(n^{1.5})$ algorithm to color proper circular arcs (*Note*) **25** (1989) 321–323
662. J. Bang-Jensen and P. Hell, The effect of two cycles on the complexity of colourings by directed graphs **26** (1990) 1–23
663. F.E. Bennett and L. Wu, On minimum matrix representation of closure operations **26** (1990) 25–40
664. D. de Werra, L. Jacot-Descombes and P. Masson, A constrained sports scheduling problem **26** (1990) 41–49
665. O. Dubois, On the r, s-SAT satisfiability problem and a conjecture of Tovey **26** (1990) 51–60
666. M. Fischetti, A new linear storage, polynomial-time approximation scheme for the subset-sum problem **26** (1990) 61–77
667. F.H. Hao, The optimal procedures for quantitative group testing **26** (1990) 79–86
668. S.N. Kabadi and R. Chandrasekaran, On totally dual integral systems **26** (1990) 87–104
669. C.-L. Li, S.T. McCormick and D. Simchi-Levi, The complexity of finding two disjoint paths with min-max objective function **26** (1990) 105–115
670. A. Kelemenová, Size of context in regenerative il systems (*Note*) **26** (1990) 117–119
671. J.W. Kennedy, K.A. McKeon, E.M. Palmer and R.W. Robinson, Asymptotic number of symmetries in locally restricted trees (*Note*) **26** (1990) 121–124
672. R.G. Jeroslow, Two mixed integer programming formulations arising in manufacturing management **26** (1990) 137–157
673. M.E. Dyer and A.M. Frieze, On an optimization problem with nested constraints **26** (1990) 159–173
674. R. Aboudi and K. Jørnsten, Resource constrained assignment problems **26** (1990) 175–191
675. G. Laporte and S. Martello, The selective travelling salesman problem **26** (1990) 193–207
676. T.H.C. Smith, T.W.S. Meyer and G.L. Thompson, Lower bounds for the symmetric travelling salesman problem from Lagrangean relaxations **26** (1990) 209–217
677. W.L. Price and F.W. Woodhams, Combinatorial optimisation algorithms for a CAD workstation **26** (1990) 219–233
678. T.S. Abdul-Razaq, C.N. Potts and L.N. Van Wassenhove, A survey of algorithms for the single machine total weighted tardiness scheduling problem **26** (1990) 235–253
679. M.E. Dyer and L.A. Wolsey, Formulating the single machine sequencing problem with release dates as a mixed integer program **26** (1990) 255–270
680. E. Nowicki and S. Zdrzałka, A survey of results for sequencing problems with controllable processing times **26** (1990) 271–287
681. J. Rifà and L. Huguet, Classification of a class of distance-regular graphs via completely regular codes **26** (1990) 289–300
682. A. Aggarwal and M. Klawe, Applications of generalized matrix searching to geometric algorithms **27** (1990) 3–23
683. N. Alon, Y. Azar and Y. Ravid, Universal sequences for complete graphs **27** (1990) 25–28
684. R.P. Anstee, Simplified existence theorems for (g, f)-factors **27** (1990) 29–38
685. D. Avis and M. Doskas, Algorithms for high dimensional stabbing problems **27** (1990) 39–48
686. Y. Azar and N. Pippenger, Parallel selection **27** (1990) 49–58
687. F. Cheah and D.G. Corneil, The complexity of regular subgraph recognition **27** (1990) 59–68
688. N. Dadoun and D.G. Kirkpatrick, Parallel algorithms for fractional and maximal independent sets in planar graphs **27** (1990) 69–83
689. P.L. Hammer and F. Maffray, Completely separable graphs **27** (1990) 85–99
690. J.J. Harms and C.J. Colbourn, Probabilistic single processor scheduling **27** (1990) 101–112
691. D.W. Matula and F. Shahrokhi, Sparsest cuts and bottlenecks in graphs **27** (1990) 113–123
692. H. Nagamochi and T. Ibaraki, Multicommodity flows in certain planar directed networks **27** (1990) 125–145

693. R. Nowakowski, I. Rival and J. Urrutia, Representing orders on the plane by translating points and lines **27** (1990) 147–156
694. H. Suzuki, A. Ishiguro and T. Nishizeki, Edge-disjoint paths in a grid bounded by two nested rectangles **27** (1990) 157–178
695. P. Winkler, Mean distance in a tree **27** (1990) 179–185
696. A.J. Bromfield and F.C. Piper, Linear recursion properties of uncorrelated binary sequences **27** (1990) 187–193
697. G.A. Cheston, G. Fricke, S.T. Hedetniemi and D.P. Jacobs, On the computational complexity of upper fractional domination **27** (1990) 195–207
698. P.C. Fishburn, F.S. Roberts and H.M. Marcus-Roberts, Van Lier sequences **27** (1990) 209–220
699. K. Murota, Principal structure of layered mixed matrices **27** (1990) 221–234
700. A. Prékopa, The discrete moment problem and linear programming **27** (1990) 235–254
701. T. Soneoka, H. Nakada and M. Imase, Design of a d-connected digraph with a minimum number of edges and a quasiminimal diameter **27** (1990) 255–265
702. C. Williams and D. Richards, Efficient algorithms for path partitions **27** (1990) 267–276
703. M. Chaimovich, Subset-sum problems with different summands: Computation (*Note*) **27** (1990) 277–282
704. W.H. Cunningham, Computing the binding number of a graph (*Note*) **27** (1990) 283–285
705. J. Rayan, Fractional total colouring (*Communication*) **27** (1990) 287–292
706. A. von Arnim, U. Faigle and R. Schrader, The permutahedron of series-parallel posets **28** (1990) 3–9
707. J. Błażewicz, M. Drozdowski, G. Schmidt and D. de Werra, Scheduling independent two processor tasks on a uniform duo-processor system **28** (1990) 11–20
708. R.E. Burkard and E.-Y. Yao, Constrained partitioning problems **28** (1990) 21–34
709. P.L. Hammer, U.N. Peled and X. Sun, Difference graphs **28** (1990) 35–44
710. D.S. Hochbaum and R. Shamir, Minimizing the number of tardy job units under release time constraints **28** (1990) 45–57
711. S. Martello and P. Toth, Lower bounds and reduction procedures for the bin packing problem **28** (1990) 59–70
712. F. Yang and D.-Z. Du, The complexity of determinacy problem on group testing **28** (1990) 71–81
713. F. Aurenhammer, A relationship between Gale transforms and Voronoi diagrams **28** (1990) 83–91
714. R.S. Chang and R.C.T. Lee, On the continuous working problem **28** (1990) 93–109
715. P. Eades and N.C. Wormald, Fixed edge-length graph drawing in NP-hard **28** (1990) 111–134
716. M.A. Langston and M.P. Morford, Resource allocation under limited sharing **28** (1990) 135–147
717. C.T. Ryan and K.M. Ryan, The minimum weight of the Grassmann codes $C(k, n)$ **28** (1990) 149–156
718. Z. Yang, On optimal strategies for a betting game **28** (1990) 157–169
719. Z. Füredi, Perfect error-correcting databases (*Note*) **28** (1990) 171–176
720. Z. Wang, The solution of a nonlinear partial difference equation (*Note*) **28** (1990) 177–181
721. T. Watanabe and A. Nakamura, A smallest augmentation to 3-connect a graph (*Communication*) **28** (1990) 183–186
722. D. Bauer, S.L. Hakimi and E. Schmeichel, Recognizing tough graphs is NP-hard **28** (1990) 191–195
723. E.A. Boyd and U. Faigle, An algorithmic characterization of antimatroids **28** (1990) 197–205
724. J. Lee, Canonical equation sets for classes of concordant polytopes **28** (1990) 207–221
725. J.W. Mamer and K.E. Schilling, On the growth of random knapsacks **28** (1990) 223–230
726. M. Miyakawa, I.G. Rosenberg and I. Stojmenović, Classification of three-valued logical functions preserving 0 **28** (1990) 231–249
727. J. Ryan, The structure of an integral monoid and integer programming feasibility **28** (1990) 251–263
728. S.M. Seager, The double competition number of some triangle-free graphs **28** (1990) 265–269
729. M.J. Weinberger and A. Lempel, Factorization of symmetric circulant matrices in finite fields **28** (1990) 271–285
730. H. Wittenberg, Local medians in chordal graphs **28** (1990) 287–296
731. A. Idzik, Communication in m-connected graphs (*Note*) **28** (1990) 297–301
732. M. Naor, Succinct representation of general unlabeled graphs (*Note*) **28** (1990) 303–307
733. G.E. Séguin, Low complexity normal bases for $F_{2^{mn}}$ (*Communication*) **28** (1990) 308–312
734. P. Beame, Lower bounds for recognizing small cliques on CRCW PRAM's **29** (1990) 3–20
735. A.K. Chandra and M. Tompa, The complexity of short two-person games **29** (1990) 21–33

736. P.B. Gibbons, R.M. Karp, G.L. Miller and D. Soroker, Subtree isomorphism is in random NC **29** (1990) 35–62
737. V. Grolmusz and P. Ragde, Incomparability in parallel computation **29** (1990) 63–78
738. D.G. Kirkpatrick and T. Przytycka, Parallel recognition of complement reducible graphs and cotree construction **29** (1990) 79–96
739. B. Schieber and U. Vishkin, Finding all nearest neighbors for convex polygons in parallel: A new lower bound technique and a matching algorithm **29** (1990) 97–111
740. D. Soroker, Optimal parallel construction of prescribed tournaments **29** (1990) 113–125
741. W.E. Adams, A. Billionnet and A. Sutter, Unconstrained 0–1 optimization and Lagrangean relaxation **29** (1990) 131–142
742. M.A. Berger, A. Felzenbaum and A.S. Fraenkel, Irreducible disjoint covering systems (with an application to Boolean algebra) **29** (1990) 143–164
743. V. Chvátal and C. Ebenegger, A note on line digraphs and the directed max-cut problem **29** (1990) 165–170
744. Y. Crama, P. Hansen and B. Jaumard, The basic algorithm for pseudo-Boolean programming revisited **29** (1990) 171–185
745. P. Hansen, S.-H. Lu and B. Simeone, On the equivalence of paved-duality and standard linearization in nonlinear 0–1 optimization **29** (1990) 187–193
746. M. Minoux and K. Barkaoui, Deadlocks and traps in Petri nets as horn-satisfiability solutions and some related polynomially solvable problems **29** (1990) 195–210
747. U.N. Peled and M.K. Srinivasan, Vicinal orders of trees **29** (1990) 211–219
748. F.S. Roberts, Meaningfulness of conclusions from combinatorial optimization **29** (1990) 221–241
749. B. Simeone, D. de Werra and M. Cochand, Recognition of a class of unimodular functions **29** (1990) 243–250
750. L.A. Wolsey, Valid inequalities for 0–1 knapsacks and mips with generalised upper bound constraints **29** (1990) 251–261
751. J. Bovet, C. Constantin and D. de Werra, A convoy scheduling problem **30** (1991) 1–14
752. L. Cai and J.A. Ellis, NP-completeness of edge-colouring some restricted graphs **30** (1991) 15–27
753. R. Hassin and N. Megiddo, Approximation algorithms for hitting objects with straight lines **30** (1991) 29–42
754. A.V. Iyer, H.D. Ratliff and G. Vijayan, On an edge ranking problem of trees and graphs **30** (1991) 43–52
755. C.-Y. Lee, Parallel machines scheduling with nonsimultaneous machine available time **30** (1991) 53–61
756. F. Zhang and R. Chen, When each hexagon of a hexagonal system covers it **30** (1991) 63–75
757. Z. Ésik, A note on isomorphic simulation of automata by networks of two-state automata (*Note*) **30** (1991) 77–82
758. F.K. Hwang and S. Papastavridis, Binary vectors with exactly k nonoverlapping m-tuples of consecutive ones (*Note*) **30** (1991) 83–86
759. Y. Yamasaki, A difficulty in particular Shannon-like games (*Note*) **30** (1991) 87–90
760. S. Bowser and C.A. Cable, Some recent results on niche graphs **30** (1991) 101–108
761. P. Chretienne, The basic cyclic scheduling problem with deadlines **30** (1991) 109–123
762. M.B. Cozzens and M.D. Halsey, The relationship between the thresh-old dimension of split graphs and various dimensional parameters **30** (1991) 125–135
763. D. de Werra and F.S. Roberts, On the use of augmenting chains in chain packings **30** (1991) 137–149
764. P. Erdős and J. Spencer, Lopsided Lovász Local Lemma and Latin transversals **30** (1991) 151–154
765. A.S. Fraenkel and E.R. Scheinerman, A deletion game on hypergraphs **30** (1991) 155–162
766. P.L. Hammer, F. Maffray and M. Queyranne, Cut-threshold graphs **30** (1991) 163–179
767. P. Hansen, M. Labbé and B. Nicolas, The continuous center set of a network **30** (1991) 181–195
768. M. Libura, Sensitivity analysis for minimum Hamiltonian path and traveling salesman problems **30** (1991) 197–211
769. T. Łuczak, Holes in random graphs **30** (1991) 213–219
770. C. McDiarmid and Z. Miller, Lattice bandwidth of random graphs **30** (1991) 221–227
771. B.L. Piazza and R.D. Ringeisen, Connectivity of generalized prisms over G **30** (1991) 229–233
772. J. Spencer, Threshold spectra via the Ehrenfeucht game **30** (1991) 235–252
773. G. Tinhofer, A note on compact graphs **30** (1991) 253–264

774. D. Wagner and F. Wagner, A generalization of the zero-one principle for sorting algorithms **30** (1991) 265–273
775. J.G. Penaud, Matrice de ramification des arbres binaires **31** (1991) 1–21
776. K.B. Reid, The relationship between two algorithms for decisions via sophisticated majority voting with an agenda **31** (1991) 23–28
777. A.A. Schäffer, Recognizing brittle graphs: remarks on a paper of Hoàng and Khouzam **31** (1991) 29–35
778. P.M. Soardi and W. Woess, Uniqueness of currents in infinite resistive networks **31** (1991) 37–49
779. C. Wang and A.C. Williams, The threshold order of a Boolean function **31** (1991) 51–69
780. S.R. Arikati and C.P. Rangan, An efficient algorithm for finding a two-pair, and its applications (*Note*) **31** (1991) 71–74
781. S.S. Abhyankar, S. Chandrasekar and V. Chandru, Intersection of algebraic space curves **31** (1991) 81–96
782. P.K. Agarwal, A. Aggarwal, B. Aronov, S.R. Kosaraju, B. Schieber and S. Suri, Computing external farthest neighbors for a simple polygon **31** (1991) 97–111
783. R.A. Dwyer, Convex hulls of samples from spherically symmetric distributions **31** (1991) 113–132
784. P. Egyed and R. Wenger, Ordered stabbing of pairwise disjoint convex sets in linear time **31** (1991) 133–140
785. K. Fukuda, S. Saito and A. Tamura, Combinatorial face enumeration in arrangements and oriented matroids **31** (1991) 141–149
786. K. Fukuda, S. Saito, A. Tamura and T. Tokuyama, Bounding the number of k-faces in arrangements of hyperplanes **31** (1991) 151–165
787. J.E. Goodman and R. Pollack, The complexity of points configurations **31** (1991) 167–180
788. J.W. Jaromczyk and M. Kowaluk, Constructing the relative neighborhood graph in 3-dimensional Euclidean space **31** (1991) 181–191
789. H. Maehara, Distances in a rigid unit-distance graph in the plane **31** (1991) 193–200
790. W.O.J. Moser, Problems, problems, problems **31** (1991) 201–225
791. B. Chen, Tighter bound for MULTIFIT scheduling on uniform processors **31** (1991) 227–260
792. K. Culik II and T. Harju, Splicing semigroups of dominoes and DNA **31** (1991) 261–277
793. S. Kaparthi and H.R. Rao, Higher dimensional restricted lattice paths with diagonal steps **31** (1991) 279–289
794. S. Olariu, Some aspects of the semi-perfect elimination **31** (1991) 291–298
795. M. Pirlot, Synthetic description of a semiorder **31** (1991) 299–308
796. F.B. Baulieu, Classification of normalized cluster methods in an order theoretic model **32** (1991) 1–29
797. J.-P. Bordat, Efficient polynomial algorithms for distributive lattices **32** (1991) 31–50
798. A. Brandstädt, Classes of bipartite graphs related to chordal graphs **32** (1991) 51–60
799. R.E. Burkard and W. Sandholzer, Efficiently solvable special cases of bottleneck travelling salesman problems **32** (1991) 61–76
800. K. Culik and S. Yu, Cellular automata, $\omega\omega$-regular sets, and sofic systems **32** (1991) 85–101
801. A. Ehrenfeucht and G. Rozenberg, Grammatical codes of trees **32** (1991) 103–129
802. T. Harju and H.C.M. Kleijn, Decidability problems for unary output sequential transducers **32** (1991) 131–140
803. J. Honkala, On generalized zeta functions of formal languages and series **32** (1991) 141–153
804. J. Hromkovič, J. Karhumäki, B. Rovan and A. Slobodová, On the power of synchronization in parallel computations **32** (1991) 155–182
805. V. Niemi, Power languages and density **32** (1991) 183–193
806. T. Ottmann and D. Wood, Defining families of trees with EOL grammars **32** (1991) 195–209
807. C. Wrathall, Trace monoids with some invertible generators: two decision problems **32** (1991) 211–222
808. C.R. Coullard, J.G. del Greco and D.K. Wagner, Representations of bicircular matroids **32** (1991) 223–240
809. K.A.S. Hefner, K.F. Jones, S. Kim, J.R. Lundgren and F.S. Roberts, (i, j) competition graphs **32** (1991) 241–262
810. S.C. Tai, M.W. Du and R.C.T. Lee, Transformation completeness properties of SVPC transformation sets **32** (1991) 263–273
811. W. Whiteley, Weavings, sections and projections of spherical polyhedra **32** (1991) 275–294
812. Z. Fuji and G. Xiaofeng, Directed tree structure of the set of Kekulé patterns of generalized polyhex graphs **32** (1991) 295–302

813. M.C. Bhandari and M.S. Garg, A note on the covering radius of optimum codes **33** (1991) 3–9
814. L. Caniglia, A. Galligo and J. Heintz, Equations for the projective closure and effective Nullstellensatz **33** (1991) 11–23
815. R.M. Capocelli, L. Gargano and U. Vaccaro, Efficient q-ary immutable codes **33** (1991) 25–41
816. J.T. Coffey, R.M. Goodman and P.G. Farrell, New approaches to reduced-complexity decoding **33** (1991) 43–60
817. P. Conti and C. Traverso, Computing the conductor of an integral extension **33** (1991) 61–72
818. A. Dickenstein, N. Fitchas, M. Giusti and C. Sessa, The membership problem for unmixed polynomial ideals is solvable in single exponential time **33** (1991) 73–94
819. A. Dür, Complete decoding of doubly-extended Reed-Solomon codes of minimum distance 5 and 6 **33** (1991) 95–107
820. K. Karplus and H. Krit, A semi-systolic decoder for the PDSC-73 error-correcting code **33** (1991) 109–128
821. R. Kohno and H. Imai, Combination of decoding of error-correcting codes and equalization for channels with intersymbol interference **33** (1991) 129–146
822. D. Lazard, A new method for solving algebraic systems of positive dimension **33** (1991) 147–160
823. T. Mora, La queste del Saint Gr_a(AL): A computational approach to local algebra **33** (1991) 161–190
824. S. Sakata, Two-dimensional shift register synthesis and Gröbner bases for polynomial ideals over an integer residue ring **33** (1991) 191–203
825. A.N. Skorobogatov, The parameters of subcodes of algebraic-geometric codes over prime subfields **33** (1991) 205–214
826. P. Solé and A. Ghafoor, The covering radius of doubled 2-designs in $2O_k$ **33** (1991) 215–224
827. W. Spangher, On Bayer's deformation and the associativity formula **33** (1991) 225–233
828. V.D. Tonchev, Self-dual codes and Hadamard matrices **33** (1991) 235–240
829. M.A. Tsfasman, Algebraic-geometric codes and asymptotic problems **33** (1991) 241–256
830. B. Vucetic and S. Lin, Block coded modulation and concatenated coding schemes for error control on fading channels **33** (1991) 257–269
831. K. Abrahamson, M.R. Fellows, M.A. Langston and B.M.E. Moret, Constructive complexity **34** (1991) 3–16
832. A.K. Agarwal, q-functional equations and some partition identities **34** (1991) 17–26
833. S. Akl, G. Labonté, M. Leeder and K. Qiu, On doing Todd–Coxeter coset enumeration in parallel **34** (1991) 27–35
834. R. Beigel and W.I. Gasarch, The Mapmaker's dilemma **34** (1991) 37–48
835. F. Bergeron, G. Labelle and P. Leroux, Computation of the expected number of leaves in a tree having a given automorphism, and related topics **34** (1991) 49–66
836. L.M. Butler, Generalized flags in finite Abelian p-groups **34** (1991) 67–81
837. L.H. Clark, R.C. Entringer and L.A. Székely, Threshold functions for local properties of graphs: triangles **34** (1991) 83–105
838. Ö. Eğecioğlu and J.B. Remmel, Brick tabloids and the connection matrices between bases of symmetric functions **34** (1991) 107–120
839. J. Gimbel and E.M. Palmer, Matching and cycle covers in random digraphs **34** (1991) 121–128
840. B. Greenblatt and W.R. Edwards, Semigroup automaton structure by homomorphism and domain partition **34** (1991) 129–143
841. T. Hibi, Linear and nonlinear inequalities concerning a certain combinatorial sequence which arises from counting the number of chains of a finite distributive lattice **34** (1991) 145–150
842. B. Jamison and S. Olariu, On a unique tree representation for P_4-extendible graphs **34** (1991) 151–164
843. R.M. Karp, An introduction to randomized algorithms **34** (1991) 165–201
844. M.B. Richey, Improved bounds for harmonic-based bin packing algorithms **34** (1991) 203–227
845. L.W. Shapiro, S. Getu, W.-J. Woan and L.C. Woodson, The Riordan group **34** (1991) 229–239
846. R.P. Stanley, Some applications of algebra to combinatorics **34** (1991) 241–277
847. D.B. West, The maximum number of winning 2-sets **34** (1991) 279–284
848. V. Baláž, V. Kvasnička and J. Pospíchal, Two metrics in a graph theory modeling of organic chemistry **35** (1992) 1–19
849. D. Banković, Certain Boolean equations **35** (1992) 21–27
850. W. Gutjahr, E. Welzl and G. Woeginger, Polynomial graph-colorings **35** (1992) 29–45

851. S.J. Willson, Calculating growth rates and moments for additive cellular automata **35** (1992) 47–65
852. P. Damaschke, Distances in cocomparability graphs and their powers (*Note*) **35** (1992) 67–72
853. U. Faigle and R. Schrader, A greedy reduction algorithm for setup optimization (*Note*) **35** (1992) 73–79
854. C.T. Ryan, Linear sections of the general linear group: A geometric approach (*Note*) **35** (1992) 81–86
855. W. He, W. He and S. Xie, Algebraic expressions for Kekulé structure counts of nonbranched catacondensed benzenoid **35** (1992) 91–106
856. T. Helleseth, Legendre sums and codes related to QR codes **35** (1992) 107–113
857. B. Jamison and S. Olariu, A tree representation for P_4-sparse graphs **35** (1992) 115–129
858. N. Katoh, An ε-approximation scheme for combinatorial optimization problems with minimum variance criterion **35** (1992) 131–141
859. N. Katoh, A fully polynomial time approximation scheme for minimum cost-reliability ratio problems **35** (1992) 143–155
860. P. Butkovic and R.A. Cuninghame-Green, An $O(n^2)$ algorithm for the maximum cycle mean of an $n \times n$ bivalent matrix (*Note*) **35** (1992) 157–162
861. S. Masuyama, On the tree packing problem (*Note*) **35** (1992) 163–166
862. O.J. Murphy, Computing independent sets in graphs with large girth (*Note*) **35** (1992) 167–170
863. M. Čangalović and J.A.M. Schreuder, Modelling and solving an acyclic multi-period timetabling problem **35** (1992) 177–195
864. J. Csima and L. Lovász, A matching algorithm for regular bipartite graphs **35** (1992) 197–203
865. D. de Werra and J. Błażewicz, Some preemptive open shop scheduling problems with a renewable or a nonrenewable resource **35** (1992) 205–219
866. R. Fabrion and G. Dollansky, Construction of university faculty timetables using logic programming techniques **35** (1992) 221–236
867. J.A. Ferland and A. Lavoie, Exchanges procedures for timetabling problems **35** (1992) 237–253
868. A. Hertz, Finding a feasible course schedule using Tabu search **35** (1992) 255–270
869. A.J.W. Hilton, Alternating Hamiltonian circuits in edge-coloured bipartite graphs **35** (1992) 271–273
870. N. Katoh, J. Koyanagi, M. Ohnishi and T. Ibaraki, Optimal strategies for some team games **35** (1992) 275–291
871. A. Rosa, On a class of completable partial edge-colourings **35** (1992) 293–299
872. J.A.M. Schreuder, Combinatorial aspects of construction of competition Dutch Professional Football Leagues **35** (1992) 301–312
873. A. Tripathy, Computerised decision aid for timetabling – a case analysis **35** (1992) 313–323
874. A. Apostolico, M.J. Atallah and S.E. Hambrusch, New clique and independent set algorithms for circle graphs **36** (1992) 1–24
875. J.M. Klein and D. Schaefer, An optimal algorithm for finding dominating cycles in circular-arc graphs **36** (1992) 25–34
876. M. Kubale, Some results concerning the complexity of restricted colorings of graphs **36** (1992) 35–46
877. G. Narasimhan and R. Manber, Stability number and chromatic number of tolerance graphs **36** (1992) 47–56
878. D. Roelants van Baronaigien and F. Ruskey, Generating permutations with given ups and downs **36** (1992) 57–65
879. Z. Fuji and Z. Maolin, Generalized hexagonal systems with each hexagon being resonant **36** (1992) 67–73
880. L. Cai and J.A. Ellis, Edge colouring line graphs of unicyclic graphs (*Note*) **36** (1992) 75–82
881. R. Franzkeit, A binary search problem on graphs (*Note*) **36** (1992) 83–86
882. A. Kornai and Z. Tuza, Narrowness, pathwidth, and their application in natural language processing (*Communication*) **36** (1992) 87–92
883. J.-C. Bermond, P. Hell, A.L. Liestman and J.G. Peters, Sparse broadcast graphs **36** (1992) 97–130
884. K. Edwards, The complexity of some graph colouring problems **36** (1992) 131–140
885. Y. Han, Y. Igarashi and M. Truszczynski, Indexing functions and time lower bounds for sorting on a mesh-connected computer **36** (1992) 141–152
886. M. Juvan and B. Mohar, Optimal linear labelings and eigenvalues of graphs **36** (1992) 153–168
887. B. Mohar, A domain monotonicity theorem for graphs and Hamiltonicity **36** (1992) 169–177
888. U. Zimmermann, Negative circuits for flows and submodular flows **36** (1992) 179–189

889. L. Gargano, J. Körner and U. Vaccaro, Search problems for two irregular coins with incomplete feedback: the underweight model (*Note*) **36** (1992) 191–197
890. Y. Manoussakis, A linear-time algorithm for finding Hamiltonian cycles in tournaments (*Note*) **36** (1992) 199–201
891. C. Pandu Rangan and R. Govindan, An $O(n \log n)$ algorithm for a maxmin location problem (*Note*) **36** (1992) 203–205
892. H. Belouadah, M.E. Posner and C.N. Potts, Scheduling with release dates on a single machine to minimize total weighted completion time **36** (1992) 213–231
893. S.T. Chakradhar and M.L. Bushnell, A solvable class of quadratic 0-1 programming **36** (1992) 233–251
894. J. Kratochvíl and S. Poljak, Compatible 2-factors **36** (1992) 253–266
895. C.-L. Li, S.T. McCormick and D. Simchi-Levi, The point-to-point delivery and connection problems: complexity and algorithms **36** (1992) 267–292
896. W.D. Morris, The maximum number of complementary facets of a simplicial polytope **36** (1992) 293–298
897. L. Gargano, V. Montuori, G. Setaro and U. Vaccaro, An improved algorithm for quantitative group testing (*Note*) **36** (1992) 299–306
898. F. Gécseg and B. Imreh, Finite isomorphically complete systems (*Note*) **36** (1992) 307–311
899. X. Zhu, A simple proof of the multiplicativity of directed cycles of prime power length (*Communication*) **36** (1992) 313–315
900. J. Allwright, New (Δ, D) graphs discovered by heuristic search **37/38** (1992) 3–8
901. N. Alon, Transmitting in the n-dimensional cube **37/38** (1992) 9–11
902. K.S. Bagga, L.W. Beineke, W.D. Goddard, M.J. Lipman and R.E. Pippert, A survey of integrity **37/38** (1992) 13–28
903. R. Bar-Yehuda and T. Etzion, Connections between two cycles – a new design of dense processor interconnection networks **37/38** (1992) 29–43
904. P. Camarda and M. Gerla, Design and analysis of fault-tolerant multibus interconnection networks **37/38** (1992) 45–64
905. L. Campbell, Dense group networks **37/38** (1992) 65–71
906. F.R.K. Chung, Graphs with small diameter after edge deletion **37/38** (1992) 73–94
907. G. Cooperman and L. Finkelstein, New methods for using Cayley graphs in interconnection networks **37/38** (1992) 95–118
908. S.K. Das, J. Ghosh and N. Deo, Stirling networks: a versatile combinatorial topology for multiprocessor systems **37/38** (1992) 119–146
909. W. Fernandez de la Vega and Y. Manoussakis, The forwarding index of communication networks with given connectivity **37/38** (1992) 147–155
910. C. Delorme, Examples of products giving large graphs with given degree and diameter **37/38** (1992) 157–167
911. D.-Z. Du, D.F. Hsu and G.W. Peck, Connectivity of consecutive-d digraphs **37/38** (1992) 169–177
912. R.J. Faudree, R.J. Gould and L.M. Lesniak, Generalized degrees and Menger path systems **37/38** (1992) 179–191
913. H. Fredricksen, A new look at the de Bruijn graph **37/38** (1992) 193–203
914. A. Ghafoor, Connectivity, persistence and fault diagnosis of interconnection networks based on O_k and $2O_k$ graphs **37/38** (1992) 205–226
915. J. Gómez, M.A. Fiol and J.L.A. Yebra, Graphs on alphabets as models for large interconnection networks **37/38** (1992) 227–243
916. J.M. Gordon, Analysis of minimal path routing schemes in the presence of faults **37/38** (1992) 245–263
917. N. Graham and F. Harary, Changing and unchanging the diameter of a hypercube **37/38** (1992) 265–274
918. Y.O. Hamidoune, A.S. Llado and O. Serra, The connectivity of hierarchical Cayley digraphs **37/38** (1992) 275–280
919. K. Heinrich, K. Kim and V.K. Prasanna Kumar, Perfect latin squares **37/38** (1992) 281–286
920. M.C. Heydemann, J.C. Meyer, J. Opatrny and D. Sotteau, Forwarding indices of k-connected graphs **37/38** (1992) 287–296
921. M.C. Heydemann, J. Opatrny and D. Sotteau, Broadcasting and spanning trees in de Bruijn and Kautz networks **37/38** (1992) 297–317
922. H.D.L. Hollmann and J.H. van Lint, Nonblocking self-routing switching networks **37/38** (1992) 319–340

923. X.D. Hu and F.K. Hwang, An improved upper bound for the subarray partial concentrators **37/38** (1992) 341–346
924. L.K. Jørgensen, Diameters of cubic graphs **37/38** (1992) 347–351
925. W.M. Kantor, Some large trivalent graphs having small diameters **37/38** (1992) 353–357
926. C.P. Kruskal and M. Snir, Cost-performance tradeoffs for interconnection networks **37/38** (1992) 359–385
927. E. Lazard, Broadcasting in DMA-bound bounded degree graphs **37/38** (1992) 387–400
928. A.L. Liestman and J.G. Peters, Minimum broadcast digraphs **37/38** (1992) 401–419
929. U.M. Maurer, Asymptotically-tight bounds on the number of cycles in generalized de Bruijn–Good graphs **37/38** (1992) 421–436
930. N. Pippenger, The asymptotic optimality of spider-web networks **37/38** (1992) 437–450
931. J. Plesník, Heuristics for the Steiner problem in graphs **37/38** (1992) 451–463
932. A.L. Rosenberg, Product-shuffle networks: toward reconciling shuffles and butterflies **37/38** (1992) 465–488
933. D.R. Shier, E.J. Valvo and R.E. Jamison, Generating the states of a binary stochastic system **37/38** (1992) 489–500
934. P. Solé, A. Ghafoor and S.A. Sheikh, The covering radius of Hadamard codes in odd graphs **37/38** (1992) 501–510
935. T. Soneoka, Super edge-connectivity of dense digraphs and graphs **37/38** (1992) 511–523
936. J.L. Villar, The underlying graph of a line digraph **37/38** (1992) 525–538
937. K. Wada and K. Kawaguchi, Efficient fault-tolerant fixed routings on $(k+1)$-connected digraphs **37/38** (1992) 539–552
938. G. Zémor and G.D. Cohen, Application of coding theory to interconnection networks **37/38** (1992) 553–562
939. G.W. Zimmerman and A.-H. Esfahanian, Chordal rings as fault-tolerant loops **37/38** (1992) 563–573
940. J.-C. Bermond, C. Delorme and J.J. Quisquater, Table of large (Δ, D)-graphs **37/38** (1992) 575–577
941. M.S. Chang, C.Y. Tang and R.C.T. Lee, Solving the Euclidean bottleneck biconnected edge subgraph problem by 2-relative neighborhood graphs **39** (1992) 1–12
942. J. Manning and M.J. Atallah, Fast detection and display of symmetry in outerplanar graphs **39** (1992) 13–35
943. R.L. Rardin and M. Sudit, Paroids: a canonical format for combinatorial optimization **39** (1992) 37–56
944. L. Shapiro, Random walks with absorbing points **39** (1992) 57–67
945. J.H. Vande Vate, Structural properties of matroid matchings **39** (1992) 69–85
946. M.V. Marathe, R. Ravi and C.P. Rangan, Generalized vertex covering in interval graphs (*Note*) **39** (1992) 87–93
947. F. Blanchet-Sadri, Games, equations and dot-depth two monoids **39** (1992) 99–111
948. D. Hartvigsen and E. Zemel, The complexity of lifted inequalities for the knapsack problem **39** (1992) 113–123
949. S. Ishii, Measure theoretic approach to the classification of cellular automata **39** (1992) 125–136
950. A. Recski and W. Schwärzler, One-story buildings as tensegrity frameworks III **39** (1992) 137–146
951. M.B. Richey and A.P. Punnen, Minimum perfect bipartite matchings and spanning trees under categorization **39** (1992) 147–153
952. C.M. Adams and S.E. Tavares, Generating bent sequences (*Note*) **39** (1992) 155–159
953. A. Björner, J. Karlander and B. Lindström, Communication complexity of two decision problems (*Note*) **39** (1992) 161–163
954. J.S. Deogun and G. Steiner, Hamiltonian cycle is polynomial on cocomparability graphs (*Communication*) **39** (1992) 165–172
955. P.C. Fishburn, Correlation in partially ordered sets (*Perspectives*) **39** (1992) 173–191
956. M. Dror, Openshop scheduling with machine dependent processing times **39** (1992) 197–205
957. P. Flajolet, D. Gardy and L. Thimonier, Birthday paradox, coupon collectors, caching algorithms and self-organizing search **39** (1992) 207–229
958. F.K. Hwang and G.W. Richards, The capacity of the subarray partial concentrators **39** (1992) 231–240
959. U.G. Rothblum, H. Schneider and M.H. Schneider, Characterizations of max-balanced flows **39** (1992) 241–261
960. J. Spinrad, P_4-trees and substitution decomposition **39** (1992) 263–291

961. J. Aleš and R. Bačík, Strong elimination ordering of the total graph of a tree (*Communication*) **39** (1992) 293–295
962. T. Andreae, Some results on visibility graphs **40** (1992) 5–17
963. U. Faigle, R. Schrader and G. Turán, The communication complexity of interval orders **40** (1992) 19–28
964. P. Raghavan, Integer programming in VLSI design **40** (1992) 29–43
965. S. Voß, Steiner's problem in graphs: heuristic methods **40** (1992) 45–72
966. D. Wagner and F. Wagner, An efficient parallel logarithmic time algorithm for the channel routing problem **40** (1992) 73–81
967. C. Wieners-Lummer, A Manhattan channel router with good theoretical and practical performance **40** (1992) 83–104
968. F. Afrati, The parallel complexity of single rule logic programs **40** (1992) 107–126
969. J. Demetrovics, G.O.H. Katona and D. Miklós, Partial dependencies in relational databases and their realization **40** (1992) 127–138
970. J. Demetrovics, G.O.H. Katona and A. Sali, The characterization of branching dependencies **40** (1992) 139–153
971. J. Demetrovics, L. Libkin and I.B. Muchnik, Functional dependencies in relational databases: A lattice point of view **40** (1992) 155–185
972. G. Gottlob, M. Schrefl and M. Stumptner, Selective inheritance of attribute values in relational databases **40** (1992) 187–216
973. G. Lausen, Locking based on a pairwise decomposition of the transaction system **40** (1992) 217–236
974. H. Mannila and K.-J. Räihä, On the complexity of inferrring functional dependencies **40** (1992) 237–243
975. Y. Sagiv and Y. Saraiya, Minimizing restricted-fanout queries **40** (1992) 245–264
976. B. Thalheim, The number of keys in relational and nested relational databases **40** (1992) 265–282
977. P.A. Catlin, J.W. Grossman, A.M. Hobbs and H.-J. Lai, Fractional arboricity, strength, and principal partitions in graphs and matroids **40** (1992) 285–302
978. I. Gederbaum, I. Koren and S. Wimer, Balanced block spacing for VLSI layout **40** (1992) 303–318
979. A. Raychaudhuri, Optimal multiple interval assignments in frequency assignment and traffic phasing **40** (1992) 319–332
980. S.T. Schibell and R.M. Stafford, Processor interconnection networks from Cayley graphs **40** (1992) 333–357
981. A. Frank, T. Nishizeki, N. Saito, H. Suzuki and É. Tardos, Algorithms for routing around a rectangle **40** (1992) 363–378
982. N. Katoh, T. Ibaraki and T. Kameda, A multiversion cautious scheduler with dynamic serialization constraints for database concurrency control **40** (1992) 379–395
983. M.T. Ko and Y.T. Ching, Linear time algorithms for the weighted tailored 2-partition problem and the weighted 2-center problem under l_∞-distance **40** (1992) 397–410
984. H.-M. Lee and G.J. Chang, Set to set broadcasting in communication networks **40** (1992) 411–421
985. C. Levcopoulos and O. Petersson, Matching parentheses in parallel **40** (1992) 423–431
986. R.D. Lou and M. Sarrafzadeh, Circular permutation graph family with applications **40** (1992) 433–457
987. R.J. Nowakowski, Search and sweep numbers of finite directed acyclic graphs **41** (93) 1–11
988. R. Shull, A. Shuchat, J.B. Orlin and M. Lepp, Recognizing hidden bicircular networks **41** (93) 13–53
989. F.W. Sinden, Coloring drawings of bipartite graphs: A problem in automated assembly **41** (93) 55–68
990. T. Arai, S. Ueno and Y. Kajitani, Generalization of a theorem on the parametric maximum flow problem (*Note*) **41** (93) 69–74
991. J. Bang-Jensen and P. Hell, Fast algorithms for finding Hamiltonian paths and cycles in in-tournament digraphs (*Note*) **41** (93) 75–79
992. K. Culik and S. Dube, Rational and affine expressions for image description **41** (93) 85–120
993. C. De Simone and A. Sassano, Stability number of bull- and chair-free graphs **41** (93) 121–129
994. J. Eusterbrock, Errata to "Selecting the top three elements" by M. Aigner: A result of a computer-assisted proof search **41** (93) 131–137
995. F. Granot and J. Skorin-Kapov, On polynomial solvability of the high multiplicity total weighted tardiness problem **41** (93) 139–146
996. E. Korach and A. Tal, General vertex disjoint paths in series-parallel graphs **41** (93) 147–164
997. N. Brand, S. Curran, S. Das and T. Jacob, Probability of diameter two for Steinhaus graphs (*Note*) **41** (93) 165–171

998. G. Galambos and J.B.G. Frenk, A simple proof of Liang's lower bound for on-line bin packing and the extension to the parametric case (*Note*) **41** (93) 173–178
999. E.A. Boyd, Polyhedral results for the precedence-constrained knapsack problem **41** (93) 185–201
1000. J. Franco, On the occurrence of null clauses in random instances of Satisfiability **41** (93) 203–209
1001. C.-Y. Lee and S. Danusaputro Liman, Capacitated two-parallel machines scheduling to minimize sum of job completion times **41** (93) 211–222
1002. S. Lloyd, Balance, uncorrelatedness and the strict avalanche criterion **41** (93) 223–233
1003. K.T. Siegrist, A.T. Amin and P.J. Slater, The optimal unicyclic graphs for pair-connected reliability **41** (93) 235–243
1004. M.A. Steel, Distributions on bicoloured binary trees arising from the principle of parsimony **41** (93) 245–261
1005. H. Zhou, The chromatic difference sequence of the Cartesian product of graphs: Part II **41** (93) 263–267
1006. J. Csima and L. Lovász, Dating to marriage (*Note*) **41** (93) 269–270
1007. A. Salomaa, Simple reductions between *D0L* language and sequence equivalence problems (*Note*) **41** (93) 271–274
1008. V. Estivill-Castro, H. Mannila and D. Wood, Right invariant metrics and measures of presortedness **42** (1993) 1–16
1009. M. Guignard, Solving makespan minimization problems with Lagrangean decomposition **42** (1993) 17–29
1010. A.S. Hedayat, G.B. Khosrovshahi and D. Majumdar, A prospect for a general method of constructing t-designs **42** (1993) 31–50
1011. J.M. Keil, The complexity of domination problems in circle graphs **42** (1993) 51–63
1012. J. Shawe-Taylor, M. Anthony and N.L. Biggs, Bounding sample size with the Vapnik–Chervonenkis dimension **42** (1993) 65–73
1013. V.S. Sunderam and P. Winkler, Fast information sharing in a complete network **42** (1993) 75–86
1014. B.M. Troutman and M.R. Karlinger, A note on subtrees rooted along the primary path of a binary tree **42** (1993) 87–93
1015. L. Zhang, Studies on hypergraphs I: hyperforests **42** (1993) 95–112
1016. M. Martelli and M. Pedrazzoli, On pseudounimodular matrices (*Communication*) **42** (1993) 113–117
1017. J. Błażewicz, W. Kubiak and S. Martello, Algorithms for minimizing maximum lateness with unit length tasks and resource constraints **42** (1993) 123–138
1018. S.-J. Chung, H.W. Hamacher, F. Maffioli and K.G. Murty, Note on combinatorial optimization with max-linear objective functions **42** (1993) 139–145
1019. B.L. Dietrich, L.F. Escudero and F. Chance, Efficient reformulation for 0-1 programs – methods and computational results **42** (1993) 147–175
1020. G. Gallo, G. Longo, S. Pallotino and S. Nguyen, Directed hypergraphs and applications **42** (1993) 177–201
1021. D.S. Hochbaum, Why should biconnected components be identified first **42** (1993) 203–210
1022. G. Kindervater, J.K. Lenstra and M. Savelsbergh, Sequential and parallel local search for the time-constrained traveling salesman problem **42** (1993) 211–225
1023. M. Lucertini, Y. Perl and B. Simeone, Most uniform path partitioning and its use in image processing **42** (1993) 227–256
1024. P. Michelon and N. Maculan, Lagrangean methods for 0-1 quadratic problems **42** (1993) 257–269
1025. C.H. Papadimitriou, P. Serafini and M. Yannakakis, Computing the throughput of a network with dedicated lines **42** (1993) 271–278
1026. A.H.G. Rinnooy Kan, L. Stougie and C. Vercellis, A class of generalized greedy algorithms for the multi-knapsack problem **42** (1993) 279–290
1027. L. Stougie, A fast randomized algorithm for partitioning a graph into paths of fixed length **42** (1993) 291–303
1028. E. Balas and L. Qi, Linear-time separation algorithms for the three-index assignment polytope **43** (1993) 1–12
1029. E. Bibelnieks and P.M. Dearing, Neighborhood subtree tolerance graphs **43** (1993) 13–26
1030. D.S. Clark and J.T. Lewis, Circular avoiding sequences with prescribed sum **43** (1993) 27–36
1031. K. Jansen, The allocation problem in hardware design **43** (1993) 37–46
1032. D. Lin and M. Liu, The equivalence classes of LR arrays **43** (1993) 47–61

1033. G. Sierksma, The skeleton of the symmetric Traveling Salesman Polytope **43** (1993) 63–74
1034. A. Wagner and D.G. Corneil, On the complexity of the embedding problem for hypercube related graphs **43** (1993) 75–95
1035. E. Korach and N. Solel, Tree-width, path-width, and cutwidth (*Note*) **43** (1993) 97–101
1036. I. Althöfer and K.-U. Koschnick, On the deterministic complexity of searching local maxima **43** (1993) 111–113
1037. W. Kern, On the depth of combinatorial optimization problems **43** (1993) 115–129
1038. D.C. Llewellyn and C.A. Tovey, Dividing and conquering the square **43** (1993) 131–153
1039. R.L. Rardin and M. Sudit, Paroid search: generic local combinatorial optimization **43** (1993) 155–174
1040. R.V. Vohra and N.G. Hall, A probabilistic analysis of the maximal covering location problem **43** (1993) 175–183
1041. R.J. Cimikowski, On certain Hamiltonian inner triangulations **43** (1993) 185–195
1042. C.R. Coullard, J.G.d. Greco and D.K. Wagner, Recognizing a class of bicircular matroids **43** (1993) 197–215
1043. M.E. Houle, H. Imai, K. Imai, J.-M. Robert and P. Yamamoto, Orthogonal weighted linear L_1 and L_∞ approximation and applications **43** (1993) 217–232
1044. S. Moran and Y. Wolfsthal, Two-page book embedding of trees under vertex-neighborhood constraints **43** (1993) 233–241
1045. T. Roos, Voronoi diagrams over dynamic scenes **43** (1993) 243–259
1046. A.A. Schäffer, A faster algorithm to recognize undirected path graphs **43** (1993) 261–295
1047. H.-J. Bandelt, M. Farber and P. Hell, Absolute reflexive retracts and absolute bipartite retracts **44** (1993) 9–20
1048. I. Adler, A.J. Hoffman and R. Shamir, Monge and feasibility sequences in general flow problems **44** (1993) 21–38
1049. V. Chvátal, Which claw-free graphs are perfectly orderable? **44** (1993) 39–63
1050. E.S. Elmallah and L.K. Stewart, Independence and domination in polygon graphs **44** (1993) 65–77
1051. M.C. Golumbic and R.C. Laskar, Irredundancy in circular arc graphs **44** (1993) 79–89
1052. M.S. Jacobson and K. Peters, A note on graphs which have upper irredundance equal to independence **44** (1993) 91–97
1053. P.J. Bernhard, S.T. Hedetniemi and D.P. Jacobs, Efficient sets in graphs **44** (1993) 99–108
1054. J.A. Telle and A. Proskurowski, Efficient sets in partial k-trees **44** (1993) 109–117
1055. J.R.S. Blair, The efficiency of AC graphs **44** (1993) 119–138
1056. L. Cai and F. Maffray, On the SPANNING k-TREE problem **44** (1993) 139–156
1057. G. Isaak, Bounded discrete representations of interval orders **44** (1993) 157–183
1058. S.R. Arikati and U.N. Peled, A linear algorithm for the group path problem on chordal graphs **44** (1993) 185–190
1059. M.S. Jacobson, J. Lehel and L.M. Lesniak, ϕ-threshold and ϕ-tolerance chain graphs **44** (1993) 191–203
1060. Y.-W. Chang, M.S. Jacobson, C.L. Monma and D.B. West, Subtree and substar intersection numbers **44** (1993) 205–220
1061. C.J. Colbourn, A. Satyanarayana, C. Suffel and K. Sutner, Computing residual connectedness reliability for restricted networks **44** (1993) 221–232
1062. E.R. Scheinerman and A. Trenk, On generalized perfect graphs: bounded degree and bounded edge perfection **44** (1993) 233–245
1063. R.P. Anstee, Minimum vertex weighted deficiency of (g, f)-factors: A greedy algorithm **44** (1993) 247–260
1064. P.C. Fishburn and F.S. Roberts, Elementary sequences, sub-Fibonacci sequences **44** (1993) 261–281
1065. H.J. Prömel and A. Steger, Excluding induced subgraphs II: extremal graphs **44** (1993) 283–294
1066. T.W. Haynes, R.C. Brigham and R.D. Dutton, Extremal graphs domination insensitive to the removal of k edges **44** (1993) 295–304
1067. A. Hartman and Y. Medan, Covering the complete graph with plane cycles **44** (1993) 305–310
1068. E. Agasi, R.I. Becker and Y. Perl, A shifting algorithm for constrained min-max partition on trees **45** (1993) 1–28
1069. J. Dassow and F. Hinz, Decision problems and regular chain code picture languages **45** (1993) 29–49
1070. J.S. Diamond and A.O. Mendelzon, Cycle structure of edge labelled graphs **45** (1993) 51–62
1071. P. Solé and T. Zaslavsky, The covering radius of the cycle code of a graph **45** (1993) 63–70

1072. R.J.M. Vaessens, E.H.L. Aarts and J.H. van Lint, Genetic algorithms in coding theory — a table for $A_3(n, d)$ **45** (1993) 71–87
1073. M. Akgül, A genuinely polynomial primal simplex algorithm for the assignment problem **45** (1993) 93–115
1074. D. Babić and A. Graovac, Enumeration of acyclic walks in a graph **45** (1993) 117–123
1075. N.J. Finizio, Whist tournaments — Three Person Property **45** (1993) 125–137
1076. M.E. Houle, Algorithms for weak and wide separation of sets **45** (1993) 139–159
1077. J. Klimó, On the minimal covering of infinite sets **45** (1993) 161–168
1078. S. Wimer, I. Koren and I. Cederbaum, On paths with the shortest average arc length in weighted graphs **45** (1993) 169–179
1079. N. Chakravarti, Sensitivity analysis in isotonic regression **45** (1993) 183–196
1080. J. Csirik, J.B.G. Frenk and M. Labbé, Two-dimensional rectangle packing: on-line methods and results **45** (1993) 197–204
1081. C.C. De Souza and C.C. Ribeiro, Heuristics for the minimum rectilinear Steiner tree problem: new algorithms and a computational study **45** (1993) 205–220
1082. D.Z. Du and F.K. Hwang, Competitive group testing **45** (1993) 221–232
1083. J. Gustedt, On the pathwidth of chordal graphs **45** (1993) 233–248
1084. H. Kellerer and G. Woeginger, A tight bound for 3-partitioning **45** (1993) 249–259
1085. D.C. Llewellyn and J. Ryan, A primal dual integer programming algorithm **45** (1993) 261–275
1086. B.A. Tesman, List T-colorings of graphs **45** (1993) 277–289
1087. S. Van Hoesel and A. Wagelmans, Sensitivity analysis of the economic lot-sizing problem **45** (1993) 291–312
1088. A. Klapper, A.H. Chan and M. Goresky, Cross-correlations of linearly and quadratically related geometric sequences and GMW sequences **46** (1993) 1–20
1089. E. Nowicki and C. Smutnicki, New results in the worst-case analysis for flow-shop scheduling **46** (1993) 21–41
1090. M. Queyranne and D. Sun, The performance ratio of grouping policies for the joint replenishment problem **46** (1993) 43–72
1091. T. Andreae, U. Hennig and A. Parra, On a problem concerning tolerance graphs (*Note*) **46** (1993) 73–78
1092. H.J. Broersma and L. Xueliang, On "The matching polynomial of a polygraph" (*Note*) **46** (1993) 79–86
1093. S. Kim, T.A. McKee, F.R. McMorris and F.S. Roberts, p-competition numbers (*Note*) **46** (1993) 87–92
1094. S. Bezrukov, N. Grünwald and K. Weber, On edge numberings of the n-cube graph **46** (1993) 99–116
1095. M. Cochand, A fixed point operator for the generalised maximum satisfiability problem **46** (1993) 117–132
1096. T.R. Ervolina and S.T. McCormick, Two strongly polynomial cut cancelling algorithms for minimum cost network flow **46** (1993) 133–165
1097. G. Gunther, B. Hartnell and D.F. Rall, Graphs whose vertex independence number is unaffected by single edge addition or deletion **46** (1993) 167–172
1098. P. Baldy and M. Morvan, A linear time and space algorithm to recognize interval orders (*Note*) **46** (1993) 173–178
1099. Q. Li, I.M. Xu and Z.L. Zhang, The infinite families of optimal double loop networks (*Communication*) **46** (1993) 179–183
1100. C.R. Coullard, J.G. del Greco and D.K. Wagner, Uncovering generalized-network structure in matrices **46** (1993) 191–220
1101. R. Hassin and M. Henig, Monotonicity and efficient computation of optimal dichotomous search **46** (1993) 221–234
1102. L. Hellerstein, Functions that are read-once on a subset of their inputs **46** (1993) 235–251
1103. W. Vogler, On hyperedge replacement and BNLC graph grammars **46** (1993) 253–273
1104. J. Berstel and P. Séébold, A characterization of overlap-free morphisms (*Note*) **46** (1993) 275–281
1105. P.L. Erdős and L.A. Székely, Counting bichromatic evolutionary trees **47** (1993) 1–8
1106. D. Goldfarb and J. Hao, On the maximum capacity augmentation algorithm for the maximum flow problem **47** (1993) 9–16
1107. N.-F. Huang, On the complexity of two circle connecting problems **47** (1993) 17–32
1108. P.G. Jeavons, Counting representable sets on simple graphs **47** (1993) 33–46

1109. F.R. McMorris and R.C. Powers, Consensus functions on trees that satisfy an independence axiom **47** (1993) 47–55
1110. J.A.A. van der Veen, An O(n) algorithm to solve the Bottleneck Traveling Salesman Problem restricted to ordered product matrices **47** (1993) 57–75
1111. E. Korach and M. Penn, A fast algorithm for maximum integral two-commodity flow in planar graphs (*Note*) **47** (1993) 77–83
1112. S. Albers and P. Brucker, The complexity of one-machine batching problems **47** (1993) 87–107
1113. G. Dahl, Directed Steiner problems with connectivity constraints **47** (1993) 109–128
1114. L.A. Hall, A note on generalizing the maximum lateness criterion for scheduling **47** (1993) 129–137
1115. H.G. Kahlbacher and T.C.E. Cheng, Parallel machine scheduling to minimize costs for earliness and number of tardy jobs **47** (1993) 139–164
1116. H. Kellerer and G. Woeginger, On the Euclidean two parts problem **47** (1993) 165–173
1117. F. Malucelli, T. Ottmann and D. Pretolani, Efficient labelling algorithms for the maximum noncrossing matching problem **47** (1993) 175–179
1118. K.G. Murty, On the complexity of a special basis problem in LP **47** (1993) 181–185
1119. P. Winter, Euclidean Steiner minimal trees with obstacles and Steiner visibility graphs **47** (1993) 187–206
1120. M. Anthony and J. Shawe-Taylor, A result of Vapnik with applications **47** (1993) 207–217
1121. N. Hamada, T. Helleseth and Ø. Ytrehus, A new class of nonbinary codes meeting the Griesmer bound **47** (1993) 219–226
1122. Y. Ikebe, T. Matsui and A. Tamura, Adjacency of the best and second best valued solutions in combinatorial optimization problems **47** (1993) 227–232
1123. D. Jungnickel, Trace-orthogonal normal bases **47** (1993) 233–249
1124. Y. Kaufman and A. Tamir, Locating service centers with precedence constraints **47** (1993) 251–261
1125. M. Liu and Z. Li, Coset correlation of LR m-arrays **47** (1993) 263–273
1126. A. Tamir, A unifying location model on tree graphs based on submodularity properties **47** (1993) 275–283
1127. F. Zhang, X. Li and H. Zhang, Hexagonal systems with fixed bonds **47** (1993) 285–296
1128. W.P. Adams and P.M. Dearing, On the equivalence between roof duality and Lagrangian duality for unconstrained 0-1 quadratic programming problems **48** (1994) 1–20
1129. M. Bousquet-Mélou, Codage des polyominos convexes et équations pour l'énumération suivant l'aire **48** (1994) 21–43
1130. P. Butkovič, Strong regularity of matrices—a survey of results **48** (1994) 45–68
1131. E. Nowicki and C. Smutnicki, An approximation algorithm for a single-machine scheduling problem with release times and delivery times **48** (1994) 69–79
1132. I. Bošnjak, Some new results concerning three counterfeit coins problem (*Note*) **48** (1994) 81–85
1133. V. Bouchitté, R. Jégou and J.-X. Rampon, On the directionality of interval orders (*Note*) **48** (1994) 87–92
1134. Y. Zhu and D. Mutchler, On constructing the elimination tree (*Note*) **48** (1994) 93–98
1135. P. Damaschke, A tight upper bound for group testing in graphs **48** (1994) 101–109
1136. J. Gimbel, D. Kratsch and L. Stewart, On cocolourings and cochromatic numbers of graphs **48** (1994) 111–127
1137. D. Granot and D. Skorin-Kapov, On some optimization problems on k-trees and partial k-trees **48** (1994) 129–145
1138. X.D. Hu and F.K. Hwang, Cutting numbers for the forward loop backward hop network **48** (1994) 147–161
1139. K. Schilling, Random knapsacks with many constraints **48** (1994) 163–174
1140. A.P. Sprague and H. Tamaki, Routings for involutions of a hypercube **48** (1994) 175–186
1141. L. Cai, NP-completeness of minimum spanner problems (*Note*) **48** (1994) 187–194
1142. H. Belouadah and C.N. Potts, Scheduling identical parallel machines to minimize total weighted completion time **48** (1994) 201–218
1143. M. Dyer, On a universal chain problem **48** (1994) 219–229
1144. R.W. Eglese, Routeing winter gritting vehicles **48** (1994) 231–244
1145. M. Göthe-Lundgren and T. Larsson, A set covering reformulation of the pure fixed charge transportation problem **48** (1994) 245–259
1146. R.W. Irving, Stable marriage and indifference **48** (1994) 261–272

1147. A. Kolen and E. Pesch, Genetic local search in combinatorial optimization **48** (1994) 273–284
1148. M. Nakamura, An extension of elementary bipartite graphs to matroid pairs and its characterization **48** (1994) 285–288
1149. S. Van Hoesel, R. Kuik, M. Salomon and L.N. Van Wassenhove, The single-item discrete lotsizing and scheduling problem: Optimization by linear and dynamic programming **48** (1994) 289–303
1150. O. Bahn, J.L. Goffin, J.P. Vial and O. Du Merle, Experimental behavior of an interior point cutting plane algorithm for convex programming: an application to geometric programming **49** (1994) 3–23
1151. H.-J. Bandelt, Y. Crama and F.C.R. Spieksma, Approximation algorithms for multi-dimensional assignment problems with decomposable costs **49** (1994) 25–50
1152. A. Billionnet and M.-C. Costa, Solving the uncapacited plant location problem on trees **49** (1994) 51–59
1153. G.S. Bloom and S. Ruiz, Decompositions into linear forests and difference labelings of graphs **49** (1994) 61–75
1154. E. Boros, P.L. Hammer, M.E. Hartmann and R. Shamir, Balancing problems in acyclic networks **49** (1994) 77–93
1155. R. Brewster, The complexity of colouring symmetric relational systems **49** (1994) 95–105
1156. P. Brucker, B. Jurisch and B. Sievers, A branch and bound algorithm for the job-shop scheduling problem **49** (1994) 107–127
1157. P. Chretienne, Tree scheduling with communications delays **49** (1994) 129–141
1158. M. Cochand, Probabilistic estimates for the generalized maximum satisfiability problem **49** (1994) 143–163
1159. D. de Werra and Y. Gay, Chromatic scheduling and frequency assignment **49** (1994) 165–174
1160. D. Fayard and G. Plateau, An exact algorithm for the 0-1 collapsing knapsack problem **49** (1994) 175–187
1161. A. Freville and G. Plateau, An efficient preprocessing procedure for the multidimensional 0-1 knapsack problem **49** (1994) 189–212
1162. J.A. Gallian, A guide to the graph labeling zoo **49** (1994) 213–229
1163. F. Glover, Tabu search for nonlinear and parametric optimization (with links to genetic algorithms) **49** (1994) 231–255
1164. A. Hertz, B. Jaumard and M.P. de Aragão, Local optima topology for the k-coloring problem **49** (1994) 257–280
1165. B. Leclerc, Medians for weight metrics in the covering graphs of semilattices **49** (1994) 281–297
1166. F. Margot, Some complexity results about threshold graphs **49** (1994) 299–308
1167. U.N. Peled and B. Simeone, An $O(nm)$-time algorithm for computing the dual of a regular Boolean function **49** (1994) 309–323
1168. U. Peled and F. Sun, Total matchings and total coverings of threshold graphs **49** (1994) 325–330
1169. F.S. Roberts and Y. Xu, On the optimal strongly connected orientations of city street graphs IV: Four east-west avenues or north-south streets **49** (1994) 331–356
1170. H.D. Sherali, S. Ramachandran and S. Kim, A localization and reformulation discrete programming approach for the rectilinear distance location-allocation problem **49** (1994) 357–378
1278. J. Rosenmüller and P. Sudhölter, The nucleolus of homogeneous games with steps **50** (1) (1994) 53–76
1303. F. Blanchet-Sadri, On a complete set of generators for dot-depth two **50** (1) (1994) 1–25
1304. C. Cooper, Probabilistic analysis of two k-cluster problems **50** (1) (1994) 27–51
1305. U. Zimmermann, On the complexity of the dual method for maximum balanced flows **50** (1) (1994) 77–88
1306. J. Leung and J. Lee, More facets from fences for linear ordering and acyclic subgraph polytopes **50** (2) (1994) 185–200
1307. M. Hasler, C. Marthy, A. Oberlin and D. de Werra, A discrete model for studying existence and uniqueness of solutions in nonlinear resistive circuits **50** (2) (1994) 169–184
1308. J. Czyzowicz, E. Rivera-Campo, N. Santoro, J. Urrutia and J. Zaks, Guarding rectangular art galleries **50** (2) (1994) 149–157
1309. D.G. Corneil, S. Masuyama and S.L. Hakimi, Edge-disjoint packings of graphs **50** (2) (1994) 135–148
1329. E.H. Aghezzaf and L.A. Wolsey, Modelling piecewise linear concave costs in a tree partitioning problem **50** (2) (1994) 101–109
1330. R.A. Brualdi, H.C. Jung and W.T. Trotter Jr, On the poset of all posets on n elements **50** (2) (1994) 111–123

1331. A. Conrad, T. Hindrichs, H. Morsy and I. Wegener, Solution of the knight's Hamiltonian path problem on chessboards **50** (2) (1994) 125–134
1332. D. Dorninger, Hamiltonian circuits determining the order of chromosomes **50** (2) (1994) 159–168
1333. M. Dror, G. Laporte and P. Trudeau, Vehicle routing with split deliveries **50** (3) (1994) 239–254
1334. A. Hertz, B. Jaumard and C.C. Ribeiro, A graph theory approach to subcontracting, machine duplication and intercell moves in cellular manufacturing **50** (3) (1994) 255–265
1335. S. Lakshminarayanan and R. Chandrasekaran, A rounding algorithm for integer programs **50** (3) (1994) 267–282
1336. T. Matsui, A. Tamura and Y. Ikebe, Algorithms for finding a Kth best valued assignment **50** (3) (1994) 283–296
1356. D.A. Babayev and S.S. Mardanov, Sequential and simultaneous aggregation of diophantine equations **50** (3) (1994) 209–220
1357. P.N. Delivorias and R.J. Richter, Maximum path digraphs **50** (3) (1994) 221–237
1358. C.-N. Fiechter, A parallel tabu search algorithm for large traveling salesman problems **51** (3) (1994) 243–267
1359. G. Galbiati and F. Maffioli, On the computation of pfaffians **51** (3) (1994) 269–275
1360. M.X. Goemans, Arborescence polytopes for series–parallel graphs **51** (3) (1994) 277–289
1361. J. Korst, E. Aarts, J.K. Lenstra and J. Wessels, Periodic assignment and graph colouring **51** (3) (1994) 291–305
1362. J.Y.-T. Leung, V.K.M. Yu and W.-D. Wei, Minimizing the weighted number of tardy task units **51** (3) (1994) 307–316
1363. W.R. Schmitt and M.S. Waterman, Linear trees and RNA secondary structure **51** (3) (1994) 317–323
1364. N. Abu-Jaradeh and D.L. Powers, Heat conduction on graphs **52** (1) (1994) 1–16
1365. E. Amaldi, E. Mayoraz and D. de Werra, A review of combinatorial problems arising in feedforward neural network design **52** (2) (1994) 111–138
1366. A. Bar-Noy, F.K. Hwang, I. Kessler and S. Kutten, A new competitive algorithm for group testing **52** (1) (1994) 29–38
1367. W.Z. Kitto, A. Vince and D.C. Wilson, An isomorphism between the p-adic integers and a ring associated with a tiling of N-space by permutohedra **52** (1) (1994) 39–51
1368. A. Leblanc, Finding degeneracies among sets of lines **56** (1) (1995) 49–60
1369. S.T. McCormick and T.R. Ervolina, Computing maximum mean cuts **52** (1) (1994) 53–70
1370. R. Rudolf, Recognition of d-dimensional Monge arrays **52** (1) (1994) 71–82
1371. H.D. Sherali and W.P. Adams, A hierarchy of relaxations and convex hull characterizations for mixed-integer zero–one programming problems **52** (1) (1994) 83–106
1376. L. Babel and G. Tinhofer, Hard-to-color graphs for connected sequential colorings **51** (1-2) (1994) 3–25
1377. U. Baumann, On edge-hamiltonian Cayley graphs **51** (1-2) (1994) 27–37
1379. H.J. Broersm and I. Schiermeyer, Subgraphs, closures and hamiltonicity **51** (1-2) (1994) 39–46
1380. E. Dahlhaus, A parallel algorithm for computing Steiner trees in strongly chordal graphs **51** (1-2) (1994) 47–61
1381. P. Damaschke, PLA Folding in special graph classes **51** (1-2) (1994) 63–74
1382. P. Dankelmann, Average distance and independence number **51** (1-2) (1994) 75–83
1383. S. Felsner, J. Gustedt, M. Morvan and J.-X. Rampon, Constructing colorings for diagrams **51** (1-2) (1994) 85–93
1384. E. Flandrin, J.L. Fouquet and H. Li, Hamiltonicity of bipartite biclaw-free graphs **51** (1-2) (1994) 95–102
1385. J. Harant and H. Walther, A lower bound for the shortness coefficient of a class of graphs **51** (1-2) (1994) 103–105
1386. J. Nešetřil, On ordered graphs and graph orderings **51** (1-2) (1994) 113–116
1387. F. Pfeiffer, A note on the half-integral multiflow-problem restricted to minor-closed classes of graphs **51** (1-2) (1994) 127–135
1388. W. Poguntke, On reliable graphs with static routing plans **51** (1-2) (1994) 137–146
1389. E. Prisner, Algorithms for interval catch digraphs **51** (1-2) (1994) 147–157
1390. H. Sachs and H. Zernitz, Remark on the dimer problem **51** (1-2) (1994) 171–179
1391. G. Schaar, Remarks on Hamiltonian properties of powers of digraphs **51** (1-2) (1994) 181–186
1392. M. Voigt and H. Walther, Chromatic number of prime distance graphs **51** (1-2) (1994) 197–209
1393. L. Volkmann, On graphs with equal domination and covering numbers **51** (1-2) (1994) 211–217

1421. F. Aurenhammer, M. Formann, R.M. Idury, A.A. Schäffer and F. Wagner, Faster isometric embedding in products of complete graphs **52** (1) (1994) 17–28
1422. J. Bendisch, U. Derigs and A. Metz, An efficient matching algorithm applied in statistical physics **52** (2) (1994) 139–153
1423. J. Boyar, F. Fich and K.S. Larsen, Bounds on certain multiplications of affine combinations **52** (2) (1994) 155–167
1424. T. Cole, Some results on greedy algorithm conjectures **52** (2) (1994) 169–194
1425. F. Gavril and J. Urrutia, Intersection graphs of concatenable subtrees of graphs **52** (2) (1994) 195–209
1426. I. Honkala, On $(q,1)$-subnormal q-ary covering codes **52** (3) (1994) 213–221
1427. K. Jansen, Analysis of scheduling problems with typed task systems **52** (3) (1994) 223–232
1428. J. Kratochvíl, A special planar satisfiability problem and a consequence of its NP-completeness **52** (3) (1994) 233–252
1429. T. Masuda and H. Ishii, Two machine open shop scheduling problem with bi-criteria **52** (3) (1994) 253–259
1430. J. Bruck, On optimal broadcasting in faulty hypercubes **53** (1-3) (1994) 3–13
1431. B.S. Chlebus, K. Diks and A. Pelc, Fast gossiping with short unreliable messages **53** (1-3) (1994) 15–24
1432. S. Djelloul, Broadcasting in m-dimensional grid graphs with a given neighborhood template **53** (1-3) (1994) 25–36
1433. A.M. Farley and A. Proskurowski, Bounded-call broadcasting **53** (1-3) (1994) 37–53
1434. R. Feldmann, J. Hromkovič, S. Madhavapeddy, B. Monien and P. Mysliwietz, Optimal algorithms for dissemination of information in generalized communication modes **53** (1-3) (1994) 55–78
1435. P. Fraigniaud and E. Lazard, Methods and problems of communication in usual networks **53** (1-3) (1994) 79–133
1436. L. Gargano, A.L. Liestman, J.G. Peters and D. Richards, Reliable broadcasting **53** (1-3) (1994) 135–148
1437. A.V. Gerbessiotis, Broadcasting in random graphs **53** (1-3) (1994) 149–170
1438. C. GowriSankaran, Broadcasting on recursively decomposable Cayley graphs **53** (1-3) (1994) 171–182
1439. R. Klasing, B. Monien, R. Peine and E.A. Stöhr, Broadcasting in butterfly and deBruijn networks **53** (1-3) (1994) 183–197
1440. J.-C. König and E. Lazard, Minimum k-broadcast graphs **53** (1-3) (1994) 199–209
1441. G. Kortsarz and D. Peleg, Traffic-light scheduling on the grid **53** (1-3) (1994) 211–234
1442. R. Labahn, S.T. Hedetniemi and R. Laskar, Periodic gossiping on trees **53** (1-3) (1994) 235–245
1443. R. Labahn, A minimum broadcast graph on 63 vertices **53** (1-3) (1994) 247–250
1444. S. Lennart Johnsson and C.-T. Ho, Optimal communication channel utilization for matrix transposition and related permutations on binary cubes **53** (1-3) (1994) 251–274
1445. M. Mahéo and J.-F. Saclé, Some minimum broadcast graphs **53** (1-3) (1994) 275–285
1446. M. Mahéo and J.-F. Saclé, Note on the problem of gossiping in multidimensional grids **53** (1-3) (1994) 287–290
1447. P. Michallon and D. Trystram, Practical experiments of broadcasting algorithms on a configurable parallel computer **53** (1-3) (1994) 291–298
1448. K. Ravishankar and S. Singh, Broadcasting on $[0,L]$ **53** (1-3) (1994) 299–319
1449. F.L. Van Scoy and J.A. Brooks, Broadcasting multiple messages in a grid **53** (1-3) (1994) 321–336
1450. E. Dahlhaus and P. Damaschke, The parallel solution of domination problems on chordal and strongly chordal graphs **52** (3) (1994) 261–273
1451. P. Enflo, A. Granville, J. Shallit and S. Yu, On sparse languages L such that $LL=\Sigma^*$ **52** (3) (1994) 275–285
1452. N.J. Finizio, Z-cyclic whist tournaments with a patterned starter initial round **52** (3) (1994) 287–293
1453. P. Hell, Y. Manoussakis and Z. Tuza, Packing problems in edge-colored graphs **52** (3) (1994) 295–306
1454. G. MacGillivray, Graph homomorphisms with infinite targets **54** (1) (1994) 29–35
1455. D.J. McClurkin, A lower bound for tree resolution **54** (1) (1994) 37–53
1456. J.S. Salowe, Euclidean spanner graphs with degree four **54** (1) (1994) 55–66
1457. I. Tomescu and M. Zimand, Minimum spanning hypertrees **54** (1) (1994) 67–76
1465. X. Li and F. Zhang, Hamiltonicity of a type of interchange graphs **51** (1-2) (1994) 107–111
1466. T. Niessen, How to find overfull subgraphs in graphs with large maximum degree **51** (1-2) (1994) 117–125

1467. A. Quilliot and S.X. Chao, Algorithmic characterizations of interval ordered hypergraphs and applications **51** (1-2) (1994) 159–170
1468. Z. Tuza, Inequalities for minimal covering sets in set systems of given rank **51** (1-2) (1994) 187–195
1469. A. von Arnim and C. de la Higuera, Computing the jump number on semi-orders is polynomial **51** (1-2) (1994) 219–232
1470. M. Woźniak, Embedding graphs of small size **51** (1-2) (1994) 233–241
1471. H.G. Abeledo and U.G. Rothblum, Stable matchings and linear inequalities **54** (1) (1994) 1–27
1472. E. Boros, P.L. Hammer and X. Sun, Recognition of q-Horn formulae in linear time **55** (1) (1994) 1–13
1473. H. Cameron and D. Wood, Maximal path length of binary trees **55** (1) (1994) 15–35
1474. M. Fischetti, Clique tree inequalities define facets of the asymmetric traveling salesman polytope **56** (1) (1995) 9–18
1475. J.A. Hoogeveen, S.L. van de Velde and B. Veltman, Complexity of scheduling multiprocessor tasks with prespecified processor allocations **55** (3) (1994) 259–272
1476. R. Penne, Isostatic bar and joint frameworks in the plane with irreducible pure conditions **55** (1) (1994) 37–57
1477. S.V. Sevast'janov, On some geometric methods in scheduling theory: a survey **55** (1) (1994) 59–82
1478. A. Bar-Noy and S. Kipnis, Broadcasting multiple messages in simultaneous send/receive systems **55** (2) (1994) 95–105
1479. A. Gautier and F. Granot, On the equivalence of constrained and unconstrained flows **55** (2) (1994) 113–132
1480. C.T. Hoàng, Efficient algorithms for minimum weighted colouring of some classes of perfect graphs **55** (2) (1994) 133–143
1481. A.W.J. Kolen, A.H.G. Rinnooy Kan, C.P.M. van Hoesel and A.P.M. Wagelmans, Sensitivity analysis of list scheduling heuristics **55** (2) (1994) 145–162
1482. J. Lee and W.D. Morris Jr, Geometric comparison of combinatorial polytopes **55** (2) (1994) 163–182
1483. H. Yinnone, Maximum number of disjoint paths connecting specified terminals in a graph **55** (2) (1994) 183–195
1487. H.L. Bodlaender, Improved self-reduction algorithms for graphs with bounded treewidth **54** (2-3) (1994) 101–115
1488. B. Courcelle, The monadic second order logic of graphs VI: On several representations of graphs by relational structures **54** (2-3) (1994) 117–149
1489. D.L. Grinstead and P.J. Slater, A recurrence template for several parameters in series–parallel graphs **54** (2-3) (1994) 151–168
1491. N.G. Kinnersley and M.A. Langston, Obstruction set isolation for the gate matrix layout problem **54** (2-3) (1994) 169–213
1492. N.M. Korneyenko, Combinatorial algorithms on a class of graphs **54** (2-3) (1994) 215–217
1493. J. Lagergren, The nonexistence of reduction rules giving an embedding into a k-tree **54** (1994) 219–223
1494. P.A. Macmahon, The combinations of resistances **54** (1994) 225–228
1495. S. Mahajan and J.G. Peters, Regularity and locality in k-terminal graphs **54** (2-3) (1994) 229–250
1496. E. Wanke, k-NLC graphs and polynomial algorithms **54** (2-3) (1994) 251–266
1497. P. Winter and M.M. Syslo, Maximal outerplanar graphs with perfect face-independent vertex covers **54** (2-3) (1994) 267–280
1503. H.L. Bodlaender, K. Jansen and G.J. Woeginger, Scheduling with incompatible jobs **55** (3) (1994) 219–232
1504. G.A. Cheston and G. Fricke, Classes of graphs for which upper fractional domination equals independence, upper domination, and upper irredundance **55** (3) (1994) 241–258
1505. D. de Werra, On an optimization problem occurring in FMSs: A hypergraph-theoretical formulation **55** (2) (1994) 107–111
1506. G. Laffond, J.F. Laslier and M. Le Breton, The Copeland measure of Condorcet choice functions **55** (3) (1994) 273–279
1507. K.-T. Mak and A.J. Morton, Distances between traveling salesman tours **58** (3) (1995) 281–291
1508. T. Mautor and C. Roucairol, A new exact algorithm for the solution of quadratic assignment problems **55** (3) (1994) 281–293
1509. T. Nishizeki and S. Poljak, k-Connectivity and decomposition of graphs into forests **55** (3) (1994) 295–301

1510. P. Solé, Expanding and forwarding **58** (1) (1995) 67–78
1513. W.W. Bein, P. Brucker, J.K. Park and P.K. Pathak, A Monge property for the d-dimensional transportation problem **58** (2) (1995) 97–109
1514. K. Cechlárová, Trapezoidal matrices and the bottleneck assignment problem **58** (2) (1995) 111–116
1515. U. Faigle, N. Gademann and W. Kern, A random polynomial time algorithm for well-rounding convex bodies **58** (2) (1995) 117–144
1516. B. Jurisch, Lower bounds for the job-shop scheduling problem on multi-purpose machines **58** (2) (1995) 145–156
1517. W. Kubiak, New results on the completion time variance minimization **58** (2) (1995) 157–168
1518. Yu.N. Sotskov, V.K. Leontev and E.N. Gordeev, Some concepts of stability analysis in combinatorial optimization **58** (2) (1995) 169–190
1519. F. Werner and A. Winkler, Insertion techniques for the heuristic solution of the job shop problem **58** (2) (1995) 191–211
1520. E.M. Arkin and R. Hassin, Approximation algorithms for the Geometric Covering Salesman Problem **55** (3) (1994) 197–218
1521. M.-C. Cai, An algorithm for an Eulerian trail traversing specified edges in given order **55** (3) (1994) 233–239
1522. M. Cohn, On the channel capacity of read/write isolated memory **56** (1) (1995) 1–8
1523. S.B. Horton and R.G. Parker, On Halin subgraphs and supergraphs **56** (1) (1995) 19–35
1524. R. Kohli and R. Krishnamurti, Joint performance of greedy heuristics for the integer knapsack problem **56** (1) (1995) 37–48
1525. N. Norris, Universal covers of graphs: isomorphism to depth n-1 implies isomorphism to all depths **56** (1) (1995) 61–74
1526. J. Ryan, The depth and width of local minima in discrete solution spaces **56** (1) (1995) 75–82
1527. Y.S. Smetanich, Y.B. Kazanovich and V.V. Kornilov, A combinatorial approach to the problem of self-assembly **57** (1) (1995) 45–65
1528. N. Alon, J. Spencer and P. Tetali, Covering with latin transversals **57** (1) (1995) 1–10
1529. O. Berkman and U. Vishkin, Almost fully-parallel parentheses matching **57** (1) (1995) 11–28
1530. E. Dahlhaus, Efficient parallel recognition algorithms of cographs and distance hereditary graphs **57** (1) (1995) 29–44
1531. K.O. Kortanek and M. Yamasaki, Discrete infinite transportation problems **58** (1) (1995) 19–33
1532. L.A. Sanchis, Generating hard and diverse test sets for NP-hard graph problems **58** (1) (1995) 35–66
1537. F. Comellas and M.A. Fiol, Vertex-symmetric digraphs with small diameter **58** (1) (1995) 1–11
1540. A. Bar-Noy, S. Kipnis and B. Schieber, Optimal computation of census functions in the postal model **58** (3) (1995) 213–222
1541. K. Culik II and I. Friš, Weighted finite transducers in image processing **58** (3) (1995) 223–237
1542. K. Keeler and J. Westbrook, Short encodings of planar graphs and maps **58** (3) (1995) 239–252
1543. Z. Liu and E. Sanlaville, Preemptive scheduling with variable profile, precedence constraints and due dates **58** (3) (1995) 253–280
1544. Y. Pochet and L.A. Wolsey, Integer knapsack and flow covers with divisible coefficients: polyhedra, optimization and separation **59** (1) (1995) 57–74
1545. V.A. Strusevich, Two machine flow shop scheduling problem with no wait in process: Controllable machine speeds **59** (1) (1995) 75–86
1546. J.J.M. Tan and Y.-C. Hsueh, A generalization of the stable matching problem **59** (1) (1995) 87–102
1547. F.T. Boesch, X. Li and J. Rodriguez, Graphs with most number of three point induced connected subgraphs **59** (1) (1995) 1–10
1548. H. Bräsel, D. Kluge and F. Werner, A polynomial algorithm for an open shop problem with unit processing times and tree constraints **59** (1) (1995) 11–21
1549. T. Eiter, P. Kilpeläinen and H. Mannila, Recognizing renamable generalized propositional Horn formulas is NP-complete **59** (1) (1995) 23–31
1550. X. He and D.B. Sher, On determining non-isotopic configurations of points on a circle **59** (1) (1995) 33–50
1551. J. Karlander, Matrices generated by semilattices **59** (1) (1995) 51–56
1552. O. Petersson and A. Moffat, A framework for adaptive sorting **59** (2) (1995) 153–179
1553. J. Spinrad and R. Sritharan, Algorithms for weakly triangulated graphs **59** (2) (1995) 181–191

1554. J. Wunsch, The Shields–Harary number for wheel and broken wheel graphs **59** (2) (1995) 193–199
1555. D.C. Fisher, J. Ryan, G. Domke and A. Majumdar, Fractional domination of strong direct products (*Note*) **50** (1994) 89–91
1556. F.K. Hwang and U.G. Rothblum, Constrained partitioning problems **50** (1) (1994) 93–96
1557. J. Gómez, P. Morillo and C. Padró, Large (d, D, D', s)-bipartite digraphs **59** (2) (1995) 103–114
1558. S.W. Hadley, Approximation techniques for hypergraph partitioning problems **59** (2) (1995) 115–127
1559. S. Klavžar and N. Seifter, Dominating Cartesian products of cycles **59** (2) (1995) 129–136
1560. W. Liu and A. Vannelli, Generating lower bounds for the linear arrangement problem **59** (2) (1995) 137–151
1561. Y.N. Sotskov and N.V. Shakhlevich, NP-hardness of shop-scheduling problems with three jobs **59** (3) (1995) 237–266
1562. R.P. Swaminathan and D.K. Wagner, The arborescence-realization problem **59** (3) (1995) 267–283
1564. L.D. Andersen and H. Fleischner, The NP-completeness of finding A-trails in Eulerian graphs and of finding spanning trees in hypergraphs **59** (3) (1995) 203–214
1565. M. Benelli and R. Hassin, Optimal separable partitioning in the plane **59** (3) (1995) 215–224
1566. M.C. Carlisle and E.L. Lloyd, On the k-coloring of intervals **59** (3) (1995) 225–235
1567. S. Chopra and M.R. Rao, Facets of the k-partition polytope **61** (1) (1995) 27–48
1568. K. Ravishankar and S. Singh, Asymptotically optimal gossiping in radio networks **61** (1) (1995) 61–82
1569. J. Vygen, NP-completeness of some edge-disjoint paths problems **61** (1) (1995) 83–90
1570. J. Czyzowicz, E. Rivera-Campo and J. Urrutia, Separation of convex sets **51** (3) (1994) 325–328
1571. G. Istrate, Self-reading sequences **50** (2) (1994) 201–203
1572. J. Kratochvíl and Z. Tuza, Algorithmic complexity of list colorings **50** (3) (1994) 297–302
1578. M. Anthony, G. Brightwell and J. Shawe-Taylor, On specifying Boolean functions by labelled examples **61** (1) (1995) 1–25
1579. M. Anthony, Classification by polynomial surfaces **61** (2) (1995) 91–103
1580. D.S. Cohen and M. Blum, On the problem of sorting burnt pancakes **61** (2) (1995) 105–120
1581. A. De Bonis, L. Gargano and U. Vaccaro, Optimal detection of a counterfeit coin with multi-arms balances **61** (2) (1995) 121–131
1582. M. Fellows, P. Hell and K. Seyffarth, Large planar graphs with given diameter and maximum degree **61** (2) (1995) 133–153
1583. B. Jamison and S. Olariu, Linear time optimization algorithms for P_4-sparse graphs **61** (2) (1995) 155–175
1584. K. Jansen, Scheduling of conditional executed jobs on unrelated processors **61** (3) (1995) 245–255
1585. G. Păun and A. Salomaa, Thin and slender languages **61** (3) (1995) 257–270
1586. M. Aigner and O. Schwarzkopf, Bounds on the size of merging networks **61** (3) (1995) 187–194
1587. R. Baldick, A unified approach to polynomially solvable cases of integer "non-separable" quadratic optimization **61** (3) (1995) 195–212
1588. M. Baumslag, An algebraic analysis of the connectivity of DeBruijn and shuffle-exchange digraphs **61** (3) (1995) 213–227
1589. S. Iwata and K. Murota, A theorem on the principal structure for independent matchings **61** (3) (1995) 229–244
1590. B. Klinz, R. Rudolf and G.J. Woeginger, On the recognition of permuted bottleneck Monge matrices **63** (1) (1995) 43–74
1591. M. Schäffter, Drawing graphs on rectangular grids **63** (1) (1995) 75–89
1592. U. Tamm, Deterministic communication complexity of set intersection **61** (3) (1995) 271–283
1593. F. Maffray and M. Preissmann, Linear recognition of pseudo-split graphs **52** (3) (1994) 307–312
1594. R. Motwani and M. Sudan, Computing roots of graphs is hard **54** (1) (1994) 81–88
1595. M. Valerio, L.E. Moser and P.M. Melliar-Smith, Classic squares and broadcast squares **54** (1) (1994) 89–96
1597. H. Abeledo and U.G. Rothblum, Paths to marriage stability **63** (1) (1995) 1–12
1598. J.O. Cerdeira, I. Faria and P. Bárcia, Establishing determinantal inequalities for positive-definite matrices **63** (1) (1995) 13–24
1599. M. Dell'Amico, S. Martello and D. Vigo, Minimizing the sum of weighted completion times with unrestricted weights **63** (1) (1995) 25–41
1600. H.-J. Lai and H. Lai, Every matroid is a submatroid of a uniformly dense matroid **63** (2) (1995) 151–160

1601. D. Sakai Troxell, No-hole k-tuple $(r+1)$-distant colorings **64** (1) (1996) 67–85
1602. M.A. Srinivas, Matroid optimization with generalized constraints **63** (2) (1995) 161–174
1603. L.-H. Tsai, The modified differencing method for the set partitioning problem with cardinality constraints **63** (2) (1995) 175–180
1604. A. Frieze and M. Molloy, Broadcasting in random graphs **54** (1) (1994) 77–79
1605. G. Istrate and G. Păun, Some combinatorial properties of self-reading sequences **55** (1) (1994) 83–86
1606. S. Kryński, Graphs in which all Hamiltonian cycles have the same length **55** (1) (1994) 87–89
1607. A.P. Punnen and K.P.K. Nair, Improved complexity bound for the maximum cardinality bottleneck bipartite matching problem **55** (1) (1994) 91–93
1609. M. Alfter and W. Hochstättler, On pseudomodular matroids and adjoints **60** (1-3) (1995) 3–11
1610. F. Annexstein and J. Franco, Work-preserving emulations of shuffle-exchange networks: an analysis of the complex plane diagram **60** (1-3) (1995) 13–23
1611. A. Bagchi, B. Servatius and W. Shi, 2-satisfiability and diagnosing faulty processors in massively parallel computing systems **60** (1-3) (1995) 25–37
1612. J.-P. Barthélemy, O. Hudry, G. Isaak, F.S. Roberts and B. Tesman, The reversing number of a digraph **60** (1-3) (1995) 39–76
1613. K.A. Berman, J. Franco and J.S. Schlipf, Unique satisfiability of Horn sets can be solved in nearly linear time **60** (1-3) (1995) 77–91
1614. K.P. Bogart, P.C. Fishburn, G. Isaak and L. Langley, Proper and unit tolerance graphs **60** (1-3) (1995) 99–117
1615. D.-Z. Du, On component-size bounded Steiner trees **60** (1-3) (1995) 131–140
1616. P. Erdős and P.C. Fishburn, Multiplicities of interpoint distances in finite planar sets **60** (1-3) (1995) 141–147
1617. P. Erdős and P. Fishburn, Intervertex distances in convex polygons **60** (1-3) (1995) 149–158
1618. G. Gallo and D. Pretolani, A new algorithm for the propositional satisfiability problem **60** (1-3) (1995) 159–179
1619. P.L. Hammer and A.K. Kelmans, Laplacian spectra and spanning trees of threshold graphs **65** (1-3) (1996) 255–273
1620. P. Hansen, B. Jaumard and M.P. de Aragão, Boole's conditions of possible experience and reasoning under uncertainty **60** (1-3) (1995) 181–193
1621. A. Hertz, Polynomially solvable cases for the maximum stable set problem **60** (1-3) (1995) 195–210
1622. K. Hoke, Extending shelling orders and a hierarchy of functions of unimodal simple polytopes **60** (1-3) (1995) 211–217
1623. F.K. Hwang, The time complexity of deterministic broadcast radio networks **60** (1-3) (1995) 219–222
1624. B. Klinz, R. Rudolf and G.J. Woeginger, Permuting matrices to avoid forbidden submatrices **60** (1-3) (1995) 223–248
1625. A. Kogan, On the essential test sets of discrete matrices **60** (1-3) (1995) 249–255
1626. L.J. Langley, A recognition algorithm for orders of interval dimension two **60** (1-3) (1995) 257–266
1627. L.J. Langley, Irreflexive and reflexive dimension **60** (1-3) (1995) 267–273
1628. F. Lazebnik and V.A. Ustimenko, Explicit construction of graphs with an arbitrary large girth and of large size **60** (1-3) (1995) 275–284
1629. X. Lu, A note on biased and non-biased games **60** (1-3) (1995) 285–291
1630. Z. Nutov and M. Penn, On the integral dicycle packings and covers and the linear ordering polytope **60** (1-3) (1995) 293–309
1631. U.N. Peled and F. Sun, Enumeration of difference graphs **60** (1-3) (1995) 311–318
1632. S.G. Penrice, On-line algorithms for ordered sets and comparability graphs **60** (1-3) (1995) 319–329
1633. C. Picouleau, New complexity results on scheduling with small communication delays **60** (1-3) (1995) 331–342
1634. S. Rajpal, On paving matroids and a generalization of MDS codes **60** (1-3) (1995) 343–347
1635. M.M. Syslo, On some new types of greedy chains and greedy linear extensions of partially ordered sets **60** (1-3) (1995) 349–358
1636. A.N. Trenk, Generalized perfect graphs: Characterizations and inversion **60** (1-3) (1995) 359–387
1637. G.J. Chang, C. Pandu Rangan and S.R. Coorg, Weighted independent perfect domination on cocomparability graphs **63** (3) (1995) 215–222
1638. J.R. Driscoll, D.M. Healy and G.T. Isaak, Scheduling dyadic intervals **63** (2) (1995) 101–116

1639. F.Ö. Ergincan and D.A. Gregory, Directed Moore hypergraphs **63** (2) (1995) 117–127
1640. E. Kranakis and D. Krizanc, Labeled versus unlabeled distributed Cayley networks **63** (3) (1995) 223–236
1641. E. Nowicki and S. Zdrzałka, A bicriterion approach to preemptive scheduling of parallel machines with controllable job processing times **63** (3) (1995) 237–256
1642. W. Stadje, Selecting jobs for scheduling on a machine subject to failure **63** (3) (1995) 257–265
1643. J. Topp and P.D. Vestergaard, Well irredundant graphs **63** (3) (1995) 267–276
1644. D. Blokh and G. Gutin, Maximizing traveling salesman problem for special matrices **56** (1) (1995) 83–86
1645. D.C. Fisher and J. Ryan, Probabilities within optimal strategies for tournament games **56** (1) (1995) 87–91
1646. E. Prisner, Clique covering and clique partition in generalizations of line graphs **56** (1) (1995) 93–98
1647. K.R. Pruhs, Using local adaptations to reconfigure a spanning tree of a network **57** (1) (1995) 67–74
1648. F. Ruskey, M. Jiang and A. Weston, The Hamiltonicity of directed σ–τ Cayley graphs (Or: A tale of backtracking) **57** (1) (1995) 75–83
1649. A.S. Schulz, The permutahedron of series-parallel posets **57** (1) (1995) 85–90
1650. B. Spieker, The set of super-stable marriages forms a distributive lattice **58** (1) (1995) 79–84
1652. Y. Aoki, Probing the arrangement of hyperplanes **56** (2-3) (1995) 101–125
1653. D. Barth, J. Bond and A. Raspaud, Compatible eulerian circuits in K_n^{**} **56** (2-3) (1995) 127–136
1654. P. Cheng and S. Masuyama, A lower bound of the expected maximum number of edge-disjoint s–t paths on probabilistic graphs **56** (2-3) (1995) 137–155
1655. H. de Fraysseix, P. Ossona de Mendez and P. Rosenstiehl, Bipolar orientations revisited **56** (2-3) (1995) 157–179
1656. M. Deza and V.P. Grishukhin, L-polytopes and equiangular lines **56** (2-3) (1995) 181–214
1657. M. Deza and M. Laurent, Hypercube embedding of generalized bipartite metrics **56** (2-3) (1995) 215–230
1658. K. Fukuda and M. Namiki, Finding all common bases in two matroids **56** (2-3) (1995) 231–243
1659. M. Hanazawa, H. Narushima and N. Minaka, Generating most parsimonious reconstructions on a tree: A generalization of the Farris–Swofford–Maddison method **56** (2-3) (1995) 245–265
1660. A.V. Karzanov, Half-integral flows in a planar graph with four holes **56** (2-3) (1995) 267–295
1661. Y. Manoussakis, Alternating paths in edge-colored complete graphs **56** (2-3) (1995) 297–309
1662. T. Matsui and S. Tamura, Adjacency on combinatorial polyhedra **56** (2-3) (1995) 311–321
1663. S. Negami and K. Kawagoe, Polynomial invariants of graphs with state models **56** (2-3) (1995) 323–331
1664. M. Shigeno, Y. Saruwatari and T. Matsui, An algorithm for fractional assignment problems **56** (2-3) (1995) 333–343
1665. T. Matsui, The minimum spanning tree problem on a planar graph (*Communication*) **58** (1995) 91–94
1667. J.D. Annan, The complexities of the coefficients of the Tutte polynomial **57** (2-3) (1995) 93–103
1668. J.R. Birge and M.A.H. Dempster, Optimal match-up strategies in stochastic scheduling **57** (2-3) (1995) 105–120
1669. P. Butkovič, Regularity of matrices in min-algebra and its time-complexity **57** (2-3) (1995) 121–132
1670. K. Edwards and C. McDiarmid, The complexity of harmonious colouring for trees **57** (2-3) (1995) 133–144
1671. K.D. Glazebrook, Stochastic scheduling and forwards induction **57** (2-3) (1995) 145–165
1672. C. Hanen and A. Munier, A study of the cyclic scheduling problem on parallel processors **57** (2-3) (1995) 167–192
1673. L. Kučera, Expected complexity of graph partitioning problems **57** (2-3) (1995) 193–212
1674. B. Reed, Rooted routing in the plane **57** (1995) 213–227
1675. E. Sanlaville, Nearly on line scheduling of preemptive independent tasks **57** (2-3) (1995) 229–241
1676. N.Y. Soma, A.S.I. Zinober, H.H. Yanasse and P.J. Harley, A polynomial approximation scheme for the subset sum problem **57** (2-3) (1995) 243–253
1677. A. Srivastav and P. Stangier, Weighted fractional and integral k-matching in hypergraphs **57** (2-3) (1995) 255–269
1678. D.R. Guichard, No-hole k-tuple $(r+1)$-distant colorings of odd cycles **64** (1) (1996) 87–92
1679. I. Vrt'o, Two remarks on "Expanding and Forwarding" by P. Solé **58** (1) (1995) 85–89
1680. K.P. Bogart, J. Bonin and J. Mitas, Interval orders based on weak orders **60** (1-3) (1995) 93–98

1681. C.J. Colbourn, J.S. Provan and D. Vertigan, A new approach to solving three combinatorial enumeration problems on planar graphs **60** (1-3) (1995) 119–129
1682. U. Faigle and W.M. Nawijn, Note on scheduling intervals on-line **58** (1) (1995) 13–17
1683. T. Soneoka, M. Imase and Y. Manabe, Design of a d-connected digraph with a minimum number of edges and a quasiminimal diameter: II **64** (3) (1996) 267–279
1684. I. Averbakh, O. Berman and A.P. Punnen, Constrained matroidal bottleneck problems **63** (3) (1995) 201–214
1685. V. Chepoi, A multifacility location problem on median spaces **64** (1) (1996) 1–29
1686. A.S. Fraenkel and S.T. Klein, Robust universal complete codes for transmission and compression **64** (1) (1996) 31–55
1687. B. Hartnell and M.D. Plummer, On 4-connected claw-free well-covered graphs **64** (1) (1996) 57–65
1688. M.V. Marathe, H.B. Hunt III and S.S. Ravi, Efficient approximation algorithms for domatic partition and on-line coloring of circular arc graphs **64** (2) (1996) 135–149
1689. A. Orlitsky and S.S. Venkatesh, On edge-colored interior planar graphs on a circle and the expected number of RNA secondary structures **64** (2) (1996) 151–178
1690. M. Urabe, On a partition into convex polygons **64** (2) (1996) 179–191
1691. X. Li and I. Gutman, A unified approach to the first derivatives of graph polynomials **58** (3) (1995) 293–297
1692. R.D. Armstrong and Z. Jin, Strongly polynomial simplex algorithm for bipartite vertex packing **64** (2) (1996) 97–103
1693. A. Bagchi, E.F. Schmeichel and S.L. Hakimi, Gossiping with multiple sends and receives **64** (2) (1996) 105–116
1694. R. Chen, Coronoid systems with perfect matchings **64** (2) (1996) 117–133
1695. M.B. Dillencourt, Finding Hamiltonian cycles in Delaunay triangulations is NP-complete **64** (3) (1996) 207–217
1696. A. Munier, The basic cyclic scheduling problem with linear precedence constraints **64** (3) (1996) 219–238
1697. C. Padró, P. Morillo and E. Llobet, Diameter-vulnerability of large bipartite digraphs **64** (3) (1996) 239–248
1698. G. Sajith and S. Saxena, Optimal parallel algorithm for Brooks' colouring bounded degree graphs in logarithmic time on EREW PRAM **64** (3) (1996) 249–265
1699. A.T. Benjamin, C. Converse and H.A. Krieger, How do I marry thee? Let me count the ways! **59** (3) (1995) 285–292
1700. M. Carpentieri, Some democratic secret sharing schemes **59** (3) (1995) 293–298
1701. H.-J. Lai, Large survivable nets and the generalized prisms **61** (2) (1995) 181–185
1702. J.-P. Allouche, F. von Haeseler, H.-O. Peitgen and G. Skordev, Linear cellular automata, finite automata and Pascal's triangle **66** (1) (1996) 1–22
1703. A. Brandstädt and H.-J. Voss, Short disjoint cycles in graphs with degree constraints **64** (3) (1996) 197–205
1704. R. Brewster and G. MacGillivray, Homomorphically full graphs **66** (1) (1996) 23–31
1705. C.R. Coullard, A. Rais, R.L. Rardin and D.K. Wagner, The dominant of the 2-connected-Steiner-subgraph polytope for W_4-free graphs **66** (1) (1996) 33–43
1706. F. Gavril, Intersection graphs of Helly families of subtrees **66** (1) (1996) 45–56
1707. B. Mans and C. Roucairol, Performances of parallel branch and bound algorithms with best-first search **66** (1) (1996) 57–74
1708. C.-C. Yen and R.C.T. Lee, The weighted perfect domination problem and its variants **66** (2) (1996) 147–160
1709. S. Zdrzałka, A sequencing problem with family setup times **66** (2) (1996) 161–183
1712. G. Andreatta and F. Mason, Path covering problems and testing of printed circuits **62** (1-3) (1995) 5–13
1713. R.I. Becker and Y. Perl, The shifting algorithm technique for the partitioning of trees **62** (1-3) (1995) 15–34
1715. E. Boros, V. Gurvich, P.L. Hammer, T. Ibaraki and A. Kogan, Decomposability of partially defined Boolean functions **62** (1-3) (1995) 51–75
1716. P. Brucker, Efficient algorithms for some path partitioning problems **62** (1-3) (1995) 77–85
1717. S. Chopra, Compositions for matroids with the Fulkerson property **62** (1-3) (1995) 87–101

1718. M. Conforti, G. Cornuéjols and M.R. Rao, Decomposition of wheel-and-parachute-free balanced bipartite graphs **62** (1-3) (1995) 103–117
1719. D. Cvetković, P. Rowlinson and S. Simić, On some algorithmic investigations of star partitions of graphs **62** (1-3) (1995) 119–130
1720. M. Davis-Moradkhan and C. Roucairol, Graph partitioning applied to the logic testing of combinational circuits **62** (1-3) (1995) 131–165
1721. C.C. de Souza and M. Laurent, Some new classes of facets for the equicut polytope **62** (1-3) (1995) 167–191
1722. R. Euler and H. Le Verge, Complete linear descriptions of small asymmetric traveling salesman polytopes **62** (1-3) (1995) 193–208
1723. A.R. Mahjoub, A min–max relation for K_3-covers in graphs noncontractible to $K_5\backslash e$ **62** (1-3) (1995) 209–219
1724. A. Mingozzi, S. Ricciardelli and M. Spadoni, Partitioning a matrix to minimize the maximum cost **62** (1-3) (1995) 221–248
1725. S. Poljak and F. Rendl, Solving the max-cut problem using eigenvalues **62** (1-3) (1995) 249–278
1726. G. Tinhofer, Bin-packing and matchings in threshold graphs **62** (1-3) (1995) 279–289
1727. R.C. Brigham, F.R. McMorris and R.P. Vitray, Two-ϕ-tolerance competition graphs **66** (2) (1996) 101–108
1728. F. Cheah and D.G. Corneil, On the structure of trapezoid graphs **66** (2) (1996) 109–133
1729. N.J. Finizio, An infinite class of Z-cyclic whist tournaments on v players, $v \equiv 1 (\mathrm{mod}\ 4)$ **66** (2) (1996) 135–146
1730. M.X. Goemans, An approximation algorithm for scheduling on three dedicated machines **61** (1) (1995) 49–59
1731. T. Hegedűs and N. Megiddo, On the geometric separability of Boolean functions **66** (3) (1996) 205–218
1732. C.T. Hoàng, On the complexity of recognizing a class of perfectly orderable graphs **66** (3) (1996) 219–226
1733. T. Kämpke, Lower probabilities and function representation **66** (3) (1996) 227–243
1734. K.A. McKeon, The expected number of symmetries in locally restricted trees II **66** (3) (1996) 245–253
1735. D.B. Peters and J.G. Peters, Bounded depth broadcasting **66** (3) (1996) 255–270
1736. R.C. Powers, Arrow's Theorem for closed weak hierarchies **66** (3) (1996) 271–278
1737. H.L. Abbott and M.J. Smuga-Otto, Lower bounds for hypergraph Ramsey numbers **61** (2) (1995) 177–180
1739. L. Bianco, P. Dell'Olmo and M.G. Speranza, Scheduling independent tasks with multiple modes **62** (1-3) (1995) 35–50
1740. A.V. Gerbessiotis, Close-to-optimal and near-optimal broadcasting in random graphs **63** (2) (1995) 129–150
1742. B. Courcelle, Erratum to "The monadic second-order logic of graphs VI: On several representations of graphs by relational structures" [Discrete Applied Mathematics 54 (1994) 117–149] **63** (2) (1995) 199–200
1743. D. Babić and N. Trinajstić, Möbius inversion on a poset of a graph and its acyclic subgraphs **67** (1-3) (1996) 5–11
1744. K.T. Balińska, H. Galina, L.V. Quintas and J. Szymański, A kinetic approach to the random f-graph process. Paths, cycles and components **67** (1-3) (1996) 13–25
1745. I.P. Bangov, Generation of molecular graphs based on flexible utilization of the available structural information **67** (1996) 27–49
1746. T.J.N. Brown, R.B. Mallion, P. Pollak and A. Roth, Some methods for counting the spanning trees in labelled molecular graphs, examined in relation to certain fullerenes **67** (1-3) (1996) 51–66
1747. S.J. Cyvin, B.N. Cyvin, J. Brunvoll and E.K. Lloyd, Circumscribing certain polygonal systems **67** (1-3) (1996) 67–78
1748. J.R. Dias, Graph theoretical invariants and elementary subgraphs of polyhex and polypent/polyhex systems of chemical relevance **67** (1-3) (1996) 79–114
1749. R. Grund, A. Kerber and R. Laue, Construction of discrete structures, especially isomers **67** (1-3) (1996) 115–126
1750. F. Harary, W. Randolph and P.G. Mezey, A study of maximum unit-circle caterpillars – tools for the study of the shape of adsorption patterns **67** (1-3) (1996) 127–135

1751. H. Wenchen, H. Wenjie and H. Ying, Cut invariant d and bond orders of Kekuléan benzenoids **67** (1-3) (1996) 137–147
1752. J. Katriel, Explicit expressions for the central characters of the symmetric group **67** (1-3) (1996) 149–156
1753. D.J. Klein and H. Zhu, Resonance in elemental benzenoids **67** (1-3) (1996) 157–173
1754. M.E. Muzychuk, M.H. Klin and N.S. Zefirov, On the mathematical model of triangulanes **67** (1-3) (1996) 175–187
1755. J. Pospíchal and V. Kvasníčka, Pruning the search tree in the constructive enumeration of molecular graphs **67** (1-3) (1996) 189–207
1756. P. Rowlinson, The characteristic polynomials of modified graphs **67** (1-3) (1996) 209–219
1757. Y.-N. Yeh, I. Gutman and C.-M. Fu, Graph transformations which preserve the multiplicity of an eigenvalue **67** (1-3) (1996) 221–228
1759. A. Bouabdallah, C. Delorme and S. Djelloul, Edge deletion preserving the diameter of the hypercube **63** (1) (1995) 91–95
1760. A. Hertz, M. Queyranne and M. Widmer, Preface **65** (1-3) (1996) 1–3
1762. D. Avis and K. Fukuda, Reverse search for enumeration **65** (1-3) (1996) 21–46
1763. A. Bachem, W. Hochstättler and M. Malich, The simulated trading heuristic for solving vehicle routing problems **65** (1-3) (1996) 47–72
1764. C. Berge, Some properties of non-bicolorable hypergraphs and the four-color problem **65** (1-3) (1996) 73–79
1765. J. Błażewicz, M. Drozdowski, D. de Werra and J. Węglarz, Deadline scheduling of multiprocessor tasks **65** (1-3) (1996) 81–95
1766. P. Brucker, J. Hurink and F. Werner, Improving local search heuristics for some scheduling problems—I **65** (1-3) (1996) 97–122
1767. R.E. Burkard, R. Rudolf and G.J. Woeginger, Three-dimensional axial assignment problems with decomposable cost coefficients **65** (1-3) (1996) 123–139
1768. J. Carlier and C. Lucet, A decomposition algorithm for network reliability evaluation **65** (1-3) (1996) 141–156
1769. M. Cochand and A. Gaillard, On preemptive scheduling: a general setting for the two-phase method **65** (1-3) (1996) 157–166
1770. Y. Dai, H. Imai, K. Iwano, N. Katoh, K. Ohtsuka and N. Yoshimura, A new unifying heuristic algorithm for the undirected minimum cut problems using minimum range cut algorithms **65** (1-3) (1996) 167–190
1771. M. Dell'Amico and F. Maffioli, On some multicriteria arborescence problems: complexity and algorithms **65** (1-3) (1996) 191–206
1772. R. Euler and H. Le Verge, Time-tables, polyhedra and the greedy algorithm **65** (1-3) (1996) 207–221
1773. F. Glover, Ejection chains, reference structures and alternating path methods for traveling salesman problems **65** (1-3) (1996) 223–253
1774. P. Hansen and M. Zheng, Shortest shortest path trees of a network **65** (1-3) (1996) 275–284
1775. A. Hertz, Y. Mottet and Y. Rochat, On a scheduling problem in a robotized analytical system **65** (1-3) (1996) 285–318
1776. A. Hertz and M. Widmer, An improved tabu search approach for solving the job shop scheduling problem with tooling constraints **65** (1-3) (1996) 319–345
1777. A.J.W. Hilton, J.P. Liu and C. Zhao, Graphs that admit 3-to-1 or 2-to-1 maps onto the circle **65** (1-3) (1996) 347–377
1778. C.T. Hoàng, A note on perfectly orderable graphs **65** (1-3) (1996) 379–386
1779. J. Lehel, F. Maffray and M. Preissmann, Graphs with largest number of minimum cuts **65** (1-3) (1996) 387–407
1780. M. Pattloch and G. Schmidt, Lot-size scheduling of two types of jobs on identical machines **65** (1-3) (1996) 409–419
1781. H. Shum and L.E. Trotter Jr, Cardinality-restricted chains and antichains in partially ordered sets **65** (1-3) (1996) 421–439
1782. J.-C. Bermond and F.Ö. Ergincan, Bus interconnection networks **68** (1-2) (1996) 1–15
1783. F. Blanchet-Sadri, Inclusion relations between some congruences related to the dot-depth hierarchy **68** (1-2) (1996) 33–71
1784. M.-S. Chang, Y.-H. Chen, G.J. Chang and J.-H. Yan, Algorithmic aspects of the generalized clique-transversal problem on chordal graphs **66** (3) (1996) 189–203

1785. C.-Y. Lee and C.-L. Li, On the fixed interval due-date scheduling problem **68** (1-2) (1996) 101–117
1786. A.L. Liestman, T.C. Shermer and C.R. Stolte, Degree-constrained spanners for multidimensional grids **68** (1-2) (1996) 119–144
1787. W. Yu, Augmentations of consistent partial orders for the one-machine total tardiness problem **68** (1-2) (1996) 189–202
1788. M.R. Brito, A simple a.s. correct algorithm for deciding if a graph has a perfect matching **63** (2) (1995) 181–185
1790. I. Averbakh and O. Berman, A heuristic with worst-case analysis for minimax routing of two travelling salesmen on a tree **68** (1-2) (1996) 17–32
1791. D. de Werra, A.J. Hoffman, N.V.R. Mahadev and U.N. Peled, Restrictions and preassignments in preemptive open shop scheduling **68** (1-2) (1996) 169–188
1792. J. Dunbar, W. Goddard, S. Hedetniemi, A. McRae and M.A. Henning, The algorithmic complexity of minus domination in graphs **68** (1-2) (1996) 73–84
1793. G.H. Fricke, M.A. Henning, O.R. Oellermann and H.C. Swart, An algorithm to find two distance domination parameters in a graph **68** (1-2) (1996) 85–91
1794. S. Klavžar and J. Žerovnik, Algebraic approach to fasciagraphs and rotagraphs **68** (1-2) (1996) 93–100
1795. D.R. Popescu and I. Tomescu, Negative cycles in complete signed graphs **68** (1-2) (1996) 145–152
1796. H.D. Sherali and Y. Lee, Tighter representations for set partitioning problems **68** (1-2) (1996) 153–167
1797. I.A. Stewart, Finding regular subgraphs in both arbitrary and planar graphs **68** (3) (1996) 223–235
1798. C. Flotow, On powers of m-trapezoid graphs **63** (2) (1995) 187–192
1799. L. Ilie, On subwords of infinite words **63** (3) (1995) 277–279
1800. M. Lipponen and G. Păun, Strongly prime PCP words **63** (2) (1995) 193–197
1801. C.R. Satyan and C. Pandu Rangan, The parity path problem on some subclasses of perfect graphs **68** (3) (1996) 293–302
1803. P.C. Fishburn, Decision theory and discrete mathematics **68** (3) (1996) 209–221
1804. K. Ando, S. Fujishige and T. Nemoto, Decomposition of a bidirected graph into strongly connected components and its signed poset structure **68** (3) (1996) 237–248
1805. L.W. Beineke, O.R. Oellermann and R.E. Pippert, On the Steiner median of a tree **68** (3) (1996) 249–258
1806. F.F. Dragan and V.I. Voloshin, Incidence graphs of biacyclic hypergraphs **68** (3) (1996) 259–266
1807. G.H. Fricke, S.T. Hedetniemi and D.P. Jacobs, Maximal irredundant functions **68** (3) (1996) 267–277
1808. Y. Manoussakis and Z. Tuza, The forwarding index of directed networks **68** (3) (1996) 279–291
1809. K. Nachtigall, Periodic network optimization with different arc frequencies **69** (1-2) (1996) 1–17
1810. M.P. Ng and N.C. Wormald, Reconstruction of rooted trees from subtrees **69** (1-2) (1996) 19–31
1811. J. Wood and J. Shawe-Taylor, Representation theory and invariant neural networks **69** (1-2) (1996) 33–60
1812. J. Demetrovics and V.D. Thi, Some results about normal forms for functional dependency in the relational datamodel **69** (1-2) (1996) 61–73
1813. G. Gutin and A. Yeo, Ranking the vertices of a complete multipartite paired comparison digraph **69** (1-2) (1996) 75–82
1814. H.-S. Lim, J.-H. Park and K.-Y. Chwa, Embedding trees in recursive circulants **69** (1-2) (1996) 83–99
1815. D. Pixton, Regularity of splicing languages **69** (1-2) (1996) 101–124
1816. P.W. Stephens, Gap strings and spanning forests for bridge graphs of biconnected graphs **69** (1-2) (1996) 125–145
1817. H. Zhang and F. Zhang, The Clar covering polynomial of hexagonal systems I **69** (1-2) (1996) 147–167
1822. S.R. Arikati and U.N. Peled, A polynomial algorithm for the parity path problem on perfectly orientable graphs **65** (1-3) (1996) 5–20
1823. C. Antoni and A. Dalena, On a problem of P. Erdős **66** (1) (1996) 75–79
1824. V. Balachandhran and C.P. Rangan, All-pairs-shortest-length on strongly chordal graphs **69** (1-2) (1996) 169–182
1825. Z.-Z. Chen and X. He, Parallel complexity of partitioning a planar graph into vertex-induced forests **69** (1-2) (1996) 183–198
1826. H. Everett, S. Klein and B. Reed, An algorithm for finding homogeneous pairs **72** (3) (1997) 209–218
1827. C. Flotow, On powers of circular arc graphs and proper circular arc graphs **69** (3) (1996) 197–205
1828. K. Makino and T. Ibaraki, Interior and exterior functions of Boolean functions **69** (3) (1996) 207–229
1829. L.A. Newberg, The number of clone orderings **69** (3) (1996) 231–243
1830. J.-H. Yan, J.-J. Chen and G.J. Chang, Quasi-threshold graphs **69** (3) (1996) 245–253

1831. R.H. Möhring, Triangulating graphs without asteroidal triples **64** (3) (1996) 281–287
1832. J.I. Brown, The complexity of generalized graph colorings **69** (3) (1996) 255–268
1833. J. Fàbrega and M.A. Fiol, Bipartite graphs and digraphs with maximum connectivity **69** (3) (1996) 269–277
1834. P. Hell, D. Kirkpatrick and B. Li, Rounding in symmetric matrices and undirected graphs **70** (1) (1996) 1–22
1835. P. Hell, J. Nešetřil and X. Zhu, Complexity of tree homomorphisms **70** (1) (1996) 23–36
1836. J. Hurink, Polygon scheduling **70** (1) (1996) 37–55
1837. G. Păun, On the splicing operation **70** (1) (1996) 57–79
1838. Z.-L. Chen, Parallel machine scheduling with time dependent processing times **70** (1) (1996) 81–93
1839. R.E. Burkard, B. Klinz and R. Rudolf, Perspectives of Monge properties in optimization **70** (2) (1996) 95–161
1840. T. Etzion and S. Bitan, On the chromatic number, colorings, and codes of the Johnson graph **70** (2) (1996) 163–175
1841. S. Khuller, B. Raghavachari and N. Young, On strongly connected digraphs with bounded cycle length **69** (3) (1996) 279–287
1842. S. Khuller, B. Raghavachari and A. Rosenfeld, Landmarks in graphs **70** (3) (1996) 217–229
1843. Z. Lonc, On the complexity of some edge-partition problems for graphs **70** (2) (1996) 177–183
1844. B. Chen and B. Srivastava, An improved lower bound for the bin packing problem **66** (1) (1996) 81–94
1845. T.C.E. Cheng and M.Y. Kovalyov, Batch scheduling and common due-date assignment on a single machine **70** (3) (1996) 231–245
1846. L. Finta and Z. Liu, Single machine scheduling subject to precedence delays **70** (3) (1996) 247–266
1847. F. Granot and M. Penn, Polynomial algorithms for (integral) maximum two-flows in vertex-capacitated planar graphs **70** (3) (1996) 267–283
1848. D.T. Lee, C.D. Yang and C.K. Wong, Rectilinear paths among rectilinear obstacles **70** (3) (1996) 185–215
1849. K. Park and S. Park, Lifting cover inequalities for the precedence-constrained knapsack problem **72** (3) (1997) 219–241
1850. A. Agnetis, D. Pacciarelli and F. Rossi, Batch scheduling in a two-machine flow shop with limited buffer **72** (3) (1997) 243–260
1851. J.D. Lamb, D.R. Woodall and G.M. Asher, Bond graphs I: Acausal equivalence **72** (3) (1997) 261–293
1852. X. Li, Hexagonal systems with forcing single edges **72** (3) (1997) 295–301
1853. L. O'Connor, Nondegenerate functions and permutations **73** (1) (1997) 41–57
1854. Z. Huaxiao, Z. Fuji and H. Qiongxiang, On the number of spanning trees and Eulerian tours in iterated line digraphs **73** (1) (1997) 59–67
1855. J. Grytczuk, Intertwined infinite binary words (*Note*) **66** (1996) 95–99
1856. E. Triesch, A group testing problem for hypergraphs of bounded rank **66** (2) (1996) 185–188
1857. B. Aldershof and O.M. Carducci, Stable matchings with couples **68** (1-2) (1996) 203–207
1858. B. Bollobás and G. Brightwell, Random walks and electrical resistances in products of graphs **73** (1) (1997) 69–79
1859. V. Chvátal, Resolution search **73** (1) (1997) 81–99
1860. W.-C. Huang, B.-Y. Yang and Y.-N. Yeh, From ternary strings to Wiener indices of benzenoid chains **73** (2) (1997) 113–131
1861. Y.-L. Lai and K. Williams, On bandwidth for the tensor product of paths and cycles **73** (2) (1997) 133–141
1862. J.D. Lamb, D.R. Woodall and G.M. Asher, Bond graphs II: Causality and singularity **73** (2) (1997) 143–173
1863. V. Chepoi, Peakless functions on graphs **73** (2) (1997) 175–189
1864. R.B. Hayward, Meyniel weakly triangulated graphs – I: co-perfect orderability **73** (3) (1997) 199–210
1865. J.D. Lamb, G.M. Asher and D.R. Woodall, Bond graphs III: Bond graphs and electrical networks **73** (3) (1997) 211–250
1866. I. Parberry, An efficient algorithm for the Knight's tour problem **73** (1997) 251–260
1867. M. Shigeno and S. Iwata, A cost-scaling algorithm for 0–1 submodular flows **73** (3) (1997) 261–273
1868. M. Aigner, Finding the maximum and minimum **74** (1) (1997) 1–12

1869. S. Felsner, R. Müller and L. Wernisch, Trapezoid graphs and generalizations, geometry and algorithms **74** (1) (1997) 13–32
1870. T.-H. Lai and S.-S. Wei, Bipartite permutation graphs with application to the minimum buffer size problem **74** (1) (1997) 33–55
1871. D. Nehme and G. Yu, The cardinality and precedence constrained maximum value sub-hypergraph problem and its applications **74** (1) (1997) 57–68
1872. D. Peleg and A. Wool, The availability of crumbling wall quorum systems **74** (1) (1997) 69–83
1873. H. Yinnone, On paths avoiding forbidden pairs of vertices in a graph **74** (1) (1997) 85–92
1874. G. Zhang, A new version of on-line variable-sized bin packing **72** (3) (1997) 193–197
1875. F.K. Hwang, Y.C. Yao and M.D. Grammatikakis, A d-move local permutation routing for the d-cube **72** (3) (1997) 199–207
1878. P.K. Jha, N. Agnihotri and R. Kumar, Long cycles and long paths in the Kronecker product of a cycle and a tree **74** (2) (1997) 101–121
1879. J. Honkala, A decision method for Parikh slenderness of context-free languages **73** (1) (1997) 1–4
1880. H. Zhang and F. Zhang, The rotation graphs of perfect matchings of plane bipartite graphs **73** (1) (1997) 5–12
1881. Y. Ishigami and S. Tani, VC-dimensions of finite automata and commutative finite automata with k letters and n states **74** (2) (1997) 123–134
1882. A. Billionnet and A. Faye, A lower bound for a constrained quadratic 0–1 minimization problem **74** (2) (1997) 135–146
1883. R. Chen and F. Zhang, Regular coronoid systems **74** (2) (1997) 147–158
1884. Y. Crama, O. Ekin and P.L. Hammer, Variable and term removal from Boolean formulae **75** (3) (1997) 217–230
1885. A.M. Dean and J.P. Hutchinson, Rectangle-visibility representations of bipartite graphs **75** (1) (1997) 9–25
1886. O. Goldschmidt and D.S. Hochbaum, k-edge subgraph problems **74** (2) (1997) 159–169
1887. O. Kyek, I. Parberry and I. Wegener, Bounds on the number of knight's tours **74** (2) (1997) 171–181
1888. W.A. Webb, How to cut a cake fairly using a minimal number of cuts **74** (2) (1997) 183–190
1890. E. Bampis, F. Guinand and D. Trystram, Some models for scheduling parallel programs with communication delays **72** (1-2) (1997) 5–24
1891. L. Bianco, J. Błażewicz, P. Dell'Olmo and M. Drozdowski, Linear algorithms for preemptive scheduling of multiprocessor tasks subject to minimal lateness **72** (1-2) (1997) 25–46
1892. P. Brucker, J. Hurink and F. Werner, Improving local search heuristics for some scheduling problems. Part II **72** (1-2) (1997) 47–69
1893. P. Dell'Olmo, M.G. Speranza and Zs. Tuza, Comparability graph augmentation for some multiprocessor scheduling problems **72** (1-2) (1997) 71–84
1894. G. Gallo and F. Piccinonno, b9000A 1/4 approximate algorithm for P2/tree/Cmax **72** (1-2) (1997) 85–98
1895. D.S. Hochbaum and D. Landy, Scheduling with batching: two job types **72** (1-2) (1997) 99–114
1896. B. Jurisch, W. Kubiak and J. Józefowska, Algorithms for minclique scheduling problems **72** (1-2) (1997) 115–139
1897. A.J. Orman and C.N. Potts, On the complexity of coupled-task scheduling **72** (1-2) (1997) 141–154
1898. M.W. Schäffter, Scheduling with forbidden sets **72** (1-2) (1997) 155–166
1899. G. Steiner, Minimizing the number of tardy jobs with precedence constraints and agreeable due dates **72** (1-2) (1997) 167–177
1900. A. von Arnim and A.S. Schulz, Facets of the generalized permutahedron of a poset **72** (1-2) (1997) 179–192
1901. L. Cai, On spanning 2-trees in a graph **74** (3) (1997) 203–216
1902. R. Chen and F. Zhang, Hamilton paths in Z-transformation graphs of perfect matchings of hexagonal systems **74** (2) (1997) 191–196
1903. G. Gambosi, M. Protasi and M. Talamo, Preserving approximation in the Min–Weighted Set Cover problem **73** (1) (1997) 13–22
1904. A.A. Melkman and S.E. Shimony, A note on approximate inclusion–exclusion **73** (1) (1997) 23–26
1905. R. Davies and G.F. Royle, Graph domination, tabu search and the football pool problem **74** (3) (1997) 217–228

1906. Y. Ishigami and S. Tani, VC-dimensions of finite automata and commutative finite automata with k letters and n states **74** (3) (1997) 229–240
1908. Y. Daniel Liang, Parallel algorithms for the domination problems in trapezoid graphs **74** (3) (1997) 241–249
1909. K. Makino, K. Yano and T. Ibaraki, Positive and Horn decomposability of partially defined Boolean functions **74** (3) (1997) 251–274
1910. N. Akkiraju and H. Edelsbrunner, Triangulating the surface of a molecule **71** (1-3) (1996) 5–22
1911. J.E. Atkins and M. Middendorf, On Physical Mapping and the consecutive ones property for sparse matrices **71** (1-3) (1996) 23–40
1912. V. Bafna, B. Narayanan and R. Ravi, Nonoverlapping local alignments (weighted independent sets of axis-parallel rectangles) **71** (1-3) (1996) 41–53
1913. H.L. Bodlaender and B. de Fluiter, On intervalizing k-colored graphs for DNA physical mapping **71** (1-3) (1996) 55–77
1914. D. Boneh, C. Dunworth, R.J. Lipton and J. Sgall, On the computational power of DNA **71** (1-3) (1996) 79–94
1915. A. Dress, D. Huson and V. Moulton, Analyzing and visualizing sequence and distance data using SPLITSTREE **71** (1-3) (1996) 95–109
1916. L.A. Goldberg, P.W. Goldberg, C.A. Phillips, E. Sweedyk and T. Warnow, Minimizing phylogenetic number to find good evolutionary trees **71** (1-3) (1996) 111–136
1917. S. Hannenhalli, Polynomial-time algorithm for computing translocation distance between genomes **71** (1-3) (1996) 137–151
1918. J. Hein, T. Jiang, L. Wang and K. Zhang, On the complexity of comparing evolutionary trees **71** (1-3) (1996) 153–169
1919. D. Kandel, Y. Matias, R. Unger and P. Winkler, Shuffling biological sequences **71** (1-3) (1996) 171–185
1920. J.M. Smith and B. Toppur, Euclidean Steiner minimal trees, minimum energy configurations, and the embedding problem of weighted graphs in E^3 **71** (1-3) (1996) 187–215
1921. M. Paterson and T. Przytycka, On the complexity of string folding **71** (1-3) (1996) 217–230
1922. W.R. Pearson, G. Robins, D.E. Wrege and T. Zhang, On the primer selection problem in polymerase chain reaction experiments **71** (1-3) (1996) 231–246
1923. D. Sankoff and J.H. Nadeau, Conserved synteny as a measure of genomic distance **71** (1-3) (1996) 247–257
1924. T.D. Schneider and D.N. Mastronarde, Fast multiple alignment of ungapped DNA sequences using information theory and a relaxation method **71** (1-3) (1996) 259–268
1925. T. Chen and S.S. Skiena, Sorting with fixed-length reversals **71** (1-3) (1996) 269–295
1926. M. Vingron and M.S. Waterman, Alignment networks and electrical networks **71** (1-3) (1996) 297–309
1927. C. Phillips and T.J. Warnow, The asymmetric median tree – A new model for building consensus trees **71** (1-3) (1996) 311–335
1928. Z. Zhang, B. He and W. Miller, Local multiple alignment via subgraph enumeration **71** (1-3) (1996) 337–365
1929. S. Istrail, P. Pevzner and R. Shamir, Introduction **71** (1-3) (1996) 1–4
1930. L. Cai and B. Schieber, A linear-time algorithm for computing the intersection of all odd cycles in a graph **73** (1) (1997) 27–34
1931. K. Romanik, Directed rectangle-visibility graphs have unbounded dimension **73** (1) (1997) 35–39
1932. B. Bollobás and I. Leader, Matchings and paths in the cube **75** (1) (1997) 1–8
1933. R.A. Brualdi and J. Shao, Generalized exponents of primitive symmetric digraphs **74** (3) (1997) 275–293
1934. P. Firby and J. Haviland, Independence and average distance in graphs **75** (1) (1997) 27–37
1935. M. Gavalec, Computing matrix period in max–min algebra **75** (1) (1997) 63–70
1936. E. Kranakis, D. Krizanc, A. Maheshwari, M. Noy, J.-R. Sack and J. Urrutia, Stage-graph representations **75** (1) (1997) 71–80
1937. S.-K. Lee, A.D. Oh, H. Choi and H.-A. Choi, Optimal transmission schedules in TWDM optical passive star networks **75** (1) (1997) 81–91
1938. A.P. Punnen and Y.P. Aneja, Minimum dispersion problems **75** (1) (1997) 93–102
1939. P. Fishburn, P. Schwander, L. Shepp and R.J. Vanderbei, The discrete Radon transform and its approximate inversion via linear programming **75** (1) (1997) 39–61
1940. C. Garcia and C. Peyrat, Large Cayley graphs on an abelian group **75** (2) (1997) 125–133

1941. K. Jansen and P. Scheffer, Generalized coloring for tree-like graphs **75** (2) (1997) 135–155
1942. R. Labahn and A. Raspaud, Periodic gossiping in back-to-back trees **75** (2) (1997) 157–168
1943. S. Martello, F. Soumis and P. Toth, Exact and approximation algorithms for makespan minimization on unrelated parallel machines **75** (2) (1997) 169–188
1944. A.D. Scott, Better bounds for perpetual gossiping **75** (2) (1997) 189–197
1946. R.D. Prisco and A.D. Santis, Catastrophic faults in reconfigurable systolic linear arrays **75** (2) (1997) 105–123
1947. I. Fagnot, On the subword equivalence problem for morphic words **75** (3) (1997) 231–253
1948. J. Gorodkin, Orbits of Boolean functions **75** (3) (1997) 269–275
1949. Y. Roditty and B. Shoham, On broadcasting multiple messages in a d-dimensional grid **75** (3) (1997) 277–284
1950. C. Stivaros and K. Sutner, Computing optimal assignments for residual network reliability **75** (3) (1997) 285–295
1952. I. Averbakh and O. Berman, $(p\text{-}1)/(p\text{+}1)$-approximate algorithms for p-traveling salesmen problems on a tree with minmax objective **75** (3) (1997) 201–216
1953. S. Fujita and A.M. Farley, Minimum-cost line broadcast in paths **75** (3) (1997) 255–268
1954. G. Gauyacq, On quasi-Cayley graphs **77** (1) (1997) 43–58
1955. J.I.A. Stallaert, The complementary class of generalized flow cover inequalities **77** (1) (1997) 73–80
1956. D.R. Woodall, Monotonicity of single-seat preferential election rules **77** (1) (1997) 81–98
1957. C. Blundo and D.R. Stinson, Anonymous secret sharing schemes **77** (1) (1997) 13–28
1958. E. Bulgaru and V.I. Voloshin, Mixed interval hypergraphs **77** (1) (1997) 29–41
1959. K. Han, C.N. Sekharan and R. Sridhar, Unified all-pairs shortest path algorithms in the chordal hierarchy **77** (1) (1997) 59–71
1960. M. Matamala and E. Goles, Dynamic behavior of cyclic automata networks **77** (2) (1997) 161–184
1961. J.L.R. Alfonsín, On variations of the subset sum problem **81** (1-3) (1998) 1–7
1962. V.G. Timkovsky, A polynomial-time algorithm for the two-machine unit-time release-date job-shop schedule-length problem **77** (2) (1997) 185–200
1963. F. Zhang and H. Zhang, A note on the number of perfect matchings of bipartite graphs **73** (3) (1997) 275–282
1964. A.J. Vakharia and B. Çatay, Two machine openshop scheduling with machine-dependent processing times **73** (3) (1997) 283–288
1965. W.C. Shiu and P.C.B. Lam, The Wiener number of the hexagonal net **73** (2) (1997) 101–111
1966. A.A. Gladky, On complexity of minimizing weighted number of late jobs in unit time open shops **74** (2) (1997) 197–201
1967. A.A. Chernyak and Zh.A. Chernyak, Note on complexity of computing the domination of binary systems **73** (3) (1997) 289–295
1968. M. Liu and G.L. Mullen, Irreducible polynomials and linear recurring arrays **74** (1) (1997) 93–99
1970. P. Bertolazzi, C. De Simone and A. Galluccio, A nice class for the vertex packing problem **76** (1-3) (1997) 3–19
1971. J. Błażewicz and M. Drozdowski, Distributed processing of divisible jobs with communication startup costs **76** (1-3) (1997) 21–41
1972. P. Brucker, J. Hurink, B. Jurisch and B. Wöstmann, A branch & bound algorithm for the open-shop problem **76** (1-3) (1997) 43–59
1973. J. Carlier, Y. Li and J. Lutton, Reliability evaluation of large telecommunication networks **76** (1-3) (1997) 61–80
1974. M. Cochand, A. Gaillard and H. Gröflin, Optimum partitioning into intersections of ring families **76** (1-3) (1997) 81–91
1975. D. de Werra and N.V.R. Mahadev, Preassignment requirements in chromatic scheduling **76** (1-3) (1997) 93–101
1976. M. Dell'Amico and S. Martello, The k-cardinality assignment problem **76** (1-3) (1997) 103–121
1977. G. Finke and H. Jiang, A variant of the permutation flow shop model with variable processing times **76** (1-3) (1997) 123–140
1978. A. Gaillard, Switchdec polyhedra **76** (1-3) (1997) 141–163
1979. E. Pesch and F. Glover, TSP ejection chains **76** (1-3) (1997) 165–181

1980. A. Hertz, On the use of Boolean methods for the computation of the stability number **76** (1-3) (1997) 183–203
1981. A.J.W. Hilton and C. Zhao, Vertex-splitting and chromatic index critical graphs **76** (1-3) (1997) 205–211
1982. M. Kubale, Open shop problem with zero–one time operations and integer release date/deadline intervals **76** (1-3) (1997) 213–223
1983. N.V.R. Mahadev and F.S. Roberts, Amenable colorings **76** (1-3) (1997) 225–238
1984. M. Queyranne and F.C.R. Spieksma, Approximation algorithms for multi-index transportation problems with decomposable costs **76** (1-3) (1997) 239–253
1985. M. Anthony and J. Shawe-Taylor, A sufficient condition for polynomial distribution-dependent learnability **77** (1) (1997) 1–12
1986. D. Barth and M.-C. Heydemann, A new digraphs composition with applications to de Bruijn and generalized de Bruijn digraphs **77** (2) (1997) 99–118
1987. C. Bercoff, Uniform tag systems for paperfolding sequences **77** (2) (1997) 119–138
1988. M. Duque-Antón, Constructing efficient simulated annealing algorithms **77** (2) (1997) 139–159
1989. D. Kratsch, T. Kloks and H. Müller, Measuring the vulnerability for classes of intersection graphs **77** (3) (1997) 259–270
1990. U. Pferschy, D. Pisinger and G.J. Woeginger, Simple but efficient approaches for the collapsing knapsack problem **77** (3) (1997) 271–280
1991. D. Bhagavathi, V. Bokka, H. Gurla, S. Olariu and J.L. Schwing, Time-optimal tree computations on sparse meshes **77** (3) (1997) 201–220
1992. A. Feigelson and L. Hellerstein, The forbidden projections of unate functions **77** (3) (1997) 221–236
1993. E. Kranakis, D. Krizanc, B. Ruf, J. Urrutia and G. Woeginger, The VC-dimension of set systems defined by graphs **77** (3) (1997) 237–257
1994. I. Stojmenović, Multiplicative circulant networks Topological properties and communication algorithms **77** (3) (1997) 281–305
1995. J.P. Warners, T. Terlaky, C. Roos and B. Jansen, A potential reduction approach to the frequency assignment problem **78** (1-3) (1997) 251–282
1996. Z.-L. Chen, Erratum to "Parallel machine scheduling with time dependent processing times" [Discrete Appl. Math. 70 (1996) 81–93] **75** (1) (1997) 103
1997. S. Perennes, A proof of Jean de Rumeur's conjecture **74** (3) (1997) 295–299
1998. T.J.N. Brown, R.B. Mallion, P. Pollak and A. Roth, Some methods for counting the spanning trees in labelled molecular graphs, examined in relation to certain fullerenes [Discrete Applied Mathematics 67 (1996) 51–66] **75** (2) (1997) 199–200
1999. J. Błażewicz, J. Carlier, A. Hertz and M. Widmer, Preface **76** (1-3) (1997) 1–2
2001. S.R. Arikati, A. Maheshwari and C.D. Zaroliagis, Efficient computation of implicit representations of sparse graphs **78** (1-3) (1997) 1–16
2002. P. Hansen, G. Storchi and T. Vovor, Paths with minimum range and ratio of arc lengths **78** (1-3) (1997) 89–102
2003. T. Hasunuma and Y. Shibata, Embedding de Bruijn, Kautz and shuffle-exchange networks in books **78** (1-3) (1997) 103–116
2004. M. Natu and S.-C. Fang, The point-to-point connection problem – analysis and algorithms **78** (1-3) (1997) 207–226
2005. B. von Stengel and R. Werchner, Complexity of searching an immobile hider in a graph **78** (1-3) (1997) 235–249
2006. J.-H. Yan, G.J. Chang, S.M. Hedetniemi and S.T. Hedetniemi, k-Path partitions in trees **78** (1-3) (1997) 227–233
2007. K.A. Berman and Y. Liu, Generalized bicycles **78** (1-3) (1997) 27–40
2008. M.-S. Chang and C.-C. Hsu, On minimum intersection of two minimum dominating sets of interval graphs **78** (1-3) (1997) 41–50
2009. J. Fàbrega and M. Zaragozà, Fault-tolerant routings in double fixed-step networks **78** (1-3) (1997) 61–74
2010. P. Fishburn, F.K. Hwang, D.Z. Du and B. Gao, On 1-rate wide-sense nonblocking for 3-stage Clos networks **78** (1-3) (1997) 75–87
2011. K.M. Koh and E.G. Tay, Optimal orientations of products of paths and cycles **78** (1-3) (1997) 163–174
2012. G.J. Kyparisis and C. Koulamas, Open shop scheduling with maximal machines **78** (1-3) (1997) 175–187
2013. R. Shull and A.N. Trenk, Cliques that are tolerance digraphs **80** (2-3) (1997) 119–134

2014. W.N. Li, Two-segmented channel routing is strong NP-complete **78** (1-3) (1997) 291–298
2015. A.V. Gerbessiotis, A graph-theoretic result for a model of neural computation **82** (1-3) (1998) 257–262
2016. T.M. Barnes and C.D. Savage, Efficient generation of graphical partitions **78** (1-3) (1997) 17–26
2017. D.-Z. Du, B. Gao and W. Wu, A special case for subset interconnection designs **78** (1-3) (1997) 51–60
2018. K.I.-J. Ho, J.Y.-T. Leung and W.-D. Wei, Scheduling imprecise computation tasks with 0/1-constraint **78** (1-3) (1997) 117–132
2019. G.Y. Katona, Edge disjoint Polyp Packing **78** (1-3) (1997) 133–152
2020. S.-R. Kim and F.S. Roberts, Competition numbers of graphs with a small number of triangles **78** (1-3) (1997) 153–162
2021. H. Müller, Recognizing interval digraphs and interval bigraphs in polynomial time **78** (1-3) (1997) 189–205
2023. T. Andreae, M. Hintz, M. Nölle, G. Schreiber, G.W. Schuster and H. Seng, Cartesian products of graphs as subgraphs of de Bruijn graphs of dimension at least three **79** (1-3) (1997) 3–34
2024. D. Bauer, J. van den Heuvel, A. Morgana and E. Schmeichel, The complexity of recognizing tough cubic graphs **79** (1-3) (1997) 35–44
2025. H.L. Bodlaender and D.M. Thilikos, Treewidth for graphs with small chordality **79** (1-3) (1997) 45–61
2026. S. Brandt, A sufficient condition for all short cycles **79** (1-3) (1997) 63–66
2027. M.-J. Jou and G.J. Chang, Maximal independent sets in graphs with at most one cycle **79** (1-3) (1997) 67–73
2028. E. Dahlhaus, J. Kratochvíl, P.D. Manuel and M. Miller, Transversal partitioning in balanced hypergraphs **79** (1-3) (1997) 75–89
2029. P. Dankelmann, H.C. Swart and O.R. Oellermann, On the average Steiner distance of graphs with prescribed properties **79** (1-3) (1997) 91–103
2030. T.S.H. Driessen, Tree enterprises and bankruptcy ventures A game theoretic similarity due to a graph theoretic proof **79** (1-3) (1997) 105–117
2031. Y. Guo, Spanning local tournaments in locally semicomplete digraphs **79** (1-3) (1997) 119–125
2032. Y. Guo and L. Volkmann, Bypaths in tournaments **79** (1-3) (1997) 127–135
2033. A. Mehrotra, Cardinality constrained Boolean quadratic polytope **79** (1-3) (1997) 137–154
2034. T. Niessen, Optimal channel allocation for several types of cellular radio networks **79** (1-3) (1997) 155–170
2035. A. Parra and P. Scheffler, Characterizations and algorithmic applications of chordal graph embeddings **79** (1-3) (1997) 171–188
2036. A. Schelten and I. Schiermeyer, Ramsey numbers $r(K_3, G)$ for connected graphs G of order seven **79** (1-3) (1997) 189–200
2037. U. Schelten and I. Schiermeyer, Small cycles in Hamiltonian graphs **79** (1-3) (1997) 201–211
2038. R. Schrader and G. Wambach, The setup polyhedron of series–parallel posets **79** (1-3) (1997) 213–221
2039. A. Srivastav and P. Stangier, Tight approximations for resource constrained scheduling and bin packing **79** (1-3) (1997) 223–245
2040. Zs. Tuza and M. Voigt, List colorings and reducibility **79** (1-3) (1997) 247–256
2041. H. Walther, Polyhedral graphs without hamiltonian cycles **79** (1-3) (1997) 257–263
2042. P. Wittmann, Vertex-distinguishing edge-colorings of 2-regular graphs **79** (1-3) (1997) 265–277
2043. A.P. Wojda and M. Zwonek, Coloring edges of self-complementary graphs **79** (1-3) (1997) 279–284
2044. M.-S. Chang, Weighted domination of cocomparability graphs **80** (2-3) (1997) 135–148
2045. F.E. Bennett and L. Wu, Minimum matrix representation of Sperner systems **81** (1-3) (1998) 9–17
2046. G. Gauyacq, Edge-forwarding index of star graphs and other Cayley graphs **80** (2-3) (1997) 149–160
2047. C.Z.W. Hassell Sweatman, G.J. Gibson and B. Mulgrew, Exact classification with two-layer neural nets in n dimensions **81** (1-3) (1998) 19–39
2048. C. Laforest, Broadcast and gossip in line-communication mode **80** (2-3) (1997) 161–176
2049. J.-Z. Wang and J.-X. Meng, The exponent of the primitive Cayley digraphs on finite Abelian groups **80** (2-3) (1997) 177–191
2052. R.B. Hayward, Meyniel weakly triangulated graphs II: A theorem of Dirac **78** (1-3) (1997) 283–289
2054. W. Sun and Y.X. Yang, Correlation functions of a family of generalized geometric sequences **80** (2-3) (1997) 193–201
2055. C. Calude and S. Yu, Language-theoretic complexity of disjunctive sequences **80** (2-3) (1997) 203–209

2056. J. Bang-Jensen, G. Gutin and A. Yeo, Properly coloured Hamiltonian paths in edge-coloured complete graphs **82** (1-3) (1998) 247–250
2057. I. Charon, O. Hudry and F. Woirgard, A 16-vertex tournament for which Banks set and Slater set are disjoint **80** (2-3) (1997) 211–215
2058. A.J. Macula, Error-correcting nonadaptive group testing with d^e-disjunct matrices **80** (2-3) (1997) 217–222
2059. K. Maribor, I. Gutman, S. Klavžar and B. Mohar, Preface **80** (1) (1997) 1–2
2060. V. Chepoi, M. Deza and V. Grishukhin, Clin d'oeil on L_1-embeddable planar graphs **80** (1) (1997) 3–19
2061. P. Dankelmann, Average distance and domination number **80** (1) (1997) 21–35
2062. C.A. Barefoot, R.C. Entringer and L.A. Székely, Extremal values for ratios of distances in trees **80** (1) (1997) 37–56
2063. M. Juvan, B. Mohar and J. Žerovnik, Distance-related invariants on polygraphs **80** (1) (1997) 57–71
2064. S. Klavžar and I. Gutman, Wiener number of vertex-weighted graphs and a chemical application **80** (1) (1997) 73–81
2065. W.C. Shiu, C.S. Tong and P.C.B. Lam, Wiener number of hexagonal jagged-rectangles **80** (1) (1997) 83–96
2066. H.M. Mulder, The majority strategy on graphs **80** (1) (1997) 97–105
2067. L. Pachter, Constructing status injective graphs **80** (1) (1997) 107–113
2068. D.J. Guan, Routing a vehicle of capacity greater than one **81** (1-3) (1998) 41–57
2069. P. Hliněný, The maximal clique and colourability of curve contact graphs **81** (1-3) (1998) 59–68
2070. Y. Liu, A. Morgana and B. Simeone, A linear algorithm for 2-bend embeddings of planar graphs in the two-dimensional grid **81** (1-3) (1998) 69–91
2071. C. Hanen and A. Munier, Performance of Coffman–Graham schedules in the presence of unit communication delays **81** (1-3) (1998) 93–108
2072. J. Oxley and D. Row, Panelling planar graphs **81** (1-3) (1998) 109–122
2073. M.G. Scutellà, A strongly polynomial algorithm for the uniform balanced network flow problem **81** (1-3) (1998) 123–131
2074. C. Blair, Sensitivity analysis for knapsack problems: a negative result **81** (1-3) (1998) 133–139
2075. D. Cao and G.L. Nemhauser, Polyhedral characterizations and perfection of line graphs **81** (1-3) (1998) 141–153
2076. A. Carpi, On the number of Abelian square-free words on four letters **81** (1-3) (1998) 155–167
2077. L.S. Heath and J.P.C. Vergara, Edge-packing planar graphs by cyclic graphs **81** (1-3) (1998) 169–180
2078. E. Kubicka, G. Kubicki and O.R. Oellermann, Steiner intervals in graphs **81** (1-3) (1998) 181–190
2079. R. Lin and S. Olariu, A fast parallel algorithm to recognize P4-sparse graphs **81** (1-3) (1998) 191–215
2080. G. Sierksma, Interchange graphs and the Hamiltonian cycle polytope **81** (1-3) (1998) 217–224
2081. C. De Simone and M. Jünger, On the two-connected planar spanning subgraph polytope **80** (2-3) (1997) 223–229
2082. H. Narushima and M. Hanazawa, A more efficient algorithm for MPR problems in phylogeny **80** (2-3) (1997) 231–238
2083. A. Shiourat, A constructive proof for the induction of M-convex functions through networks **82** (1-3) (1998) 271–278
2084. K.B. Reid, The k-ball l-path branch weight centroid **80** (2-3) (1997) 239–246
2085. S. Gravier and M. Mollard, On domination numbers of Cartesian product of paths **80** (2-3) (1997) 247–250
2086. M.Y. Kovalyov, Batch scheduling and common due date assignment problem: an NP-hard case **80** (2-3) (1997) 251–254
2087. V. Giakoumakis and I. Rusu, Weighted parameters in $(P_5, \overline{P}_5)$-free graphs **80** (2-3) (1997) 255–261
2088. C. McDiarmid, A doubly cyclic channel assignment problem **80** (2-3) (1997) 263–268
2089. J.-C. Bermond, E. Darrot, O. Delmas and S. Perennes, Hamilton circuits in the directed wrapped Butterfly network **84** (1-3) (1998) 21–42
2090. B. Chen and M. Guignard, Polyhedral analysis and decompositions for capacitated plant location-type problems **82** (1-3) (1998) 79–91
2091. R. Conti, P. Contucci and C. Falcolini, Polynomial invariants for trees A statistical mechanics approach **81** (1-3) (1998) 225–237

2092. Z. Hu and Z. Liu, A strongly polynomial algorithm for the inverse shortest arborescence problem **82** (1-3) (1998) 135–154
2093. K. Iwama and E. Miyano, Better approximations of non-Hamiltonian graphs **81** (1-3) (1998) 239–261
2094. F. Bao, Y. Igarashi and S.R. Öhring, Reliable broadcasting in product networks **83** (1-3) (1998) 3–20
2095. S. Bezrukov, B. Monien, W. Unger and G. Wechsung, Embedding ladders and caterpillars into the hypercube **83** (1-3) (1998) 21–29
2096. F. Comellas and M. Mitjana, Broadcasting in cycle prefix digraphs **83** (1-3) (1998) 31–39
2097. K.-S. Ding, C.-T. Ho and J.-J. Tsay, Matrix transpose on meshes with wormhole and XY routing **83** (1-3) (1998) 41–59
2098. A.M. Farley, A. Pelc and A. Proskurowski, Minimum-time multidrop broadcast **83** (1-3) (1998) 61–77
2099. P. Fragopoulou and S.G. Akl, Spanning subgraphs with applications to communication on a subclass of the Cayley-graph-based networks **83** (1-3) (1998) 79–96
2100. L. Gargano, A.A. Rescigno and U. Vaccaro, Minimum time broadcast in faulty star networks **83** (1-3) (1998) 97–119
2101. L. Gąsieniec and A. Pelc, Broadcasting with linearly bounded transmission faults **83** (1-3) (1998) 121–133
2102. A. Germa, M.-C. Heydemann and D. Sotteau, Cycles in the cube-connected cycles graph **83** (1-3) (1998) 135–155
2103. O. Gerstel, A. Wool and S. Zaks, Optimal layouts on a chain ATM network **83** (1-3) (1998) 157–178
2104. A. Jakoby, R. Reischuk and C. Schindelhauer, The complexity of broadcasting in planar and decomposable graphs **83** (1-3) (1998) 179–206
2105. J.O. Kane and J.G. Peters, Line broadcasting in cycles **83** (1-3) (1998) 207–228
2106. R. Klasing, The relationship between the gossip complexity in vertex-disjoint paths mode and the vertex bisection width **83** (1-3) (1998) 229–246
2107. S. Perennes, Broadcasting and gossiping on de Bruijn, shuffle-exchange and similar networks **83** (1-3) (1998) 247–262
2108. A. Shastri, Time-relaxed broadcasting in communication networks **83** (1-3) (1998) 263–278
2109. P. Tvrdik, R. Harbane and M.-C. Heydemann, Uniform homomorphisms of de Bruijn and Kautz networks **83** (1-3) (1998) 279–301
2110. E.A. Varvarigos, Optimal communication algorithms for Manhattan Street networks **83** (1-3) (1998) 303–326
2111. Z. Füredi, On the double competition number **82** (1-3) (1998) 251–255
2112. M. Klazar, On trees and noncrossing partitions **82** (1-3) (1998) 263–269
2113. S. Anily, C.A. Glass and R. Hassin, The scheduling of maintenance service **82** (1-3) (1998) 27–42
2114. L. Babel and S. Olariu, On the structure of graphs with few P_4s **84** (1-3) (1998) 1–13
2115. T. Eilam-Tzoreff, The disjoint shortest paths problem **85** (2) (1998) 113–138
2116. W. Martin, Fast equi-partitioning of rectangular domains using stripe decomposition **82** (1-3) (1998) 193–207
2117. N. Zhu and K. Broughan, On aggregating two linear Diophantine equations **82** (1-3) (1998) 231–246
2118. N. Alon and A. Zaks, T-choosability in graphs **82** (1-3) (1998) 1–13
2119. A. Brandstädt, V.D. Chepoi and F.F. Dragan, The algorithmic use of hypertree structure and maximum neighbourhood orderings **82** (1-3) (1998) 43–77
2120. D.C. Fisher, P.A. McKenna and E.D. Boyer, Hamiltonicity, diameter, domination, packing, and biclique partitions of Mycielski's graphs **84** (1-3) (1998) 93–105
2121. M.A. Henning and H. Maharaj, Some general aspects of the framing number of a digraph **82** (1-3) (1998) 115–133
2122. Z. Carmen Ortiz, N. Maculan and J.L. Szwarcfiter, Characterizing and edge-colouring split-indifference graphs **82** (1-3) (1998) 209–217
2123. E. Angel and V. Zissimopoulos, On the quality of local search for the quadratic assignment problem **82** (1-3) (1998) 15–25
2124. W. Fernandez de la Vega and V. Zissimopoulos, An approximation scheme for strip packing of rectangles with bounded dimensions **82** (1-3) (1998) 93–101
2125. F.V. Fomin, Helicopter search problems, bandwidth and pathwidth **85** (1) (1998) 59–70
2126. J. Harrison, T. Brennan and S. Gapinski, The Gergonne p-pile problem and the dynamics of the function $x \mapsto \lfloor (x+r)/p \rfloor$ **82** (1-3) (1998) 103–113

2127. M. Jerrum and G.B. Sorkin, The Metropolis algorithm for graph bisection **82** (1-3) (1998) 155–175
2128. S. Litsyn, P. Solé and R. Struik, On the covering radius of an unrestricted code as a function of the rate and dual distance **82** (1-3) (1998) 177–191
2129. H.J. Shyr and S.S. Yu, The single loop representations of regular languages **82** (1-3) (1998) 219–229
2130. M.B. Campêlo Neto and S. Klein, Maximum vertex-weighted matching in strongly chordal graphs **84** (1-3) (1998) 71–77
2131. B. Beauquier, P. Hell and S. Pérennes, Optimal wavelength-routed multicasting **84** (1-3) (1998) 15–20
2132. M.Y. Kovalyov and Y.M. Shafransky, Uniform machine scheduling of unit-time jobs subject to resource constraints **84** (1-3) (1998) 253–257
2133. G.-H. Lin, The exact bound of Lee's MLPT **85** (3) (1998) 251–254
2134. A. Shioura, Minimization of an M-convex function **84** (1-3) (1998) 215–220
2135. L.D. Andersen, H. Fleischner and S. Regner, Algorithms and outerplanar conditions for A-trails in plane Eulerian graphs **85** (2) (1998) 99–112
2136. W.-F. Chuan, A representation theorem of the suffixes of characteristic sequences **85** (1) (1998) 47–57
2137. K. Fukuda, M. Namiki and A. Tamura, EP theorems and linear complementarity problems **84** (1-3) (1998) 107–119
2138. A. Mateescu, Gh. Păun, G. Rozenberg and A. Salomaa, Simple splicing systems **84** (1-3) (1998) 145–163
2139. F.R. McMorris, H.M. Mulder and F.S. Roberts, The median procedure on median graphs **84** (1-3) (1998) 165–181
2140. P. Sarkar and R. Barua, The set of reversible 90/150 cellular automata is regular **84** (1-3) (1998) 199–213
2141. A. Berry and J.-P. Bordat, Separability generalizes Dirac's theorem **84** (1-3) (1998) 43–53
2142. E. Dahlhaus and M. Karpinski, Matching and multidimensional matching in chordal and strongly chordal graphs **84** (1-3) (1998) 79–91
2143. R. Grossi and E. Lodi, Simple planar graph partition into three forests **84** (1-3) (1998) 121–132
2144. S.-G. Hwang and A.R. Kräuter, Comparison of permanental bounds of (0,1)-matrices **84** (1-3) (1998) 133–144
2145. L. Stacho and I. Vrt'o, Bisection widths of transposition graphs **84** (1-3) (1998) 221–235
2146. H. Verrall, Compatible Euler tours of K_n^{**} **84** (1-3) (1998) 237–251
2147. S. Ben-David and A. Litman, Combinatorial variability of Vapnik–Chervonenkis classes with applications to sample compression schemes **86** (1) (1998) 3–25
2148. N. Cesa-Bianchi and D. Haussler, A graph-theoretic generalization of the Sauer–Shelah lemma **86** (1) (1998) 27–35
2149. M. Horváth and G. Lugosi, Scale-sensitive dimensions and skeleton estimates for classification **86** (1) (1998) 37–61
2150. P. Koiran and E.D. Sontag, Vapnik–Chervonenkis dimension of recurrent neural networks **86** (1) (1998) 63–79
2151. V. Maiorov and J. Ratsaby, The degree of approximation of sets in euclidean space using sets with bounded Vapnik–Chervonenkis dimension **86** (1) (1998) 81–93
2152. J. Sill, The capacity of monotonic functions **86** (1) (1998) 95–107
2153. D. Steinsaltz, Fluctuation bounds for sock-sorting and other stochastic processes **86** (1) (1998) 109–123
2155. X. Cai and T.C.E. Cheng, Multi-machine scheduling with variance minimization **84** (1-3) (1998) 55–70
2156. A. Aggarwal and T. Tokuyama, Consecutive interval query and dynamic programming on intervals **85** (1) (1998) 1–24
2157. J.-C. Bermond, L. Gargano and S. Perennes, Optimal sequential gossiping by short messages **86** (2-3) (1998) 145–155
2159. S. Chopra, I. Gilboa and S. Trilochan Sastry, Source sink flows with capacity installation in batches **85** (3) (1998) 165–192
2160. A.D. Bonis, A predetermined algorithm for detecting a counterfeit coin with a multi-arms balance **86** (2-3) (1998) 181–200
2161. A. Parra, Triangulating multitolerance graphs **84** (1-3) (1998) 183–197
2162. M.O. Ball, J.N. Hagstrom and J.S. Provan, Two-path subsets: Efficient counting and applications to performability analysis **85** (1) (1998) 25–45
2163. A. Gyárfás and R.H. Schelp, A communication problem and directed triple systems **85** (2) (1998) 139–147
2164. T.W. Lam and F.L. Yue, Edge ranking of graphs is hard **85** (1) (1998) 71–86

2165. D. Palmer, D. Row, R. Stee and S. Wotherspoon, Rigidity of octahedral-tetrahedral trusses **86** (2-3) (1998) 249–262
2166. J. Rolim, P. Tvrdí, J. Trdlička and I. Vrto, Bisecting de Bruijn and Kautz graphs **85** (1) (1998) 87–97
2167. V.G. Timkovsky, Is a unit-time job shop not easier than identical parallel machines? **85** (2) (1998) 149–162
2169. N.J. Finizio and P.A. Leonard, More ZCPS-$Wh(v)$ and several new infinite classes of Z-cyclic whist tournaments **85** (3) (1998) 193–202
2170. T. Fujito, A unified approximation algorithm for node-deletion problems **86** (2-3) (1998) 213–231
2171. D. Hartvigsen, The planar multiterminal cut problem **85** (3) (1998) 203–222
2172. J.D. Lamb, Efficient optimal equation formulation in lumped power-conserving systems **85** (3) (1998) 239–249
2173. A. Maes, Morphisms and almost-periodicity **86** (2-3) (1998) 233–248
2174. J. Amilhastre, M.C. Vilarem and P. Janssen, Complexity of minimum biclique cover and minimum biclique decomposition for bipartite domino-free graphs **86** (2-3) (1998) 125–144
2175. F. Blanchet-Sadri, Trees, congruences and varieties of finite semigroups **86** (2-3) (1998) 157–179
2176. W. Fernandez de la Vega, M. El Haddad, D. Barraez and O. Ordaz, The forwarding diameter of graphs **86** (2-3) (1998) 201–211
2177. S. Jukna and A. Razborov, Neither reading few bits twice nor reading illegally helps much **85** (3) (1998) 223–238
2178. D. Peleg, Size bounds for dynamic monopolies **86** (2-3) (1998) 263–273
2179. M. Ouyang, How good are branching rules in DPLL? **89** (1-3) (1998) 281–286
2180. A. Caprara, Properties of some ILP formulations of a class of partitioning problems **87** (1-3) (1998) 11–23
2181. K. Diks, E. Kranakis and A. Pelc, Perfect broadcasting in unlabeled networks **87** (1-3) (1998) 33–47
2182. H. Enomoto, Y. Oda and K. Ota, Pyramidal tours with step-backs and the asymmetric traveling salesman problem **87** (1-3) (1998) 57–65
2183. P.L. Erdős, A. Frank and L. Székely, Minimum multiway cuts in trees **87** (1-3) (1998) 67–75
2184. M.A. Fiol and E. Garriga, The alternating and adjacency polynomials, and their relation with the spectra and diameters of graphs **87** (1-3) (1998) 77–97
2185. P. Flocchini, A. Roncato and N. Santoro, Symmetries and sense of direction in labeled graphs **87** (1-3) (1998) 99–115
2186. N. Guttmann-Beck and R. Hassin, Approximation algorithms for minimum tree partition **87** (1-3) (1998) 117–137
2187. T. Head, Splicing representations of strictly locally testable languages **87** (1-3) (1998) 139–147
2188. E. Levner and V. Kats, A parametric critical path problem and an application for cyclic scheduling **87** (1-3) (1998) 149–158
2189. M. Libura, E.S. van der Poort, G. Sierksma and J.A.A. van der Veen, Stability aspects of the traveling salesman problem based on k-best solutions **87** (1-3) (1998) 159–185
2190. C.-M. Liu and M.-S. Yu, An optimal parallel algorithm for node ranking of cographs **87** (1-3) (1998) 187–201
2191. C.L. Lu and C.Y. Tang, Solving the weighted efficient edge domination problem on bipartite permutation graphs **87** (1-3) (1998) 203–211
2192. F.S. Roberts and L. Sheng, Phylogeny numbers **87** (1-3) (1998) 213–228
2193. A. Tamir, Fully polynomial approximation schemes for locating a tree-shaped facility: A generalization of the knapsack problem **87** (1-3) (1998) 229–243
2194. H.-G. Yeh and G.J. Chang, Weighted connected domination and Steiner trees in distance-hereditary graphs **87** (1-3) (1998) 245–253
2195. N. Zhu, A relation between the knapsack and group knapsack problems **87** (1-3) (1998) 255–268
2198. F. Annexstein and R. Swaminathan, On testing consecutive-ones property in parallel **88** (1-3) (1998) 7–28
2199. C. Armen and C. Stein, A $2\frac{2}{3}$ superstring approximation algorithm **88** (1-3) (1998) 29–57
2200. B. DasGupta, T. Jiang, S. Kannan, M. Li and E. Sweedyk, On the complexity and approximation of syntenic distance **88** (1-3) (1998) 59–82
2201. H. Edelsbrunner, M. Facello and J. Liang, On the definition and the construction of pockets in macromolecules **88** (1-3) (1998) 83–102

2202. O. Eulenstein and M. Vingron, On the equivalence of two tree mapping measures **88** (1-3) (1998) 103–128
2203. D. Fernández-Baca and J. Lagergren, On the approximability of the Steiner tree problem in phylogeny **88** (1-3) (1998) 129–145
2204. V. Grebinski and G. Kucherov, Reconstructing a Hamiltonian cycle by querying the graph: Application to DNA physical mapping **88** (1-3) (1998) 147–165
2205. D. Gusfield, R. Karp, L. Wang and P. Stelling, Graph traversals, genes and matroids: an efficient case of the travelling salesman problem **88** (1-3) (1998) 167–180
2206. L.S. Heath and J.P.C. Vergara, Sorting by bounded block-moves **88** (1-3) (1998) 181–206
2207. I.L. Hofacker, P. Schuster and P.F. Stadler, Combinatorics of RNA secondary structures **88** (1-3) (1998) 207–237
2208. J. Kececioglu and D. Gusfield, Reconstructing a history of recombinations from a set of sequences **88** (1-3) (1998) 239–260
2209. E. Knill, W.J. Bruno and D.C. Torney, Non-adaptive group testing in the presence of errors **88** (1-3) (1998) 261–290
2210. G. Lancia and M. Perlin, Genotyping of pooled microsatellite markers by combinatorial optimization techniques **88** (1-3) (1998) 291–314
2211. F.R. McMorris, C. Wang and P. Zhang, On probe interval graphs **88** (1-3) (1998) 315–324
2212. J. Meidanis, O. Porto and G.P. Telles, On the consecutive ones property **88** (1-3) (1998) 325–354
2213. R. Ravi and J.D. Kececioglu, Approximation algorithms for multiple sequence alignment under a fixed evolutionary tree **88** (1-3) (1998) 355–366
2214. M. Steel, M.D. Hendy and D. Penny, Reconstructing phylogenies from nucleotide pattern probabilities: A survey and some new results **88** (1-3) (1998) 367–396
2217. C.J. Alpert, A.B. Kahng and S.-Z. Yao, Spectral partitioning with multiple eigenvectors **90** (1-3) (1999) 3–26
2218. J.W. Berry and M.K. Goldberg, Path optimization for graph partitioning problems **90** (1-3) (1999) 27–50
2219. M. Borah, R.M. Owens and M.J. Irwin, A fast and simple Steiner routing heuristic **90** (1-3) (1999) 51–67
2220. B.S. Carlson, C.Y.R. Chen and D.S. Meliksetian, Transistor chaining in static CMOS functional cells of arbitrary planar topology **90** (1-3) (1999) 89–114
2221. S. Chopra and J.H. Owen, A note on formulations for the A-partition problem on hypergraphs **90** (1-3) (1999) 115–133
2222. M.J. Fischer and M.S. Paterson, Optimal layout of edge-weighted forests **90** (1-3) (1999) 135–159
2223. J.L. Ganley, Computing optimal rectilinear steiner trees: A survey and experimental evaluation **90** (1-3) (1999) 161–171
2224. E. Ihler, G. Reich and P. Widmayer, Class Steiner trees and VLSI-design **90** (1-3) (1999) 173–194
2225. J. Narasimhan, K. Nakajima and C.S. Rim, A graph theoretical approach for the yield enhancement of reconfigurable VLSI/WSI arrays **90** (1-3) (1999) 195–221
2226. C.-J. Shi and J.A. Brzozowski, A characterization of signed hypergraphs and its applications to VLSI via minimization and logic synthesis **90** (1-3) (1999) 223–243
2227. X. Tan and X. Song, Routing multiterminal nets on a hexagonal grid **90** (1-3) (1999) 245–255
2228. N. Abbas and L. Stewart, Clustering bipartite and chordal graphs: Complexity, sequential and parallel algorithms **91** (1-3) (1999) 1–23
2229. C. Alexopoulos, J.S. Provan, H.D. Ratliff and B.R. Stutzman, Minimal connected enclosures on an embedded planar graph **91** (1-3) (1999) 25–38
2230. E. Balas and M. Oosten, On the dimension of projected polyhedra **87** (1-3) (1998) 1–9
2231. Z. Bo and B. Liu, Matrices with maximum exponents in the class of doubly stochastic primitive matrices **91** (1-3) (1999) 53–66
2232. J.D. Chavez and R. Trapp, The cyclic cutwidth of trees **87** (1-3) (1998) 25–32
2233. R.D. Dutton, Inversions in k-sorted permutations **87** (1-3) (1998) 49–56
2234. N. Guttmann-Beck and R. Hassin, Approximation algorithms for min-sum p-clustering **89** (1-3) (1998) 125–142
2235. D.G. Kirkpatrick, K. Madhukar Reddy, C. Pandu Rangan and A. Srinivasan, Partial and perfect path covers of cographs **89** (1-3) (1998) 143–153
2236. B. Lenze, Linking discrete orthogonality with dilation and translation for incomplete sigma-pi neural networks of Hopfield-type **89** (1-3) (1998) 169–180

2237. H. Martini and A. Schöbel, Median hyperplanes in normed spaces – a survey **89** (1-3) (1998) 181–195
2238. G. Righini and M. Trubian, Data-dependent bounds for the general and the asymmetric Stacker–Crane problems **91** (1-3) (1999) 235–242
2239. S.S. Yu, d-minimal languages **89** (1-3) (1998) 243–262
2244. W.F.J. Verhaegh, P.E.R. Lippens, E.H.L. Aarts, J.L. van Meerbergen and A. van der Werf, The complexity of multidimensional periodic scheduling **89** (1-3) (1998) 213–242
2245. J. Huang, A note on spanning local tournaments in locally semicomplete digraphs **89** (1-3) (1998) 277–279
2246. E. Boros, P.L. Hammer, M. Minoux and D.J. Rader, Jr, Optimal cell flipping to minimize channel density in VLSI design and pseudo-Boolean optimization **90** (1-3) (1999) 69–88
2247. L. Babel, Triangulating graphs with few P_4's **89** (1-3) (1998) 45–57
2248. A. Brandstädt, V. Bang Le and T. Szymczak, The complexity of some problems related to GRAPH 3-COLORABILITY **89** (1-3) (1998) 59–73
2249. H. Cameron, Fringe thickness and maximum path length of binary trees **89** (1-3) (1998) 75–97
2250. K. Ciebiera and A. Malinowski, Efficient broadcasting with linearly bounded faults **89** (1-3) (1998) 99–105
2251. P. Fischer, N. Klasner and I. Wegenera, On the cut-off point for combinatorial group testing **91** (1-3) (1999) 83–92
2252. J. Gómez, C. Padró and S. Perennes, Large generalized cycles **89** (1-3) (1998) 107–123
2253. S.E. Hambrusch and H.-S. Lim, Minimizing broadcast costs under edge reductions in tree networks **91** (1-3) (1999) 93–117
2254. P. Horak, L. Branković and M. Miller, A combinatorial problem in database security **91** (1-3) (1999) 119–126
2255. P. Sreenivasa Kumar and C.E. Veni Madhavan, Minimal vertex separators of chordal graphs **89** (1-3) (1998) 155–168
2256. G. MacGillivray and M.-L. Yu, Generalized partitions of graphs **91** (1-3) (1999) 143–153
2257. J. Mazoyer and I. Rapaport, Inducing an order on cellular automata by a grouping operation **91** (1-3) (1999) 177–196
2258. D. Merlini, D.G. Rogers, R. Sprugnoli and M.C. Verri, Underdiagonal lattice paths with unrestricted steps **91** (1-3) (1999) 197–213
2259. D. Pisinger, A fast algorithm for strongly correlated knapsack problems **89** (1-3) (1998) 197–212
2260. V. Moulton and M. Steel, Retractions of finite distance functions onto tree metrics **91** (1-3) (1999) 215–233
2261. L.G. Tallini and U. Vaccaro, Efficient m-ary balanced codes **92** (1) (1999) 17–56
2262. H. Verrall, Compatible Hamilton decompositions of directed wrapped butterfly graphs **91** (1-3) (1999) 265–275
2263. Z. Shengyuan, On the nonexistence of extremal self-dual codes **91** (1-3) (1999) 277–286
2266. A. Hertz, On perfect switching classes **89** (1-3) (1998) 263–267
2268. E. Balas, Disjunctive programming: Properties of the convex hull of feasible points **89** (1-3) (1998) 3–44
2269. R.B. Borie and J.P. Spinrad, Construction of a simple elimination scheme for a chordal comparability graph in linear time **91** (1-3) (1999) 287–292
2270. A. Sebő and Z. Waksman, Optimal binary trees with order constraints **91** (1-3) (1999) 305–311
2271. C.M.H. de Figueiredo, J. Gimbel, C.P. Mello and J.L. Szwarcfiter, Even and odd pairs in comparability and in P_4-comparability graphs **91** (1-3) (1999) 293–297
2272. N. Alon and S. Onn, Separable partitions **91** (1-3) (1999) 39–51
2274. H. Everett, F. Hurtado and M. Noy, Stabbing information of a simple polygon **91** (1-3) (1999) 67–82
2276. R.W. Irving and D.F. Manlove, The b-chromatic number of a graph **91** (1-3) (1999) 127–141
2277. D.F. Manlove, On the algorithmic complexity of twelve covering and independence parameters of graphs **91** (1-3) (1999) 155–175
2278. C. Arbib, D. Pacciarelli and S. Smriglio, A three-dimensional matching model for perishable production scheduling **92** (1) (1999) 1–15
2279. F. Tian, B. Wei and L. Zhang, Hamiltonicity in 3-domination-critical graphs with $\alpha=\delta+2$ **92** (1) (1999) 57–71
2280. K. Uemura, T. Yaku and K. Sugita, Induced permutation automata and coverings of strongly connected automata **91** (1-3) (1999) 243–249

2281. S. Van Hoesel and A. Wagelmans, On the complexity of postoptimality analysis of 0/1 programs **91** (1-3) (1999) 251–263
2282. F. Zhang and H. Li, On acyclic conjugated molecules with minimal energies **92** (1) (1999) 73–86

ELSEVIER

Discrete Applied Mathematics 106 (2000) 177–261

DISCRETE APPLIED MATHEMATICS

Cumulative Index Volumes 1-92

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words)

Aalbersberg, IJ.J. and G. Rozenberg, Traces, dependency graphs and DNLC grammars (*Note*) **11** (1985) 299–306

Aalbersberg, IJ.J., G. Rozenberg and A. Ehrenfeucht, On the membership problem for regular DNLC grammars (*Note*) **13** (1986) 79–85

Aarts, E., *see* J. Korst **51** (3) (1994) 291–305

Aarts, E.H.L., *see* R.J.M. Vaessens **45** (1993) 71–87

Aarts, E.H.L., *see* W.F.J. Verhaegh **89** (1-3) (1998) 213–242

Abbas, N. and L. Stewart, Clustering bipartite and chordal graphs: Complexity, sequential and parallel algorithms **91** (1-3) (1999) 1–23

Abbott, H.L. and M.J. Smuga-Otto, Lower bounds for hypergraph Ramsey numbers **61** (2) (1995) 177–180

Abdul-Razaq, T.S., C.N. Potts and L.N. Van Wassenhove, A survey of algorithms for the single machine total weighted tardiness scheduling problem **26** (1990) 235–253

Abeledo, H. and U.G. Rothblum, Paths to marriage stability **63** (1) (1995) 1–12

Abeledo, H.G. and U.G. Rothblum, Stable matchings and linear inequalities **54** (1) (1994) 1–27

Abelson, H., A. Ehrenfeucht, J. Fickett and J. Mycielski, Compositional complexity of Boolean functions **4** (1982) 1–10

Abhyankar, S.S., S. Chandrasekar and V. Chandru, Intersection of algebraic space curves **31** (1991) 81–96

Aboudi, R. and K. Jørnsten, Resource constrained assignment problems **26** (1990) 175–191

Abrahamson, K., M.R. Fellows, M.A. Langston and B.M.E. Moret, Constructive complexity **34** (1991) 3–16

Abu-Jaradeh, N. and D.L. Powers, Heat conduction on graphs **52** (1) (1994) 1–16

Adams, C.M. and S.E. Tavares, Generating bent sequences (*Note*) **39** (1992) 155–159

Adams, W.E., A. Billionnet and A. Sutter, Unconstrained 0–1 optimization and Lagrangean relaxation **29** (1990) 131–142

Adams, W.P. and P.M. Dearing, On the equivalence between roof duality and Lagrangian duality for unconstrained 0-1 quadratic programming problems **48** (1994) 1–20

Adams, W.P., *see* H.D. Sherali **52** (1) (1994) 83–106

Adler, I., *see* J. Somers **1** (1979) 287–300

Adler, I., A.J. Hoffman and R. Shamir, Monge and feasibility sequences in general flow problems **44** (1993) 21–38

Ae, T., *see* T. Watanabe **3** (1981) 151–153

Ae, T., *see* T. Watanabe **6** (1983) 63–78

Afrati, F., The parallel complexity of single rule logic programs **40** (1992) 107–126

Agarwal, A.K., q-functional equations and some partition identities **34** (1991) 17–26

Agarwal, K.K., *see* J.D. Benstock **19** (1988) 45–63

Agarwal, P.K., A. Aggarwal, B. Aronov, S.R. Kosaraju, B. Schieber and S. Suri, Computing external farthest neighbors for a simple polygon **31** (1991) 97–111

Elsevier Science B.V.

Agasi, E., R.I. Becker and Y. Perl, A shifting algorithm for constrained min-max partition on trees **45** (1993) 1–28
Aggarwal, A. and M. Klawe, Applications of generalized matrix searching to geometric algorithms **27** (1990) 3–23
Aggarwal, A., *see* P.K. Agarwal **31** (1991) 97–111
Aggarwal, A. and T. Tokuyama, Consecutive interval query and dynamic programming on intervals **85** (1) (1998) 1–24
Aghezzaf, E.H. and L.A. Wolsey, Modelling piecewise linear concave costs in a tree partitioning problem **50** (2) (1994) 101–109
Agnetis, A., D. Pacciarelli and F. Rossi, Batch scheduling in a two-machine flow shop with limited buffer **72** (3) (1997) 243–260
Agnihotri, N., *see* P.K. Jha **74** (2) (1997) 101–121
Aiello, A., E. Burattini, A. Massarotti and F. Ventriglia, "A posteriori" evaluation of bin packing approximation algorithms (*Communication*) **2** (1980) 159–161
Aigner, M., Selecting the top three elements **4** (1982) 247–267
Aigner, M. and M. Fromme, A game of cops and robbers **8** (1984) 1–12
Aigner, M., Search problems on graphs **14** (1986) 215–230
Aigner, M. and O. Schwarzkopf, Bounds on the size of merging networks **61** (3) (1995) 187–194
Aigner, M., Finding the maximum and minimum **74** (1) (1997) 1–12
Ainhirn, W. and H.A. Maurer, On ε productions for terminals in E0L forms **1** (1979) 155–166
Ainouche, A. and N. Christofides, Semi-independence number of a graph and the existence of hamiltonian circuits **17** (1987) 213–221
Akgül, M., A genuinely polynomial primal simplex algorithm for the assignment problem **45** (1993) 93–115
Akiyama, J., D. Avis, V. Chvátal and H. Era, Balancing signed graphs **3** (1981) 227–233
Akkiraju, N. and H. Edelsbrunner, Triangulating the surface of a molecule **71** (1-3) (1996) 5–22
Akl, S., G. Labonté, M. Leeder and K. Qiu, On doing Todd–Coxeter coset enumeration in parallel **34** (1991) 27–35
Akl, S.G., *see* P. Fragopoulou **83** (1-3) (1998) 79–96
Albers, S. and P. Brucker, The complexity of one-machine batching problems **47** (1993) 87–107
Aldershof, B. and O.M. Carducci, Stable matchings with couples **68** (1-2) (1996) 203–207
Aleš, J. and R. Bačík, Strong elimination ordering of the total graph of a tree (*Communication*) **39** (1992) 293–295
Alexopoulos, C., J.S. Provan, H.D. Ratliff and B.R. Stutzman, Minimal connected enclosures on an embedded planar graph **91** (1-3) (1999) 25–38
Alfonsín, J.L.R., On variations of the subset sum problem **81** (1-3) (1998) 1–7
Alfter, M. and W. Hochstättler, On pseudomodular matroids and adjoints **60** (1-3) (1995) 3–11
Ali, A.I. and J.L. Kennington, The asymmetric M-travelling salesmen problem: A duality based branch-and-bound algorithm **13** (1986) 259–276
Allender, E.W., On the number of cycles possible in digraphs with large girth **10** (1985) 211–225
Allouche, J.-P. and C. Reder, Oscillations spatio-temporelles engendrees par un automate cellulaire **8** (1984) 215–254
Allouche, J.-P., F. von Haeseler, H.-O. Peitgen and G. Skordev, Linear cellular automata, finite automata and Pascal's triangle **66** (1) (1996) 1–22
Allwright, J., New (Δ, D) graphs discovered by heuristic search **37/38** (1992) 3–8
Alon, N., Y. Azar and Y. Ravid, Universal sequences for complete graphs **27** (1990) 25–28
Alon, N., Transmitting in the n-dimensional cube **37/38** (1992) 9–11
Alon, N., J. Spencer and P. Tetali, Covering with latin transversals **57** (1) (1995) 1–10
Alon, N. and A. Zaks, T-choosability in graphs **82** (1-3) (1998) 1–13
Alon, N. and S. Onn, Separable partitions **91** (1-3) (1999) 39–51
Alpert, C.J., A.B. Kahng and S.-Z. Yao, Spectral partitioning with multiple eigenvectors **90** (1-3) (1999) 3–26
Alspach, B., P. Eades and G. Rose, A lower-bound for the number of productions required for a certain class of languages **6** (1983) 109–115
Althöfer, I. and K.-U. Koschnick, On the deterministic complexity of searching local maxima **43** (1993) 111–113

Amaldi, E., E. Mayoraz and D. de Werra, A review of combinatorial problems arising in feedforward neural network design **52** (2) (1994) 111–138
Amilhastre, J., M.C. Vilarem and P. Janssen, Complexity of minimum biclique cover and minimum biclique decomposition for bipartite domino-free graphs **86** (2-3) (1998) 125–144
Amin, A.T., *see* K.T. Siegrist **41** (93) 235–243
Andersen, L.D. and H. Fleischner, The NP-completeness of finding A-trails in Eulerian graphs and of finding spanning trees in hypergraphs **59** (3) (1995) 203–214
Andersen, L.D., H. Fleischner and S. Regner, Algorithms and outerplanar conditions for A-trails in plane Eulerian graphs **85** (2) (1998) 99–112
Ando, K., S. Fujishige and T. Nemoto, Decomposition of a bidirected graph into strongly connected components and its signed poset structure **68** (3) (1996) 237–248
Andreae, T., Note on a pursuit game played on graphs **9** (1984) 111–115
Andreae, T., On an extremal problem concerning the interval number of a graph **14** (1986) 1–9
Andreae, T., On the unit interval number of a graph **22** (1988/89) 1–7
Andreae, T., A ternary search problem on graphs **23** (1989) 1–10
Andreae, T., Some results on visibility graphs **40** (1992) 5–17
Andreae, T., U. Hennig and A. Parra, On a problem concerning tolerance graphs (*Note*) **46** (1993) 73–78
Andreae, T., M. Hintz, M. Nölle, G. Schreiber, G.W. Schuster and H. Seng, Cartesian products of graphs as subgraphs of de Bruijn graphs of dimension at least three **79** (1-3) (1997) 3–34
Andreatta, G. and F. Mason, Path covering problems and testing of printed circuits **62** (1-3) (1995) 5–13
Aneja, Y.P., *see* A.P. Punnen **75** (1) (1997) 93–102
Angel, E. and V. Zissimopoulos, On the quality of local search for the quadratic assignment problem **82** (1-3) (1998) 15–25
Anger, F.D., J. Sarmiento and R.V. Rodriguez, Representative graphs of r-regular partial planes and representation of orthomodular posets **15** (1986) 1–10
Anily, S., C.A. Glass and R. Hassin, The scheduling of maintenance service **82** (1-3) (1998) 27–42
Annan, J.D., The complexities of the coefficients of the Tutte polynomial **57** (2-3) (1995) 93–103
Annexstein, F. and J. Franco, Work-preserving emulations of shuffle-exchange networks: an analysis of the complex plane diagram **60** (1-3) (1995) 13–23
Annexstein, F. and R. Swaminathan, On testing consecutive-ones property in parallel **88** (1-3) (1998) 7–28
Anstee, R.P., Invariant sets of arcs in network flow problems **13** (1986) 1–7
Anstee, R.P., Simplified existence theorems for (g, f)-factors **27** (1990) 29–38
Anstee, R.P., Minimum vertex weighted deficiency of (g, f)-factors: A greedy algorithm **44** (1993) 247–260
Anthony, M., *see* J. Shawe-Taylor **42** (1993) 65–73
Anthony, M. and J. Shawe-Taylor, A result of Vapnik with applications **47** (1993) 207–217
Anthony, M., G. Brightwell and J. Shawe-Taylor, On specifying Boolean functions by labelled examples **61** (1) (1995) 1–25
Anthony, M., Classification by polynomial surfaces **61** (2) (1995) 91–103
Anthony, M. and J. Shawe-Taylor, A sufficient condition for polynomial distribution-dependent learnability **77** (1) (1997) 1–12
Antoni, C. and A. Dalena, On a problem of P. Erdős **66** (1) (1996) 75–79
Aoki, Y., Probing the arrangement of hyperplanes **56** (2-3) (1995) 101–125
Apostolico, A., M.J. Atallah and S.E. Hambrusch, New clique and independent set algorithms for circle graphs **36** (1992) 1–24
Arai, T., S. Ueno and Y. Kajitani, Generalization of a theorem on the parametric maximum flow problem (*Note*) **41** (93) 69–74
Aráoz, J. and J. Edmonds, A case of non-convergent dual changes in Assignment Problems **11** (1985) 95–102
Arbib, C., D. Pacciarelli and S. Smriglio, A three-dimensional matching model for perishable production scheduling **92** (1) (1999) 1–15
Arikati, S.R. and C.P. Rangan, An efficient algorithm for finding a two-pair, and its applications (*Note*) **31** (1991) 71–74
Arikati, S.R. and U.N. Peled, A linear algorithm for the group path problem on chordal graphs **44** (1993) 185–190
Arikati, S.R. and U.N. Peled, A polynomial algorithm for the parity path problem on perfectly orientable graphs **65** (1-3) (1996) 5–20

Arikati, S.R., A. Maheshwari and C.D. Zaroliagis, Efficient computation of implicit representations of sparse graphs **78** (1-3) (1997) 1–16
Arkin, E.M. and E.B. Silverberg, Scheduling jobs with fixed start and end times **18** (1987) 1–8
Arkin, E.M. and R. Hassin, Approximation algorithms for the Geometric Covering Salesman Problem **55** (3) (1994) 197–218
Armen, C. and C. Stein, A $2\frac{2}{3}$ superstring approximation algorithm **88** (1-3) (1998) 29–57
Armstrong, R., A. Charnes and F. Phillips, Page cuts for integer interval linear programming **1** (1979) 1–14
Armstrong, R.D. and Z. Jin, Strongly polynomial simplex algorithm for bipartite vertex packing **64** (2) (1996) 97–103
Arnborg, S. and A. Proskurowski, Linear time algorithms for NP-hard problems restricted to partial k-trees **23** (1989) 11–24
Aronov, B., *see* P.K. Agarwal **31** (1991) 97–111
Arquès, D., Combinatoire des mots et étude quantitative de la sérialisabilité: Application à la concurrence d'accès à une base de données **24** (1989) 3–23
Asano, T., *see* T. Nishizeki **5** (1983) 211–222
Asano, T., S. Kikuchi and N. Saito, A linear algorithm for finding Hamiltonian cycles in 4-connected maximal planar graphs **7** (1984) 1–15
Ash, D.W., I.F. Blake and S.A. Vanstone, Low complexity normal bases **25** (1989) 191–210
Asher, G.M., *see* J.D. Lamb **72** (3) (1997) 261–293
Asher, G.M., *see* J.D. Lamb **73** (2) (1997) 143–173
Asher, G.M., *see* J.D. Lamb **73** (3) (1997) 211–250
Assmann, S.F. and D.J. Kleitman, The number of rounds needed to exchange information within a graph **6** (1983) 117–125
Assmann, S.F. and D.J. Kleitman, Characterization of curve map graphs **8** (1984) 109–124
Astola, J., A note on perfect Lee-codes over small alphabets (*Note*) **4** (1982) 227–228
Astola, J., On the asymptotic behaviour of Lee-codes **8** (1984) 13–23
Astola, J.T., The Tietäväinen bound for spherical codes **7** (1984) 17–21
Atallah, M.J. and S.E. Hambrusch, An assignment algorithm with applications to integrated circuit layout **13** (1986) 9–22
Atallah, M.J. and G.N. Frederickson, A note on finding a maximum empty rectangle (*Note*) **13** (1986) 87–91
Atallah, M.J., G.K. Manacher and J. Urrutia, Finding a minimum independent dominating set in a permutation graph **21** (1988) 177–183
Atallah, M.J., *see* A. Apostolico **36** (1992) 1–24
Atallah, M.J., *see* J. Manning **39** (1992) 13–35
Atkins, J.E. and M. Middendorf, On Physical Mapping and the consecutive ones property for sparse matrices **71** (1-3) (1996) 23–40
Aupperle, L. and J.M. Keil, Polynomial algorithms for restricted Euclidean p-centre problems **23** (1989) 25–31
Aurenhammer, F., A relationship between Gale transforms and Voronoi diagrams **28** (1990) 83–91
Aurenhammer, F., M. Formann, R.M. Idury, A.A. Schäffer and F. Wagner, Faster isometric embedding in products of complete graphs **52** (1) (1994) 17–28
Autebert, J.-M., J. Beauquier and L. Boasson, Langages sur des alphabets infinis **2** (1980) 1–20
Averbakh, I., O. Berman and A.P. Punnen, Constrained matroidal bottleneck problems **63** (3) (1995) 201–214
Averbakh, I. and O. Berman, A heuristic with worst-case analysis for minimax routing of two travelling salesmen on a tree **68** (1-2) (1996) 17–32
Averbakh, I. and O. Berman, $(p\text{-}1)/(p\text{+}1)$-approximate algorithms for p-traveling salesmen problems on a tree with minmax objective **75** (3) (1997) 201–216
Avis, D., *see* J. Akiyama **3** (1981) 227–233
Avis, D., On the complexity of finding the convex hull of a set of points **4** (1982) 81–86
Avis, D. and M. Doskas, Algorithms for high dimensional stabbing problems **27** (1990) 39–48
Avis, D. and K. Fukuda, Reverse search for enumeration **65** (1-3) (1996) 21–46
Azar, Y., *see* N. Alon **27** (1990) 25–28
Azar, Y. and N. Pippenger, Parallel selection **27** (1990) 49–58
Babayev, D.A. and F. Glover, Aggregations of nonnegative integer-valued equations **8** (1984) 125–130
Babayev, D.A. and S.S. Mardanov, Sequential and simultaneous aggregation of diophantine equations **50** (3) (1994) 209–220

Babel, L. and G. Tinhofer, Hard-to-color graphs for connected sequential colorings **51** (1-2) (1994) 3–25
Babel, L. and S. Olariu, On the structure of graphs with few P_4s **84** (1-3) (1998) 1–13
Babel, L., Triangulating graphs with few P_4's **89** (1-3) (1998) 45–57
Babić, D., A. Graovac, B. Mohar and T. Pisanski, The matching polynomial of a polygraph **15** (1986) 11–24
Babić, D. and A. Graovac, Enumeration of acyclic walks in a graph **45** (1993) 117–123
Babić, D. and N. Trinajstić, Möbius inversion on a poset of a graph and its acyclic subgraphs **67** (1-3) (1996) 5–11
Bachem, A., W. Hochstättler and M. Malich, The simulated trading heuristic for solving vehicle routing problems **65** (1-3) (1996) 47–72
Bačík, R., *see* J. Aleš **39** (1992) 293–295
Bafna, V., B. Narayanan and R. Ravi, Nonoverlapping local alignments (weighted independent sets of axis-parallel rectangles) **71** (1-3) (1996) 41–53
Bagchi, A., B. Servatius and W. Shi, 2-satisfiability and diagnosing faulty processors in massively parallel computing systems **60** (1-3) (1995) 25–37
Bagchi, A., E.F. Schmeichel and S.L. Hakimi, Gossiping with multiple sends and receives **64** (2) (1996) 105–116
Bagga, K.S., L.W. Beineke, W.D. Goddard, M.J. Lipman and R.E. Pippert, A survey of integrity **37/38** (1992) 13–28
Bahn, O., J.L. Goffin, J.P. Vial and O. Du Merle, Experimental behavior of an interior point cutting plane algorithm for convex programming: an application to geometric programming **49** (1994) 3–23
Bailey, C.K., E.M. Palmer and J.W. Kennedy, Points by degree and orbit size in chemical trees, II **5** (1983) 157–164
Balaban, A.T. and I. Tomescu, Alternating 6-cycles in perfect matchings of graphs representing condensed benzenoid hydrocarbons **19** (1988) 5–16
Balachandhran, V. and C.P. Rangan, All-pairs-shortest-length on strongly chordal graphs **69** (1-2) (1996) 169–182
Balas, E., Erratum **5** (1983) 247–248
Balas, E., A fast algorithm for finding an edge-maximal subgraph with a TR-formative coloring **15** (1986) 123–134
Balas, E. and M.J. Saltzman, Facets of the three-index assignment polytope **23** (1989) 201–229
Balas, E. and L. Qi, Linear-time separation algorithms for the three-index assignment polytope **43** (1993) 1–12
Balas, E. and M. Oosten, On the dimension of projected polyhedra **87** (1-3) (1998) 1–9
Balas, E., Disjunctive programming: Properties of the convex hull of feasible points **89** (1-3) (1998) 3–44
Baláž, V., V. Kvasnička and J. Pospíchal, Two metrics in a graph theory modeling of organic chemistry **35** (1992) 1–19
Baldick, R., A unified approach to polynomially solvable cases of integer "non-separable" quadratic optimization **61** (3) (1995) 195–212
Baldy, P. and M. Morvan, A linear time and space algorithm to recognize interval orders (*Note*) **46** (1993) 173–178
Balińska, K.T., H. Galina, L.V. Quintas and J. Szymański, A kinetic approach to the random f-graph process. Paths, cycles and components **67** (1-3) (1996) 13–25
Ball, M.O., J.N. Hagstrom and J.S. Provan, Two-path subsets: Efficient counting and applications to performability analysis **85** (1) (1998) 25–45
Bampis, E., F. Guinand and D. Trystram, Some models for scheduling parallel programs with communication delays **72** (1-2) (1997) 5–24
Bandelt, H.J. and J.P. Barthélemy, Medians in median graphs **8** (1984) 131–142
Bandelt, H.J., A. Dählmann and H. Schütte, Absolute retracts of bipartite graphs **16** (1987) 191–215
Bandelt, H.-J., M. Farber and P. Hell, Absolute reflexive retracts and absolute bipartite retracts **44** (1993) 9–20
Bandelt, H.-J., Y. Crama and F.C.R. Spieksma, Approximation algorithms for multi-dimensional assignment problems with decomposable costs **49** (1994) 25–50
Bang-Jensen, J. and P. Hell, The effect of two cycles on the complexity of colourings by directed graphs **26** (1990) 1–23
Bang-Jensen, J. and P. Hell, Fast algorithms for finding Hamiltonian paths and cycles in in-tournament digraphs (*Note*) **41** (93) 75–79

Bang-Jensen, J., G. Gutin and A. Yeo, Properly coloured Hamiltonian paths in edge-coloured complete graphs **82** (1-3) (1998) 247–250
Bang Le, V., *see* A. Brandstädt **89** (1-3) (1998) 59–73
Bangov, I.P., Generation of molecular graphs based on flexible utilization of the available structural information **67** (1996) 27–49
Banković, D., Certain Boolean equations **35** (1992) 21–27
Bao, F., Y. Igarashi and S.R. Öhring, Reliable broadcasting in product networks **83** (1-3) (1998) 3–20
Barahona, F., A solvable case of quadratic 0–1 programming **13** (1986) 23–26
Barahona, F. and W.R. Pulleyblank, Exact arborescences, matchings and cycles **16** (1987) 91–99
Barcia, P., Constructive dual methods for discrete programming **18** (1987) 107–117
Bárcia, P., *see* J.O. Cerdeira **63** (1) (1995) 13–24
Barefoot, C.A., R.C. Entringer and L.A. Székely, Extremal values for ratios of distances in trees **80** (1) (1997) 37–56
Barkaoui, K., *see* M. Minoux **29** (1990) 195–210
Barnes, T.M. and C.D. Savage, Efficient generation of graphical partitions **78** (1-3) (1997) 17–26
Bar-Noy, A., F.K. Hwang, I. Kessler and S. Kutten, A new competitive algorithm for group testing **52** (1) (1994) 29–38
Bar-Noy, A. and S. Kipnis, Broadcasting multiple messages in simultaneous send/receive systems **55** (2) (1994) 95–105
Bar-Noy, A., S. Kipnis and B. Schieber, Optimal computation of census functions in the postal model **58** (3) (1995) 213–222
Barraez, D., *see* W. Fernandez de la Vega **86** (2-3) (1998) 201–211
Barros, O. and A. Weintraub, Spatial market equilibrium problems as network models **13** (1986) 109–130
Barth, D., J. Bond and A. Raspaud, Compatible eulerian circuits in K_n^{**} **56** (2-3) (1995) 127–136
Barth, D. and M.-C. Heydemann, A new digraphs composition with applications to de Bruijn and generalized de Bruijn digraphs **77** (2) (1997) 99–118
Barthélemy, J.P., *see* H.J. Bandelt **8** (1984) 131–142
Barthélemy, J.-P., O. Hudry, G. Isaak, F.S. Roberts and B. Tesman, The reversing number of a digraph **60** (1-3) (1995) 39–76
Barua, R., *see* P. Sarkar **84** (1-3) (1998) 199–213
Bar-Yehuda, R. and S. Moran, On approximation problems related to the Independent Set and Vertex Cover problems **9** (1984) 1–10
Bar-Yehuda, R. and T. Etzion, Connections between two cycles – a new design of dense processor interconnection networks **37/38** (1992) 29–43
Basak, S.C., V.R. Magnuson, G.J. Niemi and R.R. Regal, Determining structural similarity of chemicals using graph-theoretic indices **19** (1988) 17–44
Bauer, D., S.L. Hakimi and E. Schmeichel, Recognizing tough graphs is NP-hard **28** (1990) 191–195
Bauer, D., J. van den Heuvel, A. Morgana and E. Schmeichel, The complexity of recognizing tough cubic graphs **79** (1-3) (1997) 35–44
Baulieu, F.B., Classification of normalized cluster methods in an order theoretic model **32** (1991) 1–29
Baumann, U., On edge-hamiltonian Cayley graphs **51** (1-2) (1994) 27–37
Baumslag, M., An algebraic analysis of the connectivity of DeBruijn and shuffle-exchange digraphs **61** (3) (1995) 213–227
Beale, E.M.L., A mathematical programming model for the long-term development of an off-shore gas field **5** (1983) 1–9
Beame, P., Lower bounds for recognizing small cliques on CRCW PRAM's **29** (1990) 3–20
Beauquier, B., P. Hell and S. Pérennes, Optimal wavelength-routed multicasting **84** (1-3) (1998) 15–20
Beauquier, J., *see* J.-M. Autebert **2** (1980) 1–20
Beck, J. and T. Fiala, "Integer-making" theorems **3** (1981) 1–8
Becker, R.I., *see* E. Agasi **45** (1993) 1–28
Becker, R.I. and Y. Perl, The shifting algorithm technique for the partitioning of trees **62** (1-3) (1995) 15–34
Beeler, M.D., A new van der Waerden number (*Note*) **6** (1983) 207
Beigel, R. and W.I. Gasarch, The Mapmaker's dilemma **34** (1991) 37–48
Bein, W.W., P. Brucker and A. Tamir, Minimum cost flow algorithms for series-parallel networks **10** (1985) 117–124

Bein, W.W. and P. Brucker, Greedy concepts for network flow problems **15** (1986) 135–144
Bein, W.W., P. Brucker, J.K. Park and P.K. Pathak, A Monge property for the d-dimensional transportation problem **58** (2) (1995) 97–109
Beineke, L.W., *see* K.S. Bagga **37/38** (1992) 13–28
Beineke, L.W., O.R. Oellermann and R.E. Pippert, On the Steiner median of a tree **68** (3) (1996) 249–258
Belouadah, H., M.E. Posner and C.N. Potts, Scheduling with release dates on a single machine to minimize total weighted completion time **36** (1992) 213–231
Belouadah, H. and C.N. Potts, Scheduling identical parallel machines to minimize total weighted completion time **48** (1994) 201–218
Ben-David, S. and A. Litman, Combinatorial variability of Vapnik–Chervonenkis classes with applications to sample compression schemes **86** (1) (1998) 3–25
Bendisch, J., U. Derigs and A. Metz, An efficient matching algorithm applied in statistical physics **52** (2) (1994) 139–153
Benelli, M. and R. Hassin, Optimal separable partitioning in the plane **59** (3) (1995) 215–224
Benjamin, A.T., C. Converse and H.A. Krieger, How do I marry thee? Let me count the ways! **59** (3) (1995) 285–292
Bennett, F.E. and L. Wu, On minimum matrix representation of closure operations **26** (1990) 25–40
Bennett, F.E. and L. Wu, Minimum matrix representation of Sperner systems **81** (1-3) (1998) 9–17
Benstock, J.D., D.J. Berndt and K.K. Agarwal, Graph embedding in SYNCHEM2, an expert system for organic synthesis discovery **19** (1988) 45–63
Bent, S.W. and U. Manber, On non-intersecting eulerian circuits (*Note*) **18** (1987) 87–94
Bercoff, C., Uniform tag systems for paperfolding sequences **77** (2) (1997) 119–138
Berge, C., New classes of perfect graphs **15** (1986) 145–154
Berge, C., A new color change to improve the coloring of a graph **24** (1989) 25–28
Berge, C., Some properties of non-bicolorable hypergraphs and the four-color problem **65** (1-3) (1996) 73–79
Berger, M.A., A. Felzenbaum and A.S. Fraenkel, Irreducible disjoint covering systems (with an applicaiion to Boolean algebra) **29** (1990) 143–164
Bergeron, F., Algorithms for sequential generation of combinatorial structures **24** (1989) 29–35
Bergeron, F., G. Labelle and P. Leroux, Computation of the expected number of leaves in a tree having a given automorphism, and related topics **34** (1991) 49–66
Berkman, O. and U. Vishkin, Almost fully-parallel parentheses matching **57** (1) (1995) 11–28
Berman, K.A., J. Franco and J.S. Schlipf, Unique satisfiability of Horn sets can be solved in nearly linear time **60** (1-3) (1995) 77–91
Berman, K.A. and Y. Liu, Generalized bicycles **78** (1-3) (1997) 27–40
Berman, O., *see* I. Averbakh **63** (3) (1995) 201–214
Berman, O., *see* I. Averbakh **68** (1-2) (1996) 17–32
Berman, O., *see* I. Averbakh **75** (3) (1997) 201–216
Bermond, J.C., J.M. Fourneau and A. Jean-Marie, A graph theoretical approach to equivalence of multistage interconnection networks **22** (1988/89) 201–214
Bermond, J.-C., P. Hell, A.L. Liestman and J.G. Peters, Sparse broadcast graphs **36** (1992) 97–130
Bermond, J.-C., C. Delorme and J.J. Quisquater, Table of large (Δ, D)-graphs **37/38** (1992) 575–577
Bermond, J.-C. and F.Ö. Ergincan, Bus interconnection networks **68** (1-2) (1996) 1–15
Bermond, J.-C., E. Darrot, O. Delmas and S. Perennes, Hamilton circuits in the directed wrapped Butterfly network **84** (1-3) (1998) 21–42
Bermond, J.-C., L. Gargano and S. Perennes, Optimal sequential gossiping by short messages **86** (2-3) (1998) 145–155
Berndt, D.J., *see* J.D. Benstock **19** (1988) 45–63
Bernhard, P.J., S.T. Hedetniemi and D.P. Jacobs, Efficient sets in graphs **44** (1993) 99–108
Berry, A. and J.-P. Bordat, Separability generalizes Dirac's theorem **84** (1-3) (1998) 43–53
Berry, J.W. and M.K. Goldberg, Path optimization for graph partitioning problems **90** (1-3) (1999) 27–50
Berstel, J. and P. Séébold, A characterization of overlap-free morphisms (*Note*) **46** (1993) 275–281
Bertolazzi, P., C. Leporelli and M. Lucertini, Alternative group relaxation of integer programming problems **8** (1984) 143–151
Bertolazzi, P., C. De Simone and A. Galluccio, A nice class for the vertex packing problem **76** (1-3) (1997) 3–19

Bertossi, A.A. and M.A. Bonuccelli, A polynomial feasibility test for preemptive periodic scheduling of unrelated processors **12** (1985) 195–201
Bertossi, A.A. and M.A. Bonuccelli, Some parallel algorithms on interval graphs **16** (1987) 101–111
Bertz, S.H., Branching in graphs and molecules **19** (1988) 65–83
Bezrukov, S., N. Grünwald and K. Weber, On edge numberings of the n-cube graph **46** (1993) 99–116
Bezrukov, S., B. Monien, W. Unger and G. Wechsung, Embedding ladders and caterpillars into the hypercube **83** (1-3) (1998) 21–29
Bhagavathi, D., V. Bokka, H. Gurla, S. Olariu and J.L. Schwing, Time-optimal tree computations on sparse meshes **77** (3) (1997) 201–220
Bhandari, M.C. and M.S. Garg, A note on the covering radius of optimum codes **33** (1991) 3–9
Bhattacharya, S.K. and A.K. Gupta, Occupation times for two-state Markov chains (*Note*) **2** (1980) 249–250
Bhatti, F.M. and J.W. Essam, Low density series expansions for backbone properties of percolation clusters **19** (1988) 85–112
Bianco, L., P. Dell'Olmo and M.G. Speranza, Scheduling independent tasks with multiple modes **62** (1-3) (1995) 35–50
Bianco, L., J. Błażewicz, P. Dell'Olmo and M. Drozdowski, Linear algorithms for preemptive scheduling of multiprocessor tasks subject to minimal lateness **72** (1-2) (1997) 25–46
Bibelnieks, E. and P.M. Dearing, Neighborhood subtree tolerance graphs **43** (1993) 13–26
Bienstock, D., Broadcasting with random faults **20** (1988) 1–7
Biggs, N.L., *see* J. Shawe-Taylor **42** (1993) 65–73
Billionnet, A. and M. Minoux, Maximizing a supermodular pseudoboolean function: A polynomial algorithm for supermodular cubic functions **12** (1985) 1–11
Billionnet, A., *see* W.E. Adams **29** (1990) 131–142
Billionnet, A. and M.-C. Costa, Solving the uncapacited plant location problem on trees **49** (1994) 51–59
Billionnet, A. and A. Faye, A lower bound for a constrained quadratic 0–1 minimization problem **74** (2) (1997) 135–146
Birge, J.R. and M.A.H. Dempster, Optimal match-up strategies in stochastic scheduling **57** (2-3) (1995) 105–120
Bitan, S., *see* T. Etzion **70** (2) (1996) 163–175
Bixby, R.E. and C.R. Coullard, On chains of 3-connected matroids **15** (1986) 155–166
Björner, A., J. Karlander and B. Lindström, Communication complexity of two decision problems (*Note*) **39** (1992) 161–163
Blair, C., Sensitivity analysis for knapsack problems: a negative result **81** (1-3) (1998) 133–139
Blair, C.E., Facial disjunctive programs and sequences of cutting-planes **2** (1980) 173–179
Blair, C.E. and R.G. Jeroslow, Extensions of a theorem of Balas **9** (1984) 11–26
Blair, C.E. and R.G. Jeroslow, Constructive characterizations of the value-function of a mixed-integer program I **9** (1984) 217–233
Blair, C.E. and R.G. Jeroslow, Constructive characterization of the value function of a mixed-integer program II **10** (1985) 227–240
Blair, J.R.S., The efficiency of AC graphs **44** (1993) 119–138
Blake, I.F., *see* D.W. Ash **25** (1989) 191–210
Blanchet-Sadri, F., Games, equations and dot-depth two monoids **39** (1992) 99–111
Blanchet-Sadri, F., On a complete set of generators for dot-depth two **50** (1) (1994) 1–25
Blanchet-Sadri, F., Inclusion relations between some congruences related to the dot-depth hierarchy **68** (1-2) (1996) 33–71
Blanchet-Sadri, F., Trees, congruences and varieties of finite semigroups **86** (2-3) (1998) 157–179
Błażewicz, J., J.K. Lenstra and A.H.G. Rinnooy Kan, Scheduling subject to resource constraints: Classification and complexity **5** (1983) 11–24
Błażewicz, J. and J.R. Nawrocki, Dynamic storage allocation with limited compaction – complexity and some practical implications **10** (1985) 241–253
Błażewicz, J., M. Drozdowski, G. Schmidt and D. de Werra, Scheduling independent two processor tasks on a uniform duo-processor system **28** (1990) 11–20
Błażewicz, J., *see* D. de Werra **35** (1992) 205–219
Błażewicz, J., W. Kubiak and S. Martello, Algorithms for minimizing maximum lateness with unit length tasks and resource constraints **42** (1993) 123–138

Błażewicz, J., M. Drozdowski, D. de Werra and J. Węglarz, Deadline scheduling of multiprocessor tasks **65** (1-3) (1996) 81–95
Błażewicz, J., *see* L. Bianco **72** (1-2) (1997) 25–46
Błażewicz, J., J. Carlier, A. Hertz and M. Widmer, Preface **76** (1-3) (1997) 1–2
Błażewicz, J. and M. Drozdowski, Distributed processing of divisible jobs with communication startup costs **76** (1-3) (1997) 21–41
Blest, D.C. and D.G. Fitzgerald, Scheduling sports competitions with a given distribution of times **22** (1988/89) 9–19
Blieberger, J., Monotonically labelled Motzkin trees **18** (1987) 9–24
Blokh, D. and G. Gutin, Maximizing traveling salesman problem for special matrices **56** (1) (1995) 83–86
Bloom, G.S. and S. Ruiz, Decompositions into linear forests and difference labelings of graphs **49** (1994) 61–75
Blum, M., *see* D.S. Cohen **61** (2) (1995) 105–120
Blumer, A., A. Ehrenfeucht and D. Haussler, Average sizes of suffix trees and DAWGs **24** (1989) 37–45
Blumer, A. and N. Littlestone, Learning faster than promised by the Vapnik–Chervonenkis dimension **24** (1989) 47–53
Blundo, C. and D.R. Stinson, Anonymous secret sharing schemes **77** (1) (1997) 13–28
Bo, Z. and B. Liu, Matrices with maximum exponents in the class of doubly stochastic primitive matrices **91** (1-3) (1999) 53–66
Boasson, L., *see* J.-M. Autebert **2** (1980) 1–20
Bodlaender, H.L., Improved self-reduction algorithms for graphs with bounded treewidth **54** (2-3) (1994) 101–115
Bodlaender, H.L., K. Jansen and G.J. Woeginger, Scheduling with incompatible jobs **55** (3) (1994) 219–232
Bodlaender, H.L. and B. de Fluiter, On intervalizing k-colored graphs for DNA physical mapping **71** (1-3) (1996) 55–77
Bodlaender, H.L. and D.M. Thilikos, Treewidth for graphs with small chordality **79** (1-3) (1997) 45–61
Boesch, F.T. and C.L. Suffel, Realizability of p-point graphs with prescribed minimum degree, maximum degree, and point-connectivity **3** (1981) 9–18
Boesch, F.T., X. Li and J. Rodriguez, Graphs with most number of three point induced connected subgraphs **59** (1) (1995) 1–10
Boffey, T.B. and J.R. Green, Design of electricity supply networks **5** (1983) 25–38
Bogart, K.P., J. Bonin and J. Mitas, Interval orders based on weak orders **60** (1-3) (1995) 93–98
Bogart, K.P., P.C. Fishburn, G. Isaak and L. Langley, Proper and unit tolerance graphs **60** (1-3) (1995) 99–117
Bokka, V., *see* D. Bhagavathi **77** (3) (1997) 201–220
Bollobás, B. and A. Thomason, Parallel sorting **6** (1983) 1–11
Bollobás, B. and G. Brightwell, Random walks and electrical resistances in products of graphs **73** (1) (1997) 69–79
Bollobás, B. and I. Leader, Matchings and paths in the cube **75** (1) (1997) 1–8
Bond, J., *see* D. Barth **56** (2-3) (1995) 127–136
Bone, T., C. Jeffries and V. Klee, A qualitative analysis of $\dot{x} = Ax + b$ **20** (1988) 9–30
Boneh, D., C. Dunworth, R.J. Lipton and J. Sgall, On the computational power of DNA **71** (1-3) (1996) 79–94
Bonin, J., *see* K.P. Bogart **60** (1-3) (1995) 93–98
Bonis, A.D., A predetermined algorithm for detecting a counterfeit coin with a multi-arms balance **86** (2-3) (1998) 181–200
Bonuccelli, M.A., *see* A.A. Bertossi **12** (1985) 195–201
Bonuccelli, M.A., Dominating sets and domatic number of circular arc graphs **12** (1985) 203–213
Bonuccelli, M.A., *see* A.A. Bertossi **16** (1987) 101–111
Book, R.V., The base of the intersection of two free submonoids **12** (1985) 13–20
Borah, M., R.M. Owens and M.J. Irwin, A fast and simple Steiner routing heuristic **90** (1-3) (1999) 51–67
Bordat, J.P., Parcours dans les graphes: Un outil pour l'algorithmique des ensembles ordonnes **12** (1985) 215–231
Bordat, J.-P., Efficient polynomial algorithms for distributive lattices **32** (1991) 31–50
Bordat, J.-P., *see* A. Berry **84** (1-3) (1998) 43–53
Borie, Ph., Reseaux et polynomes de denombrement (*Communication*) **18** (1987) 83–86
Borie, R.B. and J.P. Spinrad, Construction of a simple elimination scheme for a chordal comparability graph in linear time **91** (1-3) (1999) 287–292

Boros, E., P.L. Hammer, M.E. Hartmann and R. Shamir, Balancing problems in acyclic networks **49** (1994) 77–93
Boros, E., P.L. Hammer and X. Sun, Recognition of q-Horn formulae in linear time **55** (1) (1994) 1–13
Boros, E., V. Gurvich, P.L. Hammer, T. Ibaraki and A. Kogan, Decomposability of partially defined Boolean functions **62** (1-3) (1995) 51–75
Boros, E., P.L. Hammer, M. Minoux and D.J. Rader, Jr. Optimal cell flipping to minimize channel density in VLSI design and pseudo-Boolean optimization **90** (1-3) (1999) 69–88
Borzacchini, L., Graphical partially ordered sets **18** (1987) 247–262
Bošnjak, I., Some new results concerning three counterfeit coins problem (*Note*) **48** (1994) 81–85
Bouabdallah, A., C. Delorme and S. Djelloul, Edge deletion preserving the diameter of the hypercube **63** (1) (1995) 91–95
Bouchet, A., Matchings and Δ-matroids **24** (1989) 55–62
Bouchitté, V., R. Jégou and J.-X. Rampon, On the directionality of interval orders (*Note*) **48** (1994) 87–92
Bourjolly, J.-M. and W.R. Pulleyblank, König–Egerváry graphs, 2-bicritical graphs and fractional matchings **24** (1989) 63–82
Bousquet-Mélou, M., Codage des polyominos convexes et équations pour l'énumération suivant l'aire **48** (1994) 21–43
Bovet, D.P. and A. Panconesi, Inclusion relationships among permutation problems **16** (1987) 113–123
Bovet, J., Une amelioration de la methode de Dijkstra pour la recherche d'un plus court chemin dans un reseau (*Note*) **13** (1986) 93–96
Bovet, J., C. Constantin and D. de Werra, A convoy scheduling problem **30** (1991) 1–14
Bowser, S. and C.A. Cable, Some recent results on niche graphs **30** (1991) 101–108
Boyar, J., F. Fich and K.S. Larsen, Bounds on certain multiplications of affine combinations **52** (2) (1994) 155–167
Boyd, E.A. and U. Faigle, An algorithmic characterization of antimatroids **28** (1990) 197–205
Boyd, E.A., Polyhedral results for the precedence-constrained knapsack problem **41** (93) 185–201
Boyer, E.D., *see* D.C. Fisher **84** (1-3) (1998) 93–105
Brand, N., S. Curran, S. Das and T. Jacob, Probability of diameter two for Steinhaus graphs (*Note*) **41** (93) 165–171
Brandstädt, A., *see* J. Spinrad **18** (1987) 279–292
Brandstädt, A., Classes of bipartite graphs related to chordal graphs **32** (1991) 51–60
Brandstädt, A. and H.-J. Voss, Short disjoint cycles in graphs with degree constraints **64** (3) (1996) 197–205
Brandstädt, A., V.D. Chepoi and F.F. Dragan, The algorithmic use of hypertree structure and maximum neighbourhood orderings **82** (1-3) (1998) 43–77
Brandstädt, A., V. Bang Le and T. Szymczak, The complexity of some problems related to GRAPH 3-COLORABILITY **89** (1-3) (1998) 59–73
Brandt, S., A sufficient condition for all short cycles **79** (1-3) (1997) 63–66
Branković, L., *see* P. Horak **91** (1-3) (1999) 119–126
Bräsel, H., D. Kluge and F. Werner, A polynomial algorithm for an open shop problem with unit processing times and tree constraints **59** (1) (1995) 11–21
Brecht, T.B. and C.J. Colbourn, Lower bounds on two-terminal network reliability **21** (1988) 185–198
Brennan, T., *see* J. Harrison **82** (1-3) (1998) 103–113
Brewster, R., The complexity of colouring symmetric relational systems **49** (1994) 95–105
Brewster, R. and G. MacGillivray, Homomorphically full graphs **66** (1) (1996) 23–31
Brigham, R.C., *see* R.D. Dutton **6** (1983) 315–317
Brigham, R.C., *see* R.D. Dutton **20** (1988) 113–125
Brigham, R.C., *see* T.W. Haynes **44** (1993) 295–304
Brigham, R.C., F.R. McMorris and R.P. Vitray, Two-ϕ-tolerance competition graphs **66** (2) (1996) 101–108
Brightwell, G., *see* M. Anthony **61** (1) (1995) 1–25
Brightwell, G., *see* B. Bollobás **73** (1) (1997) 69–79
Brito, M.R., A simple a.s. correct algorithm for deciding if a graph has a perfect matching **63** (2) (1995) 181–185
Brlek, S., Enumeration of factors in the Thue–Morse word **24** (1989) 83–96
Broersm, H.J. and I. Schiermeyer, Subgraphs, closures and hamiltonicity **51** (1-2) (1994) 39–46
Broersma, H.J. and L. Xueliang, On "The matching polynomial of a polygraph" (*Note*) **46** (1993) 79–86

Bromfield, A.J. and F.C. Piper, Linear recursion properties of uncorrelated binary sequences **27** (1990) 187–193
Brooks, J.A., *see* F.L. Van Scoy **53** (1-3) (1994) 321–336
Broughan, K., *see* N. Zhu **82** (1-3) (1998) 231–246
Brouwer, A.E., Some new two-weight codes and strongly regular graphs (*Note*) **10** (1985) 111–114
Brown, F.M., Segmental solutions of Boolean equations **4** (1982) 87–96
Brown, F.M. and Y. Igarashi, On permutations of wires and states **7** (1984) 231–241
Brown, J.I., The complexity of generalized graph colorings **69** (3) (1996) 255–268
Brown, T.J.N., R.B. Mallion, P. Pollak and A. Roth, Some methods for counting the spanning trees in labelled molecular graphs, examined in relation to certain fullerenes **67** (1-3) (1996) 51–66
Brown, T.J.N., R.B. Mallion, P. Pollak and A. Roth, Some methods for counting the spanning trees in labelled molecular graphs, examined in relation to certain fullerenes [Discrete Applied Mathematics 67 (1996) 51–66] **75** (2) (1997) 199–200
Brualdi, R.A. and V.S. Pless, Polyadic codes **25** (1989) 3–17
Brualdi, R.A., H.C. Jung and W.T. Trotter Jr, On the poset of all posets on n elements **50** (2) (1994) 111–123
Brualdi, R.A. and J. Shao, Generalized exponents of primitive symmetric digraphs **74** (3) (1997) 275–293
Bruck, J., On optimal broadcasting in faulty hypercubes **53** (1-3) (1994) 3–13
Brucker, P. and W. Papenjohann, An out-of-kilter method for the algebraic circulation problem **10** (1985) 1–18
Brucker, P., *see* W.W. Bein **10** (1985) 117–124
Brucker, P., *see* W.W. Bein **15** (1986) 135–144
Brucker, P. and W. Meyer, Scheduling two irregular polygons **20** (1988) 91–100
Brucker, P., *see* S. Albers **47** (1993) 87–107
Brucker, P., B. Jurisch and B. Sievers, A branch and bound algorithm for the job-shop scheduling problem **49** (1994) 107–127
Brucker, P., *see* W.W. Bein **58** (2) (1995) 97–109
Brucker, P., Efficient algorithms for some path partitioning problems **62** (1-3) (1995) 77–85
Brucker, P., J. Hurink and F. Werner, Improving local search heuristics for some scheduling problems—I **65** (1-3) (1996) 97–122
Brucker, P., J. Hurink and F. Werner, Improving local search heuristics for some scheduling problems. Part II **72** (1-2) (1997) 47–69
Brucker, P., J. Hurink, B. Jurisch and B. Wöstmann, A branch & bound algorithm for the open-shop problem **76** (1-3) (1997) 43–59
Bruneau, C.-M., *see* D. Durand **3** (1981) 79–91
Bruno, W.J., *see* E. Knill **88** (1-3) (1998) 261–290
Brunvoll, J., *see* S.J. Cyvin **67** (1-3) (1996) 67–78
Brzozowski, J.A., *see* C.-J. Shi **90** (1-3) (1999) 223–243
Bucher, W., A note on regular classes in special Thue systems **21** (1988) 199–205
Bucher, W., On the generation of powers by OS schemes **23** (1989) 33–43
Bulgaru, E. and V.I. Voloshin, Mixed interval hypergraphs **77** (1) (1997) 29–41
Burattini, E., *see* A. Aiello **2** (1980) 159–161
Burgin, M.S. and E.Ya. Gabovich, Equivalence among optimization problems on matrix sets **6** (1983) 13–24
Burkard, R.E. and U. Fincke, Probabilistic asymptotic properties of some combinatorial optimization problems **12** (1985) 21–29
Burkard, R.E., Optimal schedules for periodically recurring events **15** (1986) 167–180
Burkard, R.E. and E.-Y. Yao, Constrained partitioning problems **28** (1990) 21–34
Burkard, R.E. and W. Sandholzer, Efficiently solvable special cases of bottleneck travelling salesman problems **32** (1991) 61–76
Burkard, R.E., R. Rudolf and G.J. Woeginger, Three-dimensional axial assignment problems with decomposable cost coefficients **65** (1-3) (1996) 123–139
Burkard, R.E., B. Klinz and R. Rudolf, Perspectives of Monge properties in optimization **70** (2) (1996) 95–161
Buser, P., On the bipartition of graphs (*Note*) **9** (1984) 105–109
Bushnell, M.L., *see* S.T. Chakradhar **36** (1992) 233–251
Butkovič, P., Necessary solvability conditions of systems of linear extremal equations **10** (1985) 19–26
Butkovič, P. and F. Hevery, A condition for the strong regularity of matrices in the minimax algebra **11** (1985) 209–222

Butkovič, P. and J. Plávka, On the dependence of the maximum cycle mean of a matrix on permutations of the rows and columns **23** (1989) 45–53
Butkovic, P. and R.A. Cuninghame-Green, An $O(n^2)$ algorithm for the maximum cycle mean of an $n \times n$ bivalent matrix (*Note*) **35** (1992) 157–162
Butkovič, P., Strong regularity of matrices—a survey of results **48** (1994) 45–68
Butkovič, P., Regularity of matrices in min-algebra and its time-complexity **57** (2-3) (1995) 121–132
Butler, L.M., Generalized flags in finite Abelian p-groups **34** (1991) 67–81
Buzytsky, P.L. and G.A. Freiman, An effective formula for the number of solutions of a system of two 0, 1-equations **6** (1983) 127–133
Cable, C., K.F. Jones, J.R. Lundgren and S. Seager, Niche graphs **23** (1989) 231–241
Cable, C.A., *see* S. Bowser **30** (1991) 101–108
Cabral, R.H.B., *see* H.P.L. Luna **18** (1987) 199–210
Caccetta, L. and L.M. Giannini, An application of discrete mathematics in the design of an open pit mine **21** (1988) 1–19
Cai, L. and J.A. Ellis, NP-completeness of edge-colouring some restricted graphs **30** (1991) 15–27
Cai, L. and J.A. Ellis, Edge colouring line graphs of unicyclic graphs (*Note*) **36** (1992) 75–82
Cai, L. and F. Maffray, On the SPANNING k-TREE problem **44** (1993) 139–156
Cai, L., NP-completeness of minimum spanner problems (*Note*) **48** (1994) 187–194
Cai, L. and B. Schieber, A linear-time algorithm for computing the intersection of all odd cycles in a graph **73** (1) (1997) 27–34
Cai, L., On spanning 2-trees in a graph **74** (3) (1997) 203–216
Cai, M.-C., An algorithm for an Eulerian trail traversing specified edges in given order **55** (3) (1994) 233–239
Cai, X. and T.C.E. Cheng, Multi-machine scheduling with variance minimization **84** (1-3) (1998) 55–70
Cai, Y.Z., *see* X. Shen **25** (1989) 155–178
Calude, C. and S. Yu, Language-theoretic complexity of disjunctive sequences **80** (2-3) (1997) 203–209
Camarda, P. and M. Gerla, Design and analysis of fault-tolerant multibus interconnection networks **37/38** (1992) 45–64
Camerini, P.M., G. Galbiati and F. Maffioli, On the complexity of finding multi-constrained spanning trees **5** (1983) 39–50
Camerini, P.M., F. Maffioli, S. Martello and P. Toth, Most and least uniform spanning trees **15** (1986) 181–197
Cameron, H. and D. Wood, Maximal path length of binary trees **55** (1) (1994) 15–35
Cameron, H., Fringe thickness and maximum path length of binary trees **89** (1-3) (1998) 75–97
Cameron, K., Induced matchings **24** (1989) 97–102
Campbell, L., Dense group networks **37/38** (1992) 65–71
Campello, R.E. and N.F. Maculan, Lagrangean relaxation for a lower bound to a set partitioning problem with side constraints: Properties and algorithms **18** (1987) 119–136
Campêlo Neto, M.B. and S. Klein, Maximum vertex-weighted matching in strongly chordal graphs **84** (1-3) (1998) 71–77
Čangalović, M. and J.A.M. Schreuder, Modelling and solving an acyclic multi-period timetabling problem **35** (1992) 177–195
Caniglia, L., A. Galligo and J. Heintz, Equations for the projective closure and effective Nullstellensatz **33** (1991) 11–23
Cao, D. and G.L. Nemhauser, Polyhedral characterizations and perfection of line graphs **81** (1-3) (1998) 141–153
Capocelli, R.M. and U. Vaccaro, Structure of decoders for multivalued encodings **23** (1989) 55–71
Capocelli, R.M., L. Gargano and U. Vaccaro, Efficient q-ary immutable codes **33** (1991) 25–41
Caprara, A., Properties of some ILP formulations of a class of partitioning problems **87** (1-3) (1998) 11–23
Carducci, O.M., *see* B. Aldershof **68** (1-2) (1996) 203–207
Carlier, J. and C. Lucet, A decomposition algorithm for network reliability evaluation **65** (1-3) (1996) 141–156
Carlier, J., *see* J. Błażewicz **76** (1-3) (1997) 1–2
Carlier, J., Y. Li and J. Lutton, Reliability evaluation of large telecommunication networks **76** (1-3) (1997) 61–80
Carlisle, M.C. and E.L. Lloyd, On the k-coloring of intervals **59** (3) (1995) 225–235
Carlson, B.S., C.Y.R. Chen and D.S. Meliksetian, Transistor chaining in static CMOS functional cells of arbitrary planar topology **90** (1-3) (1999) 89–114

Carmen Ortiz, Z., N. Maculan and J.L. Szwarcfiter, Characterizing and edge-colouring split-indifference graphs **82** (1-3) (1998) 209–217
Carpaneto, G. and P. Toth, Primal-dual algorithms for the assignment problem **18** (1987) 137–153
Carpentieri, M., Some democratic secret sharing schemes **59** (3) (1995) 293–298
Carpi, A., On the number of Abelian square-free words on four letters **81** (1-3) (1998) 155–167
Carter, M.W., The indefinite zero–one quadratic problem **7** (1984) 23–44
Çatay, B., *see* A.J. Vakharia **73** (3) (1997) 283–288
Catlin, P.A., J.W. Grossman, A.M. Hobbs and H.-J. Lai, Fractional arboricity, strength, and principal partitions in graphs and matroids **40** (1992) 285–302
Cechlárová, K., Trapezoidal matrices and the bottleneck assignment problem **58** (2) (1995) 111–116
Cederbaum, I., *see* S. Wimer **45** (1993) 169–179
Cerdeira, J.O., I. Faria and P. Bárcia, Establishing determinantal inequalities for positive-definite matrices **63** (1) (1995) 13–24
Cesa-Bianchi, N. and D. Haussler, A graph-theoretic generalization of the Sauer–Shelah lemma **86** (1) (1998) 27–35
Chaimovich, M., Subset-sum problems with different summands: Computation (*Note*) **27** (1990) 277–282
Chakradhar, S.T. and M.L. Bushnell, A solvable class of quadratic 0-1 programming **36** (1992) 233–251
Chakravarti, N., Sensitivity analysis in isotonic regression **45** (1993) 183–196
Champarnaud, J.-M. and J.-E. Pin, A maxmin problem on finite automata (*Note*) **23** (1989) 91–96
Chan, A.H., *see* A. Klapper **46** (1993) 1–20
Chance, F., *see* B.L. Dietrich **42** (1993) 147–175
Chandra, A.K. and M. Tompa, The complexity of short two-person games **29** (1990) 21–33
Chandrasekar, S., *see* S.S. Abhyankar **31** (1991) 81–96
Chandrasekaran, R. and A. Tamir, Polynomial testing of the query "Is $a^b \geqslant c^d$?" with application to finding a minimal cost reliability ratio spanning tree **9** (1984) 117–123
Chandrasekaran, R., Recognition of Gilmore–Gomory traveling salesman problem **14** (1986) 231–238
Chandrasekaran, R., *see* S.N. Kabadi **26** (1990) 87–104
Chandrasekaran, R., *see* S. Lakshminarayanan **50** (3) (1994) 267–282
Chandru, V., *see* S.S. Abhyankar **31** (1991) 81–96
Chang, G.J., F.K. Hwang and S. Lin, Group testing with two defectives **4** (1982) 97–102
Chang, G.J., Labeling algorithms for domination problems in sun-free chordal graphs **22** (1988/89) 21–34
Chang, G.J., *see* H.-M. Lee **40** (1992) 411–421
Chang, G.J., C. Pandu Rangan and S.R. Coorg, Weighted independent perfect domination on cocomparability graphs **63** (3) (1995) 215–222
Chang, G.J., *see* M.-S. Chang **66** (3) (1996) 189–203
Chang, G.J., *see* J.-H. Yan **69** (3) (1996) 245–253
Chang, G.J., *see* J.-H. Yan **78** (1-3) (1997) 227–233
Chang, G.J., *see* M.-J. Jou **79** (1-3) (1997) 67–73
Chang, G.J., *see* H.-G. Yeh **87** (1-3) (1998) 245–253
Chang, M.S., C.Y. Tang and R.C.T. Lee, Solving the Euclidean bottleneck biconnected edge subgraph problem by 2-relative neighborhood graphs **39** (1992) 1–12
Chang, M.-S., Y.-H. Chen, G.J. Chang and J.-H. Yan, Algorithmic aspects of the generalized clique-transversal problem on chordal graphs **66** (3) (1996) 189–203
Chang, M.-S. and C.-C. Hsu, On minimum intersection of two minimum dominating sets of interval graphs **78** (1-3) (1997) 41–50
Chang, M.-S., Weighted domination of cocomparability graphs **80** (2-3) (1997) 135–148
Chang, R.S. and R.C.T. Lee, On the continuous working problem **28** (1990) 93–109
Chang, S.Y., *see* S.-J. Chung **15** (1986) 199–211
Chang, S.Y. and K.G. Murty, The steepest descent gravitational method for linear programming **25** (1989) 211–239
Chang, Y.-W., M.S. Jacobson, C.L. Monma and D.B. West, Subtree and substar intersection numbers **44** (1993) 205–220
Chao, S.X., *see* A. Quilliot **51** (1-2) (1994) 159–170
Charnes, A., *see* R. Armstrong **1** (1979) 1–14

Charon, I., O. Hudry and F. Woirgard, A 16-vertex tournament for which Banks set and Slater set are disjoint **80** (2-3) (1997) 211–215
Chaty, G., On signed digraphs with all cycles negative (*Note*) **20** (1988) 83–85
Chavez, J.D. and R. Trapp, The cyclic cutwidth of trees **87** (1-3) (1998) 25–32
Cheah, F. and D.G. Corneil, The complexity of regular subgraph recognition **27** (1990) 59–68
Cheah, F. and D.G. Corneil, On the structure of trapezoid graphs **66** (2) (1996) 109–133
Chegireddy, C.R. and H.W. Hamacher, Algorithms for finding K-best perfect matchings **18** (1987) 155–165
Chein, M. and M. Habib, Jump number of dags having Dilworth number 2 **7** (1984) 243–250
Chen, B., Tighter bound for MULTIFIT scheduling on uniform processors **31** (1991) 227–260
Chen, B. and B. Srivastava, An improved lower bound for the bin packing problem **66** (1) (1996) 81–94
Chen, B. and M. Guignard, Polyhedral analysis and decompositions for capacitated plant location-type problems **82** (1-3) (1998) 79–91
Chen, C.Y.R., *see* B.S. Carlson **90** (1-3) (1999) 89–114
Chen, J., A new complete language for DSPACE($\log n$) **25** (1989) 19–26
Chen, J.-J., *see* J.-H. Yan **69** (3) (1996) 245–253
Chen, R., *see* F. Zhang **30** (1991) 63–75
Chen, R., Coronoid systems with perfect matchings **64** (2) (1996) 117–133
Chen, R. and F. Zhang, Regular coronoid systems **74** (2) (1997) 147–158
Chen, R. and F. Zhang, Hamilton paths in Z-transformation graphs of perfect matchings of hexagonal systems **74** (2) (1997) 191–196
Chen, T. and S.S. Skiena, Sorting with fixed-length reversals **71** (1-3) (1996) 269–295
Chen, Y.-H., *see* M.-S. Chang **66** (3) (1996) 189–203
Chen, Z.-L., Parallel machine scheduling with time dependent processing times **70** (1) (1996) 81–93
Chen, Z.-L., Erratum to "Parallel machine scheduling with time dependent processing times" [Discrete Appl. Math. 70 (1996) 81–93] **75** (1) (1997) 103
Chen, Z.-Z. and X. He, Parallel complexity of partitioning a planar graph into vertex-induced forests **69** (1-2) (1996) 183–198
Cheng, P. and S. Masuyama, A lower bound of the expected maximum number of edge-disjoint s–t paths on probabilistic graphs **56** (2-3) (1995) 137–155
Cheng, T.C.E., *see* H.G. Kahlbacher **47** (1993) 139–164
Cheng, T.C.E. and M.Y. Kovalyov, Batch scheduling and common due-date assignment on a single machine **70** (3) (1996) 231–245
Cheng, T.C.E., *see* X. Cai **84** (1-3) (1998) 55–70
Chepoi, V., A multifacility location problem on median spaces **64** (1) (1996) 1–29
Chepoi, V., Peakless functions on graphs **73** (2) (1997) 175–189
Chepoi, V., M. Deza and V. Grishukhin, Clin d'oeil on L_1-embeddable planar graphs **80** (1) (1997) 3–19
Chepoi, V.D., *see* A. Brandstädt **82** (1-3) (1998) 43–77
Chernyak, A.A. and Zh.A. Chernyak, Note on complexity of computing the domination of binary systems **73** (3) (1997) 289–295
Chernyak, Zh.A., *see* A.A. Chernyak **73** (3) (1997) 289–295
Cheston, G.A., G. Fricke, S.T. Hedetniemi and D.P. Jacobs, On the computational complexity of upper fractional domination **27** (1990) 195–207
Cheston, G.A. and G. Fricke, Classes of graphs for which upper fractional domination equals independence, upper domination, and upper irredundance **55** (3) (1994) 241–258
Chetwynd, A.G. and A.J.W. Hilton, The edge-chromatic class of regular graphs of degree 4 and their complements **16** (1987) 125–134
Ching, Y.T., *see* M.T. Ko **40** (1992) 397–410
Chlebus, B.S., K. Diks and A. Pelc, Fast gossiping with short unreliable messages **53** (1-3) (1994) 15–24
Choffrut, C. and K. Culik, On extendibility of unavoidable sets **9** (1984) 125–137
Choffrut, C. and J. Karhumäki, Test sets for morphisms with bounded delay **12** (1985) 93–101
Choi, H., *see* S.-K. Lee **75** (1) (1997) 81–91
Choi, H.-A., *see* S.-K. Lee **75** (1) (1997) 81–91
Chopra, S. and M.R. Rao, Facets of the k-partition polytope **61** (1) (1995) 27–48
Chopra, S., Compositions for matroids with the Fulkerson property **62** (1-3) (1995) 87–101

Chopra, S., I. Gilboa and S. Trilochan Sastry, Source sink flows with capacity installation in batches **85** (3) (1998) 165–192
Chopra, S. and J.H. Owen, A note on formulations for the *A*-partition problem on hypergraphs **90** (1-3) (1999) 115–133
Chretienne, P., The basic cyclic scheduling problem with deadlines **30** (1991) 109–123
Chretienne, P., Tree scheduling with communications delays **49** (1994) 129–141
Christofides, N., *see* A. Ainouche **17** (1987) 213–221
Chrobak, M. and S. Poljak, On common edges in optimal solutions to traveling salesman and other optimization problems **20** (1988) 101–111
Chuan, W.-F., A representation theorem of the suffixes of characteristic sequences **85** (1) (1998) 47–57
Chung, F.R.K., Graphs with small diameter after edge deletion **37/38** (1992) 73–94
Chung, S.-J., K.G. Murty and S.Y. Chang, On $\mathbf{K}^{\Delta}$ **15** (1986) 199–211
Chung, S.-J., H.W. Hamacher, F. Maffioli and K.G. Murty, Note on combinatorial optimization with max-linear objective functions **42** (1993) 139–145
Chvátal, V., *see* J. Akiyama **3** (1981) 227–233
Chvátal, V., On the bicycle problem **5** (1983) 165–173
Chvátal, V. and C. Ebenegger, A note on line digraphs and the directed max-cut problem **29** (1990) 165–170
Chvátal, V., Which claw-free graphs are perfectly orderable? **44** (1993) 39–63
Chvátal, V., Resolution search **73** (1) (1997) 81–99
Chwa, K.-Y., *see* H.-S. Lim **69** (1-2) (1996) 83–99
Ciebiera, K. and A. Malinowski, Efficient broadcasting with linearly bounded faults **89** (1-3) (1998) 99–105
Cimikowski, R.J., On certain Hamiltonian inner triangulations **43** (1993) 185–195
Clark, D.S., A class of combinatorial identities (*Note*) **4** (1982) 325–327
Clark, D.S., Short proof of a discrete Gronwall inequality (*Note*) **16** (1987) 279–281
Clark, D.S. and J.T. Lewis, Avoiding-sequences with minimum sum **22** (1988/89) 103–108
Clark, D.S. and J.T. Lewis, Circular avoiding sequences with prescribed sum **43** (1993) 27–36
Clark, L.H., R.C. Entringer and L.A. Székely, Threshold functions for local properties of graphs: triangles **34** (1991) 83–105
Cochand, M. and D. de Werra, Generalized neighbourhoods and a class of perfectly orderable graphs **15** (1986) 213–220
Cochand, M., *see* B. Simeone **29** (1990) 243–250
Cochand, M., A fixed point operator for the generalised maximum satisfiability problem **46** (1993) 117–132
Cochand, M., Probabilistic estimates for the generalized maximum satisfiability problem **49** (1994) 143–163
Cochand, M. and A. Gaillard, On preemptive scheduling: a general setting for the two-phase method **65** (1-3) (1996) 157–166
Cochand, M., A. Gaillard and H. Gröflin, Optimum partitioning into intersections of ring families **76** (1-3) (1997) 81–91
Coffey, J.T., R.M. Goodman and P.G. Farrell, New approaches to reduced-complexity decoding **33** (1991) 43–60
Cohen, D.S. and M. Blum, On the problem of sorting burnt pancakes **61** (2) (1995) 105–120
Cohen, G. and G. Simonyi, Coding for write-unidirectional memories and conflict resolution **24** (1989) 103–114
Cohen, G.D., *see* G. Zémor **37/38** (1992) 553–562
Cohen, J.E., Threshold phenomena in random structures **19** (1988) 113–128
Cohn, M., On the channel capacity of read/write isolated memory **56** (1) (1995) 1–8
Colbourn, C.I., *see* T.B. Brecht **21** (1988) 185–198
Colbourn, C.J. and D.G. Corneil, On deciding switching equivalence of graphs **2** (1980) 181–184
Colbourn, C.J., *see* M.J. Colbourn **3** (1981) 155–162
Colbourn, C.J., M.J. Colbourn, K.T. Phelps and V. Rödl, Colouring Steiner quadruple systems **4** (1982) 103–111
Colbourn, C.J., The complexity of completing partial Latin squares **8** (1984) 25–30
Colbourn, C.J., W.L. Kocay and D.R. Stinson, Some NP-complete problems for hypergraph degree sequences **14** (1986) 239–254
Colbourn, C.J., D. Jungnickel and A. Rosa, The strong chromatic number of partial triple systems **20** (1988) 31–38
Colbourn, C.J., *see* J.J. Harms **27** (1990) 101–112

Colbourn, C.J., A. Satyanarayana, C. Suffel and K. Sutner, Computing residual connectedness reliability for restricted networks **44** (1993) 221–232
Colbourn, C.J., J.S. Provan and D. Vertigan, A new approach to solving three combinatorial enumeration problems on planar graphs **60** (1-3) (1995) 119–129
Colbourn, M.J. and C.J. Colbourn, Concerning the complexity of deciding isomorphism of block designs **3** (1981) 155–162
Colbourn, M.J., *see* C.J. Colbourn **4** (1982) 103–111
Cole, T., Some results on greedy algorithm conjectures **52** (2) (1994) 169–194
Collins, K.L., On a conjecture of Graham and Lovász about distance matrices **25** (1989) 27–35
Comellas, F. and M.A. Fiol, Vertex-symmetric digraphs with small diameter **58** (1) (1995) 1–11
Comellas, F. and M. Mitjana, Broadcasting in cycle prefix digraphs **83** (1-3) (1998) 31–39
Conforti, M. and G. Cornuéjols, Submodular set functions, matroids and the greedy algorithm: Tight worst-case bounds and some generalizations of the Rado–Edmonds theorem **7** (1984) 251–274
Conforti, M., G. Cornuéjols and M.R. Rao, Decomposition of wheel-and-parachute-free balanced bipartite graphs **62** (1-3) (1995) 103–117
Conrad, A., T. Hindrichs, H. Morsy and I. Wegener, Solution of the knight's Hamiltonian path problem on chessboards **50** (2) (1994) 125–134
Constantin, C., *see* J. Bovet **30** (1991) 1–14
Conti, P. and C. Traverso, Computing the conductor of an integral extension **33** (1991) 61–72
Conti, R., P. Contucci and C. Falcolini, Polynomial invariants for trees A statistical mechanics approach **81** (1-3) (1998) 225–237
Contucci, P., *see* R. Conti **81** (1-3) (1998) 225–237
Converse, C., *see* A.T. Benjamin **59** (3) (1995) 285–292
Cook, W., A note on matchings and separability **10** (1985) 203–209
Cook, W., C.R. Coullard and Gy. Turán, On the complexity of cutting-plane proofs **18** (1987) 25–38
Cooper, C., Probabilistic analysis of two k-cluster problems **50** (1) (1994) 27–51
Cooperman, G. and L. Finkelstein, New methods for using Cayley graphs in interconnection networks **37/38** (1992) 95–118
Coorg, S.R., *see* G.J. Chang **63** (3) (1995) 215–222
Coppersmith, D. and U. Vishkin, Solving NP-hard problems in 'almost trees': Vertex cover **10** (1985) 27–45
Cordes, C. and K.B. Reid, Largest polygons with vertices in a given finite set **14** (1986) 255–262
Corneil, D.G., *see* C.J. Colbourn **2** (1980) 181–184
Corneil, D.G., H. Lerchs and L. Stewart Burlingham, Complement reducible graphs **3** (1981) 163–174
Corneil, D.G. and Y. Perl, Clustering and domination in perfect graphs **9** (1984) 27–39
Corneil, D.G., The complexity of generalized clique packing **12** (1985) 233–239
Corneil, D.G. and J. Fonlupt, The complexity of generalized clique covering **22** (1988/89) 109–118
Corneil, D.G., *see* F. Cheah **27** (1990) 59–68
Corneil, D.G., *see* A. Wagner **43** (1993) 75–95
Corneil, D.G., S. Masuyama and S.L. Hakimi, Edge-disjoint packings of graphs **50** (2) (1994) 135–148
Corneil, D.G., *see* F. Cheah **66** (2) (1996) 109–133
Cornuéjols, G., *see* M. Conforti **7** (1984) 251–274
Cornuéjols, G., *see* M. Conforti **62** (1-3) (1995) 103–117
Cosnard, M., E. Goles Chacc and D. Moumida, Bifurcation structure of a discrete neuronal equation **21** (1988) 21–34
Costa, M.-C., *see* A. Billionnet **49** (1994) 51–59
Cottle, R.W., Observations on a class of nasty linear complementarity problems **2** (1980) 89–111
Coullard, C.R., *see* R.E. Bixby **15** (1986) 155–166
Coullard, C.R., *see* W. Cook **18** (1987) 25–38
Coullard, C.R., J.G. del Greco and D.K. Wagner, Representations of bicircular matroids **32** (1991) 223–240
Coullard, C.R., J.G.d. Greco and D.K. Wagner, Recognizing a class of bicircular matroids **43** (1993) 197–215
Coullard, C.R., J.G. del Greco and D.K. Wagner, Uncovering generalized-network structure in matrices **46** (1993) 191–220
Coullard, C.R., A. Rais, R.L. Rardin and D.K. Wagner, The dominant of the 2-connected-Steiner-subgraph polytope for W_4-free graphs **66** (1) (1996) 33–43

Courcelle, B., The monadic second order logic of graphs VI: On several representations of graphs by relational structures **54** (2-3) (1994) 117–149
Courcelle, B., Erratum to "The monadic second-order logic of graphs VI: On several representations of graphs by relational structures" [Discrete Applied Mathematics 54 (1994) 117–149] **63** (2) (1995) 199–200
Cozzens, M.B. and F.S. Roberts, Computing the boxicity of a graph by covering its complement by cointerval graphs **6** (1983) 217–228
Cozzens, M.B. and M.D. Halsey, The relationship between the thresh-old dimension of split graphs and various dimensional parameters **30** (1991) 125–135
Crama, Y., P.L. Hammer and T. Ibaraki, Strong unimodularity for matrices and hypergraphs **15** (1986) 221–239
Crama, Y., Dualization of regular Boolean functions (*Communication*) **16** (1987) 79–85
Crama, Y., P. Hansen and B. Jaumard, The basic algorithm for pseudo-Boolean programming revisited **29** (1990) 171–185
Crama, Y., *see* H.-J. Bandelt **49** (1994) 25–50
Crama, Y., O. Ekin and P.L. Hammer, Variable and term removal from Boolean formulae **75** (3) (1997) 217–230
Croitoru, C., An analysis of the greedy algorithm for partially ordered sets **4** (1982) 113–117
Csima, J. and L. Lovász, A matching algorithm for regular bipartite graphs **35** (1992) 197–203
Csima, J. and L. Lovász, Dating to marriage (*Note*) **41** (93) 269–270
Csirik, J. and V. Totik, Online algorithms for a dual version of bin packing (*Note*) **21** (1988) 163–167
Csirik, J., J.B.G. Frenk and M. Labbé, Two-dimensional rectangle packing: on-line methods and results **45** (1993) 197–204
Culik, K., F.E. Fich and A. Salomaa, A homomorphic characterization of regular languages (*Note*) **4** (1982) 149–152
Culik, K., *see* C. Choffrut **9** (1984) 125–137
Culik, K. and S. Yu, Cellular automata, $\omega\omega$-regular sets, and sofic systems **32** (1991) 85–101
Culik, K. and S. Dube, Rational and affine expressions for image description **41** (93) 85–120
Culik II, K. and T. Harju, Splicing semigroups of dominoes and DNA **31** (1991) 261–277
Culik II, K. and I. Friš, Weighted finite transducers in image processing **58** (3) (1995) 223–237
Cuninghame-Green, R.A. and P.F.J. Meijer, An algebra for piecewise-linear minimax problems **2** (1980) 267–294
Cuninghame-Green, R.A., Integer programming by long division **3** (1981) 19–25
Cuninghame-Green, R.A., The absolute centre of a graph **7** (1984) 275–283
Cuninghame-Green, R.A., *see* P. Butkovic **35** (1992) 157–162
Cunningham, W.H., Computing the binding number of a graph (*Note*) **27** (1990) 283–285
Curran, S., *see* N. Brand **41** (93) 165–171
Cvetković, D., P. Rowlinson and S. Simić, On some algorithmic investigations of star partitions of graphs **62** (1-3) (1995) 119–130
Cyvin, B.N., *see* S.J. Cyvin **67** (1-3) (1996) 67–78
Cyvin, S.J., B.N. Cyvin, J. Brunvoll and E.K. Lloyd, Circumscribing certain polygonal systems **67** (1-3) (1996) 67–78
Czyzowicz, J., E. Rivera-Campo, N. Santoro, J. Urrutia and J. Zaks, Guarding rectangular art galleries **50** (2) (1994) 149–157
Czyzowicz, J., E. Rivera-Campo and J. Urrutia, Separation of convex sets **51** (3) (1994) 325–328
Dadoun, N. and D.G. Kirkpatrick, Parallel algorithms for fractional and maximal independent sets in planar graphs **27** (1990) 69–83
Dagan, İ., M.C. Golumbic and R.Y. Pinter, Trapezoid graphs and their coloring **21** (1988) 35–46
Dahl, G., Directed Steiner problems with connectivity constraints **47** (1993) 109–128
Dahlhaus, E., A parallel algorithm for computing Steiner trees in strongly chordal graphs **51** (1-2) (1994) 47–61
Dahlhaus, E. and P. Damaschke, The parallel solution of domination problems on chordal and strongly chordal graphs **52** (3) (1994) 261–273
Dahlhaus, E., Efficient parallel recognition algorithms of cographs and distance hereditary graphs **57** (1) (1995) 29–44
Dahlhaus, E., J. Kratochvíl, P.D. Manuel and M. Miller, Transversal partitioning in balanced hypergraphs **79** (1-3) (1997) 75–89
Dahlhaus, E. and M. Karpinski, Matching and multidimensional matching in chordal and strongly chordal graphs **84** (1-3) (1998) 79–91

Dählmann, A., *see* H.J. Bandelt **16** (1987) 191–215
Dai, Y., H. Imai, K. Iwano, N. Katoh, K. Ohtsuka and N. Yoshimura, A new unifying heuristic algorithm for the undirected minimum cut problems using minimum range cut algorithms **65** (1-3) (1996) 167–190
Dalena, A., *see* C. Antoni **66** (1) (1996) 75–79
Damaschke, P., Distances in cocomparability graphs and their powers (*Note*) **35** (1992) 67–72
Damaschke, P., A tight upper bound for group testing in graphs **48** (1994) 101–109
Damaschke, P., PLA Folding in special graph classes **51** (1-2) (1994) 63–74
Damaschke, P., *see* E. Dahlhaus **52** (3) (1994) 261–273
Daniel Liang, Y., Parallel algorithms for the domination problems in trapezoid graphs **74** (3) (1997) 241–249
Dankelmann, P., Average distance and independence number **51** (1-2) (1994) 75–83
Dankelmann, P., H.C. Swart and O.R. Oellermann, On the average Steiner distance of graphs with prescribed properties **79** (1-3) (1997) 91–103
Dankelmann, P., Average distance and domination number **80** (1) (1997) 21–35
Danusaputro Liman, S., *see* C.-Y. Lee **41** (93) 211–222
Darrot, E., *see* J.-C. Bermond **84** (1-3) (1998) 21–42
Das, S., *see* N. Brand **41** (93) 165–171
Das, S.K., J. Ghosh and N. Deo, Stirling networks: a versatile combinatorial topology for multiprocessor systems **37/38** (1992) 119–146
DasGupta, B., T. Jiang, S. Kannan, M. Li and E. Sweedyk, On the complexity and approximation of syntenic distance **88** (1-3) (1998) 59–82
Dass, B.K. and S.K. Muttoo, A note on Reed-Muller codes (*Note*) **2** (1980) 345–348
Dassow, J., Grammars with valuations – A discrete model for self-organization of biopolymers **4** (1982) 161–174
Dassow, J. and F. Hinz, Decision problems and regular chain code picture languages **45** (1993) 29–49
D'atri, G. and C. Puech, Probabilistic analysis of the subset-sum problem (*Note*) **4** (1982) 329–334
Davies, R. and G.F. Royle, Graph domination, tabu search and the football pool problem **74** (3) (1997) 217–228
Davio, M. and C. Ronse, Rotator design **5** (1983) 253–277
Davis, J.A., *see* D.B. Holdridge **3** (1981) 221
Davis-Moradkhan, M. and C. Roucairol, Graph partitioning applied to the logic testing of combinational circuits **62** (1-3) (1995) 131–165
Dean, A.M. and J.P. Hutchinson, Rectangle-visibility representations of bipartite graphs **75** (1) (1997) 9–25
De Aragão, M.P., *see* A. Hertz **49** (1994) 257–280
De Aragão, M.P., *see* P. Hansen **60** (1-3) (1995) 181–193
Dearing, P.M., D.R. Shier and D.D. Warner, Maximal chordal subgraphs **20** (1988) 181–190
Dearing, P.M., *see* E. Bibelnieks **43** (1993) 13–26
Dearing, P.M., *see* W.P. Adams **48** (1994) 1–20
De Bonis, A., L. Gargano and U. Vaccaro, Optimal detection of a counterfeit coin with multi-arms balances **61** (2) (1995) 121–131
De Bruijn, N.G., Denumerations of rooted trees and multisets **6** (1983) 25–33
De Figueiredo, C.M.H., J. Gimbel, C.P. Mello and J.L. Szwarcfiter, Even and odd pairs in comparability and in P_4-comparability graphs **91** (1-3) (1999) 293–297
De Fluiter, B., *see* H.L. Bodlaender **71** (1-3) (1996) 55–77
De Fraysseix, H., P. Ossona de Mendez and P. Rosenstiehl, Bipolar orientations revisited **56** (2-3) (1995) 157–179
De la Higuera, C., *see* A. von Arnim **51** (1-2) (1994) 219–232
Del Greco, J.G., *see* C.R. Coullard **32** (1991) 223–240
Del Greco, J.G., *see* C.R. Coullard **46** (1993) 191–220
Delivorias, P.N. and R.J. Richter, Maximum path digraphs **50** (3) (1994) 221–237
Dell'Amico, M., S. Martello and D. Vigo, Minimizing the sum of weighted completion times with unrestricted weights **63** (1) (1995) 25–41
Dell'Amico, M. and F. Maffioli, On some multicriteria arborescence problems: complexity and algorithms **65** (1-3) (1996) 191–206
Dell'Amico, M. and S. Martello, The k-cardinality assignment problem **76** (1-3) (1997) 103–121
Dell'Olmo, P., *see* L. Bianco **62** (1-3) (1995) 35–50
Dell'Olmo, P., *see* L. Bianco **72** (1-2) (1997) 25–46

Dell'Olmo, P., M.G. Speranza and Zs. Tuza, Comparability graph augmentation for some multiprocessor scheduling problems **72** (1-2) (1997) 71–84
Delmas, O., *see* J.-C. Bermond **84** (1-3) (1998) 21–42
Delorme, C., Examples of products giving large graphs with given degree and diameter **37/38** (1992) 157–167
Delorme, C., *see* J.-C. Bermond **37/38** (1992) 575–577
Delorme, C., *see* A. Bouabdallah **63** (1) (1995) 91–95
De Luca, A. and A. Massarotti, A decision procedure on partially commutative free monoids (*Communication*) **14** (1986) 105–108
Demange, G., D. Gale and M. Sotomayor, A further note on the stable matching problem **16** (1987) 217–222
Demetrovics, J. and Gy. Gyepesi, Some generalized type functional dependencies formalized as equality set on matrices **6** (1983) 35–47
Demetrovics, J., Z. Füredi and G.O.H. Katona, Minimum matrix representation of closure operations **11** (1985) 115–128
Demetrovics, J., G.O.H. Katona and D. Miklós, Partial dependencies in relational databases and their realization **40** (1992) 127–138
Demetrovics, J., G.O.H. Katona and A. Sali, The characterization of branching dependencies **40** (1992) 139–153
Demetrovics, J., L. Libkin and I.B. Muchnik, Functional dependencies in relational databases: A lattice point of view **40** (1992) 155–185
Demetrovics, J. and V.D. Thi, Some results about normal forms for functional dependency in the relational datamodel **69** (1-2) (1996) 61–73
Dempster, M.A.H., *see* J.R. Birge **57** (2-3) (1995) 105–120
Deo, N., *see* S.K. Das **37/38** (1992) 119–146
Deogun, J.S. and G. Steiner, Hamiltonian cycle is polynomial on cocomparability graphs (*Communication*) **39** (1992) 165–172
Derigs, U., A generalized Hungarian method for solving minimum weight perfect matching problems with algebraic objective **1** (1979) 167–180
Derigs, U., Some basic exchange properties in combinatorial optimization and their application to constructing the k-best solutions **11** (1985) 129–141
Derigs, U., O. Goecke and R. Schrader, Monge sequences and a simple assignment algorithm **15** (1986) 241–248
Derigs, U., *see* J. Bendisch **52** (2) (1994) 139–153
Dershowitz, N. and S. Zaks, Patterns in trees **25** (1989) 241–255
De Simone, C. and A. Sassano, Stability number of bull- and chair-free graphs **41** (93) 121–129
De Simone, C., *see* P. Bertolazzi **76** (1-3) (1997) 3–19
De Simone, C. and M. Jünger, On the two-connected planar spanning subgraph polytope **80** (2-3) (1997) 223–229
De Souza, C.C. and C.C. Ribeiro, Heuristics for the minimum rectilinear Steiner tree problem: new algorithms and a computational study **45** (1993) 205–220
De Souza, C.C. and M. Laurent, Some new classes of facets for the equicut polytope **62** (1-3) (1995) 167–191
De Werra, D., Geography, games and graphs **2** (1980) 327–337
De Werra, D., Minimizing irregularities in sports schedules using graph theory **4** (1982) 217–226
De Werra, D., *see* M. Cochand **15** (1986) 213–220
De Werra, D., Some models of graphs for scheduling sports competitions **21** (1988) 47–65
De Werra, D., L. Jacot-Descombes and P. Masson, A constrained sports scheduling problem **26** (1990) 41–49
De Werra, D., *see* J. Błażewicz **28** (1990) 11–20
De Werra, D., *see* B. Simeone **29** (1990) 243–250
De Werra, D., *see* J. Bovet **30** (1991) 1–14
De Werra, D. and F.S. Roberts, On the use of augmenting chains in chain packings **30** (1991) 137–149
De Werra, D. and J. Błażewicz, Some preemptive open shop scheduling problems with a renewable or a nonrenewable resource **35** (1992) 205–219
De Werra, D. and Y. Gay, Chromatic scheduling and frequency assignment **49** (1994) 165–174
De Werra, D., *see* M. Hasler **50** (2) (1994) 169–184
De Werra, D., *see* E. Amaldi **52** (2) (1994) 111–138

De Werra, D., On an optimization problem occurring in FMSs: A hypergraph-theoretical formulation **55** (2) (1994) 107–111
De Werra, D., *see* J. Błażewicz **65** (1-3) (1996) 81–95
De Werra, D., A.J. Hoffman, N.V.R. Mahadev and U.N. Peled, Restrictions and preassignments in preemptive open shop scheduling **68** (1-2) (1996) 169–188
De Werra, D. and N.V.R. Mahadev, Preassignment requirements in chromatic scheduling **76** (1-3) (1997) 93–101
Deza, M. and V.P. Grishukhin, L-polytopes and equiangular lines **56** (2-3) (1995) 181–214
Deza, M. and M. Laurent, Hypercube embedding of generalized bipartite metrics **56** (2-3) (1995) 215–230
Deza, M., *see* V. Chepoi **80** (1) (1997) 3–19
Diamond, J.S. and A.O. Mendelzon, Cycle structure of edge labelled graphs **45** (1993) 51–62
Dias, J.R., Graph theoretical invariants and elementary subgraphs of polyhex and polypent/polyhex systems of chemical relevance **67** (1-3) (1996) 79–114
Dickenstein, A., N. Fitchas, M. Giusti and C. Sessa, The membership problem for unmixed polynomial ideals is solvable in single exponential time **33** (1991) 73–94
Dietrich, B.L., L.F. Escudero and F. Chance, Efficient reformulation for 0-1 programs – methods and computational results **42** (1993) 147–175
Diks, K., *see* B.S. Chlebus **53** (1-3) (1994) 15–24
Diks, K., E. Kranakis and A. Pelc, Perfect broadcasting in unlabeled networks **87** (1-3) (1998) 33–47
Dillencourt, M.B., Finding Hamiltonian cycles in Delaunay triangulations is NP-complete **64** (3) (1996) 207–217
Ding, K.-S., C.-T. Ho and J.-J. Tsay, Matrix transpose on meshes with wormhole and XY routing **83** (1-3) (1998) 41–59
Djelloul, S., Broadcasting in m-dimensional grid graphs with a given neighborhood template **53** (1-3) (1994) 25–36
Djelloul, S., *see* A. Bouabdallah **63** (1) (1995) 91–95
Dodunekov, S.M. and N.L. Manev, An improvement of the Griesmer bound for some small minimum distances **12** (1985) 103–114
Doignon, J.-P. and J.-C. Falmagne, Parametrization of knowledge structures **21** (1988) 87–100
Dollansky, G., *see* R. Fabrion **35** (1992) 221–236
Domke, G., *see* D.C. Fisher **50** (1994) 89–91
Dorninger, D. and H. Länger, An explicit formula for the solution of the Fisher–Wright selection model in population genetics (*Note*) **6** (1983) 209–211
Dorninger, D., Hamiltonian circuits determining the order of chromosomes **50** (2) (1994) 159–168
Doskas, M., *see* D. Avis **27** (1990) 39–48
Dragan, F.F. and V.I. Voloshin, Incidence graphs of biacyclic hypergraphs **68** (3) (1996) 259–266
Dragan, F.F., *see* A. Brandstädt **82** (1-3) (1998) 43–77
Dress, A., D. Huson and V. Moulton, Analyzing and visualizing sequence and distance data using SPLITSTREE **71** (1-3) (1996) 95–109
Dress, A.W.M. and T.F. Havel, Shortest-path problems and molecular conformation **19** (1988) 129–144
Driessen, T.S.H., Tree enterprises and bankruptcy ventures A game theoretic similarity due to a graph theoretic proof **79** (1-3) (1997) 105–117
Driscoll, J.R., D.M. Healy and G.T. Isaak, Scheduling dyadic intervals **63** (2) (1995) 101–116
Dror, M., Openshop scheduling with machine dependent processing times **39** (1992) 197–205
Dror, M., G. Laporte and P. Trudeau, Vehicle routing with split deliveries **50** (3) (1994) 239–254
Drozdowski, M., *see* J. Błażewicz **28** (1990) 11–20
Drozdowski, M., *see* J. Błażewicz **65** (1-3) (1996) 81–95
Drozdowski, M., *see* L. Bianco **72** (1-2) (1997) 25–46
Drozdowski, M., *see* J. Błażewicz **76** (1-3) (1997) 21–41
Du, D.-Z., An optimization problem on graphs (*Note*) **14** (1986) 101–104
Du, D.-Z., *see* F. Yang **28** (1990) 71–81
Du, D.-Z., D.F. Hsu and G.W. Peck, Connectivity of consecutive-d digraphs **37/38** (1992) 169–177
Du, D.Z. and F.K. Hwang, Competitive group testing **45** (1993) 221–232
Du, D.-Z., On component-size bounded Steiner trees **60** (1-3) (1995) 131–140
Du, D.-Z., B. Gao and W. Wu, A special case for subset interconnection designs **78** (1-3) (1997) 51–60

Du, D.Z., *see* P. Fishburn **78** (1-3) (1997) 75–87
Du, M.W., *see* S.C. Tai **32** (1991) 263–273
Dube, S., *see* K. Culik **41** (93) 85–120
Dubois, O., On the r, s-SAT satisfiability problem and a conjecture of Tovey **26** (1990) 51–60
Du Merle, O., *see* O. Bahn **49** (1994) 3–23
Dunbar, J., W. Goddard, S. Hedetniemi, A. McRae and M.A. Henning, The algorithmic complexity of minus domination in graphs **68** (1-2) (1996) 73–84
Dunworth, C., *see* D. Boneh **71** (1-3) (1996) 79–94
Duque-Antón, M., Constructing efficient simulated annealing algorithms **77** (2) (1997) 139–159
Dür, A., Complete decoding of doubly-extended Reed-Solomon codes of minimum distance 5 and 6 **33** (1991) 95–107
Durand, D. and C.-M. Bruneau, Graph theory and molecular distribution **3** (1981) 79–91
Dutton, R.D. and R.C. Brigham, A characterization of competition graphs (*Note*) **6** (1983) 315–317
Dutton, R.D. and R.C. Brigham, An extremal problem for edge domination insensitive graphs **20** (1988) 113–125
Dutton, R.D., *see* T.W. Haynes **44** (1993) 295–304
Dutton, R.D., Inversions in k-sorted permutations **87** (1-3) (1998) 49–56
Dvornicich, R., On a problem of cyclic permutations of integers (*Communication*) **2** (1980) 353–355
Dwyer, R.A., Convex hulls of samples from spherically symmetric distributions **31** (1991) 113–132
Dyer, M., On a universal chain problem **48** (1994) 219–229
Dyer, M.E. and A.M. Frieze, On the complexity of partitioning graphs into connected subgraphs **10** (1985) 139–153
Dyer, M.E. and J. Walker, An algorithm for a separable integer programming problem with cumulatively bounded variables **16** (1987) 135–149
Dyer, M.E. and A.M. Frieze, On an optimization problem with nested constraints **26** (1990) 159–173
Dyer, M.E. and L.A. Wolsey, Formulating the single machine sequencing problem with release dates as a mixed integer program **26** (1990) 255–270
Eades, P., *see* B. Alspach **6** (1983) 109–115
Eades, P. and N.C. Wormald, Fixed edge-length graph drawing in NP-hard **28** (1990) 111–134
Ebenegger, C., *see* V. Chvátal **29** (1990) 165–170
Edelsbrunner, H., *see* N. Akkiraju **71** (1-3) (1996) 5–22
Edelsbrunner, H., M. Facello and J. Liang, On the definition and the construction of pockets in macromolecules **88** (1-3) (1998) 83–102
Edmonds, J., *see* J. Aráoz **11** (1985) 95–102
Edwards, C.S. and C.H. Elphick, Lower bounds for the clique and the chromatic numbers of a graph **5** (1983) 51–64
Edwards, K., The complexity of some graph colouring problems **36** (1992) 131–140
Edwards, K. and C. McDiarmid, The complexity of harmonious colouring for trees **57** (2-3) (1995) 133–144
Edwards, W.R., *see* B. Greenblatt **34** (1991) 129–143
Eğecioğlu, Ö. and J.B. Remmel, Brick tabloids and the connection matrices between bases of symmetric functions **34** (1991) 107–120
Eglese, R.W., Routeing winter gritting vehicles **48** (1994) 231–244
Egyed, P. and R. Wenger, Ordered stabbing of pairwise disjoint convex sets in linear time **31** (1991) 133–140
Ehrenfeucht, A., G. Rozenberg and R. Verraedt, Many-to-one simulation in E0L forms is decidable (*Communication*) **2** (1980) 73–76
Ehrenfeucht, A., G. Rozenberg and R. Verraedt, Basic formulas and languages. Part I. The theory **3** (1981) 235–255
Ehrenfeucht, A., *see* H. Abelson **4** (1982) 1–10
Ehrenfeucht, A., G. Rozenberg and R. Verraedt, Basic formulas and languages. Part II. Applications to E0L systems and forms **4** (1982) 11–22
Ehrenfeucht, A. and G. Rozenberg, On regularity of languages generated by copying systems (*Note*) **8** (1984) 313–317
Ehrenfeucht, A., G. Rozenberg and K. Ruohonen, A morphic representation of EOL languages and other ETOL languages **12** (1985) 115–122
Ehrenfeucht, A., *see* H.J. Aalbersberg **13** (1986) 79–85

Ehrenfeucht, A. and D. Haussler, A new distance metric on strings computable in linear time **20** (1988) 191–203
Ehrenfeucht, A., *see* A. Blumer **24** (1989) 37–45
Ehrenfeucht, A. and G. Rozenberg, Grammatical codes of trees **32** (1991) 103–129
Eilam-Tzoreff, T., The disjoint shortest paths problem **85** (2) (1998) 113–138
Eiter, T., P. Kilpeläinen and H. Mannila, Recognizing renamable generalized propositional Horn formulas is NP-complete **59** (1) (1995) 23–31
Ekin, O., *see* Y. Crama **75** (3) (1997) 217–230
El-Basil, S., Binomial-combinatorial properties of clar structures **19** (1988) 145–156
El Haddad, M., *see* W. Fernandez de la Vega **86** (2-3) (1998) 201–211
Elimam, A.A. and S.E. Elmaghraby, On the reduction method for integer linear programs, II **12** (1985) 241–260
Ellis, J.A., *see* L. Cai **30** (1991) 15–27
Ellis, J.A., *see* L. Cai **36** (1992) 75–82
Elmaghraby, S.E., *see* A.A. Elimam **12** (1985) 241–260
Elmallah, E.S. and L.K. Stewart, Independence and domination in polygon graphs **44** (1993) 65–77
Elphick, C.H., *see* C.S. Edwards **5** (1983) 51–64
El-Zahar, M.H. and I. Rival, Greedy linear extensions to minimize jumps **11** (1985) 143–156
Emamy-K., M.R., The worst case behavior of a greedy algorithm for a class of pseudo-Boolean functions (*Note*) **23** (1989) 285–287
Enflo, P., A. Granville, J. Shallit and S. Yu, On sparse languages L such that $LL=\Sigma^*$ **52** (3) (1994) 275–285
Enomoto, H., Y. Oda and K. Ota, Pyramidal tours with step-backs and the asymmetric traveling salesman problem **87** (1-3) (1998) 57–65
Entringer, R.C., *see* L.H. Clark **34** (1991) 83–105
Entringer, R.C., *see* C.A. Barefoot **80** (1) (1997) 37–56
Era, H., *see* J. Akiyama **3** (1981) 227–233
Erdős, P. and A. Hajnal, Ramsey-type theorems **25** (1989) 37–52
Erdős, P. and J. Spencer, Lopsided Lovász Local Lemma and Latin transversals **30** (1991) 151–154
Erdős, P. and P.C. Fishburn, Multiplicities of interpoint distances in finite planar sets **60** (1-3) (1995) 141–147
Erdős, P. and P. Fishburn, Intervertex distances in convex polygons **60** (1-3) (1995) 149–158
Erdős, P.L. and L.A. Székely, Counting bichromatic evolutionary trees **47** (1993) 1–8
Erdős, P.L., A. Frank and L. Székely, Minimum multiway cuts in trees **87** (1-3) (1998) 67–75
Ergincan, F.Ö. and D.A. Gregory, Directed Moore hypergraphs **63** (2) (1995) 117–127
Ergincan, F.Ö., *see* J.-C. Bermond **68** (1-2) (1996) 1–15
Ervolina, T.R. and S.T. McCormick, Two strongly polynomial cut cancelling algorithms for minimum cost network flow **46** (1993) 133–165
Ervolina, T.R., *see* S.T. McCormick **52** (1) (1994) 53–70
Escudero, L.F., *see* B.L. Dietrich **42** (1993) 147–175
Esfahanian, A.-H., *see* G.W. Zimmerman **37/38** (1992) 563–573
Ésik, Z., A note on isomorphic simulation of automata by networks of two-state automata (*Note*) **30** (1991) 77–82
Essam, J.W., *see* F.M. Bhatti **19** (1988) 85–112
Esser, F. and F. Harary, Digraphs with real and gaussian spectra **2** (1980) 113–124
Estivill-Castro, V., H. Mannila and D. Wood, Right invariant metrics and measures of presortedness **42** (1993) 1–16
Etzion, T., *see* R. Bar-Yehuda **37/38** (1992) 29–43
Etzion, T. and S. Bitan, On the chromatic number, colorings, and codes of the Johnson graph **70** (2) (1996) 163–175
Eulenstein, O. and M. Vingron, On the equivalence of two tree mapping measures **88** (1-3) (1998) 103–128
Euler, R., On a classification of independence systems (*Communication*) **2** (1980) 357–360
Euler, R. and H. Le Verge, Complete linear descriptions of small asymmetric traveling salesman polytopes **62** (1-3) (1995) 193–208
Euler, R. and H. Le Verge, Time-tables, polyhedra and the greedy algorithm **65** (1-3) (1996) 207–221
Eusterbrock, J., Errata to "Selecting the top three elements" by M. Aigner: A result of a computer-assisted proof search **41** (93) 131–137
Even, S. and A. Paz, A note on cake cutting **7** (1984) 285–296
Everett, H., S. Klein and B. Reed, An algorithm for finding homogeneous pairs **72** (3) (1997) 209–218

Everett, H., F. Hurtado and M. Noy, Stabbing information of a simple polygon **91** (1-3) (1999) 67–82
Fàbrega, J. and M.A. Fiol, Bipartite graphs and digraphs with maximum connectivity **69** (3) (1996) 269–277
Fàbrega, J. and M. Zaragozà, Fault-tolerant routings in double fixed-step networks **78** (1-3) (1997) 61–74
Fabrion, R. and G. Dollansky, Construction of university faculty timetables using logic programming techniques **35** (1992) 221–236
Facello, M., *see* H. Edelsbrunner **88** (1-3) (1998) 83–102
Fagnot, I., On the subword equivalence problem for morphic words **75** (3) (1997) 231–253
Faigle, U., A vector exchange property of submodular systems (*Note*) **9** (1984) 209–211
Faigle, U., Exchange properties of combinatorial closure spaces **15** (1986) 249–260
Faigle, U. and R. Schrader, On the computational complexity of the order polynomial **15** (1986) 261–269
Faigle, U., *see* A. von Arnim **28** (1990) 3–9
Faigle, U., *see* E.A. Boyd **28** (1990) 197–205
Faigle, U. and R. Schrader, A greedy reduction algorithm for setup optimization (*Note*) **35** (1992) 73–79
Faigle, U., R. Schrader and G. Turán, The communication complexity of interval orders **40** (1992) 19–28
Faigle, U. and W.M. Nawijn, Note on scheduling intervals on-line **58** (1) (1995) 13–17
Faigle, U., N. Gademann and W. Kern, A random polynomial time algorithm for well-rounding convex bodies **58** (2) (1995) 117–144
Falcolini, C., *see* R. Conti **81** (1-3) (1998) 225–237
Falmagne, J.-C., *see* J.-P. Doignon **21** (1988) 87–100
Fang, S.-C., *see* M. Natu **78** (1-3) (1997) 207–226
Farber, M., Domination, independent domination, and duality in strongly chordal graphs **7** (1984) 115–130
Farber, M., *see* H.-J. Bandelt **44** (1993) 9–20
Faria, I., *see* J.O. Cerdeira **63** (1) (1995) 13–24
Farley, A.M. and A. Proskurowski, Computation of the center and diameter of outerplanar graphs **2** (1980) 185–191
Farley, A.M. and A. Proskurowski, Bounded-call broadcasting **53** (1-3) (1994) 37–53
Farley, A.M., *see* S. Fujita **75** (3) (1997) 255–268
Farley, A.M., A. Pelc and A. Proskurowski, Minimum-time multidrop broadcast **83** (1-3) (1998) 61–77
Farrell, E.J. and S.A. Wahid, Matching in benzene chains **7** (1984) 45–54
Farrell, E.J. and S.A. Wahid, Matchings in pentagonal chains **8** (1984) 31–40
Farrell, P.G., *see* J.T. Coffey **33** (1991) 43–60
Faudree, R.J., R.J. Gould and L.M. Lesniak, Generalized degrees and Menger path systems **37/38** (1992) 179–191
Fayard, D. and G. Plateau, An exact algorithm for the 0-1 collapsing knapsack problem **49** (1994) 175–187
Faye, A., *see* A. Billionnet **74** (2) (1997) 135–146
Feigelson, A. and L. Hellerstein, The forbidden projections of unate functions **77** (3) (1997) 221–236
Feigenbaum, J., J. Hershberger and A.A. Schäffer, A polynomial time algorithm for finding the prime factors of cartesian-product graphs **12** (1985) 123–138
Feigenbaum, J., Directed cartesian-product graphs have unique factorizations that can be computed in polynomial time (*Note*) **15** (1986) 105–110
Feldman, I., *see* H. Greenberg **2** (1980) 21–25
Feldmann, R., J. Hromkovič, S. Madhavapeddy, B. Monien and P. Mysliwietz, Optimal algorithms for dissemination of information in generalized communication modes **53** (1-3) (1994) 55–78
Fellows, M., P. Hell and K. Seyffarth, Large planar graphs with given diameter and maximum degree **61** (2) (1995) 133–153
Fellows, M.R., *see* K. Abrahamson **34** (1991) 3–16
Felsner, S., J. Gustedt, M. Morvan and J.-X. Rampon, Constructing colorings for diagrams **51** (1-2) (1994) 85–93
Felsner, S., R. Müller and L. Wernisch, Trapezoid graphs and generalizations, geometry and algorithms **74** (1) (1997) 13–32
Felzenbaum, A., *see* M.A. Berger **29** (1990) 143–164
Ferland, J.A. and A. Lavoie, Exchanges procedures for timetabling problems **35** (1992) 237–253
Fernández-Baca, D. and J. Lagergren, On the approximability of the Steiner tree problem in phylogeny **88** (1-3) (1998) 129–145

Fernandez de la Vega, W. and Y. Manoussakis, The forwarding index of communication networks with given connectivity **37/38** (1992) 147–155
Fernandez de la Vega, W. and V. Zissimopoulos, An approximation scheme for strip packing of rectangles with bounded dimensions **82** (1-3) (1998) 93–101
Fernandez de la Vega, W., M. El Haddad, D. Barraez and O. Ordaz, The forwarding diameter of graphs **86** (2-3) (1998) 201–211
Fiala, T., *see* J. Beck **3** (1981) 1–8
Fich, F., *see* J. Boyar **52** (2) (1994) 155–167
Fich, F.E., *see* K. Culik **4** (1982) 149–152
Fickett, J., *see* H. Abelson **4** (1982) 1–10
Fiechter, C.-N., A parallel tabu search algorithm for large traveling salesman problems **51** (3) (1994) 243–267
Fincke, U., *see* R.E. Burkard **12** (1985) 21–29
Finizio, N.J., Whist tournaments — Three Person Property **45** (1993) 125–137
Finizio, N.J., Z-cyclic whist tournaments with a patterned starter initial round **52** (3) (1994) 287–293
Finizio, N.J., An infinite class of Z-cyclic whist tournaments on v players, $v \equiv 1 (\mathrm{mod}\ 4)$ **66** (2) (1996) 135–146
Finizio, N.J. and P.A. Leonard, More ZCPS-$Wh(v)$ and several new infinite classes of Z-cyclic whist tournaments **85** (3) (1998) 193–202
Finke, G., *see* A. Kusiak **18** (1987) 175–184
Finke, G. and H. Jiang, A variant of the permutation flow shop model with variable processing times **76** (1-3) (1997) 123–140
Finkelstein, L., *see* G. Cooperman **37/38** (1992) 95–118
Finta, L. and Z. Liu, Single machine scheduling subject to precedence delays **70** (3) (1996) 247–266
Fiol, M.A., *see* J. Gómez **37/38** (1992) 227–243
Fiol, M.A., *see* F. Comellas **58** (1) (1995) 1–11
Fiol, M.A., *see* J. Fàbrega **69** (3) (1996) 269–277
Fiol, M.A. and E. Garriga, The alternating and adjacency polynomials, and their relation with the spectra and diameters of graphs **87** (1-3) (1998) 77–97
Firby, P. and J. Haviland, Independence and average distance in graphs **75** (1) (1997) 27–37
Fischer, M.J. and M.S. Paterson, Optimal layout of edge-weighted forests **90** (1-3) (1999) 135–159
Fischer, P., N. Klasner and I. Wegenera, On the cut-off point for combinatorial group testing **91** (1-3) (1999) 83–92
Fischetti, M., A new linear storage, polynomial-time approximation scheme for the subset-sum problem **26** (1990) 61–77
Fischetti, M., Clique tree inequalities define facets of the asymmetric traveling salesman polytope **56** (1) (1995) 9–18
Fishburn, P., *see* P. Erdős **60** (1-3) (1995) 149–158
Fishburn, P., P. Schwander, L. Shepp and R.J. Vanderbei, The discrete Radon transform and its approximate inversion via linear programming **75** (1) (1997) 39–61
Fishburn, P., F.K. Hwang, D.Z. Du and B. Gao, On 1-rate wide-sense nonblocking for 3-stage Clos networks **78** (1-3) (1997) 75–87
Fishburn, P.C., Heights of representative sytems **1** (1979) 181–199
Fishburn, P.C., W.V. Gehrlein and E. Maskin, Condorcet proportions and Kelly's conjectures **1** (1979) 229–252
Fishburn, P.C., Inverted orders for monotone scoring rules **3** (1981) 27–36
Fishburn, P.C., Monotonicity paradoxes in the theory of elections **4** (1982) 119–134
Fishburn, P.C., Probabilities of dominant candidates based on first-place votes **7** (1984) 131–140
Fishburn, P.C., A characterization of uniquely representable interval graphs (*Note*) **12** (1985) 191–194
Fishburn, P.C., Decomposing weighted digraphs into sums of chains **16** (1987) 223–238
Fishburn, P.C. and W.V. Gehrlein, Pick-and-choose heuristics for partial set covering **22** (1988/89) 119–132
Fishburn, P.C., F.S. Roberts and H.M. Marcus-Roberts, Van Lier sequences **27** (1990) 209–220
Fishburn, P.C., Correlation in partially ordered sets (*Perspectives*) **39** (1992) 173–191
Fishburn, P.C. and F.S. Roberts, Elementary sequences, sub-Fibonacci sequences **44** (1993) 261–281
Fishburn, P.C., *see* K.P. Bogart **60** (1-3) (1995) 99–117
Fishburn, P.C., *see* P. Erdős **60** (1-3) (1995) 141–147
Fishburn, P.C., Decision theory and discrete mathematics **68** (3) (1996) 209–221

Fisher, D.C., J. Ryan, G. Domke and A. Majumdar, Fractional domination of strong direct products (*Note*) **50** (1994) 89–91
Fisher, D.C. and J. Ryan, Probabilities within optimal strategies for tournament games **56** (1) (1995) 87–91
Fisher, D.C., P.A. McKenna and E.D. Boyer, Hamiltonicity, diameter, domination, packing, and biclique partitions of Mycielski's graphs **84** (1-3) (1998) 93–105
Fisher, M.L., B.J. Lageweg, J.K. Lenstra and A.H.G. Rinnooy Kan, Surrogate duality relaxation for job shop scheduling **5** (1983) 65–75
Fitchas, N., *see* A. Dickenstein **33** (1991) 73–94
Fitzgerald, D.G., *see* D.C. Blest **22** (1988/89) 9–19
Flajolet, P., D. Gardy and L. Thimonier, Birthday paradox, coupon collectors, caching algorithms and self-organizing search **39** (1992) 207–229
Flandrin, E., J.L. Fouquet and H. Li, Hamiltonicity of bipartite biclaw-free graphs **51** (1-2) (1994) 95–102
Flapan, E., Symmetries of knotted hypothetical molecular graphs **19** (1988) 157–166
Fleischner, H., Elementary proofs of (relatively) recent characterizations of Eulerian graphs **24** (1989) 115–119
Fleischner, H., *see* L.D. Andersen **59** (3) (1995) 203–214
Fleischner, H., *see* L.D. Andersen **85** (2) (1998) 99–112
Flocchini, P., A. Roncato and N. Santoro, Symmetries and sense of direction in labeled graphs **87** (1-3) (1998) 99–115
Flotow, C., On powers of m-trapezoid graphs **63** (2) (1995) 187–192
Flotow, C., On powers of circular arc graphs and proper circular arc graphs **69** (3) (1996) 197–205
Fogelman, F., E. Goles and G. Weisbuch, Transient length in sequential iteration of threshold functions (*Communication*) **6** (1983) 95–98
Fogelman-Soulie, F., Frustration and stability in random boolean networks **9** (1984) 139–156
Fogelman-Soulie, F., *see* E. Goles-Chacc **12** (1985) 261–277
Fomin, F.V., Helicopter search problems, bandwidth and pathwidth **85** (1) (1998) 59–70
Fonlupt, J., *see* D.G. Corneil **22** (1988/89) 109–118
Formann, M., *see* F. Aurenhammer **52** (1) (1994) 17–28
Foulds, L.R. and D.F. Robinson, Construction properties of combinatorial deltahedra **1** (1979) 75–87
Foulds, L.R., Testing the theory of evolution: A novel application of combinatorial optimization **15** (1986) 271–282
Fouquet, J.L., *see* E. Flandrin **51** (1-2) (1994) 95–102
Fourneau, J.M., *see* J.C. Bermond **22** (1988/89) 201–214
Fraenkel, A.S. and Y. Yesha, Complexity of problems in games, graphs and algebraic equations **1** (1979) 15–30
Fraenkel, A.S., Planar kernel and grundy with $d \leqslant 3$, $d_{\text{out}} \leqslant 2$, $d_{\text{in}} \leqslant 2$ are NP-complete **3** (1981) 257–262
Fraenkel, A.S. and M. Lorberbom, Epidemiography with various growth functions **25** (1989) 53–71
Fraenkel, A.S., *see* M.A. Berger **29** (1990) 143–164
Fraenkel, A.S. and E.R. Scheinerman, A deletion game on hypergraphs **30** (1991) 155–162
Fraenkel, A.S. and S.T. Klein, Robust universal complete codes for transmission and compression **64** (1) (1996) 31–55
Fragopoulou, P. and S.G. Akl, Spanning subgraphs with applications to communication on a subclass of the Cayley-graph-based networks **83** (1-3) (1998) 79–96
Fraigniaud, P. and E. Lazard, Methods and problems of communication in usual networks **53** (1-3) (1994) 79–133
Frame, J.S. and D.C. Gilliland, Votes and a half-binomial **12** (1985) 31–40
Franco, J. and M. Paull, Probabilistic analysis of the Davis Putnam Procedure for solving the Satisfiability problem **5** (1983) 77–87
Franco, J., J.M. Plotkin and J.W. Rosenthal, Correction to probabilistic analysis of the Davis Putnam Procedure for solving the satisfiability problem (*Note*) **17** (1987) 295–299
Franco, J. and Y.C. Ho, Probabilistic performance of a heuristic for the satisfiability problem **22** (1988/89) 35–51
Franco, J., On the occurrence of null clauses in random instances of Satisfiability **41** (93) 203–209
Franco, J., *see* F. Annexstein **60** (1-3) (1995) 13–23
Franco, J., *see* K.A. Berman **60** (1-3) (1995) 77–91
Frank, A., T. Nishizeki, N. Saito, H. Suzuki and É. Tardos, Algorithms for routing around a rectangle **40** (1992) 363–378

Frank, A., *see* P.L. Erdős **87** (1-3) (1998) 67–75
Frankl, P., Cops and robbers in graphs with large girth and Cayley graphs (*Note*) **17** (1987) 301–305
Franklin, S.P., *see* Y. Zalcstein **13** (1986) 101–104
Franzkeit, R., A binary search problem on graphs (*Note*) **36** (1992) 83–86
Frederickson, G.N., *see* M.J. Atallah **13** (1986) 87–91
Fredricksen, H., A new look at the de Bruijn graph **37/38** (1992) 193–203
Freiman, G.A., *see* P.L. Buzytsky **6** (1983) 127–133
Frenk, J.B.G. and A.H.G. Rinnooy Kan, The rate of convergence to optimality of the LPT rule **14** (1986) 187–197
Frenk, J.B.G., *see* G. Galambos **41** (93) 173–178
Frenk, J.B.G., *see* J. Csirik **45** (1993) 197–204
Freville, A. and G. Plateau, An efficient preprocessing procedure for the multidimensional 0-1 knapsack problem **49** (1994) 189–212
Fricke, G., *see* G.A. Cheston **27** (1990) 195–207
Fricke, G., *see* G.A. Cheston **55** (3) (1994) 241–258
Fricke, G.H., S.T. Hedetniemi and D.P. Jacobs, Maximal irredundant functions **68** (3) (1996) 267–277
Fricke, G.H., M.A. Henning, O.R. Oellermann and H.C. Swart, An algorithm to find two distance domination parameters in a graph **68** (1-2) (1996) 85–91
Friedland, S., Coherent algebras and the graph isomorphism problem **25** (1989) 73–98
Frieze, A. and M. Molloy, Broadcasting in random graphs **54** (1) (1994) 77–79
Frieze, A.M., An algorithm for algebraic assignment problems **1** (1979) 253–259
Frieze, A.M., Probabilistic analysis of some Euclidean clustering problems **2** (1980) 295–309
Frieze, A.M. and J. Yadegar, On the quadratic assignment problem **5** (1983) 89–98
Frieze, A.M., An extension of christofides heuristic to the k-person travelling salesman problem (*Note*) **6** (1983) 79–83
Frieze, A.M., On the value of a random minimum spanning tree problem **10** (1985) 47–56
Frieze, A.M. and G.R. Grimmett, The shortest-path problem for graphs with random arc-lengths **10** (1985) 57–77
Frieze, A.M., *see* M.E. Dyer **10** (1985) 139–153
Frieze, A.M., *see* M.E. Dyer **26** (1990) 159–173
Friš, I., *see* K. Culik II **58** (3) (1995) 223–237
Fromme, M., *see* M. Aigner **8** (1984) 1–12
Fu, C.-M., *see* Y.-N. Yeh **67** (1-3) (1996) 221–228
Fuji, Z. and G. Xiaofeng, Directed tree structure of the set of Kekulé patterns of generalized polyhex graphs **32** (1991) 295–302
Fuji, Z. and Z. Maolin, Generalized hexagonal systems with each hexagon being resonant **36** (1992) 67–73
Fuji, Z., *see* Z. Huaxiao **73** (1) (1997) 59–67
Fujishige, S., Principal structures of submodular systems (*Communication*) **2** (1980) 77–79
Fujishige, S., Canonical decompositions of symmetric submodular systems **5** (1983) 175–190
Fujishige, S., A note on Frank's generalized polymatroids (*Communication*) **7** (1984) 105–109
Fujishige, S., An out-of-kilter method for submodular flows **17** (1987) 3–16
Fujishige, S., *see* K. Murota **17** (1987) 157–162
Fujishige, S., *see* K. Ando **68** (3) (1996) 237–248
Fujita, S. and A.M. Farley, Minimum-cost line broadcast in paths **75** (3) (1997) 255–268
Fujito, T., A unified approximation algorithm for node-deletion problems **86** (2-3) (1998) 213–231
Fukuda, K., S. Saito and A. Tamura, Combinatorial face enumeration in arrangements and oriented matroids **31** (1991) 141–149
Fukuda, K., S. Saito, A. Tamura and T. Tokuyama, Bounding the number of k-faces in arrangements of hyperplanes **31** (1991) 151–165
Fukuda, K. and M. Namiki, Finding all common bases in two matroids **56** (2-3) (1995) 231–243
Fukuda, K., *see* D. Avis **65** (1-3) (1996) 21–46
Fukuda, K., M. Namiki and A. Tamura, EP theorems and linear complementarity problems **84** (1-3) (1998) 107–119
Füredi, Z., *see* J. Demetrovics **11** (1985) 115–128
Füredi, Z., Perfect error-correcting databases (*Note*) **28** (1990) 171–176

Füredi, Z., On the double competition number **82** (1-3) (1998) 251–255
Fushimi, M., *see* H. Kaneko **14** (1986) 33–45
Gabovich, E.Ya. and I.I. Melamed, On constant discrete programming problems **2** (1980) 193–205
Gabovich, E.Ya., On spectral theory in discrete programming **4** (1982) 269–280
Gabovich, E.Ya., *see* M.S. Burgin **6** (1983) 13–24
Gademann, N., *see* U. Faigle **58** (2) (1995) 117–144
Gaillard, A., *see* M. Cochand **65** (1-3) (1996) 157–166
Gaillard, A., *see* M. Cochand **76** (1-3) (1997) 81–91
Gaillard, A., Switchdec polyhedra **76** (1-3) (1997) 141–163
Galambos, G. and J.B.G. Frenk, A simple proof of Liang's lower bound for on-line bin packing and the extension to the parametric case (*Note*) **41** (93) 173–178
Galbiati, G., *see* P.M. Camerini **5** (1983) 39–50
Galbiati, G. and F. Maffioli, On the computation of pfaffians **51** (3) (1994) 269–275
Gale, D. and T. Politof, Substitutes and complements in network flow problems **3** (1981) 175–186
Gale, D. and M. Sotomayor, Some remarks on the stable matching problem **11** (1985) 223–232
Gale, D., *see* G. Demange **16** (1987) 217–222
Galil, Z. and B. Schieber, On finding most uniform spanning trees (*Note*) **20** (1988) 173–175
Galina, H. and M.M. Sysło, Some applications of graph theory to the study of polymer configuration **19** (1988) 167–176
Galina, H., *see* K.T. Balińska **67** (1-3) (1996) 13–25
Gallian, J.A., A guide to the graph labeling zoo **49** (1994) 213–229
Galligo, A., *see* L. Caniglia **33** (1991) 11–23
Gallo, G. and S. Pallottino, A new algorithm to find the shortest paths between all pairs of nodes **4** (1982) 23–35
Gallo, G., G. Longo, S. Pallotino and S. Nguyen, Directed hypergraphs and applications **42** (1993) 177–201
Gallo, G. and D. Pretolani, A new algorithm for the propositional satisfiability problem **60** (1-3) (1995) 159–179
Gallo, G. and F. Piccinonno, b9000A 1/4 approximate algorithm for P2/tree/Cmax **72** (1-2) (1997) 85–98
Galluccio, A., *see* P. Bertolazzi **76** (1-3) (1997) 3–19
Gambosi, G., M. Protasi and M. Talamo, Preserving approximation in the Min–Weighted Set Cover problem **73** (1) (1997) 13–22
Games, R.A., Crosscorrelation of M-sequences and GMW-sequences with the same primitive polynomial **12** (1985) 139–146
Ganley, J.L., Computing optimal rectilinear steiner trees: A survey and experimental evaluation **90** (1-3) (1999) 161–171
Gao, B., *see* D.-Z. Du **78** (1-3) (1997) 51–60
Gao, B., *see* P. Fishburn **78** (1-3) (1997) 75–87
Gapinski, S., *see* J. Harrison **82** (1-3) (1998) 103–113
Garcia, C. and C. Peyrat, Large Cayley graphs on an abelian group **75** (2) (1997) 125–133
Gardner, M.L., *see* R. Shull **23** (1989) 267–283
Gardy, D., *see* P. Flajolet **39** (1992) 207–229
Garg, M.S., *see* M.C. Bhandari **33** (1991) 3–9
Gargano, L., *see* R.M. Capocelli **33** (1991) 25–41
Gargano, L., J. Körner and U. Vaccaro, Search problems for two irregular coins with incomplete feedback: the underweight model (*Note*) **36** (1992) 191–197
Gargano, L., V. Montuori, G. Setaro and U. Vaccaro, An improved algorithm for quantitative group testing (*Note*) **36** (1992) 299–306
Gargano, L., A.L. Liestman, J.G. Peters and D. Richards, Reliable broadcasting **53** (1-3) (1994) 135–148
Gargano, L., *see* A. De Bonis **61** (2) (1995) 121–131
Gargano, L., A.A. Rescigno and U. Vaccaro, Minimum time broadcast in faulty star networks **83** (1-3) (1998) 97–119
Gargano, L., *see* J.-C. Bermond **86** (2-3) (1998) 145–155
Garriga, E., *see* M.A. Fiol **87** (1-3) (1998) 77–97
Gasarch, W.I., *see* R. Beigel **34** (1991) 37–48
Gąsieniec, L. and A. Pelc, Broadcasting with linearly bounded transmission faults **83** (1-3) (1998) 121–133
Gati, G., Maximizing a lower bound on the computational complexity **4** (1982) 175–180
Gautier, A. and F. Granot, On the equivalence of constrained and unconstrained flows **55** (2) (1994) 113–132

Gauyacq, G., On quasi-Cayley graphs **77** (1) (1997) 43–58
Gauyacq, G., Edge-forwarding index of star graphs and other Cayley graphs **80** (2-3) (1997) 149–160
Gavalec, M., Computing matrix period in max–min algebra **75** (1) (1997) 63–70
Gavril, F. and J. Schönheim, Characterization and algorithms of curve map graphs **4** (1982) 181–191
Gavril, F. and J. Urrutia, Intersection graphs of concatenable subtrees of graphs **52** (2) (1994) 195–209
Gavril, F., Intersection graphs of Helly families of subtrees **66** (1) (1996) 45–56
Gay, Y., *see* D. de Werra **49** (1994) 165–174
Gécseg, F. and B. Imreh, Finite isomorphically complete systems (*Note*) **36** (1992) 307–311
Gederbaum, I., I. Koren and S. Wimer, Balanced block spacing for VLSI layout **40** (1992) 303–318
Gehrlein, W.V., *see* P.C. Fishburn **1** (1979) 229–252
Gehrlein, W.V., *see* P.C. Fishburn **22** (1988/89) 119–132
Gens, G.V. and E.V. Levner, Fast approximation algorithm for job sequencing with deadlines (*Note*) **3** (1981) 313–318
Gerbessiotis, A.V., Broadcasting in random graphs **53** (1-3) (1994) 149–170
Gerbessiotis, A.V., Close-to-optimal and near-optimal broadcasting in random graphs **63** (2) (1995) 129–150
Gerbessiotis, A.V., A graph-theoretic result for a model of neural computation **82** (1-3) (1998) 257–262
Gerla, M., *see* P. Camarda **37/38** (1992) 45–64
Germa, A., M.-C. Heydemann and D. Sotteau, Cycles in the cube-connected cycles graph **83** (1-3) (1998) 135–155
Gerstel, O., A. Wool and S. Zaks, Optimal layouts on a chain ATM network **83** (1-3) (1998) 157–178
Getu, S., *see* L.W. Shapiro **34** (1991) 229–239
Ghafoor, A., *see* P. Solé **33** (1991) 215–224
Ghafoor, A., Connectivity, persistence and fault diagnosis of interconnection networks based on O_k and $2O_k$ graphs **37/38** (1992) 205–226
Ghafoor, A., *see* P. Solé **37/38** (1992) 501–510
Ghilezan, C., Les derivees partielles des fonctions pseudo-Booleennes generalisees **4** (1982) 37–45
Ghosh, J., *see* S.K. Das **37/38** (1992) 119–146
Giakoumakis, V. and I. Rusu, Weighted parameters in $(P_5, \overline{P}_5)$-free graphs **80** (2-3) (1997) 255–261
Giannessi, F., Continued fractions and explicit solutions of a particular discrete optimization problem **1** (1979) 261–275
Giannini, L.M., *see* L. Caccetta **21** (1988) 1–19
Gibbons, P.B., R.M. Karp, G.L. Miller and D. Soroker, Subtree isomorphism is in random NC **29** (1990) 35–62
Gibson, G.J., *see* C.Z.W. Hassell Sweatman **81** (1-3) (1998) 19–39
Gilboa, I., *see* S. Chopra **85** (3) (1998) 165–192
Gilliland, D.C., *see* J.S. Frame **12** (1985) 31–40
Gimbel, J., End vertices in interval graphs (*Note*) **21** (1988) 257–259
Gimbel, J. and E.M. Palmer, Matching and cycle covers in random digraphs **34** (1991) 121–128
Gimbel, J., D. Kratsch and L. Stewart, On cocolourings and cochromatic numbers of graphs **48** (1994) 111–127
Gimbel, J., *see* C.M.H. de Figueiredo **91** (1-3) (1999) 293–297
Giusti, M., *see* A. Dickenstein **33** (1991) 73–94
Gladky, A.A., On complexity of minimizing weighted number of late jobs in unit time open shops **74** (2) (1997) 197–201
Glass, C.A., *see* S. Anily **82** (1-3) (1998) 27–42
Glazebrook, K.D., Stochastic scheduling and forwards induction **57** (2-3) (1995) 145–165
Glover, F., D. Klingman, J. Mote and D. Whitman, An extended abstract of an indepth algorithmic and computational study for maximum flow problems (*Note*) **2** (1980) 251–254
Glover, F., *see* D.A. Babayev **8** (1984) 125–130
Glover, F. and B. Novick, The 2-quasi-greedy algorithm for cardinality constrained matroid bases **13** (1986) 277–286
Glover, F., Tabu search for nonlinear and parametric optimization (with links to genetic algorithms) **49** (1994) 231–255
Glover, F., Ejection chains, reference structures and alternating path methods for traveling salesman problems **65** (1-3) (1996) 223–253
Glover, F., *see* E. Pesch **76** (1-3) (1997) 165–181
Goddard, W., *see* J. Dunbar **68** (1-2) (1996) 73–84

Goddard, W.D., *see* K.S. Bagga **37/38** (1992) 13–28
Goecke, O., *see* U. Derigs **15** (1986) 241–248
Goecke, O., A greedy algorithm for hereditary set systems and a generalization of the Rado–Edmonds characterization of matroids **20** (1988) 39–49
Goemans, M.X., Arborescence polytopes for series–parallel graphs **51** (3) (1994) 277–289
Goemans, M.X., An approximation algorithm for scheduling on three dedicated machines **61** (1) (1995) 49–59
Goetschel, R.H., Linear objective functions on certain classes of greedoids **14** (1986) 11–16
Goffin, J.L., *see* O. Bahn **49** (1994) 3–23
Goldberg, L.A., P.W. Goldberg, C.A. Phillips, E. Sweedyk and T. Warnow, Minimizing phylogenetic number to find good evolutionary trees **71** (1-3) (1996) 111–136
Goldberg, M.K., A nonfactorial algorithm for testing isomorphism of two graphs **6** (1983) 229–236
Goldberg, M.K., *see* J.W. Berry **90** (1-3) (1999) 27–50
Goldberg, P.W., *see* L.A. Goldberg **71** (1-3) (1996) 111–136
Goldfarb, D. and W.Y. Sit, Worst case behavior of the steepest edge simplex method **1** (1979) 277
Goldfarb, D. and J. Hao, On the maximum capacity augmentation algorithm for the maximum flow problem **47** (1993) 9–16
Goldman, A.J. and P. Tiwari, Allowable processing orders in the accelerated cascade algorithm **13** (1986) 213–221
Goldschmidt, O. and D.S. Hochbaum, k-edge subgraph problems **74** (2) (1997) 159–169
Goles, E. and J. Olivos, Comportement periodique des fonctions a seuil binaires et applications **3** (1981) 93–105
Goles, E., *see* F. Fogelman **6** (1983) 95–98
Goles, E. and M. Tchuente, Iterative behaviour of one-dimensional threshold automata (*Communication*) **8** (1984) 319–322
Goles, E., Antisymmetrical neural networks (*Communication*) **13** (1986) 97–100
Goles, E., *see* M. Matamala **77** (2) (1997) 161–184
Goles Ch., E. and S. Martínez A., Properties of positive functions and the dynamics of associated automata networks **18** (1987) 39–46
Goles-Chacc, E., F. Fogelman-Soulie and D. Pellegrin, Decreasing energy functions as a tool for studying threshold networks **12** (1985) 261–277
Goles Chacc, E., *see* M. Cosnard **21** (1988) 21–34
Golitschek, M.v., The cost-to-time ratio problem for large or infinite graphs **16** (1987) 1–9
Golumbic, M.C., C.L. Monma and W.T. Trotter, Tolerance graphs **9** (1984) 157–170
Golumbic, M.C., *see* İ. Dagan **21** (1988) 35–46
Golumbic, M.C. and R.C. Laskar, Irredundancy in circular arc graphs **44** (1993) 79–89
Gómez, J., M.A. Fiol and J.L.A. Yebra, Graphs on alphabets as models for large interconnection networks **37/38** (1992) 227–243
Gómez, J., P. Morillo and C. Padró, Large (d, D, D', s)-bipartite digraphs **59** (2) (1995) 103–114
Gómez, J., C. Padró and S. Perennes, Large generalized cycles **89** (1-3) (1998) 107–123
Goodman, J.E. and R. Pollack, The complexity of points configurations **31** (1991) 167–180
Goodman, R.M., *see* J.T. Coffey **33** (1991) 43–60
Gordeev, E.N., *see* Yu.N. Sotskov **58** (2) (1995) 169–190
Gordon, J.M., Analysis of minimal path routing schemes in the presence of faults **37/38** (1992) 245–263
Gordon, M. and J.A. Torkington, Enumeration of coloured plane trees with a given type partition **2** (1980) 207–223
Goresky, M., *see* A. Klapper **46** (1993) 1–20
Gorodkin, J., Orbits of Boolean functions **75** (3) (1997) 269–275
Göthe-Lundgren, M. and T. Larsson, A set covering reformulation of the pure fixed charge transportation problem **48** (1994) 245–259
Gottlob, G., M. Schrefl and M. Stumptner, Selective inheritance of attribute values in relational databases **40** (1992) 187–216
Gould, R.J., *see* R.J. Faudree **37/38** (1992) 179–191
Govindan, R., *see* C. Pandu Rangan **36** (1992) 203–205
GowriSankaran, C., Broadcasting on recursively decomposable Cayley graphs **53** (1-3) (1994) 171–182
Grabowski, J., *see* S. Zdrzałka **23** (1989) 73–89
Graham, N. and F. Harary, Changing and unchanging the diameter of a hypercube **37/38** (1992) 265–274

Grammatikakis, M.D., *see* F.K. Hwang **72** (3) (1997) 199–207
Granot, D. and F. Granot, Minimal covers, minimal sets and canonical facets of the posynomial knapsack polytope **9** (1984) 171–185
Granot, D. and D. Skorin-Kapov, On some optimization problems on k-trees and partial k-trees **48** (1994) 129–145
Granot, F., *see* D. Granot **9** (1984) 171–185
Granot, F. and R. Hassin, Multi-terminal maximum flows in node-capacitated networks **13** (1986) 157–163
Granot, F. and J. Skorin-Kapov, On polynomial solvability of the high multiplicity total weighted tardiness problem **41** (93) 139–146
Granot, F., *see* A. Gautier **55** (2) (1994) 113–132
Granot, F. and M. Penn, Polynomial algorithms for (integral) maximum two-flows in vertex-capacitated planar graphs **70** (3) (1996) 267–283
Granville, A., *see* P. Enflo **52** (3) (1994) 275–285
Graovac, A., *see* D. Babić **15** (1986) 11–24
Graovac, A., *see* I. Gutman **19** (1988) 195–203
Graovac, A., *see* D. Babić **45** (1993) 117–123
Gravier, S. and M. Mollard, On domination numbers of Cartesian product of paths **80** (2-3) (1997) 247–250
Grebinski, V. and G. Kucherov, Reconstructing a Hamiltonian cycle by querying the graph: Application to DNA physical mapping **88** (1-3) (1998) 147–165
Greco, J.G.d., *see* C.R. Coullard **43** (1993) 197–215
Green, J.R., *see* T.B. Boffey **5** (1983) 25–38
Greenberg, H. and I. Feldman, A better step-off algorithm for the knapsack problem **2** (1980) 21–25
Greenberg, H., On equivalent knapsack problems **14** (1986) 263–268
Greenberg, H., A new reduction method in integer programming (*Note*) **21** (1988) 169–172
Greenberg, H.J., J.R. Lundgren and J.S. Maybee, Inverting graphs of rectangular matrices **8** (1984) 255–265
Greenblatt, B. and W.R. Edwards, Semigroup automaton structure by homomorphism and domain partition **34** (1991) 129–143
Gregory, D.A., *see* F.Ö. Ergincan **63** (2) (1995) 117–127
Grimmett, G.R., *see* A.M. Frieze **10** (1985) 57–77
Grinstead, D.L. and P.J. Slater, A recurrence template for several parameters in series–parallel graphs **54** (2-3) (1994) 151–168
Grishukhin, V., *see* V. Chepoi **80** (1) (1997) 3–19
Grishukhin, V.P., *see* M. Deza **56** (2-3) (1995) 181–214
Gröflin, H., *see* M. Cochand **76** (1-3) (1997) 81–91
Grolier, J., *see* M. Hucher **2** (1980) 255–257
Grolmusz, V. and P. Ragde, Incomparability in parallel computation **29** (1990) 63–78
Gross, R., M.L. Yarmush, J.W. Kennedy and L.V. Quintas, Antigenesis: A cascade-theoretical analysis of the size distributions of antigen–antibody complexes **19** (1988) 177–194
Grossi, R. and E. Lodi, Simple planar graph partition into three forests **84** (1-3) (1998) 121–132
Grossman, J.W., *see* P.A. Catlin **40** (1992) 285–302
Grund, R., A. Kerber and R. Laue, Construction of discrete structures, especially isomers **67** (1-3) (1996) 115–126
Grünwald, N., *see* S. Bezrukov **46** (1993) 99–116
Grytczuk, J., Intertwined infinite binary words (*Note*) **66** (1996) 95–99
Guan, D.J., Routing a vehicle of capacity greater than one **81** (1-3) (1998) 41–57
Guan, M., On the windy postman problem **9** (1984) 41–46
Guessarian, I., Fixpoint strategies for deductive databases **24** (1989) 121–131
Guichard, D.R., No-hole k-tuple $(r+1)$-distant colorings of odd cycles **64** (1) (1996) 87–92
Guignard, M., Solving makespan minimization problems with Lagrangean decomposition **42** (1993) 17–29
Guignard, M., *see* B. Chen **82** (1-3) (1998) 79–91
Guinand, F., *see* E. Bampis **72** (1-2) (1997) 5–24
Gunther, G. and B.L. Hartnell, Optimal k-secure graphs **2** (1980) 225–231
Gunther, G., Neighbour-connectivity in regular graphs **11** (1985) 233–243
Gunther, G., B. Hartnell and D.F. Rall, Graphs whose vertex independence number is unaffected by single edge addition or deletion **46** (1993) 167–172

Guo, Y., Spanning local tournaments in locally semicomplete digraphs **79** (1-3) (1997) 119–125
Guo, Y. and L. Volkmann, Bypaths in tournaments **79** (1-3) (1997) 127–135
Gupta, A.K., *see* S.K. Bhattacharya **2** (1980) 249–250
Gupta, S.K., *see* A.K. Pujari **5** (1983) 241–242
Gurla, H., *see* D. Bhagavathi **77** (3) (1997) 201–220
Gurvich, V., *see* E. Boros **62** (1-3) (1995) 51–75
Gusfield, D., Matroid optimization with the interleaving of two ordered sets **8** (1984) 41–50
Gusfield, D., R. Karp, L. Wang and P. Stelling, Graph traversals, genes and matroids: an efficient case of the travelling salesman problem **88** (1-3) (1998) 167–180
Gusfield, D., *see* J. Kececioglu **88** (1-3) (1998) 239–260
Gustedt, J., On the pathwidth of chordal graphs **45** (1993) 233–248
Gustedt, J., *see* S. Felsner **51** (1-2) (1994) 85–93
Gutin, G., *see* D. Blokh **56** (1) (1995) 83–86
Gutin, G. and A. Yeo, Ranking the vertices of a complete multipartite paired comparison digraph **69** (1-2) (1996) 75–82
Gutin, G., *see* J. Bang-Jensen **82** (1-3) (1998) 247–250
Gutjahr, W., E. Welzl and G. Woeginger, Polynomial graph-colorings **35** (1992) 29–45
Gutman, I. and F. Zhang, On the ordering of graphs with respect to their matching numbers **15** (1986) 25–33
Gutman, I., A. Graovac and O.E. Polansky, Spectral properties of some structurally related graphs **19** (1988) 195–203
Gutman, I., *see* X. Li **58** (3) (1995) 293–297
Gutman, I., *see* Y.-N. Yeh **67** (1-3) (1996) 221–228
Gutman, I., *see* K. Maribor **80** (1) (1997) 1–2
Gutman, I., *see* S. Klavžar **80** (1) (1997) 73–81
Guttmann-Beck, N. and R. Hassin, Approximation algorithms for minimum tree partition **87** (1-3) (1998) 117–137
Guttmann-Beck, N. and R. Hassin, Approximation algorithms for min-sum p-clustering **89** (1-3) (1998) 125–142
Gyárfás, A. and R.H. Schelp, A communication problem and directed triple systems **85** (2) (1998) 139–147
Gyepesi, Gy., *see* J. Demetrovics **6** (1983) 35–47
Habib, M. and M.C. Maurer, On the X-join decompositions for undirected graphs **1** (1979) 201–207
Habib, M., *see* M. Chein **7** (1984) 243–250
Habib, M. and R. Jegou, N-free posets as generalizations of series-parallel posets **12** (1985) 279–291
Haddad, L. and I.G. Rosenberg, Maximal partial clones determined by the areflexive relations **24** (1989) 133–143
Hadley, S.W., Approximation techniques for hypergraph partitioning problems **59** (2) (1995) 115–127
Hagihara, K., *see* T. Masuzawa **17** (1987) 67–105
Hagstrom, J.N., *see* M.O. Ball **85** (1) (1998) 25–45
Haigh, C.W., J.W. Kennedy and L.V. Quintas, Counting and coding identity trees with fixed diameter and bounded degree **7** (1984) 141–160
Hajnal, A., *see* P. Erdős **25** (1989) 37–52
Hakimi, S.L., *see* D. Bauer **28** (1990) 191–195
Hakimi, S.L., *see* D.G. Corneil **50** (2) (1994) 135–148
Hakimi, S.L., *see* A. Bagchi **64** (2) (1996) 105–116
Hall, L.A., A note on generalizing the maximum lateness criterion for scheduling **47** (1993) 129–137
Hall, M., Codes and matrices in studies on designs **24** (1989) 145–152
Hall, N.G. and D.S. Hochbaum, A fast approximation algorithm for the multicovering problem **15** (1986) 35–40
Hall, N.G., *see* R.V. Vohra **43** (1993) 175–183
Halsey, M.D., *see* M.B. Cozzens **30** (1991) 125–135
Hamacher, H., Algebraic flows in regular matroids **2** (1980) 27–38
Hamacher, H.W., Maximal dynamic polymatroid flows and applications **15** (1986) 41–54
Hamacher, H.W., *see* C.R. Chegireddy **18** (1987) 155–165
Hamacher, H.W., *see* S.-J. Chung **42** (1993) 139–145
Hamada, N., T. Helleseth and Ø. Ytrehus, A new class of nonbinary codes meeting the Griesmer bound **47** (1993) 219–226

Hämäläinen, H., *see* I. Honkala **11** (1985) 307–310
Hämäläinen, H., *see* I. Honkala **18** (1987) 95–98
Hämäläinen, P., The absolute center of a unicyclic network (*Note*) **25** (1989) 311–315
Hambrusch, S.E., *see* M.J. Atallah **13** (1986) 9–22
Hambrusch, S.E., *see* A. Apostolico **36** (1992) 1–24
Hambrusch, S.E. and H.-S. Lim, Minimizing broadcast costs under edge reductions in tree networks **91** (1-3) (1999) 93–117
Hamidoune, Y.O., Factorisations courtes dans un groupe fini **24** (1989) 153–165
Hamidoune, Y.O., A.S. Llado and O. Serra, The connectivity of hierarchical Cayley digraphs **37/38** (1992) 275–280
Hammer, J. and D.G. Sarvate, Encryption using Hungarian rings **16** (1987) 151–155
Hammer, P.L., *see* Y. Crama **15** (1986) 221–239
Hammer, P.L. and F. Maffray, Completely separable graphs **27** (1990) 85–99
Hammer, P.L., U.N. Peled and X. Sun, Difference graphs **28** (1990) 35–44
Hammer, P.L., F. Maffray and M. Queyranne, Cut-threshold graphs **30** (1991) 163–179
Hammer, P.L., *see* E. Boros **49** (1994) 77–93
Hammer, P.L., *see* E. Boros **55** (1) (1994) 1–13
Hammer, P.L., *see* E. Boros **62** (1-3) (1995) 51–75
Hammer, P.L. and A.K. Kelmans, Laplacian spectra and spanning trees of threshold graphs **65** (1-3) (1996) 255–273
Hammer, P.L., *see* Y. Crama **75** (3) (1997) 217–230
Hammer, P.L., *see* E. Boros **90** (1-3) (1999) 69–88
Han, K., C.N. Sekharan and R. Sridhar, Unified all-pairs shortest path algorithms in the chordal hierarchy **77** (1) (1997) 59–71
Han, Y., Y. Igarashi and M. Truszczynski, Indexing functions and time lower bounds for sorting on a mesh-connected computer **36** (1992) 141–152
Hanazawa, M., H. Narushima and N. Minaka, Generating most parsimonious reconstructions on a tree: A generalization of the Farris–Swofford–Maddison method **56** (2-3) (1995) 245–265
Hanazawa, M., *see* H. Narushima **80** (2-3) (1997) 231–238
Hanen, C. and A. Munier, A study of the cyclic scheduling problem on parallel processors **57** (2-3) (1995) 167–192
Hanen, C. and A. Munier, Performance of Coffman–Graham schedules in the presence of unit communication delays **81** (1-3) (1998) 93–108
Hannenhalli, S., Polynomial-time algorithm for computing translocation distance between genomes **71** (1-3) (1996) 137–151
Hansen, P., An O(m log D) algorithm for shortest paths (*Note*) **2** (1980) 151–153
Hansen, P., Recognizing sign solvable graphs **6** (1983) 237–241
Hansen, P. and B. Jaumard, Uniquely solvable quadratic boolean equations **12** (1985) 147–154
Hansen, P. and B. Simeone, Unimodular functions **14** (1986) 269–281
Hansen, P., *see* Y. Crama **29** (1990) 171–185
Hansen, P., S.-H. Lu and B. Simeone, On the equivalence of paved-duality and standard linearization in nonlinear 0–1 optimization **29** (1990) 187–193
Hansen, P., M. Labbé and B. Nicolas, The continuous center set of a network **30** (1991) 181–195
Hansen, P., B. Jaumard and M.P. de Aragão, Boole's conditions of possible experience and reasoning under uncertainty **60** (1-3) (1995) 181–193
Hansen, P. and M. Zheng, Shortest shortest path trees of a network **65** (1-3) (1996) 275–284
Hansen, P., G. Storchi and T. Vovor, Paths with minimum range and ratio of arc lengths **78** (1-3) (1997) 89–102
Hao, F.H., The optimal procedures for quantitative group testing **26** (1990) 79–86
Hao, J., *see* D. Goldfarb **47** (1993) 9–16
Harant, J. and H. Walther, A lower bound for the shortness coefficient of a class of graphs **51** (1-2) (1994) 103–105
Harary, F., *see* F. Esser **2** (1980) 113–124
Harary, F., J.R. Lundgren and J.S. Maybee, On signed digraphs with all cycles negative **12** (1985) 155–164
Harary, F. and U. Peled, Hamiltonian threshold graphs **16** (1987) 11–15

Harary, F. and P.G. Mezey, Embedding and characterization of quantum chemical reaction graphs on two-dimensional orientable surfaces **19** (1988) 205–214
Harary, F., *see* N. Graham **37/38** (1992) 265–274
Harary, F., W. Randolph and P.G. Mezey, A study of maximum unit-circle caterpillars – tools for the study of the shape of adsorption patterns **67** (1-3) (1996) 127–135
Harbane, R., *see* P. Tvrdik **83** (1-3) (1998) 279–301
Hariri, A.M.A. and C.N. Potts, An algorithm for single machine sequencing with release dates to minimize total weighted completion time **5** (1983) 99–109
Haritonov, A.Yu., *see* R.E. Krichevskii **3** (1981) 67–72
Harju, T., J. Karhumäki and H.C.M. Kleijn, On morphic generation of regular languages **15** (1986) 55–60
Harju, T., *see* K. Culik II **31** (1991) 261–277
Harju, T. and H.C.M. Kleijn, Decidability problems for unary output sequential transducers **32** (1991) 131–140
Harley, P.J., *see* N.Y. Soma **57** (2-3) (1995) 243–253
Harms, J.J. and C.J. Colbourn, Probabilistic single processor scheduling **27** (1990) 101–112
Harrison, J., T. Brennan and S. Gapinski, The Gergonne p-pile problem and the dynamics of the function $x \mapsto \lfloor (x+r)/p \rfloor$ **82** (1-3) (1998) 103–113
Hartman, A. and Y. Medan, Covering the complete graph with plane cycles **44** (1993) 305–310
Hartmann, M.E., *see* E. Boros **49** (1994) 77–93
Hartnell, B., *see* G. Gunther **46** (1993) 167–172
Hartnell, B. and M.D. Plummer, On 4-connected claw-free well-covered graphs **64** (1) (1996) 57–65
Hartnell, B.L., *see* G. Gunther **2** (1980) 225–231
Hartvigsen, D. and E. Zemel, The complexity of lifted inequalities for the knapsack problem **39** (1992) 113–123
Hartvigsen, D., The planar multiterminal cut problem **85** (3) (1998) 203–222
Hasegawa, T., *see* I. Morihara **6** (1983) 173–191
Hashimoto, H., Transitive reduction of a nilpotent boolean matrix **8** (1984) 51–61
Hashimoto, H., Transitive reduction of a rectangular boolean matrix **8** (1984) 153–161
Hasler, M., C. Marthy, A. Oberlin and D. de Werra, A discrete model for studying existence and uniqueness of solutions in nonlinear resistive circuits **50** (2) (1994) 169–184
Hass, E.C. and P.J. Plath, The principle of valency conservation. I. The skeleton influence on pericyclic reactions **19** (1988) 215–237
Hassell Sweatman, C.Z.W., G.J. Gibson and B. Mulgrew, Exact classification with two-layer neural nets in n dimensions **81** (1-3) (1998) 19–39
Hassin, R., *see* F. Granot **13** (1986) 157–163
Hassin, R. and N. Megiddo, Approximation algorithms for hitting objects with straight lines **30** (1991) 29–42
Hassin, R. and M. Henig, Monotonicity and efficient computation of optimal dichotomous search **46** (1993) 221–234
Hassin, R., *see* E.M. Arkin **55** (3) (1994) 197–218
Hassin, R., *see* M. Benelli **59** (3) (1995) 215–224
Hassin, R., *see* S. Anily **82** (1-3) (1998) 27–42
Hassin, R., *see* N. Guttmann-Beck **87** (1-3) (1998) 117–137
Hassin, R., *see* N. Guttmann-Beck **89** (1-3) (1998) 125–142
Hasunuma, T. and Y. Shibata, Embedding de Bruijn, Kautz and shuffle-exchange networks in books **78** (1-3) (1997) 103–116
Haussler, D., *see* A. Ehrenfeucht **20** (1988) 191–203
Haussler, D., *see* A. Blumer **24** (1989) 37–45
Haussler, D., *see* N. Cesa-Bianchi **86** (1) (1998) 27–35
Havel, T.F., *see* A.W.M. Dress **19** (1988) 129–144
Haviland, J., *see* P. Firby **75** (1) (1997) 27–37
Hayes, A.C. and D.G. Larman, The vertices of the Knapsack polytope **6** (1983) 135–138
Haynes, T.W., R.C. Brigham and R.D. Dutton, Extremal graphs domination insensitive to the removal of k edges **44** (1993) 295–304
Hayward, R.B., Meyniel weakly triangulated graphs – I: co-perfect orderability **73** (3) (1997) 199–210
Hayward, R.B., Meyniel weakly triangulated graphs II: A theorem of Dirac **78** (1-3) (1997) 283–289
Hazan, S., TC operations and Latin bricks **24** (1989) 167–177
He, B., *see* Z. Zhang **71** (1-3) (1996) 337–365

He, W., *see* W. He **35** (1992) 91–106
He, X. and D.B. Sher, On determining non-isotopic configurations of points on a circle **59** (1) (1995) 33–50
He, X., *see* Z.-Z. Chen **69** (1-2) (1996) 183–198
Head, T., Splicing representations of strictly locally testable languages **87** (1-3) (1998) 139–147
Healy, D.M., *see* J.R. Driscoll **63** (2) (1995) 101–116
Heath, L.S. and J.P.C. Vergara, Edge-packing planar graphs by cyclic graphs **81** (1-3) (1998) 169–180
Heath, L.S. and J.P.C. Vergara, Sorting by bounded block-moves **88** (1-3) (1998) 181–206
Hedayat, A.S., G.B. Khosrovshahi and D. Majumdar, A prospect for a general method of constructing t-designs **42** (1993) 31–50
Hedetniemi, S., *see* J. Dunbar **68** (1-2) (1996) 73–84
Hedetniemi, S.M., *see* J.-H. Yan **78** (1-3) (1997) 227–233
Hedetniemi, S.T., R. Laskar and J. Pfaff, A linear algorithm for finding a minimum dominating set in a cactus **13** (1986) 287–292
Hedetniemi, S.T., *see* G.A. Cheston **27** (1990) 195–207
Hedetniemi, S.T., *see* P.J. Bernhard **44** (1993) 99–108
Hedetniemi, S.T., *see* R. Labahn **53** (1-3) (1994) 235–245
Hedetniemi, S.T., *see* G.H. Fricke **68** (3) (1996) 267–277
Hedetniemi, S.T., *see* J.-H. Yan **78** (1-3) (1997) 227–233
Hedman, B., A polynomial algorithm for constucting the clique graph of a line graph **15** (1986) 61–66
Hefner, K.A.S., K.F. Jones, S. Kim, J.R. Lundgren and F.S. Roberts, (i, j) competition graphs **32** (1991) 241–262
Hegedűs, T. and N. Megiddo, On the geometric separability of Boolean functions **66** (3) (1996) 205–218
Hein, J., T. Jiang, L. Wang and K. Zhang, On the complexity of comparing evolutionary trees **71** (1-3) (1996) 153–169
Heinrich, K., K. Kim and V.K. Prasanna Kumar, Perfect latin squares **37/38** (1992) 281–286
Heintz, J., *see* L. Caniglia **33** (1991) 11–23
Hell, P. and A.L. Liestman, Broadcasting in one dimension **21** (1988) 101–111
Hell, P., *see* J. Bang-Jensen **26** (1990) 1–23
Hell, P., *see* J.-C. Bermond **36** (1992) 97–130
Hell, P., *see* J. Bang-Jensen **41** (93) 75–79
Hell, P., *see* H.-J. Bandelt **44** (1993) 9–20
Hell, P., Y. Manoussakis and Z. Tuza, Packing problems in edge-colored graphs **52** (3) (1994) 295–306
Hell, P., *see* M. Fellows **61** (2) (1995) 133–153
Hell, P., D. Kirkpatrick and B. Li, Rounding in symmetric matrices and undirected graphs **70** (1) (1996) 1–22
Hell, P., J. Nešetřil and X. Zhu, Complexity of tree homomorphisms **70** (1) (1996) 23–36
Hell, P., *see* B. Beauquier **84** (1-3) (1998) 15–20
Hellerstein, L., Functions that are read-once on a subset of their inputs **46** (1993) 235–251
Hellerstein, L., *see* A. Feigelson **77** (3) (1997) 221–236
Helleseth, T., On the covering radius of cyclic linear codes and arithmetic codes **11** (1985) 157–173
Helleseth, T., Legendre sums and codes related to QR codes **35** (1992) 107–113
Helleseth, T., *see* N. Hamada **47** (1993) 219–226
Hendy, M.D., *see* M. Steel **88** (1-3) (1998) 367–396
Henig, M., *see* R. Hassin **46** (1993) 221–234
Hennig, U., *see* T. Andreae **46** (1993) 73–78
Henning, M.A., *see* J. Dunbar **68** (1-2) (1996) 73–84
Henning, M.A., *see* G.H. Fricke **68** (1-2) (1996) 85–91
Henning, M.A. and H. Maharaj, Some general aspects of the framing number of a digraph **82** (1-3) (1998) 115–133
Henno, J., On equivalent sets of functions (*Note*) **4** (1982) 153–156
Hershberger, J., *see* J. Feigenbaum **12** (1985) 123–138
Hertz, A., Finding a feasible course schedule using Tabu search **35** (1992) 255–270
Hertz, A., B. Jaumard and M.P. de Aragão, Local optima topology for the k-coloring problem **49** (1994) 257–280
Hertz, A., B. Jaumard and C.C. Ribeiro, A graph theory approach to subcontracting, machine duplication and intercell moves in cellular manufacturing **50** (3) (1994) 255–265

Hertz, A., Polynomially solvable cases for the maximum stable set problem **60** (1-3) (1995) 195–210
Hertz, A., M. Queyranne and M. Widmer, Preface **65** (1-3) (1996) 1–3
Hertz, A., Y. Mottet and Y. Rochat, On a scheduling problem in a robotized analytical system **65** (1-3) (1996) 285–318
Hertz, A. and M. Widmer, An improved tabu search approach for solving the job shop scheduling problem with tooling constraints **65** (1-3) (1996) 319–345
Hertz, A., *see* J. Błażewicz **76** (1-3) (1997) 1–2
Hertz, A., On the use of Boolean methods for the computation of the stability number **76** (1-3) (1997) 183–203
Hertz, A., On perfect switching classes **89** (1-3) (1998) 263–267
Hevery, F., *see* P. Butkovič **11** (1985) 209–222
Heydemann, M.C., J.C. Meyer and D. Sotteau, On forwarding indices of networks **23** (1989) 103–123
Heydemann, M.C., J.C. Meyer, J. Opatrny and D. Sotteau, Forwarding indices of k-connected graphs **37/38** (1992) 287–296
Heydemann, M.C., J. Opatrny and D. Sotteau, Broadcasting and spanning trees in de Bruijn and Kautz networks **37/38** (1992) 297–317
Heydemann, M.-C., *see* D. Barth **77** (2) (1997) 99–118
Heydemann, M.-C., *see* A. Germa **83** (1-3) (1998) 135–155
Heydemann, M.-C., *see* P. Tvrdik **83** (1-3) (1998) 279–301
Hibi, T., Linear and nonlinear inequalities concerning a certain combinatorial sequence which arises from counting the number of chains of a finite distributive lattice **34** (1991) 145–150
Hilton, A.J.W., *see* A.G. Chetwynd **16** (1987) 125–134
Hilton, A.J.W., Alternating Hamiltonian circuits in edge-coloured bipartite graphs **35** (1992) 271–273
Hilton, A.J.W., J.P. Liu and C. Zhao, Graphs that admit 3-to-1 or 2-to-1 maps onto the circle **65** (1-3) (1996) 347–377
Hilton, A.J.W. and C. Zhao, Vertex-splitting and chromatic index critical graphs **76** (1-3) (1997) 205–211
Hindrichs, T., *see* A. Conrad **50** (2) (1994) 125–134
Hintz, M., *see* T. Andreae **79** (1-3) (1997) 3–34
Hinz, F., *see* J. Dassow **45** (1993) 29–49
Hite, G.E., *see* W.A. Seitz **19** (1988) 339–348
Hliněný, P., The maximal clique and colourability of curve contact graphs **81** (1-3) (1998) 59–68
Ho, C.-T., *see* S. Lennart Johnsson **53** (1-3) (1994) 251–274
Ho, C.-T., *see* K.-S. Ding **83** (1-3) (1998) 41–59
Ho, K.I.-J., J.Y.-T. Leung and W.-D. Wei, Scheduling imprecise computation tasks with 0/1-constraint **78** (1-3) (1997) 117–132
Ho, Y.C., *see* J. Franco **22** (1988/89) 35–51
Hoàng, C.T., Efficient algorithms for minimum weighted colouring of some classes of perfect graphs **55** (2) (1994) 133–143
Hoàng, C.T., A note on perfectly orderable graphs **65** (1-3) (1996) 379–386
Hoàng, C.T., On the complexity of recognizing a class of perfectly orderable graphs **66** (3) (1996) 219–226
Hobbs, A.M., *see* P.A. Catlin **40** (1992) 285–302
Hochbaum, D.S., Efficient bounds for the stable set, vertex cover and set packing problems **6** (1983) 243–254
Hochbaum, D.S. and E. Wigderson, The Linzertorte problem, or a unified approach to painting, baking and weaving **14** (1986) 17–32
Hochbaum, D.S., *see* N.G. Hall **15** (1986) 35–40
Hochbaum, D.S. and R. Shamir, Minimizing the number of tardy job units under release time constraints **28** (1990) 45–57
Hochbaum, D.S., Why should biconnected components be identified first **42** (1993) 203–210
Hochbaum, D.S. and D. Landy, Scheduling with batching: two job types **72** (1-2) (1997) 99–114
Hochbaum, D.S., *see* O. Goldschmidt **74** (2) (1997) 159–169
Hochstättler, W., *see* M. Alfter **60** (1-3) (1995) 3–11
Hochstättler, W., *see* A. Bachem **65** (1-3) (1996) 47–72
Hock, J.L. and R.B. McQuistan, A note on the occupational degeneracy for dimers on a saturated two-dimensional lattice space (*Note*) **8** (1984) 101–104
Hofacker, I.L., P. Schuster and P.F. Stadler, Combinatorics of RNA secondary structures **88** (1-3) (1998) 207–237

Hoffman, A.J., *see* I. Adler **44** (1993) 21–38
Hoffman, A.J., *see* D. de Werra **68** (1-2) (1996) 169–188
Hoke, K., Extending shelling orders and a hierarchy of functions of unimodal simple polytopes **60** (1-3) (1995) 211–217
Holdridge, D.B. and J.A. Davis, Comment on "A note on perfect Lee-codes" (*Note*) **3** (1981) 221
Hollmann, H.D.L. and J.H. van Lint, Nonblocking self-routing switching networks **37/38** (1992) 319–340
Holm, S., Adding activities to the dual instead of cuts to the primal problem **18** (1987) 167–174
Holm, S. and J. Tind, A unified approach for price directive decomposition procedures in integer programming **20** (1988) 205–219
Holzman, R., To vote or not to vote: What is the quota? **22** (1988/89) 133–141
Homobono, N. and C. Peyrat, Fault-tolerant routings in Kautz and de Bruijn networks **24** (1989) 179–186
Honkala, I., H. Hämäläinen and M. Kaikkonen, A modification of the Zinoviev lower bound for constant weight codes (*Note*) **11** (1985) 307–310
Honkala, I., H. Hämäläinen and M. Kaikkonen, Some lower bounds for constant weight codes (*Note*) **18** (1987) 95–98
Honkala, I., On $(q,1)$-subnormal q-ary covering codes **52** (3) (1994) 213–221
Honkala, J., Unique representation in number systems and L codes (*Note*) **4** (1982) 229–232
Honkala, J., A defect property of codes with unbounded delays (*Note*) **21** (1988) 261–264
Honkala, J., On generalized zeta functions of formal languages and series **32** (1991) 141–153
Honkala, J., A decision method for Parikh slenderness of context-free languages **73** (1) (1997) 1–4
Hoogeveen, J.A., S.L. van de Velde and B. Veltman, Complexity of scheduling multiprocessor tasks with prespecified processor allocations **55** (3) (1994) 259–272
Hopkins, L.B., W.T. Trotter and D.B. West, The interval number of a complete multipartite graph **8** (1984) 163–187
Horak, P., L. Branković and M. Miller, A combinatorial problem in database security **91** (1-3) (1999) 119–126
Horton, S.B. and R.G. Parker, On Halin subgraphs and supergraphs **56** (1) (1995) 19–35
Horváth, M. and G. Lugosi, Scale-sensitive dimensions and skeleton estimates for classification **86** (1) (1998) 37–61
Hosoya, H., On some counting polynomials in chemistry **19** (1988) 239–257
Houle, M.E., H. Imai, K. Imai, J.-M. Robert and P. Yamamoto, Orthogonal weighted linear L_1 and L_∞ approximation and applications **43** (1993) 217–232
Houle, M.E., Algorithms for weak and wide separation of sets **45** (1993) 139–159
Hromkovič, J., J. Karhumäki, B. Rovan and A. Slobodová, On the power of synchronization in parallel computations **32** (1991) 155–182
Hromkovič, J., *see* R. Feldmann **53** (1-3) (1994) 55–78
Hsu, C.-C., *see* M.-S. Chang **78** (1-3) (1997) 41–50
Hsu, D.F., *see* D.-Z. Du **37/38** (1992) 169–177
Hsu, W.-L. and G.L. Nemhauser, Easy and hard bottleneck location problems **1** (1979) 209–215
Hsu, W.-L., *see* A. Naamad **8** (1984) 267–277
Hsu, W.-L., *see* W.-K. Shih **25** (1989) 321–323
Hsueh, Y.-C., *see* J.J.M. Tan **59** (1) (1995) 87–102
Hu, T.C., *see* M.T. Shing **13** (1986) 165–181
Hu, X.D. and F.K. Hwang, An improved upper bound for the subarray partial concentrators **37/38** (1992) 341–346
Hu, X.D. and F.K. Hwang, Cutting numbers for the forward loop backward hop network **48** (1994) 147–161
Hu, Z. and Z. Liu, A strongly polynomial algorithm for the inverse shortest arborescence problem **82** (1-3) (1998) 135–154
Huang, J., A note on spanning local tournaments in locally semicomplete digraphs **89** (1-3) (1998) 277–279
Huang, N.-F., On the complexity of two circle connecting problems **47** (1993) 17–32
Huang, W.-C., B.-Y. Yang and Y.-N. Yeh, From ternary strings to Wiener indices of benzenoid chains **73** (2) (1997) 113–131
Huaxiao, Z., Z. Fuji and H. Qiongxiang, On the number of spanning trees and Eulerian tours in iterated line digraphs **73** (1) (1997) 59–67

Hucher, M., G. Sabatier and J. Grolier, Effectifs des diverses sequences de polyedres 3-valents convexes ayant moins de 11 faces et de polyedres sans face triangulaire ayant de 11 a 14 faces (*Communication*) **2** (1980) 255–257
Hudry, O., *see* J.-P. Barthélemy **60** (1-3) (1995) 39–76
Hudry, O., *see* I. Charon **80** (2-3) (1997) 211–215
Huguet, L., *see* J. Rifà **26** (1990) 289–300
Hung, M.S., W.O. Rom and A.D. Waren, Degeneracy in transportation problems **13** (1986) 223–237
Hunt III, H.B., *see* M.V. Marathe **64** (2) (1996) 135–149
Hurink, J., *see* P. Brucker **65** (1-3) (1996) 97–122
Hurink, J., Polygon scheduling **70** (1) (1996) 37–55
Hurink, J., *see* P. Brucker **72** (1-2) (1997) 47–69
Hurink, J., *see* P. Brucker **76** (1-3) (1997) 43–59
Hurtado, F., *see* H. Everett **91** (1-3) (1999) 67–82
Huson, D., *see* A. Dress **71** (1-3) (1996) 95–109
Hutchinson, J.P., *see* A.M. Dean **75** (1) (1997) 9–25
Hwang, F.K., *see* G.J. Chang **4** (1982) 97–102
Hwang, F.K. and S. Papastavridis, Binary vectors with exactly k nonoverlapping m-tuples of consecutive ones (*Note*) **30** (1991) 83–86
Hwang, F.K., *see* X.D. Hu **37/38** (1992) 341–346
Hwang, F.K. and G.W. Richards, The capacity of the subarray partial concentrators **39** (1992) 231–240
Hwang, F.K., *see* D.Z. Du **45** (1993) 221–232
Hwang, F.K., *see* X.D. Hu **48** (1994) 147–161
Hwang, F.K. and U.G. Rothblum, Constrained partitioning problems **50** (1) (1994) 93–96
Hwang, F.K., *see* A. Bar-Noy **52** (1) (1994) 29–38
Hwang, F.K., The time complexity of deterministic broadcast radio networks **60** (1-3) (1995) 219–222
Hwang, F.K., Y.C. Yao and M.D. Grammatikakis, A d-move local permutation routing for the d-cube **72** (3) (1997) 199–207
Hwang, F.K., *see* P. Fishburn **78** (1-3) (1997) 75–87
Hwang, S.-G. and A.R. Kräuter, Comparison of permanental bounds of (0,1)-matrices **84** (1-3) (1998) 133–144
Ibaraki, T., The number of additional variables required for the integer programming formulation (*Note*) **2** (1980) 155–158
Ibaraki, T., *see* I. Morihara **6** (1983) 173–191
Ibaraki, T., *see* N. Katoh **10** (1985) 261–274
Ibaraki, T., *see* Y. Crama **15** (1986) 221–239
Ibaraki, T., *see* N. Katoh **17** (1987) 39–66
Ibaraki, T., *see* H. Nagamochi **27** (1990) 125–145
Ibaraki, T., *see* N. Katoh **35** (1992) 275–291
Ibaraki, T., *see* N. Katoh **40** (1992) 379–395
Ibaraki, T., *see* E. Boros **62** (1-3) (1995) 51–75
Ibaraki, T., *see* K. Makino **69** (3) (1996) 207–229
Ibaraki, T., *see* K. Makino **74** (3) (1997) 251–274
Ichimori, T., H. Ishii and T. Nishida, Two routing problems with the limitation of fuel (*Note*) **6** (1983) 85–89
Idury, R.M., *see* F. Aurenhammer **52** (1) (1994) 17–28
Idzik, A., Communication in m-connected graphs (*Note*) **28** (1990) 297–301
Igarashi, Y., *see* F.M. Brown **7** (1984) 231–241
Igarashi, Y., *see* Y. Han **36** (1992) 141–152
Igarashi, Y., *see* F. Bao **83** (1-3) (1998) 3–20
Ihler, E., G. Reich and P. Widmayer, Class Steiner trees and VLSI-design **90** (1-3) (1999) 173–194
Ikebe, Y., T. Matsui and A. Tamura, Adjacency of the best and second best valued solutions in combinatorial optimization problems **47** (1993) 227–232
Ikebe, Y., *see* T. Matsui **50** (3) (1994) 283–296
Ikura, Y. and G.L. Nemhauser, Computational experience with a polynomial-time dual simplex algorithm for the transportation problem **13** (1986) 239–248
Ilie, L., On subwords of infinite words **63** (3) (1995) 277–279
Imai, H., On combinatorial structures of line drawings of polyhedra **10** (1985) 79–92

Imai, H., *see* R. Kohno **33** (1991) 129–146
Imai, H., *see* M.E. Houle **43** (1993) 217–232
Imai, H., *see* Y. Dai **65** (1-3) (1996) 167–190
Imai, K., *see* M.E. Houle **43** (1993) 217–232
Imase, M., *see* T. Soneoka **27** (1990) 255–265
Imase, M., *see* T. Soneoka **64** (3) (1996) 267–279
Imreh, B., *see* F. Gécseg **36** (1992) 307–311
Iri, M., *see* A. Recski **2** (1980) 311–326
Iri, M., A very personal reminiscence on the problem of computational complexity **17** (1987) 17–27
Irving, R.W., NP-completeness of a family of graph-colouring problems **5** (1983) 111–117
Irving, R.W., Stable marriage and indifference **48** (1994) 261–272
Irving, R.W. and D.F. Manlove, The b-chromatic number of a graph **91** (1-3) (1999) 127–141
Irwin, M.J., *see* M. Borah **90** (1-3) (1999) 51–67
Isaak, G., Bounded discrete representations of interval orders **44** (1993) 157–183
Isaak, G., *see* J.-P. Barthélemy **60** (1-3) (1995) 39–76
Isaak, G., *see* K.P. Bogart **60** (1-3) (1995) 99–117
Isaak, G.T., *see* J.R. Driscoll **63** (2) (1995) 101–116
Ishigami, Y. and S. Tani, VC-dimensions of finite automata and commutative finite automata with k letters and n states **74** (2) (1997) 123–134
Ishigami, Y. and S. Tani, VC-dimensions of finite automata and commutative finite automata with k letters and n states **74** (3) (1997) 229–240
Ishiguro, A., *see* H. Suzuki **27** (1990) 157–178
Ishii, H., S. Shiode, T. Nishida and Y. Namasuya, Stochastic spanning tree problem **3** (1981) 263–273
Ishii, H., *see* T. Ichimori **6** (1983) 85–89
Ishii, H., *see* T. Masuda **11** (1985) 175–186
Ishii, H., T. Masuda and T. Nishida, Two machine mixed shop scheduling problem with controllable machine speeds **17** (1987) 29–38
Ishii, H., *see* T. Masuda **52** (3) (1994) 253–259
Ishii, S., Measure theoretic approach to the classification of cellular automata **39** (1992) 125–136
Istrail, S., P. Pevzner and R. Shamir, Introduction **71** (1-3) (1996) 1–4
Istrate, G., Self-reading sequences **50** (2) (1994) 201–203
Istrate, G. and G. Păun, Some combinatorial properties of self-reading sequences **55** (1) (1994) 83–86
Ito, M., H. Jürgensen, H.J. Shyr and G. Thierrin, Anti-commutative languages and n-codes **24** (1989) 187–196
Iványi, A., Construction of infinite de Bruijn arrays (*Communication*) **22** (1988/89) 289–293
Iwama, K. and E. Miyano, Better approximations of non-Hamiltonian graphs **81** (1-3) (1998) 239–261
Iwano, K., *see* Y. Dai **65** (1-3) (1996) 167–190
Iwata, S. and K. Murota, A theorem on the principal structure for independent matchings **61** (3) (1995) 229–244
Iwata, S., *see* M. Shigeno **73** (3) (1997) 261–273
Iyer, A.V., H.D. Ratliff and G. Vijayan, On an edge ranking problem of trees and graphs **30** (1991) 43–52
Jacob, T., *see* N. Brand **41** (93) 165–171
Jacobs, D.P., *see* G.A. Cheston **27** (1990) 195–207
Jacobs, D.P., *see* P.J. Bernhard **44** (1993) 99–108
Jacobs, D.P., *see* G.H. Fricke **68** (3) (1996) 267–277
Jacobson, M.S. and K. Peters, A note on graphs which have upper irredundance equal to independence **44** (1993) 91–97
Jacobson, M.S., J. Lehel and L.M. Lesniak, ϕ-threshold and ϕ-tolerance chain graphs **44** (1993) 191–203
Jacobson, M.S., *see* Y.-W. Chang **44** (1993) 205–220
Jacot-Descombes, L., *see* D. de Werra **26** (1990) 41–49
Jakoby, A., R. Reischuk and C. Schindelhauer, The complexity of broadcasting in planar and decomposable graphs **83** (1-3) (1998) 179–206
Jamison, B. and S. Olariu, On a unique tree representation for P_4-extendible graphs **34** (1991) 151–164
Jamison, B. and S. Olariu, A tree representation for P_4-sparse graphs **35** (1992) 115–129
Jamison, B. and S. Olariu, Linear time optimization algorithms for P_4-sparse graphs **61** (2) (1995) 155–175
Jamison, R.E., *see* D.R. Shier **37/38** (1992) 489–500
Janowitz, M.F., Continous L-cluster methods **3** (1981) 107–112

Jansen, B., *see* J.P. Warners **78** (1-3) (1997) 251–282
Jansen, K., The allocation problem in hardware design **43** (1993) 37–46
Jansen, K., Analysis of scheduling problems with typed task systems **52** (3) (1994) 223–232
Jansen, K., *see* H.L. Bodlaender **55** (3) (1994) 219–232
Jansen, K., Scheduling of conditional executed jobs on unrelated processors **61** (3) (1995) 245–255
Jansen, K. and P. Scheffer, Generalized coloring for tree-like graphs **75** (2) (1997) 135–155
Janssen, P., *see* J. Amilhastre **86** (2-3) (1998) 125–144
Jaromczyk, J.W. and M. Kowaluk, Constructing the relative neighborhood graph in 3-dimensional Euclidean space **31** (1991) 181–191
Jaumard, B., *see* P. Hansen **12** (1985) 147–154
Jaumard, B., *see* Y. Crama **29** (1990) 171–185
Jaumard, B., *see* A. Hertz **49** (1994) 257–280
Jaumard, B., *see* A. Hertz **50** (3) (1994) 255–265
Jaumard, B., *see* P. Hansen **60** (1-3) (1995) 181–193
Jean-Marie, A., *see* J.C. Bermond **22** (1988/89) 201–214
Jeavons, P.G., Counting representable sets on simple graphs **47** (1993) 33–46
Jeffries, C., *see* T. Bone **20** (1988) 9–30
Jegou, R., *see* M. Habib **12** (1985) 279–291
Jégou, R., *see* V. Bouchitté **48** (1994) 87–92
Jeroslow, R.G., *see* C.E. Blair **9** (1984) 11–26
Jeroslow, R.G., *see* C.E. Blair **9** (1984) 217–233
Jeroslow, R.G., *see* C.E. Blair **10** (1985) 227–240
Jeroslow, R.G., Representability in mixed integer programming, I: Characterization results **17** (1987) 223–243
Jeroslow, R.G., Representability of functions **23** (1989) 125–137
Jeroslow, R.G., Two mixed integer programming formulations arising in manufacturing management **26** (1990) 137–157
Jerrum, M. and G.B. Sorkin, The Metropolis algorithm for graph bisection **82** (1-3) (1998) 155–175
Jha, P.K., N. Agnihotri and R. Kumar, Long cycles and long paths in the Kronecker product of a cycle and a tree **74** (2) (1997) 101–121
Jiang, H., *see* G. Finke **76** (1-3) (1997) 123–140
Jiang, M., *see* F. Ruskey **57** (1) (1995) 75–83
Jiang, T., *see* J. Hein **71** (1-3) (1996) 153–169
Jiang, T., *see* B. DasGupta **88** (1-3) (1998) 59–82
Jin, Z., *see* R.D. Armstrong **64** (2) (1996) 97–103
Johnson, E.L. and U.H. Suhl, Experiments in integer programming **2** (1980) 39–55
Jones, K.F., *see* C. Cable **23** (1989) 231–241
Jones, K.F., *see* K.A.S. Hefner **32** (1991) 241–262
Jones, P.C., R. Saigal and M.H. Schneider, A variable-dimension homotopy on networks for computing linear spatial equilibria **13** (1986) 131–156
Jørgensen, L.K., Diameters of cubic graphs **37/38** (1992) 347–351
Jørnsten, K., *see* R. Aboudi **26** (1990) 175–191
Jou, M.-J. and G.J. Chang, Maximal independent sets in graphs with at most one cycle **79** (1-3) (1997) 67–73
Jovanovic, A.D., Combinatorial characterization of hexagonal systems **19** (1988) 259–270
Józefowska, J., *see* B. Jurisch **72** (1-2) (1997) 115–139
Jukna, S. and A. Razborov, Neither reading few bits twice nor reading illegally helps much **85** (3) (1998) 223–238
Jung, H.C., *see* R.A. Brualdi **50** (2) (1994) 111–123
Jünger, M., *see* C. De Simone **80** (2-3) (1997) 223–229
Jungnickel, D., *see* C.J. Colbourn **20** (1988) 31–38
Jungnickel, D., Trace-orthogonal normal bases **47** (1993) 233–249
Jürgensen, H., *see* M. Ito **24** (1989) 187–196
Jurisch, B., *see* P. Brucker **49** (1994) 107–127
Jurisch, B., Lower bounds for the job-shop scheduling problem on multi-purpose machines **58** (2) (1995) 145–156

Jurisch, B., W. Kubiak and J. Józefowska, Algorithms for minclique scheduling problems **72** (1-2) (1997) 115–139
Jurisch, B., *see* P. Brucker **76** (1-3) (1997) 43–59
Juvan, M. and B. Mohar, Optimal linear labelings and eigenvalues of graphs **36** (1992) 153–168
Juvan, M., B. Mohar and J. Žerovnik, Distance-related invariants on polygraphs **80** (1) (1997) 57–71
Kabadi, S.N. and R. Chandrasekaran, On totally dual integral systems **26** (1990) 87–104
Kahlbacher, H.G. and T.C.E. Cheng, Parallel machine scheduling to minimize costs for earliness and number of tardy jobs **47** (1993) 139–164
Kahng, A.B., *see* C.J. Alpert **90** (1-3) (1999) 3–26
Kaikkonen, M., *see* I. Honkala **11** (1985) 307–310
Kaikkonen, M., *see* I. Honkala **18** (1987) 95–98
Kajitani, Y. and S. Ueno, A matroid generalization of theorems of Lewin and Gallai (*Note*) **9** (1984) 213–216
Kajitani, Y., *see* T. Arai **41** (93) 69–74
Kakuda, Y., *see* T. Kikuno **2** (1980) 361–363
Kakuda, Y., *see* T. Kikuno **5** (1983) 299–311
Kalantari, B. and J.B. Rosen, Penalty formulation for zero-one nonlinear programming (*Note*) **16** (1987) 179–182
Kameda, T., *see* N. Katoh **40** (1992) 379–395
Kämpke, T., Lower probabilities and function representation **66** (3) (1996) 227–243
Kandel, D., Y. Matias, R. Unger and P. Winkler, Shuffling biological sequences **71** (1-3) (1996) 171–185
Kane, J.O. and J.G. Peters, Line broadcasting in cycles **83** (1-3) (1998) 207–228
Kaneko, H. and M. Fushimi, A polymatroid associated with convex games **14** (1986) 33–45
Kannan, S., *see* B. DasGupta **88** (1-3) (1998) 59–82
Kano, M., Ranking the vertices of an r-partite paired comparison digraph **17** (1987) 245–253
Kantor, W.M., Some Cayley graphs for simple groups **25** (1989) 99–104
Kantor, W.M., Some large trivalent graphs having small diameters **37/38** (1992) 353–357
Kaparthi, S. and H.R. Rao, Higher dimensional restricted lattice paths with diagonal steps **31** (1991) 279–289
Kappauf, C.H. and G.J. Koenhler, The mixed postman problem **1** (1979) 89–103
Karhumäki, J. and M. Linna, A note on morphic characterization of languages (*Communication*) **5** (1983) 243–246
Karhumäki, J., On cube-free ω-words generated by binary morphisms **5** (1983) 279–297
Karhumäki, J., *see* C. Choffrut **12** (1985) 93–101
Karhumäki, J., *see* T. Harju **15** (1986) 55–60
Karhumäki, J., *see* J. Hromkovič **32** (1991) 155–182
Kari, J., A cryptanalytic observation concerning systems based on language theory (*Note*) **21** (1988) 265–268
Karlander, J., *see* A. Björner **39** (1992) 161–163
Karlander, J., Matrices generated by semilattices **59** (1) (1995) 51–56
Karlinger, M.R., *see* B.M. Troutman **42** (1993) 87–93
Karlsson, R.G. and P.V. Poblete, An O($m \log\log D$) algorithm for shortest paths (*Note*) **6** (1983) 91–93
Karp, R., *see* D. Gusfield **88** (1-3) (1998) 167–180
Karp, R.M. and J.B. Orlin, Parametric shortest path algorithms with an application to cyclic staffing **3** (1981) 37–45
Karp, R.M., *see* P.B. Gibbons **29** (1990) 35–62
Karp, R.M., An introduction to randomized algorithms **34** (1991) 165–201
Karpinski, M., *see* E. Dahlhaus **84** (1-3) (1998) 79–91
Karplus, K. and H. Krit, A semi-systolic decoder for the PDSC-73 error-correcting code **33** (1991) 109–128
Karzanov, A.V., Half-integral five-terminus flows **18** (1987) 263–278
Karzanov, A.V., Half-integral flows in a planar graph with four holes **56** (2-3) (1995) 267–295
Katoh, N. and T. Ibaraki, An efficient algorithm for the parametric resource allocation problem **10** (1985) 261–274
Katoh, N. and T. Ibaraki, A parametric characterization and an ε-approximation scheme for the minimization of a quasiconcave program **17** (1987) 39–66
Katoh, N., An ε-approximation scheme for combinatorial optimization problems with minimum variance criterion **35** (1992) 131–141

Katoh, N., A fully polynomial time approximation scheme for minimum cost-reliability ratio problems **35** (1992) 143–155
Katoh, N., J. Koyanagi, M. Ohnishi and T. Ibaraki, Optimal strategies for some team games **35** (1992) 275–291
Katoh, N., T. Ibaraki and T. Kameda, A multiversion cautious scheduler with dynamic serialization constraints for database concurrency control **40** (1992) 379–395
Katoh, N., *see* Y. Dai **65** (1-3) (1996) 167–190
Katona, G.O.H., *see* J. Demetrovics **11** (1985) 115–128
Katona, G.O.H., *see* J. Demetrovics **40** (1992) 127–138
Katona, G.O.H., *see* J. Demetrovics **40** (1992) 139–153
Katona, G.Y., Edge disjoint Polyp Packing **78** (1-3) (1997) 133–152
Katriel, J., Explicit expressions for the central characters of the symmetric group **67** (1-3) (1996) 149–156
Kats, V., *see* E. Levner **87** (1-3) (1998) 149–158
Kauffman, L.H., A Tutte polynomial for signed graphs **25** (1989) 105–127
Kaufman, Y. and A. Tamir, Locating service centers with precedence constraints **47** (1993) 251–261
Kaushik, M.L., Comments on "A note on Reed–Muller codes" (*Note*) **6** (1983) 213–214
Kawagoe, K., *see* S. Negami **56** (2-3) (1995) 323–331
Kawaguchi, K., *see* K. Wada **37/38** (1992) 539–552
Kayano, T., Extremal length of an infinite network related to an accessible boundary point **10** (1985) 275–285
Kayano, T. and M. Yamasaki, Discrete Dirichlet integral formula **22** (1988/89) 53–68
Kazanovich, Y.B., *see* Y.S. Smetanich **57** (1) (1995) 45–65
Kececioglu, J. and D. Gusfield, Reconstructing a history of recombinations from a set of sequences **88** (1-3) (1998) 239–260
Kececioglu, J.D., *see* R. Ravi **88** (1-3) (1998) 355–366
Keeler, K. and J. Westbrook, Short encodings of planar graphs and maps **58** (3) (1995) 239–252
Keil, J.M., *see* L. Aupperle **23** (1989) 25–31
Keil, J.M., The complexity of domination problems in circle graphs **42** (1993) 51–63
Kelemenová, A., Regeneration in IL systems (*Note*) **22** (1988/89) 81–86
Kelemenová, A., Size of context in regenerative il systems (*Note*) **26** (1990) 117–119
Kellerer, H. and G. Woeginger, A tight bound for 3-partitioning **45** (1993) 249–259
Kellerer, H. and G. Woeginger, On the Euclidean two parts problem **47** (1993) 165–173
Kelmans, A.K., *see* P.L. Hammer **65** (1-3) (1996) 255–273
Kennedy, J.W., *see* C.K. Bailey **5** (1983) 157–164
Kennedy, J.W. and L.V. Quintas, Extremal f-trees and embedding spaces for molecular graphs **5** (1983) 191–209
Kennedy, J.W., *see* C.W. Haigh **7** (1984) 141–160
Kennedy, J.W., *see* R. Gross **19** (1988) 177–194
Kennedy, J.W., K.A. McKeon, E.M. Palmer and R.W. Robinson, Asymptotic number of symmetries in locally restricted trees (*Note*) **26** (1990) 121–124
Kennington, J.L., *see* A.I. Ali **13** (1986) 259–276
Keränen, V., On k-repetition freeness of length uniform morphisms over a binary alphabet (*Note*) **9** (1984) 297–300
Kerber, A., *see* R. Grund **67** (1-3) (1996) 115–126
Kern, W., On the depth of combinatorial optimization problems **43** (1993) 115–129
Kern, W., *see* U. Faigle **58** (2) (1995) 117–144
Kessler, I., *see* A. Bar-Noy **52** (1) (1994) 29–38
Khosrovshahi, G.B., *see* A.S. Hedayat **42** (1993) 31–50
Khuller, S., B. Raghavachari and N. Young, On strongly connected digraphs with bounded cycle length **69** (3) (1996) 279–287
Khuller, S., B. Raghavachari and A. Rosenfeld, Landmarks in graphs **70** (3) (1996) 217–229
Kikuchi, S., *see* T. Asano **7** (1984) 1–15
Kikuno, T., N. Yoshida and Y. Kakuda, NP-completeness of some type of p-center problem (*Communication*) **2** (1980) 361–363
Kikuno, T., N. Yoshida and Y. Kakuda, A linear algorithm for the domination number of a series-parallel graph **5** (1983) 299–311
Kilpeläinen, P., *see* T. Eiter **59** (1) (1995) 23–31

Kim, K., *see* K. Heinrich **37/38** (1992) 281–286
Kim, S., *see* K.A.S. Hefner **32** (1991) 241–262
Kim, S., T.A. McKee, F.R. McMorris and F.S. Roberts, p-competition numbers (*Note*) **46** (1993) 87–92
Kim, S., *see* H.D. Sherali **49** (1994) 357–378
Kim, S.-R. and F.S. Roberts, Competition numbers of graphs with a small number of triangles **78** (1-3) (1997) 153–162
Kindervater, G., J.K. Lenstra and M. Savelsbergh, Sequential and parallel local search for the time-constrained traveling salesman problem **42** (1993) 211–225
Kindervater, G.A.P. and J.K. Lenstra, An introduction to parallelism in combinatorial optimization **14** (1986) 135–156
Kinnersley, N.G. and M.A. Langston, Online variable-sized bin packing **22** (1988/89) 143–148
Kinnersley, N.G. and M.A. Langston, Obstruction set isolation for the gate matrix layout problem **54** (2-3) (1994) 169–213
Kipnis, S., *see* A. Bar-Noy **55** (2) (1994) 95–105
Kipnis, S., *see* A. Bar-Noy **58** (3) (1995) 213–222
Kirkpatrick, D., *see* P. Hell **70** (1) (1996) 1–22
Kirkpatrick, D.G., *see* N. Dadoun **27** (1990) 69–83
Kirkpatrick, D.G. and T. Przytycka, Parallel recognition of complement reducible graphs and cotree construction **29** (1990) 79–96
Kirkpatrick, D.G., K. Madhukar Reddy, C. Pandu Rangan and A. Srinivasan, Partial and perfect path covers of cographs **89** (1-3) (1998) 143–153
Kirschenhofer, P., On the average shape of monotonically labelled tree structures **7** (1984) 161–181
Kirschenhofer, P., H. Prodinger and W. Szpankowski, On the variance of the external path length in a symmetric digital trie **25** (1989) 129–143
Kitto, W.Z., A. Vince and D.C. Wilson, An isomorphism between the p-adic integers and a ring associated with a tiling of N-space by permutohedra **52** (1) (1994) 39–51
Klapper, A., A.H. Chan and M. Goresky, Cross-correlations of linearly and quadratically related geometric sequences and GMW sequences **46** (1993) 1–20
Klarner, D.A., Mathematical crystal growth I **3** (1981) 47–52
Klarner, D.A., Mathematical crystal growth II **3** (1981) 113–117
Klarner, D.A., m-Recognizability of sets closed under certain affine functions **21** (1988) 207–214
Klasing, R., B. Monien, R. Peine and E.A. Stöhr, Broadcasting in butterfly and deBruijn networks **53** (1-3) (1994) 183–197
Klasing, R., The relationship between the gossip complexity in vertex-disjoint paths mode and the vertex bisection width **83** (1-3) (1998) 229–246
Klasner, N., *see* P. Fischer **91** (1-3) (1999) 83–92
Klavžar, S. and N. Seifter, Dominating Cartesian products of cycles **59** (2) (1995) 129–136
Klavžar, S. and J. Žerovnik, Algebraic approach to fasciagraphs and rotagraphs **68** (1-2) (1996) 93–100
Klavžar, S., *see* K. Maribor **80** (1) (1997) 1–2
Klavžar, S. and I. Gutman, Wiener number of vertex-weighted graphs and a chemical application **80** (1) (1997) 73–81
Klawe, M., *see* A. Aggarwal **27** (1990) 3–23
Klawe, M.M., Optimal strategies for a fair betting game **1** (1979) 105–115
Klazar, M., On trees and noncrossing partitions **82** (1-3) (1998) 263–269
Klee, V., *see* T. Bone **20** (1988) 9–30
Kleijn, H.C.M., *see* T. Harju **15** (1986) 55–60
Kleijn, H.C.M., *see* T. Harju **32** (1991) 131–140
Klein, D.J., *see* W.A. Seitz **19** (1988) 339–348
Klein, D.J. and H. Zhu, Resonance in elemental benzenoids **67** (1-3) (1996) 157–173
Klein, J.M. and D. Schaefer, An optimal algorithm for finding dominating cycles in circular-arc graphs **36** (1992) 25–34
Klein, S., *see* H. Everett **72** (3) (1997) 209–218
Klein, S., *see* M.B. Campêlo Neto **84** (1-3) (1998) 71–77
Klein, S.T., *see* A.S. Fraenkel **64** (1) (1996) 31–55

Kleitman, D.J. and R.A. Lew, An algorithm for collapsing sign alternating sequences of real numbers **6** (1983) 49–53
Kleitman, D.J., *see* S.F. Assmann **6** (1983) 117–125
Kleitman, D.J., *see* S.F. Assmann **8** (1984) 109–124
Klimó, J., On the minimal covering of infinite sets **45** (1993) 161–168
Klin, M.H., *see* M.E. Muzychuk **67** (1-3) (1996) 175–187
Klingman, D., *see* F. Glover **2** (1980) 251–254
Klingman, D.D. and R.F. Schneider, Microcomputer-based algorithms for large scale shortest path problems **13** (1986) 183–206
Klinz, B., R. Rudolf and G.J. Woeginger, Permuting matrices to avoid forbidden submatrices **60** (1-3) (1995) 223–248
Klinz, B., R. Rudolf and G.J. Woeginger, On the recognition of permuted bottleneck Monge matrices **63** (1) (1995) 43–74
Klinz, B., *see* R.E. Burkard **70** (2) (1996) 95–161
Kloks, T., *see* D. Kratsch **77** (3) (1997) 259–270
Klonowski, W., Random hypergraphs and topological gelation criterion for crosslinked polymer systems **19** (1988) 271–288
Kluge, D., *see* H. Bräsel **59** (1) (1995) 11–21
Knill, E., W.J. Bruno and D.C. Torney, Non-adaptive group testing in the presence of errors **88** (1-3) (1998) 261–290
Knuth, D.E., Lexicographic permutations with restrictions **1** (1979) 117–125
Ko, M.T. and Y.T. Ching, Linear time algorithms for the weighted tailored 2-partition problem and the weighted 2-center problem under l_∞-distance **40** (1992) 397–410
Kobayashi, Y., Enumeration of irreducible binary words **20** (1988) 221–232
Kocay, W.L., *see* C.J. Colbourn **14** (1986) 239–254
Koenhler, G.J., *see* C.H. Kappauf **1** (1979) 89–103
Kogan, A., On the essential test sets of discrete matrices **60** (1-3) (1995) 249–255
Kogan, A., *see* E. Boros **62** (1-3) (1995) 51–75
Koh, K.M. and E.G. Tay, Optimal orientations of products of paths and cycles **78** (1-3) (1997) 163–174
Kohli, R. and R. Krishnamurti, Joint performance of greedy heuristics for the integer knapsack problem **56** (1) (1995) 37–48
Kohno, R. and H. Imai, Combination of decoding of error-correcting codes and equalization for channels with intersymbol interference **33** (1991) 129–146
Koiran, P. and E.D. Sontag, Vapnik–Chervonenkis dimension of recurrent neural networks **86** (1) (1998) 63–79
Kolen, A. and E. Pesch, Genetic local search in combinatorial optimization **48** (1994) 273–284
Kolen, A.W.J., A.H.G. Rinnooy Kan, C.P.M. van Hoesel and A.P.M. Wagelmans, Sensitivity analysis of list scheduling heuristics **55** (2) (1994) 145–162
Kong, T.Y., D.M. Mount and M. Werman, The decomposition of a square into rectangles of minimal perimeter **16** (1987) 239–243
Konig, J.-C., Extensions de réseaux de connexité donnée **24** (1989) 197–211
König, J.-C. and E. Lazard, Minimum k-broadcast graphs **53** (1-3) (1994) 199–209
Korach, E. and A. Tal, General vertex disjoint paths in series-parallel graphs **41** (93) 147–164
Korach, E. and N. Solel, Tree-width, path-width, and cutwidth (*Note*) **43** (1993) 97–101
Korach, E. and M. Penn, A fast algorithm for maximum integral two-commodity flow in planar graphs (*Note*) **47** (1993) 77–83
Koren, I., *see* I. Gederbaum **40** (1992) 303–318
Koren, I., *see* S. Wimer **45** (1993) 169–179
Kornai, A. and Z. Tuza, Narrowness, pathwidth, and their application in natural language processing (*Communication*) **36** (1992) 87–92
Körner, J., *see* L. Gargano **36** (1992) 191–197
Korneyenko, N.M., Combinatorial algorithms on a class of graphs **54** (2-3) (1994) 215–217
Kornilov, V.V., *see* Y.S. Smetanich **57** (1) (1995) 45–65
Korst, J., E. Aarts, J.K. Lenstra and J. Wessels, Periodic assignment and graph colouring **51** (3) (1994) 291–305
Kortanek, K.O. and M. Yamasaki, Discrete infinite transportation problems **58** (1) (1995) 19–33
Korte, B. and L. Lovász, Homomorphisms and ramsey properties of antimatroids **15** (1986) 283–290

Kortelainen, J., A result concerning the trios generated by commutative slip-languages (*Communication*) **4** (1982) 233–236
Kortsarz, G. and D. Peleg, Traffic-light scheduling on the grid **53** (1-3) (1994) 211–234
Kosaraju, S.R., *see* P.K. Agarwal **31** (1991) 97–111
Koschnick, K.-U., *see* I. Althöfer **43** (1993) 111–113
Koulamas, C., *see* G.J. Kyparisis **78** (1-3) (1997) 175–187
Kovalyov, M.Y., *see* T.C. Edwin Cheng **70** (3) (1996) 231–245
Kovalyov, M.Y., Batch scheduling and common due date assignment problem: an NP-hard case **80** (2-3) (1997) 251–254
Kovalyov, M.Y. and Y.M. Shafransky, Uniform machine scheduling of unit-time jobs subject to resource constraints **84** (1-3) (1998) 253–257
Kowaluk, M., *see* J.W. Jaromczyk **31** (1991) 181–191
Koyanagi, J., *see* N. Katoh **35** (1992) 275–291
Kranakis, E. and D. Krizanc, Labeled versus unlabeled distributed Cayley networks **63** (3) (1995) 223–236
Kranakis, E., D. Krizanc, A. Maheshwari, M. Noy, J.-R. Sack and J. Urrutia, Stage-graph representations **75** (1) (1997) 71–80
Kranakis, E., D. Krizanc, B. Ruf, J. Urrutia and G. Woeginger, The VC-dimension of set systems defined by graphs **77** (3) (1997) 237–257
Kranakis, E., *see* K. Diks **87** (1-3) (1998) 33–47
Kratochvíl, J. and S. Poljak, Compatible 2-factors **36** (1992) 253–266
Kratochvíl, J. and Z. Tuza, Algorithmic complexity of list colorings **50** (3) (1994) 297–302
Kratochvíl, J., A special planar satisfiability problem and a consequence of its NP-completeness **52** (3) (1994) 233–252
Kratochvíl, J., *see* E. Dahlhaus **79** (1-3) (1997) 75–89
Kratsch, D., *see* J. Gimbel **48** (1994) 111–127
Kratsch, D., T. Kloks and H. Müller, Measuring the vulnerability for classes of intersection graphs **77** (3) (1997) 259–270
Kräuter, A.R., *see* S.-G. Hwang **84** (1-3) (1998) 133–144
Krawczyk, H. and A. Paz, The diophantine problem of Frobenius: A close bound (*Note*) **23** (1989) 289–291
Krichevskii, R.E., B.Ya. Ryabko and A.Yu. Haritonov, Optimal key for taxons ordered in accordance with their frequencies (*Note*) **3** (1981) 67–72
Krichevsky, R.E. and B.Ya. Ryabko, Universal retrieval trees **12** (1985) 293–302
Krieger, H.A., *see* A.T. Benjamin **59** (3) (1995) 285–292
Krishnamurti, R., *see* R. Kohli **56** (1) (1995) 37–48
Krit, H., *see* K. Karplus **33** (1991) 109–128
Krizanc, D., *see* E. Kranakis **63** (3) (1995) 223–236
Krizanc, D., *see* E. Kranakis **75** (1) (1997) 71–80
Krizanc, D., *see* E. Kranakis **77** (3) (1997) 237–257
Kruskal, C.P., *see* X. Shen **25** (1989) 155–178
Kruskal, C.P. and M. Snir, Cost-performance tradeoffs for interconnection networks **37/38** (1992) 359–385
Kryński, S., Graphs in which all Hamiltonian cycles have the same length **55** (1) (1994) 87–89
Kubale, M., Some results concerning the complexity of restricted colorings of graphs **36** (1992) 35–46
Kubale, M., Open shop problem with zero–one time operations and integer release date/deadline intervals **76** (1-3) (1997) 213–223
Kubiak, W., *see* J. Błażewicz **42** (1993) 123–138
Kubiak, W., New results on the completion time variance minimization **58** (2) (1995) 157–168
Kubiak, W., *see* B. Jurisch **72** (1-2) (1997) 115–139
Kubicka, E., G. Kubicki and O.R. Oellermann, Steiner intervals in graphs **81** (1-3) (1998) 181–190
Kubicki, G., *see* E. Kubicka **81** (1-3) (1998) 181–190
Kučera, L., Expected complexity of graph partitioning problems **57** (2-3) (1995) 193–212
Kucherov, G., *see* V. Grebinski **88** (1-3) (1998) 147–165
Kuik, R., *see* S. Van Hoesel **48** (1994) 289–303
Kumar, R., *see* P.K. Jha **74** (2) (1997) 101–121
Kunde, M. and H. Steppat, First fit decreasing scheduling on uniform multiprocessors **10** (1985) 165–177
Kusiak, A. and G. Finke, Hierarchical approach to the process planning problem **18** (1987) 175–184

Kutten, S., *see* A. Bar-Noy **52** (1) (1994) 29–38
Kvasnička, V., *see* V. Baláž **35** (1992) 1–19
Kvasníčka, V., *see* J. Pospíchal **67** (1-3) (1996) 189–207
Kyek, O., I. Parberry and I. Wegener, Bounds on the number of knight's tours **74** (2) (1997) 171–181
Kyparisis, G.J. and C. Koulamas, Open shop scheduling with maximal machines **78** (1-3) (1997) 175–187
Labahn, R., Extremal broadcasting problems **23** (1989) 139–155
Labahn, R., S.T. Hedetniemi and R. Laskar, Periodic gossiping on trees **53** (1-3) (1994) 235–245
Labahn, R., A minimum broadcast graph on 63 vertices **53** (1-3) (1994) 247–250
Labahn, R. and A. Raspaud, Periodic gossiping in back-to-back trees **75** (2) (1997) 157–168
Labbé, M., *see* P. Hansen **30** (1991) 181–195
Labbé, M., *see* J. Csirik **45** (1993) 197–204
Labelle, G., *see* F. Bergeron **34** (1991) 49–66
Labelle, J. and Y.-N. Yen, Dyck paths of knight moves **24** (1989) 213–221
Labonté, G., *see* S. Akl **34** (1991) 27–35
Laffond, G., J.F. Laslier and M. Le Breton, The Copeland measure of Condorcet choice functions **55** (3) (1994) 273–279
Laforest, C., Broadcast and gossip in line-communication mode **80** (2-3) (1997) 161–176
Lagergren, J., The nonexistence of reduction rules giving an embedding into a k-tree **54** (1994) 219–223
Lagergren, J., *see* D. Fernández-Baca **88** (1-3) (1998) 129–145
Lageweg, B.J., *see* M.L. Fisher **5** (1983) 65–75
Lai, H., *see* H.-J. Lai **63** (2) (1995) 151–160
Lai, H.-J., *see* P.A. Catlin **40** (1992) 285–302
Lai, H.-J., Large survivable nets and the generalized prisms **61** (2) (1995) 181–185
Lai, H.-J. and H. Lai, Every matroid is a submatroid of a uniformly dense matroid **63** (2) (1995) 151–160
Lai, T.-H. and A. Sprague, On the complexity of a family of generalized matching problems **12** (1985) 303–318
Lai, T.-H. and S.-S. Wei, Bipartite permutation graphs with application to the minimum buffer size problem **74** (1) (1997) 33–55
Lai, Y.-L. and K. Williams, On bandwidth for the tensor product of paths and cycles **73** (2) (1997) 133–141
Lakshminarayanan, S. and R. Chandrasekaran, A rounding algorithm for integer programs **50** (3) (1994) 267–282
Lam, P.C.B., *see* W.C. Shiu **73** (2) (1997) 101–111
Lam, P.C.B., *see* W.C. Shiu **80** (1) (1997) 83–96
Lam, T.W. and F.L. Yue, Edge ranking of graphs is hard **85** (1) (1998) 71–86
Lamb, J.D., D.R. Woodall and G.M. Asher, Bond graphs I: Acausal equivalence **72** (3) (1997) 261–293
Lamb, J.D., D.R. Woodall and G.M. Asher, Bond graphs II: Causality and singularity **73** (2) (1997) 143–173
Lamb, J.D., G.M. Asher and D.R. Woodall, Bond graphs III: Bond graphs and electrical networks **73** (3) (1997) 211–250
Lamb, J.D., Efficient optimal equation formulation in lumped power-conserving systems **85** (3) (1998) 239–249
Lancia, G. and M. Perlin, Genotyping of pooled microsatellite markers by combinatorial optimization techniques **88** (1-3) (1998) 291–314
Landy, D., *see* D.S. Hochbaum **72** (1-2) (1997) 99–114
Lange, K.-J. and E. Welzl, String grammars with disconnecting or a basic root of the difficulty in graph grammar parsing **16** (1987) 17–30
Länger, H., *see* D. Dorninger **6** (1983) 209–211
Langley, L., *see* K.P. Bogart **60** (1-3) (1995) 99–117
Langley, L.J., A recognition algorithm for orders of interval dimension two **60** (1-3) (1995) 257–266
Langley, L.J., Irreflexive and reflexive dimension **60** (1-3) (1995) 267–273
Langston, M.A., *see* N.G. Kinnersley **22** (1988/89) 143–148
Langston, M.A. and M.P. Morford, Resource allocation under limited sharing **28** (1990) 135–147
Langston, M.A., *see* K. Abrahamson **34** (1991) 3–16
Langston, M.A., *see* N.G. Kinnersley **54** (2-3) (1994) 169–213
Laporte, G. and H. Mercure, Generalized Travelling Salesman Problem through n sets of nodes: The asymmetrical case **18** (1987) 185–197
Laporte, G. and S. Martello, The selective travelling salesman problem **26** (1990) 193–207
Laporte, G., *see* M. Dror **50** (3) (1994) 239–254

Larcher, G. and R.F. Tichy, A note on Gray code and odd-even merge (*Communication*) **18** (1987) 309–313
Larman, D.G., *see* A.C. Hayes **6** (1983) 135–138
Larsen, K.S., *see* J. Boyar **52** (2) (1994) 155–167
Larsson, T., *see* M. Göthe-Lundgren **48** (1994) 245–259
Laskar, R. and D. Shier, On powers and centers of chordal graphs **6** (1983) 139–147
Laskar, R., *see* S.T. Hedetniemi **13** (1986) 287–292
Laskar, R., *see* R. Labahn **53** (1-3) (1994) 235–245
Laskar, R.C., *see* M.C. Golumbic **44** (1993) 79–89
Laslier, J.F., *see* G. Laffond **55** (3) (1994) 273–279
Laue, R., *see* R. Grund **67** (1-3) (1996) 115–126
Laurent, M., *see* M. Deza **56** (2-3) (1995) 215–230
Laurent, M., *see* C.C. de Souza **62** (1-3) (1995) 167–191
Lausen, G., Locking based on a pairwise decomposition of the transaction system **40** (1992) 217–236
Lavoie, A., *see* J.A. Ferland **35** (1992) 237–253
Lawler, E.L. and C.U. Martel, Polymatroidal flows with lower bounds **15** (1986) 291–313
Lazard, D., A new method for solving algebraic systems of positive dimension **33** (1991) 147–160
Lazard, E., Broadcasting in DMA-bound bounded degree graphs **37/38** (1992) 387–400
Lazard, E., *see* P. Fraigniaud **53** (1-3) (1994) 79–133
Lazard, E., *see* J.-C. König **53** (1-3) (1994) 199–209
Lazebnik, F. and V.A. Ustimenko, Explicit construction of graphs with an arbitrary large girth and of large size **60** (1-3) (1995) 275–284
Leader, I., *see* B. Bollobás **75** (1) (1997) 1–8
Leblanc, A., Finding degeneracies among sets of lines **56** (1) (1995) 49–60
Le Breton, M., *see* G. Laffond **55** (3) (1994) 273–279
Leclerc, B., Medians for weight metrics in the covering graphs of semilattices **49** (1994) 281–297
Lee, C.-Y. and J.D. Massey, Multiprocessor scheduling: Combining LPT and multifit **20** (1988) 233–242
Lee, C.-Y., Parallel machines scheduling with nonsimultaneous machine available time **30** (1991) 53–61
Lee, C.-Y. and S. Danusaputro Liman, Capacitated two-parallel machines scheduling to minimize sum of job completion times **41** (93) 211–222
Lee, C.-Y. and C.-L. Li, On the fixed interval due-date scheduling problem **68** (1-2) (1996) 101–117
Lee, D.T., *see* A. Naamad **8** (1984) 267–277
Lee, D.T., C.D. Yang and C.K. Wong, Rectilinear paths among rectilinear obstacles **70** (3) (1996) 185–215
Lee, H.-M. and G.J. Chang, Set to set broadcasting in communication networks **40** (1992) 411–421
Lee, J., Canonical equation sets for classes of concordant polytopes **28** (1990) 207–221
Lee, J., *see* J. Leung **50** (2) (1994) 185–200
Lee, J. and W.D. Morris Jr, Geometric comparison of combinatorial polytopes **55** (2) (1994) 163–182
Lee, R.C.T., *see* R.S. Chang **28** (1990) 93–109
Lee, R.C.T., *see* S.C. Tai **32** (1991) 263–273
Lee, R.C.T., *see* M.S. Chang **39** (1992) 1–12
Lee, R.C.T., *see* C.-C. Yen **66** (2) (1996) 147–160
Lee, S.-K., A.D. Oh, H. Choi and H.-A. Choi, Optimal transmission schedules in TWDM optical passive star networks **75** (1) (1997) 81–91
Lee, Y., *see* H.D. Sherali **68** (1-2) (1996) 153–167
Leeder, M., *see* S. Akl **34** (1991) 27–35
Lehel, J., Deltahedra are realizable as simplicial convex polyhedra (*Communication*) **2** (1980) 81–84
Lehel, J., *see* M.S. Jacobson **44** (1993) 191–203
Lehel, J., F. Maffray and M. Preissmann, Graphs with largest number of minimum cuts **65** (1-3) (1996) 387–407
Lempel, A., *see* M.J. Weinberger **28** (1990) 271–285
Lennart Johnsson, S. and C.-T. Ho, Optimal communication channel utilization for matrix transposition and related permutations on binary cubes **53** (1-3) (1994) 251–274
Lenstra, J.K., *see* J. Błażewicz **5** (1983) 11–24
Lenstra, J.K., *see* M.L. Fisher **5** (1983) 65–75
Lenstra, J.K., *see* G.A.P. Kindervater **14** (1986) 135–156
Lenstra, J.K., *see* G. Kindervater **42** (1993) 211–225
Lenstra, J.K., *see* J. Korst **51** (3) (1994) 291–305

Lenze, B., Linking discrete orthogonality with dilation and translation for incomplete sigma-pi neural networks of Hopfield-type **89** (1-3) (1998) 169–180
Leonard, P.A., *see* N.J. Finizio **85** (3) (1998) 193–202
Leontev, V.K., *see* Yu.N. Sotskov **58** (2) (1995) 169–190
Lepistö, T., A note on perfect Lee-codes over small alphabets (*Communication*) **3** (1981) 73–74
Leporelli, C., *see* P. Bertolazzi **8** (1984) 143–151
Lepp, M., *see* R. Shull **41** (93) 13–53
Lerchs, H., *see* D.G. Corneil **3** (1981) 163–174
Leroux, P., *see* F. Bergeron **34** (1991) 49–66
Lesniak, L.M., *see* R.J. Faudree **37/38** (1992) 179–191
Lesniak, L.M., *see* M.S. Jacobson **44** (1993) 191–203
Leung, J. and J. Lee, More facets from fences for linear ordering and acyclic subgraph polytopes **50** (2) (1994) 185–200
Leung, J.Y.-T., V.K.M. Yu and W.-D. Wei, Minimizing the weighted number of tardy task units **51** (3) (1994) 307–316
Leung, J.Y.-T., *see* K.I.-J. Ho **78** (1-3) (1997) 117–132
Levcopoulos, C. and O. Petersson, Matching parentheses in parallel **40** (1992) 423–431
Le Verge, H., *see* R. Euler **62** (1-3) (1995) 193–208
Le Verge, H., *see* R. Euler **65** (1-3) (1996) 207–221
Levner, E. and V. Kats, A parametric critical path problem and an application for cyclic scheduling **87** (1-3) (1998) 149–158
Levner, E.V., *see* G.V. Gens **3** (1981) 313–318
Lew, R.A., *see* D.J. Kleitman **6** (1983) 49–53
Lewis, J.T., *see* D.S. Clark **22** (1988/89) 103–108
Lewis, J.T., *see* D.S. Clark **43** (1993) 27–36
Li, B., *see* P. Hell **70** (1) (1996) 1–22
Li, C.-L., S.T. McCormick and D. Simchi-Levi, The complexity of finding two disjoint paths with min-max objective function **26** (1990) 105–115
Li, C.-L., S.T. McCormick and D. Simchi-Levi, The point-to-point delivery and connection problems: complexity and algorithms **36** (1992) 267–292
Li, C.-L., *see* C.-Y. Lee **68** (1-2) (1996) 101–117
Li, H., *see* E. Flandrin **51** (1-2) (1994) 95–102
Li, H., *see* F. Zhang **92** (1) (1999) 73–86
Li, M., *see* B. DasGupta **88** (1-3) (1998) 59–82
Li, Q., *see* J.Y. Shao **21** (1988) 147–156
Li, Q., I.M. Xu and Z.L. Zhang, The infinite families of optimal double loop networks (*Communication*) **46** (1993) 179–183
Li, W.N., Two-segmented channel routing is strong NP-complete **78** (1-3) (1997) 291–298
Li, X., *see* F. Zhang **47** (1993) 285–296
Li, X. and F. Zhang, Hamiltonicity of a type of interchange graphs **51** (1-2) (1994) 107–111
Li, X. and I. Gutman, A unified approach to the first derivatives of graph polynomials **58** (3) (1995) 293–297
Li, X., *see* F.T. Boesch **59** (1) (1995) 1–10
Li, X., Hexagonal systems with forcing single edges **72** (3) (1997) 295–301
Li, Y., *see* J. Carlier **76** (1-3) (1997) 61–80
Li, Z., *see* M. Liu **47** (1993) 263–273
Liang, J., *see* H. Edelsbrunner **88** (1-3) (1998) 83–102
Libkin, L., *see* J. Demetrovics **40** (1992) 155–185
Libura, M., Sensitivity analysis for minimum Hamiltonian path and traveling salesman problems **30** (1991) 197–211
Libura, M., E.S. van der Poort, G. Sierksma and J.A.A. van der Veen, Stability aspects of the traveling salesman problem based on k-best solutions **87** (1-3) (1998) 159–185
Liestman, A.L. and D. Richards, Toward optimal gossiping schemes with conference calls **7** (1984) 183–189
Liestman, A.L., *see* P. Hell **21** (1988) 101–111
Liestman, A.L., *see* J.-C. Bermond **36** (1992) 97–130
Liestman, A.L. and J.G. Peters, Minimum broadcast digraphs **37/38** (1992) 401–419

Liestman, A.L., *see* L. Gargano **53** (1-3) (1994) 135–148
Liestman, A.L., T.C. Shermer and C.R. Stolte, Degree-constrained spanners for multidimensional grids **68** (1-2) (1996) 119–144
Lim, H.-S., J.-H. Park and K.-Y. Chwa, Embedding trees in recursive circulants **69** (1-2) (1996) 83–99
Lim, H.-S., *see* S.E. Hambrusch **91** (1-3) (1999) 93–117
Lin, C.-H.M. and H.M. Salkin, An efficient algorithm for the complete set partitioning problem **6** (1983) 149–156
Lin, D. and M. Liu, The equivalence classes of LR arrays **43** (1993) 47–61
Lin, G.-H., The exact bound of Lee's MLPT **85** (3) (1998) 251–254
Lin, R. and S. Olariu, A fast parallel algorithm to recognize P4-sparse graphs **81** (1-3) (1998) 191–215
Lin, S., *see* G.J. Chang **4** (1982) 97–102
Lin, S., *see* B. Vucetic **33** (1991) 257–269
Lin, T.F., A system of linear equations related to the transportation problem with application to probability theory **14** (1986) 47–56
Lindström, B., *see* A. Björner **39** (1992) 161–163
Linna, M., *see* J. Karhumäki **5** (1983) 243–246
Lipman, M.J., *see* K.S. Bagga **37/38** (1992) 13–28
Lippens, P.E.R., *see* W.F.J. Verhaegh **89** (1-3) (1998) 213–242
Lipponen, M. and G. Păun, Strongly prime PCP words **63** (2) (1995) 193–197
Lipton, R.J., *see* D. Boneh **71** (1-3) (1996) 79–94
Litman, A., *see* S. Ben-David **86** (1) (1998) 3–25
Litsyn, S., P. Solé and R. Struik, On the covering radius of an unrestricted code as a function of the rate and dual distance **82** (1-3) (1998) 177–191
Littlestone, N., *see* A. Blumer **24** (1989) 47–53
Liu, B., *see* Z. Bo **91** (1-3) (1999) 53–66
Liu, C.L., *see* X. Shen **25** (1989) 155–178
Liu, C.-M. and M.-S. Yu, An optimal parallel algorithm for node ranking of cographs **87** (1-3) (1998) 187–201
Liu, J.P., *see* A.J.W. Hilton **65** (1-3) (1996) 347–377
Liu, M., *see* D. Lin **43** (1993) 47–61
Liu, M. and Z. Li, Coset correlation of LR m-arrays **47** (1993) 263–273
Liu, M. and G.L. Mullen, Irreducible polynomials and linear recurring arrays **74** (1) (1997) 93–99
Liu, W. and A. Vannelli, Generating lower bounds for the linear arrangement problem **59** (2) (1995) 137–151
Liu, Y., *see* K.A. Berman **78** (1-3) (1997) 27–40
Liu, Y., A. Morgana and B. Simeone, A linear algorithm for 2-bend embeddings of planar graphs in the two-dimensional grid **81** (1-3) (1998) 69–91
Liu, Z. and E. Sanlaville, Preemptive scheduling with variable profile, precedence constraints and due dates **58** (3) (1995) 253–280
Liu, Z., *see* L. Finta **70** (3) (1996) 247–266
Liu, Z., *see* Z. Hu **82** (1-3) (1998) 135–154
Llado, A.S., *see* Y.O. Hamidoune **37/38** (1992) 275–280
Llewellyn, D.C., Min algebraic duality (*Communication*) **16** (1987) 87–90
Llewellyn, D.C., C. Tovey and M. Trick, Local optimization on graphs **23** (1989) 157–178
Llewellyn, D.C. and C.A. Tovey, Dividing and conquering the square **43** (1993) 131–153
Llewellyn, D.C. and J. Ryan, A primal dual integer programming algorithm **45** (1993) 261–275
Llobet, E., *see* C. Padró **64** (3) (1996) 239–248
Lloyd, E.K., Redfield's papers and their relevance to counting isomers and isomerizations **19** (1988) 289–304
Lloyd, E.K., *see* S.J. Cyvin **67** (1-3) (1996) 67–78
Lloyd, E.L., *see* M.C. Carlisle **59** (3) (1995) 225–235
Lloyd, S., Balance, uncorrelatedness and the strict avalanche criterion **41** (93) 223–233
Lodi, E., *see* R. Grossi **84** (1-3) (1998) 121–132
Lomonosov, M.V., Combinatorial approaches to multiflow problems **11** (1985) 1–93
Lonc, Z., On the complexity of some edge-partition problems for graphs **70** (2) (1996) 177–183
Longo, G., *see* G. Gallo **42** (1993) 177–201
Lorberbom, M., *see* A.S. Fraenkel **25** (1989) 53–71
Lou, R.D. and M. Sarrafzadeh, Circular permutation graph family with applications **40** (1992) 433–457

Lovász, L., *see* B. Korte **15** (1986) 283–290
Lovász, L., *see* J. Csima **35** (1992) 197–203
Lovász, L., *see* J. Csima **41** (93) 269–270
Lu, C.L. and C.Y. Tang, Solving the weighted efficient edge domination problem on bipartite permutation graphs **87** (1-3) (1998) 203–211
Lu, S.-H., *see* P. Hansen **29** (1990) 187–193
Lu, X., A note on biased and non-biased games **60** (1-3) (1995) 285–291
Lubiw, A., A note on odd/even cycles (*Note*) **22** (1988/89) 87–92
Lucertini, M., *see* P. Bertolazzi **8** (1984) 143–151
Lucertini, M., Y. Perl and B. Simeone, Most uniform path partitioning and its use in image processing **42** (1993) 227–256
Lucet, C., *see* J. Carlier **65** (1-3) (1996) 141–156
Łuczak, T., Holes in random graphs **30** (1991) 213–219
Lugosi, G., *see* M. Horváth **86** (1) (1998) 37–61
Luna, H.P.L., N. Ziviani and R.H.B. Cabral, The telephonic switching centre network problem: Formalization and computational experience **18** (1987) 199–210
Lundgren, J.R. and J.S. Maybee, A characterization of graphs of competition number m (*Note*) **6** (1983) 319–322
Lundgren, J.R., *see* H.J. Greenberg **8** (1984) 255–265
Lundgren, J.R., *see* F. Harary **12** (1985) 155–164
Lundgren, J.R., *see* C. Cable **23** (1989) 231–241
Lundgren, J.R., *see* K.A.S. Hefner **32** (1991) 241–262
Lutton, J., *see* J. Carlier **76** (1-3) (1997) 61–80
Maamoun, M. and H. Meyniel, On a game of policemen and robber (*Note*) **17** (1987) 307–309
Maas, C., Some results about the interval number of a graph (*Communication*) **6** (1983) 99–102
Maas, C., Transportation in graphs and the admittance spectrum **16** (1987) 31–49
MacGillivray, G., Graph homomorphisms with infinite targets **54** (1) (1994) 29–35
MacGillivray, G., *see* R. Brewster **66** (1) (1996) 23–31
MacGillivray, G. and M.-L. Yu, Generalized partitions of graphs **91** (1-3) (1999) 143–153
Macmahon, P.A., The combinations of resistances **54** (1994) 225–228
Macula, A.J., Error-correcting nonadaptive group testing with d^e-disjunct matrices **80** (2-3) (1997) 217–222
Maculan, N., *see* P. Michelon **42** (1993) 257–269
Maculan, N., *see* Z. Carmen Ortiz **82** (1-3) (1998) 209–217
Maculan, N.F., *see* R.E. Campello **18** (1987) 119–136
Madhavapeddy, S., *see* R. Feldmann **53** (1-3) (1994) 55–78
Madhukar Reddy, K., *see* D.G. Kirkpatrick **89** (1-3) (1998) 143–153
Maehara, H., Space graphs and sphericity **7** (1984) 55–64
Maehara, H., Distances in a rigid unit-distance graph in the plane **31** (1991) 193–200
Maes, A., Morphisms and almost-periodicity **86** (2-3) (1998) 233–248
Maffioli, F., *see* P.M. Camerini **5** (1983) 39–50
Maffioli, F., Randomized algorithms in combinatorial optimization: A survey **14** (1986) 157–170
Maffioli, F., *see* P.M. Camerini **15** (1986) 181–197
Maffioli, F., *see* S.-J. Chung **42** (1993) 139–145
Maffioli, F., *see* G. Galbiati **51** (3) (1994) 269–275
Maffioli, F., *see* M. Dell'Amico **65** (1-3) (1996) 191–206
Maffray, F., *see* P.L. Hammer **27** (1990) 85–99
Maffray, F., *see* P.L. Hammer **30** (1991) 163–179
Maffray, F., *see* L. Cai **44** (1993) 139–156
Maffray, F. and M. Preissmann, Linear recognition of pseudo-split graphs **52** (3) (1994) 307–312
Maffray, F., *see* J. Lehel **65** (1-3) (1996) 387–407
Magnuson, V.R., *see* S.C. Basak **19** (1988) 17–44
Mahadev, N.V.R. and U.N. Peled, Strict 2-threshold graphs **21** (1988) 113–131
Mahadev, N.V.R., *see* D. de Werra **68** (1-2) (1996) 169–188
Mahadev, N.V.R., *see* D. de Werra **76** (1-3) (1997) 93–101
Mahadev, N.V.R. and F.S. Roberts, Amenable colorings **76** (1-3) (1997) 225–238

Mahajan, S. and J.G. Peters, Regularity and locality in k-terminal graphs **54** (2-3) (1994) 229–250
Maharaj, H., *see* M.A. Henning **82** (1-3) (1998) 115–133
Mahéo, M. and J.-F. Saclé, Some minimum broadcast graphs **53** (1-3) (1994) 275–285
Mahéo, M. and J.-F. Saclé, Note on the problem of gossiping in multidimensional grids **53** (1-3) (1994) 287–290
Maheshwari, A., *see* E. Kranakis **75** (1) (1997) 71–80
Maheshwari, A., *see* S.R. Arikati **78** (1-3) (1997) 1–16
Mahjoub, A.R., A min–max relation for K_3-covers in graphs noncontractible to $K_5\backslash e$ **62** (1-3) (1995) 209–219
Mahmoud, H.M. and B. Pittel, On the joint distribution of the insertion path length and the number of comparisons in search trees **20** (1988) 243–251
Main, M.G., Detecting leftmost maximal periodicities **25** (1989) 145–153
Maiorov, V. and J. Ratsaby, The degree of approximation of sets in euclidean space using sets with bounded Vapnik–Chervonenkis dimension **86** (1) (1998) 81–93
Majumdar, A., *see* D.C. Fisher **50** (1994) 89–91
Majumdar, D., *see* A.S. Hedayat **42** (1993) 31–50
Mak, K.-T. and A.J. Morton, Distances between traveling salesman tours **58** (3) (1995) 281–291
Makedon, F. and I.H. Sudborough, On minimizing width in linear layouts **23** (1989) 243–265
Makino, K. and T. Ibaraki, Interior and exterior functions of Boolean functions **69** (3) (1996) 207–229
Makino, K., K. Yano and T. Ibaraki, Positive and Horn decomposability of partially defined Boolean functions **74** (3) (1997) 251–274
Malich, M., *see* A. Bachem **65** (1-3) (1996) 47–72
Malinowski, A., *see* K. Ciebiera **89** (1-3) (1998) 99–105
Mallion, R.B., *see* T.J.N. Brown **67** (1-3) (1996) 51–66
Mallion, R.B., *see* T.J.N. Brown **75** (2) (1997) 199–200
Malucelli, F., T. Ottmann and D. Pretolani, Efficient labelling algorithms for the maximum noncrossing matching problem **47** (1993) 175–179
Mamer, J.W. and K.E. Schilling, On the growth of random knapsacks **28** (1990) 223–230
Manabe, Y., *see* T. Soneoka **64** (3) (1996) 267–279
Manacher, G.K., *see* M.J. Atallah **21** (1988) 177–183
Manber, R., *see* G. Narasimhan **36** (1992) 47–56
Manber, U., *see* S.W. Bent **18** (1987) 87–94
Manev, N.L., *see* S.M. Dodunekov **12** (1985) 103–114
Manlove, D.F., *see* R.W. Irving **91** (1-3) (1999) 127–141
Manlove, D.F., On the algorithmic complexity of twelve covering and independence parameters of graphs **91** (1-3) (1999) 155–175
Mannila, H. and K.-J. Räihä, On the complexity of inferrring functional dependencies **40** (1992) 237–243
Mannila, H., *see* V. Estivill-Castro **42** (1993) 1–16
Mannila, H., *see* T. Eiter **59** (1) (1995) 23–31
Manning, J. and M.J. Atallah, Fast detection and display of symmetry in outerplanar graphs **39** (1992) 13–35
Manoussakis, Y., A linear-time algorithm for finding Hamiltonian cycles in tournaments (*Note*) **36** (1992) 199–201
Manoussakis, Y., *see* W. Fernandez de la Vega **37/38** (1992) 147–155
Manoussakis, Y., *see* P. Hell **52** (3) (1994) 295–306
Manoussakis, Y., Alternating paths in edge-colored complete graphs **56** (2-3) (1995) 297–309
Manoussakis, Y. and Z. Tuza, The forwarding index of directed networks **68** (3) (1996) 279–291
Mans, B. and C. Roucairol, Performances of parallel branch and bound algorithms with best-first search **66** (1) (1996) 57–74
Mansfield, A., An algorithm for a merge recognition problem **4** (1982) 193–197
Mansfield, A., On the computational complexity of a merge recognition problem **5** (1983) 119–122
Manuel, P.D., *see* E. Dahlhaus **79** (1-3) (1997) 75–89
Maolin, Z., *see* Z. Fuji **36** (1992) 67–73
Marathe, M.V., R. Ravi and C.P. Rangan, Generalized vertex covering in interval graphs (*Note*) **39** (1992) 87–93
Marathe, M.V., H.B. Hunt III and S.S. Ravi, Efficient approximation algorithms for domatic partition and on-line coloring of circular arc graphs **64** (2) (1996) 135–149
Marcus, D.A., Gale diagrams of convex polytopes and positive spanning sets of vectors **9** (1984) 47–67
Marcus-Roberts, H.M., *see* P.C. Fishburn **27** (1990) 209–220

Mardanov, S.S., *see* D.A. Babayev **50** (3) (1994) 209–220
Margot, F., Some complexity results about threshold graphs **49** (1994) 299–308
Margush, T., Distances between trees **4** (1982) 281–290
Maribor, K., I. Gutman, S. Klavžar and B. Mohar, Preface **80** (1) (1997) 1–2
Markowsky, G. and A. Wohlgemuth, Intersection-union systems **6** (1983) 255–262
Marlowe, T.J. and M.C. Paull, Least-cost partition algorithms **22** (1988/89) 215–239
Marrazzini, C., Characterization of the inverse of a particular circulant matrix by means of a continued fraction (*Communication*) **2** (1980) 163–165
Martel, C.U., *see* E.L. Lawler **15** (1986) 291–313
Martelli, M. and M. Pedrazzoli, On pseudounimodular matrices (*Communication*) **42** (1993) 113–117
Martello, S. and P. Toth, A Bound and Bound algorithm for the Zero-One Multiple Knapsack Problem **3** (1981) 275–288
Martello, S., *see* P.M. Camerini **15** (1986) 181–197
Martello, S., *see* G. Laporte **26** (1990) 193–207
Martello, S. and P. Toth, Lower bounds and reduction procedures for the bin packing problem **28** (1990) 59–70
Martello, S., *see* J. Błażewicz **42** (1993) 123–138
Martello, S., *see* M. Dell'Amico **63** (1) (1995) 25–41
Martello, S., F. Soumis and P. Toth, Exact and approximation algorithms for makespan minimization on unrelated parallel machines **75** (2) (1997) 169–188
Martello, S., *see* M. Dell'Amico **76** (1-3) (1997) 103–121
Marthy, C., *see* M. Hasler **50** (2) (1994) 169–184
Martin, W., Fast equi-partitioning of rectangular domains using stripe decomposition **82** (1-3) (1998) 193–207
Martínez A., S., *see* E. Goles Ch. **18** (1987) 39–46
Martini, H. and A. Schöbel, Median hyperplanes in normed spaces – a survey **89** (1-3) (1998) 181–195
Martins, E.Q.V., An algorithm to determine a path with minimal cost/capacity ratio **8** (1984) 189–194
Maskin, E., *see* P.C. Fishburn **1** (1979) 229–252
Mason, F., *see* G. Andreatta **62** (1-3) (1995) 5–13
Massarotti, A., *see* A. Aiello **2** (1980) 159–161
Massarotti, A., *see* A. De Luca **14** (1986) 105–108
Massey, J.D., *see* C.-Y. Lee **20** (1988) 233–242
Masson, P., *see* D. de Werra **26** (1990) 41–49
Mastronarde, D.N., *see* T.D. Schneider **71** (1-3) (1996) 259–268
Masuda, T., H. Ishii and T. Nishida, The mixed shop scheduling problem **11** (1985) 175–186
Masuda, T., *see* H. Ishii **17** (1987) 29–38
Masuda, T. and H. Ishii, Two machine open shop scheduling problem with bi-criteria **52** (3) (1994) 253–259
Masuyama, S., On the tree packing problem (*Note*) **35** (1992) 163–166
Masuyama, S., *see* D.G. Corneil **50** (2) (1994) 135–148
Masuyama, S., *see* P. Cheng **56** (2-3) (1995) 137–155
Masuzawa, T., K. Hagihara and N. Tokura, An optimal time algorithm for the k-vertex-connectivity unweighted augmentation problem for rooted directed trees **17** (1987) 67–105
Matamala, M. and E. Goles, Dynamic behavior of cyclic automata networks **77** (2) (1997) 161–184
Mateescu, A., Gh. Păun, G. Rozenberg and A. Salomaa, Simple splicing systems **84** (1-3) (1998) 145–163
Matias, Y., *see* D. Kandel **71** (1-3) (1996) 171–185
Matsui, T., *see* Y. Ikebe **47** (1993) 227–232
Matsui, T., A. Tamura and Y. Ikebe, Algorithms for finding a Kth best valued assignment **50** (3) (1994) 283–296
Matsui, T. and S. Tamura, Adjacency on combinatorial polyhedra **56** (2-3) (1995) 311–321
Matsui, T., *see* M. Shigeno **56** (2-3) (1995) 333–343
Matsui, T., The minimum spanning tree problem on a planar graph (*Communication*) **58** (1995) 91–94
Matula, D.W. and F. Shahrokhi, Sparsest cuts and bottlenecks in graphs **27** (1990) 113–123
Maurer, H.A., *see* W. Ainhirn **1** (1979) 155–166
Maurer, H.A., A. Salomaa and D. Wood, Colorings and interpretations: A connection between graphs and grammar forms **3** (1981) 119–135
Maurer, H.A., A. Salomaa and D. Wood, Decidability and density in two-symbol grammar forms **3** (1981) 289–299
Maurer, M.C., *see* M. Habib **1** (1979) 201–207

Maurer, U.M., Asymptotically-tight bounds on the number of cycles in generalized de Bruijn–Good graphs **37/38** (1992) 421–436
Maurer, W., Bivalent trees and forests or upper bounds for the probability of a union revisited **6** (1983) 157–171
Mautor, T. and C. Roucairol, A new exact algorithm for the solution of quadratic assignment problems **55** (3) (1994) 281–293
Maybee, J.S., Sign solvable graphs **2** (1980) 57–63
Maybee, J.S., *see* J.R. Lundgren **6** (1983) 319–322
Maybee, J.S., *see* H.J. Greenberg **8** (1984) 255–265
Maybee, J.S., *see* F. Harary **12** (1985) 155–164
Mayoraz, E., *see* E. Amaldi **52** (2) (1994) 111–138
Mazoyer, J. and I. Rapaport, Inducing an order on cellular automata by a grouping operation **91** (1-3) (1999) 177–196
McClurkin, D.J., A lower bound for tree resolution **54** (1) (1994) 37–53
McColl, W.F. and K. Noshita, On the number of edges in the transitive closure of a graph **15** (1986) 67–73
McCormick, S.T., *see* C.-L. Li **26** (1990) 105–115
McCormick, S.T., *see* C.-L. Li **36** (1992) 267–292
McCormick, S.T., *see* T.R. Ervolina **46** (1993) 133–165
McCormick, S.T. and T.R. Ervolina, Computing maximum mean cuts **52** (1) (1994) 53–70
McDiarmid, C., On the chromatic forcing number of a random graph **5** (1983) 123–132
McDiarmid, C., On some conditioning results in the probabilistic analysis of algorithms **10** (1985) 197–201
McDiarmid, C. and Z. Miller, Lattice bandwidth of random graphs **30** (1991) 221–227
McDiarmid, C., *see* K. Edwards **57** (2-3) (1995) 133–144
McDiarmid, C., A doubly cyclic channel assignment problem **80** (2-3) (1997) 263–268
McKee, T.A., Multiterminal duality and three-terminal series-parallelness **18** (1987) 47–53
McKee, T.A., *see* S. Kim **46** (1993) 87–92
McKenna, P.A., *see* D.C. Fisher **84** (1-3) (1998) 93–105
McKeon, K.A., *see* J.W. Kennedy **26** (1990) 121–124
McKeon, K.A., The expected number of symmetries in locally restricted trees II **66** (3) (1996) 245–253
McMorris, F.R., *see* S. Kim **46** (1993) 87–92
McMorris, F.R. and R.C. Powers, Consensus functions on trees that satisfy an independence axiom **47** (1993) 47–55
McMorris, F.R., *see* R.C. Brigham **66** (2) (1996) 101–108
McMorris, F.R., H.M. Mulder and F.S. Roberts, The median procedure on median graphs **84** (1-3) (1998) 165–181
McMorris, F.R., C. Wang and P. Zhang, On probe interval graphs **88** (1-3) (1998) 315–324
McQuistan, R.B., *see* J.L. Hock **8** (1984) 101–104
McRae, A., *see* J. Dunbar **68** (1-2) (1996) 73–84
Medan, Y., *see* A. Hartman **44** (1993) 305–310
Megiddo, N., *see* R. Hassin **30** (1991) 29–42
Megiddo, N., *see* T. Hegedűs **66** (3) (1996) 205–218
Mehlhorn, K. and B.H. Schmidt, On BF-orderable graphs **15** (1986) 315–327
Mehrotra, A., Cardinality constrained Boolean quadratic polytope **79** (1-3) (1997) 137–154
Meidanis, J., O. Porto and G.P. Telles, On the consecutive ones property **88** (1-3) (1998) 325–354
Meijer, P.F.J., *see* R.A. Cuninghame-Green **2** (1980) 267–294
Melamed, I.I., *see* E.Ya. Gabovich **2** (1980) 193–205
Meliksetian, D.S., *see* B.S. Carlson **90** (1-3) (1999) 89–114
Melkman, A.A. and S.E. Shimony, A note on approximate inclusion–exclusion **73** (1) (1997) 23–26
Melliar-Smith, P.M., *see* M. Valerio **54** (1) (1994) 89–96
Mello, C.P., *see* C.M.H. de Figueiredo **91** (1-3) (1999) 293–297
Mendelzon, A.O., *see* J.S. Diamond **45** (1993) 51–62
Meng, J.-X., *see* J.-Z. Wang **80** (2-3) (1997) 177–191
Mercure, H., *see* G. Laporte **18** (1987) 185–197
Merlini, D., D.G. Rogers, R. Sprugnoli and M.C. Verri, Underdiagonal lattice paths with unrestricted steps **91** (1-3) (1999) 197–213
Metz, A., *see* J. Bendisch **52** (2) (1994) 139–153

Meyer, J.C., *see* M.C. Heydemann **23** (1989) 103–123
Meyer, J.C., *see* M.C. Heydemann **37/38** (1992) 287–296
Meyer, R.R., Equivalent constraints for discrete sets **1** (1979) 31–50
Meyer, T.W.S., *see* T.H.C. Smith **26** (1990) 209–217
Meyer, W., *see* P. Brucker **20** (1988) 91–100
Meyniel, H., *see* M. Maamoun **17** (1987) 307–309
Mezey, P.G., *see* F. Harary **19** (1988) 205–214
Mezey, P.G., *see* F. Harary **67** (1-3) (1996) 127–135
Mezník, I., On some structural properties of a subclass of ω-regular languages (*Communication*) **18** (1987) 315–319
Michallon, P. and D. Trystram, Practical experiments of broadcasting algorithms on a configurable parallel computer **53** (1-3) (1994) 291–298
Michelon, P. and N. Maculan, Lagrangean methods for 0-1 quadratic problems **42** (1993) 257–269
Middendorf, M., *see* J.E. Atkins **71** (1-3) (1996) 23–40
Miklós, D., Linear binary codes with intersection properties **9** (1984) 187–196
Miklós, D., *see* J. Demetrovics **40** (1992) 127–138
Miller, G.L., *see* P.B. Gibbons **29** (1990) 35–62
Miller, M., *see* E. Dahlhaus **79** (1-3) (1997) 75–89
Miller, M., *see* P. Horak **91** (1-3) (1999) 119–126
Miller, W., *see* Z. Zhang **71** (1-3) (1996) 337–365
Miller, Z., *see* C. McDiarmid **30** (1991) 221–227
Minaka, N., *see* M. Hanazawa **56** (2-3) (1995) 245–265
Mingozzi, A., S. Ricciardelli and M. Spadoni, Partitioning a matrix to minimize the maximum cost **62** (1-3) (1995) 221–248
Minoux, M., *see* C.C. Ribeiro **10** (1985) 125–137
Minoux, M., *see* A. Billionnet **12** (1985) 1–11
Minoux, M. and K. Barkaoui, Deadlocks and traps in Petri nets as horn-satisfiability solutions and some related polynomially solvable problems **29** (1990) 195–210
Minoux, M., *see* E. Boros **90** (1-3) (1999) 69–88
Mitas, J., *see* K.P. Bogart **60** (1-3) (1995) 93–98
Mitchell, C.J. and F.C. Piper, Key storage in secure networks **21** (1988) 215–228
Mitjana, M., *see* F. Comellas **83** (1-3) (1998) 31–39
Mittal, A.K., *see* A.K. Pujari **5** (1983) 241–242
Miyakawa, M. and I. Stojmenović, Classification of P_{k2} **23** (1989) 179–192
Miyakawa, M., I.G. Rosenberg and I. Stojmenović, Classification of three-valued logical functions preserving 0 **28** (1990) 231–249
Miyano, E., *see* K. Iwama **81** (1-3) (1998) 239–261
Moffat, A., *see* O. Petersson **59** (2) (1995) 153–179
Mohar, B., *see* D. Babić **15** (1986) 11–24
Mohar, B., *see* M. Juvan **36** (1992) 153–168
Mohar, B., A domain monotonicity theorem for graphs and Hamiltonicity **36** (1992) 169–177
Mohar, B., *see* K. Maribor **80** (1) (1997) 1–2
Mohar, B., *see* M. Juvan **80** (1) (1997) 57–71
Möhring, R.H., Triangulating graphs without asteroidal triples **64** (3) (1996) 281–287
Mollard, M., *see* S. Gravier **80** (2-3) (1997) 247–250
Molloy, M., *see* A. Frieze **54** (1) (1994) 77–79
Monien, B. and E. Speckenmeyer, Solving satisfiability in less than 2^n steps **10** (1985) 287–295
Monien, B., *see* R. Feldmann **53** (1-3) (1994) 55–78
Monien, B., *see* R. Klasing **53** (1-3) (1994) 183–197
Monien, B., *see* S. Bezrukov **83** (1-3) (1998) 21–29
Monma, C.L., Sequencing with general precedence constraints **3** (1981) 137–150
Monma, C.L., *see* M.C. Golumbic **9** (1984) 157–170
Monma, C.L., *see* Y.-W. Chang **44** (1993) 205–220
Montuori, V., *see* L. Gargano **36** (1992) 299–306
Mora, T., La queste del Saint Gr_a(AL): A computational approach to local algebra **33** (1991) 161–190

Moran, S., *see* R. Bar-Yehuda **9** (1984) 1–10
Moran, S. and Y. Wolfsthal, Two-page book embedding of trees under vertex-neighborhood constraints **43** (1993) 233–241
Moret, B.M.E., *see* K. Abrahamson **34** (1991) 3–16
Morford, M.P., *see* M.A. Langston **28** (1990) 135–147
Morgana, A., *see* D. Bauer **79** (1-3) (1997) 35–44
Morgana, A., *see* Y. Liu **81** (1-3) (1998) 69–91
Morihara, I., T. Ibaraki and T. Hasegawa, Bin packing and multiprocessors scheduling problems with side constraint on job types **6** (1983) 173–191
Morillo, P., *see* J. Gómez **59** (2) (1995) 103–114
Morillo, P., *see* C. Padró **64** (3) (1996) 239–248
Morris, W.D., The maximum number of complementary facets of a simplicial polytope **36** (1992) 293–298
Morris Jr, W.D., *see* J. Lee **55** (2) (1994) 163–182
Morsy, H., *see* A. Conrad **50** (2) (1994) 125–134
Morton, A.J., *see* K.-T. Mak **58** (3) (1995) 281–291
Morvan, M., *see* P. Baldy **46** (1993) 173–178
Morvan, M., *see* S. Felsner **51** (1-2) (1994) 85–93
Moser, L.E., *see* M. Valerio **54** (1) (1994) 89–96
Moser, W.O.J., Problems, problems, problems **31** (1991) 201–225
Mote, J., *see* F. Glover **2** (1980) 251–254
Mote, J., The family constrained network problem **13** (1986) 249–257
Mottet, Y., *see* A. Hertz **65** (1-3) (1996) 285–318
Motwani, R. and M. Sudan, Computing roots of graphs is hard **54** (1) (1994) 81–88
Moulton, V., *see* A. Dress **71** (1-3) (1996) 95–109
Moulton, V. and M. Steel, Retractions of finite distance functions onto tree metrics **91** (1-3) (1999) 215–233
Moumida, D., *see* M. Cosnard **21** (1988) 21–34
Mount, D.M., *see* T.Y. Kong **16** (1987) 239–243
Muchnik, I.B., *see* J. Demetrovics **40** (1992) 155–185
Mühlbacher, J.R., F.X. Steinparz and G. Tinhofer, On certain classes of fractional matchings **9** (1984) 235–244
Muir, A. and M.W. Warner, Lattice valued relations and automata **7** (1984) 65–78
Mulder, H.M., The majority strategy on graphs **80** (1) (1997) 97–105
Mulder, H.M., *see* F.R. McMorris **84** (1-3) (1998) 165–181
Mulgrew, B., *see* C.Z.W. Hassell Sweatman **81** (1-3) (1998) 19–39
Mullen, G.L., *see* M. Liu **74** (1) (1997) 93–99
Müller, H., *see* D. Kratsch **77** (3) (1997) 259–270
Müller, H., Recognizing interval digraphs and interval bigraphs in polynomial time **78** (1-3) (1997) 189–205
Müller, R., *see* S. Felsner **74** (1) (1997) 13–32
Mullin, R.C., I.M. Onyszchuk, S.A. Vanstone and R.M. Wilson, Optimal normal bases in GF(p^n) **22** (1988/89) 149–161
Munier, A., *see* C. Hanen **57** (2-3) (1995) 167–192
Munier, A., The basic cyclic scheduling problem with linear precedence constraints **64** (3) (1996) 219–238
Munier, A., *see* C. Hanen **81** (1-3) (1998) 93–108
Murgolo, F.D., Anomalous behavior in bin packing algorithms **21** (1988) 229–243
Murota, K., Menger-decomposition of a graph and its application to the structural analysis of a large-scale system of equations **17** (1987) 107–134
Murota, K., Homotopy base of acyclic graphs – A combinatorial analysis of commutative diagrams by means of preordered matroid **17** (1987) 135–155
Murota, K. and S. Fujishige, Finding a homotopy base for directed paths in an acyclic graph **17** (1987) 157–162
Murota, K., Combinatorial dynamical system theory: General framework and controllability criteria **22** (1988/89) 241–265
Murota, K., Principal structure of layered mixed matrices **27** (1990) 221–234
Murota, K., *see* S. Iwata **61** (3) (1995) 229–244
Murphy, O.J., Computing independent sets in graphs with large girth (*Note*) **35** (1992) 167–170
Murtagh, F., Counting dendrograms: A survey **7** (1984) 191–199
Murty, K.G., *see* S.-J. Chung **15** (1986) 199–211

Murty, K.G., A correction to a result in linear programming (*Note*) **20** (1988) 177–180
Murty, K.G., *see* S.Y. Chang **25** (1989) 211–239
Murty, K.G., *see* S.-J. Chung **42** (1993) 139–145
Murty, K.G., On the complexity of a special basis problem in LP **47** (1993) 181–185
Mutchler, D., *see* Y. Zhu **48** (1994) 93–98
Muttoo, S.K., *see* B.K. Dass **2** (1980) 345–348
Muzychuk, M.E., M.H. Klin and N.S. Zefirov, On the mathematical model of triangulanes **67** (1-3) (1996) 175–187
Mycielski, J., *see* H. Abelson **4** (1982) 1–10
Myers, D.C., *see* H.D. Sherali **20** (1988) 51–68
Mysliwietz, P., *see* R. Feldmann **53** (1-3) (1994) 55–78
Naamad, A., D.T. Lee and W.-L. Hsu, On the maximum empty rectangle problem **8** (1984) 267–277
Nachtigall, K., Periodic network optimization with different arc frequencies **69** (1-2) (1996) 1–17
Naddef, D. and C. Santos, One-pass batching algorithms for the one-machine problem **21** (1988) 133–145
Nadeau, J.H., *see* D. Sankoff **71** (1-3) (1996) 247–257
Nagamochi, H. and T. Ibaraki, Multicommodity flows in certain planar directed networks **27** (1990) 125–145
Nair, K.P.K., *see* A.P. Punnen **55** (1) (1994) 91–93
Nakada, H., *see* T. Soneoka **27** (1990) 255–265
Nakajima, K., *see* J. Narasimhan **90** (1-3) (1999) 195–221
Nakamura, A., *see* T. Watanabe **3** (1981) 151–153
Nakamura, A., *see* T. Watanabe **6** (1983) 63–78
Nakamura, A., *see* T. Watanabe **28** (1990) 183–186
Nakamura, M., An extension of elementary bipartite graphs to matroid pairs and its characterization **48** (1994) 285–288
Namasuya, Y., *see* H. Ishii **3** (1981) 263–273
Namiki, M., *see* K. Fukuda **56** (2-3) (1995) 231–243
Namiki, M., *see* K. Fukuda **84** (1-3) (1998) 107–119
Naor, M., Succinct representation of general unlabeled graphs (*Note*) **28** (1990) 303–307
Narasimhan, G. and R. Manber, Stability number and chromatic number of tolerance graphs **36** (1992) 47–56
Narasimhan, J., K. Nakajima and C.S. Rim, A graph theoretical approach for the yield enhancement of reconfigurable VLSI/WSI arrays **90** (1-3) (1999) 195–221
Narayanan, B., *see* V. Bafna **71** (1-3) (1996) 41–53
Narushima, H., *see* M. Hanazawa **56** (2-3) (1995) 245–265
Narushima, H. and M. Hanazawa, A more efficient algorithm for MPR problems in phylogeny **80** (2-3) (1997) 231–238
Nasu, M., An interconnection of local maps inducing onto global maps **2** (1980) 125–150
Natu, M. and S.-C. Fang, The point-to-point connection problem – analysis and algorithms **78** (1-3) (1997) 207–226
Nawijn, W.M., *see* U. Faigle **58** (1) (1995) 13–17
Nawrocki, J.R., *see* J. Błażewicz **10** (1985) 241–253
Negami, S. and K. Kawagoe, Polynomial invariants of graphs with state models **56** (2-3) (1995) 323–331
Nehme, D. and G. Yu, The cardinality and precedence constrained maximum value sub-hypergraph problem and its applications **74** (1) (1997) 57–68
Nemhauser, G.L., *see* W.-L. Hsu **1** (1979) 209–215
Nemhauser, G.L., *see* Y. Ikura **13** (1986) 239–248
Nemhauser, G.L., *see* D. Cao **81** (1-3) (1998) 141–153
Nemoto, T., *see* K. Ando **68** (3) (1996) 237–248
Nešetřil, J., On ordered graphs and graph orderings **51** (1-2) (1994) 113–116
Nešetřil, J., *see* P. Hell **70** (1) (1996) 23–36
Newberg, L.A., The number of clone orderings **69** (3) (1996) 231–243
Ng, M.P. and N.C. Wormald, Reconstruction of rooted trees from subtrees **69** (1-2) (1996) 19–31
Nguyen, S., *see* G. Gallo **42** (1993) 177–201
Nguyen, T.T. and A.R. Sampson, Counting the number of $p \times q$ integer matrices more concordant than a given matrix **11** (1985) 187–205
Nicolas, B., *see* P. Hansen **30** (1991) 181–195

Niemi, G.J., *see* S.C. Basak **19** (1988) 17–44
Niemi, V., Power languages and density **32** (1991) 183–193
Niessen, T., How to find overfull subgraphs in graphs with large maximum degree **51** (1-2) (1994) 117–125
Niessen, T., Optimal channel allocation for several types of cellular radio networks **79** (1-3) (1997) 155–170
Ning, Q., On a conjecture of Foulds and Robinson about deltahedra (*Note*) **18** (1987) 305–308
Nishida, T., *see* H. Ishii **3** (1981) 263–273
Nishida, T., *see* T. Ichimori **6** (1983) 85–89
Nishida, T., *see* T. Masuda **11** (1985) 175–186
Nishida, T., *see* H. Ishii **17** (1987) 29–38
Nishizeki, T., *see* K. Takamizawa **3** (1981) 75–76
Nishizeki, T., T. Asano and T. Watanabe, An approximation algorithm for the hamiltonian walk problem on maximal planar graphs **5** (1983) 211–222
Nishizeki, T., *see* H. Suzuki **27** (1990) 157–178
Nishizeki, T., *see* A. Frank **40** (1992) 363–378
Nishizeki, T. and S. Poljak, k-Connectivity and decomposition of graphs into forests **55** (3) (1994) 295–301
Nölle, M., *see* T. Andreae **79** (1-3) (1997) 3–34
Norris, N., Universal covers of graphs: isomorphism to depth n-1 implies isomorphism to all depths **56** (1) (1995) 61–74
Noshita, K., *see* W.F. McColl **15** (1986) 67–73
Novick, B., *see* F. Glover **13** (1986) 277–286
Nowakowski, R., I. Rival and J. Urrutia, Representing orders on the plane by translating points and lines **27** (1990) 147–156
Nowakowski, R.J., Search and sweep numbers of finite directed acyclic graphs **41** (93) 1–11
Nowicki, E. and S. Zdrzałka, A survey of results for sequencing problems with controllable processing times **26** (1990) 271–287
Nowicki, E. and C. Smutnicki, New results in the worst-case analysis for flow-shop scheduling **46** (1993) 21–41
Nowicki, E. and C. Smutnicki, An approximation algorithm for a single-machine scheduling problem with release times and delivery times **48** (1994) 69–79
Nowicki, E. and S. Zdrzałka, A bicriterion approach to preemptive scheduling of parallel machines with controllable job processing times **63** (3) (1995) 237–256
Noy, M., *see* E. Kranakis **75** (1) (1997) 71–80
Noy, M., *see* H. Everett **91** (1-3) (1999) 67–82
Nutov, Z. and M. Penn, On the integral dicycle packings and covers and the linear ordering polytope **60** (1-3) (1995) 293–309
Oberlin, A., *see* M. Hasler **50** (2) (1994) 169–184
O'Connor, L., Nondegenerate functions and permutations **73** (1) (1997) 41–57
Oda, Y., *see* H. Enomoto **87** (1-3) (1998) 57–65
Oellermann, O.R., *see* L.W. Beineke **68** (3) (1996) 249–258
Oellermann, O.R., *see* G.H. Fricke **68** (1-2) (1996) 85–91
Oellermann, O.R., *see* P. Dankelmann **79** (1-3) (1997) 91–103
Oellermann, O.R., *see* E. Kubicka **81** (1-3) (1998) 181–190
Oh, A.D., *see* S.-K. Lee **75** (1) (1997) 81–91
Ohnishi, M., *see* N. Katoh **35** (1992) 275–291
Öhring, S.R., *see* F. Bao **83** (1-3) (1998) 3–20
Ohtsuka, K., *see* Y. Dai **65** (1-3) (1996) 167–190
Okamura, H., Multicommodity flows in graphs **6** (1983) 55–62
Olariu, S., Some aspects of the semi-perfect elimination **31** (1991) 291–298
Olariu, S., *see* B. Jamison **34** (1991) 151–164
Olariu, S., *see* B. Jamison **35** (1992) 115–129
Olariu, S., *see* B. Jamison **61** (2) (1995) 155–175
Olariu, S., *see* D. Bhagavathi **77** (3) (1997) 201–220
Olariu, S., *see* R. Lin **81** (1-3) (1998) 191–215
Olariu, S., *see* L. Babel **84** (1-3) (1998) 1–13
Oliveira, A.A.F., *see* J.L. Szwarcfiter **10** (1985) 313–321
Olivos, J., *see* E. Goles **3** (1981) 93–105

Onn, S., *see* N. Alon **91** (1-3) (1999) 39–51
Onyszchuk, I.M., *see* R.C. Mullin **22** (1988/89) 149–161
Oosten, M., *see* E. Balas **87** (1-3) (1998) 1–9
Opatrny, J., *see* M.C. Heydemann **37/38** (1992) 287–296
Opatrny, J., *see* M.C. Heydemann **37/38** (1992) 297–317
Ordaz, O., *see* W. Fernandez de la Vega **86** (2-3) (1998) 201–211
Orlin, J.B., *see* R.M. Karp **3** (1981) 37–45
Orlin, J.B., *see* R. Shull **23** (1989) 267–283
Orlin, J.B., *see* R. Shull **41** (93) 13–53
Orlitsky, A. and S.S. Venkatesh, On edge-colored interior planar graphs on a circle and the expected number of RNA secondary structures **64** (2) (1996) 151–178
Orman, A.J. and C.N. Potts, On the complexity of coupled-task scheduling **72** (1-2) (1997) 141–154
Ossona de Mendez, P., *see* H. de Fraysseix **56** (2-3) (1995) 157–179
Ota, K., *see* H. Enomoto **87** (1-3) (1998) 57–65
Ottmann, T. and D. Wood, Defining families of trees with E0L grammars **32** (1991) 195–209
Ottmann, T., *see* F. Malucelli **47** (1993) 175–179
Otto, F., Classes of regular and context-free languages over countably infinite alphabets **12** (1985) 41–56
Ouyang, M., How good are branching rules in DPLL? **89** (1-3) (1998) 281–286
Owen, J.H., *see* S. Chopra **90** (1-3) (1999) 115–133
Owens, R.M., *see* M. Borah **90** (1-3) (1999) 51–67
Oxley, J. and D. Row, Panelling planar graphs **81** (1-3) (1998) 109–122
Ozawa, T., The principal partition of a pair of graphs and its applications **17** (1987) 163–186
Pacciarelli, D., *see* A. Agnetis **72** (3) (1997) 243–260
Pacciarelli, D., *see* C. Arbib **92** (1) (1999) 1–15
Pachter, L., Constructing status injective graphs **80** (1) (1997) 107–113
Padró, C., *see* J. Gómez **59** (2) (1995) 103–114
Padró, C., P. Morillo and E. Llobet, Diameter-vulnerability of large bipartite digraphs **64** (3) (1996) 239–248
Padró, C., *see* J. Gómez **89** (1-3) (1998) 107–123
Palka, Z. and A. Ruciński, On the order of the largest induced tree in a random graph **15** (1986) 75–83
Pallotino, S., *see* G. Gallo **42** (1993) 177–201
Pallottino, S., *see* G. Gallo **4** (1982) 23–35
Palmer, D., D. Row, R. Stee and S. Wotherspoon, Rigidity of octahedral-tetrahedral trusses **86** (2-3) (1998) 249–262
Palmer, E.M., *see* C.K. Bailey **5** (1983) 157–164
Palmer, E.M., *see* J.W. Kennedy **26** (1990) 121–124
Palmer, E.M., *see* J. Gimbel **34** (1991) 121–128
Pan, L., On the security of p-party protocols **20** (1988) 127–144
Panconesi, A., *see* D.P. Bovet **16** (1987) 113–123
Pandu Rangan, C. and R. Govindan, An $O(n \log n)$ algorithm for a maxmin location problem (*Note*) **36** (1992) 203–205
Pandu Rangan, C., *see* G.J. Chang **63** (3) (1995) 215–222
Pandu Rangan, C., *see* C.R. Satyan **68** (3) (1996) 293–302
Pandu Rangan, C., *see* D.G. Kirkpatrick **89** (1-3) (1998) 143–153
Pansiot, J.-J., A propos d'une conjecture de F. Dejean sur les répétitions dans les mots **7** (1984) 297–311
Paoli, M., Comparison of mean distance in superposed networks **8** (1984) 279–287
Papadimitriou, C.H., P. Serafini and M. Yannakakis, Computing the throughput of a network with dedicated lines **42** (1993) 271–278
Papastavridis, S., *see* F.K. Hwang **30** (1991) 83–86
Papenjohann, W., *see* P. Brucker **10** (1985) 1–18
Parberry, I., An efficient algorithm for the Knight's tour problem **73** (1997) 251–260
Parberry, I., *see* O. Kyek **74** (2) (1997) 171–181
Pardalos, P.M. and J.Γ. Rosen, Bounds for the solution set of linear complementarity problems **17** (1987) 255–261
Park, J.-H., *see* H.-S. Lim **69** (1-2) (1996) 83–99
Park, J.K., *see* W.W. Bein **58** (2) (1995) 97–109

Park, K. and S. Park, Lifting cover inequalities for the precedence-constrained knapsack problem **72** (3) (1997) 219–241
Park, S., *see* K. Park **72** (3) (1997) 219–241
Parker, J.D., The period of the Fibonacci random number generator **20** (1988) 145–164
Parker, R.G., *see* S.B. Horton **56** (1) (1995) 19–35
Parra, A., *see* T. Andreae **46** (1993) 73–78
Parra, A. and P. Scheffler, Characterizations and algorithmic applications of chordal graph embeddings **79** (1-3) (1997) 171–188
Parra, A., Triangulating multitolerance graphs **84** (1-3) (1998) 183–197
Paterson, M. and T. Przytycka, On the complexity of string folding **71** (1-3) (1996) 217–230
Paterson, M.S., *see* M.J. Fischer **90** (1-3) (1999) 135–159
Pathak, P.K., *see* W.W. Bein **58** (2) (1995) 97–109
Pattloch, M. and G. Schmidt, Lot-size scheduling of two types of jobs on identical machines **65** (1-3) (1996) 409–419
Paull, M., *see* J. Franco **5** (1983) 77–87
Paull, M.C., *see* T.J. Marlowe **22** (1988/89) 215–239
Păun, G., *see* G. Istrate **55** (1) (1994) 83–86
Păun, G. and A. Salomaa, Thin and slender languages **61** (3) (1995) 257–270
Păun, G., *see* M. Lipponen **63** (2) (1995) 193–197
Păun, G., On the splicing operation **70** (1) (1996) 57–79
Păun, Gh., *see* A. Mateescu **84** (1-3) (1998) 145–163
Paz, A., *see* S. Even **7** (1984) 285–296
Paz, A., A duality property for the set of all feasible solutions to an integer program **14** (1986) 57–66
Paz, A., *see* H. Krawczyk **23** (1989) 289–291
Pearson, W.R., G. Robins, D.E. Wrege and T. Zhang, On the primer selection problem in polymerase chain reaction experiments **71** (1-3) (1996) 231–246
Peck, G.W., *see* D.-Z. Du **37/38** (1992) 169–177
Pedrazzoli, M., *see* M. Martelli **42** (1993) 113–117
Peine, R., *see* R. Klasing **53** (1-3) (1994) 183–197
Peitgen, H.-O., *see* J.-P. Allouche **66** (1) (1996) 1–22
Pelc, A., *see* B.S. Chlebus **53** (1-3) (1994) 15–24
Pelc, A., *see* A.M. Farley **83** (1-3) (1998) 61–77
Pelc, A., *see* L. Gąsieniec **83** (1-3) (1998) 121–133
Pelc, A., *see* K. Diks **87** (1-3) (1998) 33–47
Peled, U., *see* F. Harary **16** (1987) 11–15
Peled, U. and F. Sun, Total matchings and total coverings of threshold graphs **49** (1994) 325–330
Peled, U.N. and B. Simeone, Polynomial-time algorithms for regular set-covering and threshold synthesis **12** (1985) 57–69
Peled, U.N., *see* N.V.R. Mahadev **21** (1988) 113–131
Peled, U.N., *see* P.L. Hammer **28** (1990) 35–44
Peled, U.N. and M.K. Srinivasan, Vicinal orders of trees **29** (1990) 211–219
Peled, U.N., *see* S.R. Arikati **44** (1993) 185–190
Peled, U.N. and B. Simeone, An O(nm)-time algorithm for computing the dual of a regular Boolean function **49** (1994) 309–323
Peled, U.N. and F. Sun, Enumeration of difference graphs **60** (1-3) (1995) 311–318
Peled, U.N., *see* S.R. Arikati **65** (1-3) (1996) 5–20
Peled, U.N., *see* D. de Werra **68** (1-2) (1996) 169–188
Peleg, D., *see* G. Kortsarz **53** (1-3) (1994) 211–234
Peleg, D. and A. Wool, The availability of crumbling wall quorum systems **74** (1) (1997) 69–83
Peleg, D., Size bounds for dynamic monopolies **86** (2-3) (1998) 263–273
Pellegrin, D., *see* E. Goles-Chacc **12** (1985) 261–277
Penaud, J.G., Matrice de ramification des arbres binaires **31** (1991) 1–21
Penn, M., *see* E. Korach **47** (1993) 77–83
Penn, M., *see* Z. Nutov **60** (1-3) (1995) 293–309
Penn, M., *see* F. Granot **70** (3) (1996) 267–283

Penne, R., Isostatic bar and joint frameworks in the plane with irreducible pure conditions **55** (1) (1994) 37–57
Penny, D., *see* M. Steel **88** (1-3) (1998) 367–396
Penrice, S.G., On-line algorithms for ordered sets and comparability graphs **60** (1-3) (1995) 319–329
Perennes, S., A proof of Jean de Rumeur's conjecture **74** (3) (1997) 295–299
Perennes, S., Broadcasting and gossiping on de Bruijn, shuffle-exchange and similar networks **83** (1-3) (1998) 247–262
Pérennes, S., *see* B. Beauquier **84** (1-3) (1998) 15–20
Perennes, S., *see* J.-C. Bermond **84** (1-3) (1998) 21–42
Perennes, S., *see* J.-C. Bermond **86** (2-3) (1998) 145–155
Perennes, S., *see* J. Gómez **89** (1-3) (1998) 107–123
Perl, Y., *see* D.G. Corneil **9** (1984) 27–39
Perl, Y. and U. Vishkin, Efficient implementation of a shifting algorithm **12** (1985) 71–80
Perl, Y., Better understanding of Batcher's merging networks **25** (1989) 257–271
Perl, Y., *see* M. Lucertini **42** (1993) 227–256
Perl, Y., *see* E. Agasi **45** (1993) 1–28
Perl, Y., *see* R.I. Becker **62** (1-3) (1995) 15–34
Perlin, M., *see* G. Lancia **88** (1-3) (1998) 291–314
Péroche, B., NP-Completeness of some problems of partitioning and covering in graphs **8** (1984) 195–208
Persiano, R.C.M., *see* J.L. Szwarcfiter **10** (1985) 313–321
Pesch, E., *see* A. Kolen **48** (1994) 273–284
Pesch, E. and F. Glover, TSP ejection chains **76** (1-3) (1997) 165–181
Peters, D.B. and J.G. Peters, Bounded depth broadcasting **66** (3) (1996) 255–270
Peters, J.G., *see* J.-C. Bermond **36** (1992) 97–130
Peters, J.G., *see* A.L. Liestman **37/38** (1992) 401–419
Peters, J.G., *see* L. Gargano **53** (1-3) (1994) 135–148
Peters, J.G., *see* S. Mahajan **54** (2-3) (1994) 229–250
Peters, J.G., *see* D.B. Peters **66** (3) (1996) 255–270
Peters, J.G., *see* J.O. Kane **83** (1-3) (1998) 207–228
Peters, K., *see* M.S. Jacobson **44** (1993) 91–97
Petersson, O., *see* C. Levcopoulos **40** (1992) 423–431
Petersson, O. and A. Moffat, A framework for adaptive sorting **59** (2) (1995) 153–179
Peusner, L., Space-time 'bonds', electromagnetism and graphs **19** (1988) 305–315
Pevzner, P., *see* S. Istrail **71** (1-3) (1996) 1–4
Peyrat, C., Diameter vulnerability of graphs **9** (1984) 245–250
Peyrat, C., *see* N. Homobono **24** (1989) 179–186
Peyrat, C., *see* C. Garcia **75** (2) (1997) 125–133
Pfaff, J., *see* S.T. Hedetniemi **13** (1986) 287–292
Pfeiffer, F., A note on the half-integral multiflow-problem restricted to minor-closed classes of graphs **51** (1-2) (1994) 127–135
Pferschy, U., D. Pisinger and G.J. Woeginger, Simple but efficient approaches for the collapsing knapsack problem **77** (3) (1997) 271–280
Phelps, K.T., *see* C.J. Colbourn **4** (1982) 103–111
Phillips, C. and T.J. Warnow, The asymmetric median tree – A new model for building consensus trees **71** (1-3) (1996) 311–335
Phillips, C.A., *see* L.A. Goldberg **71** (1-3) (1996) 111–136
Phillips, F., *see* R. Armstrong **1** (1979) 1–14
Phillips, N.V., A new variant of the partitioning shortest path algorithm **13** (1986) 207–212
Piazza, B.L. and R.D. Ringeisen, Connectivity of generalized prisms over G **30** (1991) 229–233
Piccinonno, F., *see* G. Gallo **72** (1-2) (1997) 85–98
Picouleau, C., New complexity results on scheduling with small communication delays **60** (1-3) (1995) 331–342
Pin, J.-E., *see* J.-M. Champarnaud **23** (1989) 91–96
Pinter, R.Y., *see* İ. Dagan **21** (1988) 35–46
Piper, F.C., *see* C.J. Mitchell **21** (1988) 215–228
Piper, F.C., *see* A.J. Bromfield **27** (1990) 187–193

Pippenger, N., Knots in random walks **25** (1989) 273–278
Pippenger, N., *see* Y. Azar **27** (1990) 49–58
Pippenger, N., The asymptotic optimality of spider-web networks **37/38** (1992) 437–450
Pippert, R.E., *see* K.S. Bagga **37/38** (1992) 13–28
Pippert, R.E., *see* L.W. Beineke **68** (3) (1996) 249–258
Pirlot, M., Synthetic description of a semiorder **31** (1991) 299–308
Pisanski, T., *see* D. Babić **15** (1986) 11–24
Pisinger, D., *see* U. Pferschy **77** (3) (1997) 271–280
Pisinger, D., A fast algorithm for strongly correlated knapsack problems **89** (1-3) (1998) 197–212
Pittel, B., *see* H.M. Mahmoud **20** (1988) 243–251
Pixton, D., Regularity of splicing languages **69** (1-2) (1996) 101–124
Plaisted, D.A. and S. Zaks, An NP-complete matching problem **2** (1980) 65–72
Plateau, G., *see* D. Fayard **49** (1994) 175–187
Plateau, G., *see* A. Freville **49** (1994) 189–212
Plath, P.J., *see* E.C. Hass **19** (1988) 215–237
Plávka, J., *see* P. Butkovič **23** (1989) 45–53
Plesník, J., A heuristic for the p-center problem in graphs **17** (1987) 263–268
Plesník, J., Heuristics for the Steiner problem in graphs **37/38** (1992) 451–463
Pless, V.S., *see* R.A. Brualdi **25** (1989) 3–17
Plotkin, J.M., *see* J. Franco **17** (1987) 295–299
Plummer, M.D., *see* B. Hartnell **64** (1) (1996) 57–65
Poblete, P.V., *see* R.G. Karlsson **6** (1983) 91–93
Pochet, Y. and L.A. Wolsey, Integer knapsack and flow covers with divisible coefficients: polyhedra, optimization and separation **59** (1) (1995) 57–74
Poguntke, W., On reliable graphs with static routing plans **51** (1-2) (1994) 137–146
Polansky, O.E., *see* I. Gutman **19** (1988) 195–203
Politof, T., *see* D. Gale **3** (1981) 175–186
Poljak, S., V. Rödl and D. Turzík, Complexity of representation of graphs by set systems **3** (1981) 301–312
Poljak, S., A. Pultr and V. Rödl, On qualitatively independent partitions and related problems **6** (1983) 193–205
Poljak, S. and D. Turzík, On an application of convexity to discrete systems **13** (1986) 27–32
Poljak, S. and D. Turzík, On pre-periods of discrete influence systems **13** (1986) 33–39
Poljak, S., *see* M. Chrobak **20** (1988) 101–111
Poljak, S., *see* J. Kratochvíl **36** (1992) 253–266
Poljak, S., *see* T. Nishizeki **55** (3) (1994) 295–301
Poljak, S. and F. Rendl, Solving the max-cut problem using eigenvalues **62** (1-3) (1995) 249–278
Pollack, R., *see* J.E. Goodman **31** (1991) 167–180
Pollak, P., *see* T.J.N. Brown **67** (1-3) (1996) 51–66
Pollak, P., *see* T.J.N. Brown **75** (2) (1997) 199–200
Popescu, D.R. and I. Tomescu, Negative cycles in complete signed graphs **68** (1-2) (1996) 145–152
Porto, O., *see* J. Meidanis **88** (1-3) (1998) 325–354
Posner, M.E., *see* H. Belouadah **36** (1992) 213–231
Pospíchal, J., *see* V. Baláž **35** (1992) 1–19
Pospíchal, J. and V. Kvasníčka, Pruning the search tree in the constructive enumeration of molecular graphs **67** (1-3) (1996) 189–207
Potts, C.N., *see* A.M.A. Hariri **5** (1983) 99–109
Potts, C.N., Analysis of a linear programming heuristic for scheduling unrelated parallel machines **10** (1985) 155–164
Potts, C.N., *see* T.S. Abdul-Razaq **26** (1990) 235–253
Potts, C.N., *see* H. Belouadah **36** (1992) 213–231
Potts, C.N., *see* H. Belouadah **48** (1994) 201–218
Potts, C.N., *see* A.J. Orman **72** (1-2) (1997) 141–154
Pounder, J.R., *see* T.D. Rogers **4** (1982) 199–210
Powers, D.L., *see* N. Abu-Jaradeh **52** (1) (1994) 1–16
Powers, R.C., *see* F.R. McMorris **47** (1993) 47–55
Powers, R.C., Arrow's Theorem for closed weak hierarchies **66** (3) (1996) 271–278

Prasanna Kumar, V.K., *see* K. Heinrich **37/38** (1992) 281–286
Preissmann, M., *see* F. Maffray **52** (3) (1994) 307–312
Preissmann, M., *see* J. Lehel **65** (1-3) (1996) 387–407
Prékopa, A., The discrete moment problem and linear programming **27** (1990) 235–254
Pretolani, D., *see* F. Malucelli **47** (1993) 175–179
Pretolani, D., *see* G. Gallo **60** (1-3) (1995) 159–179
Price, W.L. and F.W. Woodhams, Combinatorial optimisation algorithms for a CAD workstation **26** (1990) 219–233
Prisco, R.D. and A.D. Santis, Catastrophic faults in reconfigurable systolic linear arrays **75** (2) (1997) 105–123
Prisner, E., Algorithms for interval catch digraphs **51** (1-2) (1994) 147–157
Prisner, E., Clique covering and clique partition in generalizations of line graphs **56** (1) (1995) 93–98
Prodinger, H. and F.J. Urbanek, On monotone functions of tree structures **5** (1983) 223–239
Prodinger, H., *see* P. Kirschenhofer **25** (1989) 129–143
Prömel, H.J. and A. Steger, Excluding induced subgraphs II: extremal graphs **44** (1993) 283–294
Proskurowski, A., *see* A.M. Farley **2** (1980) 185–191
Proskurowski, A., *see* S. Arnborg **23** (1989) 11–24
Proskurowski, A., *see* J.A. Telle **44** (1993) 109–117
Proskurowski, A., *see* A.M. Farley **53** (1-3) (1994) 37–53
Proskurowski, A., *see* A.M. Farley **83** (1-3) (1998) 61–77
Protasi, M., *see* G. Gambosi **73** (1) (1997) 13–22
Provan, J.S., *see* C.J. Colbourn **60** (1-3) (1995) 119–129
Provan, J.S., *see* M.O. Ball **85** (1) (1998) 25–45
Provan, J.S., *see* C. Alexopoulos **91** (1-3) (1999) 25–38
Pruhs, K.R., Using local adaptations to reconfigure a spanning tree of a network **57** (1) (1995) 67–74
Przytycka, T., *see* D.G. Kirkpatrick **29** (1990) 79–96
Przytycka, T., *see* M. Paterson **71** (1-3) (1996) 217–230
Puech, C., *see* G. D'atri **4** (1982) 329–334
Pujari, A.K., A.K. Mittal and S.K. Gupta, A convex polytope of diameter one (*Note*) **5** (1983) 241–242
Pulleyblank, W.R., Fractional matchings and the Edmonds–Gallai theorem **16** (1987) 51–58
Pulleyblank, W.R., *see* F. Barahona **16** (1987) 91–99
Pulleyblank, W.R., *see* J.-M. Bourjolly **24** (1989) 63–82
Pultr, A., *see* S. Poljak **6** (1983) 193–205
Pultr, A. and J. Úlehla, Remarks on strategies in combinatorial games **12** (1985) 165–173
Punnen, A.P., *see* M.B. Richey **39** (1992) 147–153
Punnen, A.P. and K.P.K. Nair, Improved complexity bound for the maximum cardinality bottleneck bipartite matching problem **55** (1) (1994) 91–93
Punnen, A.P., *see* I. Averbakh **63** (3) (1995) 201–214
Punnen, A.P. and Y.P. Aneja, Minimum dispersion problems **75** (1) (1997) 93–102
Qi, L., *see* E. Balas **43** (1993) 1–12
Qiongxiang, H., *see* Z. Huaxiao **73** (1) (1997) 59–67
Qiu, K., *see* S. Akl **34** (1991) 27–35
Queyranne, M., *see* P.L. Hammer **30** (1991) 163–179
Queyranne, M. and D. Sun, The performance ratio of grouping policies for the joint replenishment problem **46** (1993) 43–72
Queyranne, M., *see* A. Hertz **65** (1-3) (1996) 1–3
Queyranne, M. and F.C.R. Spieksma, Approximation algorithms for multi-index transportation problems with decomposable costs **76** (1-3) (1997) 239–253
Quilliot, A. and S.X. Chao, Algorithmic characterizations of interval ordered hypergraphs and applications **51** (1-2) (1994) 159–170
Quintas, L.V., *see* J.W. Kennedy **5** (1983) 191–209
Quintas, L.V., *see* C.W. Haigh **7** (1984) 141–160
Quintas, L.V., *see* R. Gross **19** (1988) 177–194
Quintas, L.V., *see* K.T. Balińska **67** (1-3) (1996) 13–25
Quisquater, J.J., *see* J.-C. Bermond **37/38** (1992) 575–577
Rader, Jr, D.J., *see* E. Boros **90** (1-3) (1999) 69–88

Radermacher, F.J., Schedule-induced posets **14** (1986) 67–91
Ragde, P., *see* V. Grolmusz **29** (1990) 63–78
Raghavachari, B., *see* S. Khuller **69** (3) (1996) 279–287
Raghavachari, B., *see* S. Khuller **70** (3) (1996) 217–229
Raghavan, P., Integer programming in VLSI design **40** (1992) 29–43
Räihä, K.-J., *see* H. Mannila **40** (1992) 237–243
Rais, A., *see* C.R. Coullard **66** (1) (1996) 33–43
Rajpal, S., On paving matroids and a generalization of MDS codes **60** (1-3) (1995) 343–347
Rall, D.F., *see* G. Gunther **46** (1993) 167–172
Ramachandran, S., *see* H.D. Sherali **49** (1994) 357–378
Rampon, J.-X., *see* V. Bouchitté **48** (1994) 87–92
Rampon, J.-X., *see* S. Felsner **51** (1-2) (1994) 85–93
Randolph, W., *see* F. Harary **67** (1-3) (1996) 127–135
Rangan, C.P., *see* S.R. Arikati **31** (1991) 71–74
Rangan, C.P., *see* M.V. Marathe **39** (1992) 87–93
Rangan, C.P., *see* V. Balachandhran **69** (1-2) (1996) 169–182
Rao, H.R., *see* S. Kaparthi **31** (1991) 279–289
Rao, M.R., *see* S. Chopra **61** (1) (1995) 27–48
Rao, M.R., *see* M. Conforti **62** (1-3) (1995) 103–117
Rapaport, I., *see* J. Mazoyer **91** (1-3) (1999) 177–196
Rardin, R.L. and M. Sudit, Paroids: a canonical format for combinatorial optimization **39** (1992) 37–56
Rardin, R.L. and M. Sudit, Paroid search: generic local combinatorial optimization **43** (1993) 155–174
Rardin, R.L., *see* C.R. Coullard **66** (1) (1996) 33–43
Raspaud, A., *see* D. Barth **56** (2-3) (1995) 127–136
Raspaud, A., *see* R. Labahn **75** (2) (1997) 157–168
Ratliff, H.D., *see* A.V. Iyer **30** (1991) 43–52
Ratliff, H.D., *see* C. Alexopoulos **91** (1-3) (1999) 25–38
Ratsaby, J., *see* V. Maiorov **86** (1) (1998) 81–93
Ravi, R., *see* M.V. Marathe **39** (1992) 87–93
Ravi, R., *see* V. Bafna **71** (1-3) (1996) 41–53
Ravi, R. and J.D. Kececioglu, Approximation algorithms for multiple sequence alignment under a fixed evolutionary tree **88** (1-3) (1998) 355–366
Ravi, S.S., On the orderability problem for PLA folding (*Note*) **25** (1989) 317–320
Ravi, S.S., *see* M.V. Marathe **64** (2) (1996) 135–149
Ravid, Y., *see* N. Alon **27** (1990) 25–28
Ravishankar, K. and S. Singh, Broadcasting on $[0,L]$ **53** (1-3) (1994) 299–319
Ravishankar, K. and S. Singh, Asymptotically optimal gossiping in radio networks **61** (1) (1995) 61–82
Rayan, J., Fractional total colouring (*Communication*) **27** (1990) 287–292
Raychaudhuri, A., Optimal multiple interval assignments in frequency assignment and traffic phasing **40** (1992) 319–332
Rayward-Smith, V.J., UET scheduling with unit interprocessor communication delays **18** (1987) 55–71
Raz, Y., Interactive L systems with a fast local growth **22** (1988/89) 163–179
Razborov, A., *see* S. Jukna **85** (3) (1998) 223–238
Recski, A. and M. Iri, Network theory and transversal matroids **2** (1980) 311–326
Recski, A., A network theory approach to the rigidity of skeletal structures. Part I. Modelling and interconnection **7** (1984) 313–324
Recski, A., A network theory approach to the rigidity of skeletal structures. Part II. Laman's theorem and topological formulae **8** (1984) 63–68
Recski, A. and W. Schwärzler, One-story buildings as tensegrity frameworks III **39** (1992) 137–146
Reder, C., *see* J.-P. Allouche **8** (1984) 215–254
Reed, B., Rooted routing in the plane **57** (1995) 213–227
Reed, B., *see* H. Everett **72** (3) (1997) 209–218
Regal, R.R., *see* S.C. Basak **19** (1988) 17–44
Regner, S., *see* L.D. Andersen **85** (2) (1998) 99–112
Reich, G., *see* E. Ihler **90** (1-3) (1999) 173–194

Reid, K.B., *see* C. Cordes **14** (1986) 255–262
Reid, K.B., The relationship between two algorithms for decisions via sophisticated majority voting with an agenda **31** (1991) 23–28
Reid, K.B., The k-ball l-path branch weight centroid **80** (2-3) (1997) 239–246
Reischer, C., *see* D. Simovici **15** (1986) 111–116
Reischer, C., *see* D.A. Simovici **24** (1989) 247–260
Reischuk, R., *see* A. Jakoby **83** (1-3) (1998) 179–206
Remmel, J.B., *see* Ö. Eğecioğlu **34** (1991) 107–120
Rendl, F., *see* S. Poljak **62** (1-3) (1995) 249–278
Rescigno, A.A., *see* L. Gargano **83** (1-3) (1998) 97–119
Ribeiro, C.C. and M. Minoux, A heuristic approach to hard constrained shortest path problems **10** (1985) 125–137
Ribeiro, C.C., *see* C.C. De Souza **45** (1993) 205–220
Ribeiro, C.C., *see* A. Hertz **50** (3) (1994) 255–265
Ricciardelli, S., *see* A. Mingozzi **62** (1-3) (1995) 221–248
Richards, D., *see* A.L. Liestman **7** (1984) 183–189
Richards, D., *see* C. Williams **27** (1990) 267–276
Richards, D., *see* L. Gargano **53** (1-3) (1994) 135–148
Richards, G.W., *see* F.K. Hwang **39** (1992) 231–240
Richelle, J., *see* R. Thomas **19** (1988) 381–396
Richey, M.B., Improved bounds for harmonic-based bin packing algorithms **34** (1991) 203–227
Richey, M.B. and A.P. Punnen, Minimum perfect bipartite matchings and spanning trees under categorization **39** (1992) 147–153
Richter, R.J., *see* P.N. Delivorias **50** (3) (1994) 221–237
Rifà, J. and L. Huguet, Classification of a class of distance-regular graphs via completely regular codes **26** (1990) 289–300
Righini, G. and M. Trubian, Data-dependent bounds for the general and the asymmetric Stacker–Crane problems **91** (1-3) (1999) 235–242
Riihonen, A.I., A note on perfect Lee-codes (*Communication*) **2** (1980) 259–260
Rim, C.S., *see* J. Narasimhan **90** (1-3) (1999) 195–221
Ringeisen, R.D., *see* B.L. Piazza **30** (1991) 229–233
Rinnooy Kan, A.H.G., *see* J. Błażewicz **5** (1983) 11–24
Rinnooy Kan, A.H.G., *see* M.L. Fisher **5** (1983) 65–75
Rinnooy Kan, A.H.G., An introduction to the analysis of approximation algorithms **14** (1986) 171–185
Rinnooy Kan, A.H.G., *see* J.B.G. Frenk **14** (1986) 187–197
Rinnooy Kan, A.H.G., L. Stougie and C. Vercellis, A class of generalized greedy algorithms for the multi-knapsack problem **42** (1993) 279–290
Rinnooy Kan, A.H.G., *see* A.W.J. Kolen **55** (2) (1994) 145–162
Rival, I., *see* M.H. El-Zahar **11** (1985) 143–156
Rival, I., *see* R. Nowakowski **27** (1990) 147–156
Rivera-Campo, E., *see* J. Czyzowicz **50** (2) (1994) 149–157
Rivera-Campo, E., *see* J. Czyzowicz **51** (3) (1994) 325–328
Robert, J.-M., *see* M.E. Houle **43** (1993) 217–232
Robert, Y. and M. Tchuente, Connection-graph and iteration-graph of monotone boolean functions **11** (1985) 245–253
Roberts, F.S., *see* M.B. Cozzens **6** (1983) 217–228
Roberts, F.S. and J.E. Steif, A characterization of competition graphs of arbitrary digraphs (*Note*) **6** (1983) 323–326
Roberts, F.S., Applications of Ramsey theory **9** (1984) 251–261
Roberts, F.S., Applications of edge coverings by cliques **10** (1985) 93–109
Roberts, F.S. and Z. Rosenbaum, Tight and loose value automorphisms **22** (1988/89) 69–79
Roberts, F.S., *see* P.C. Fishburn **27** (1990) 209–220
Roberts, F.S., Meaningfulness of conclusions from combinatorial optimization **29** (1990) 221–241
Roberts, F.S., *see* D. de Werra **30** (1991) 137–149
Roberts, F.S., *see* K.A.S. Hefner **32** (1991) 241–262

Roberts, F.S., *see* P.C. Fishburn **44** (1993) 261–281
Roberts, F.S., *see* S. Kim **46** (1993) 87–92
Roberts, F.S. and Y. Xu, On the optimal strongly connected orientations of city street graphs IV: Four east-west avenues or north-south streets **49** (1994) 331–356
Roberts, F.S., *see* J.-P. Barthélemy **60** (1-3) (1995) 39–76
Roberts, F.S., *see* N.V.R. Mahadev **76** (1-3) (1997) 225–238
Roberts, F.S., *see* S.-R. Kim **78** (1-3) (1997) 153–162
Roberts, F.S., *see* F.R. McMorris **84** (1-3) (1998) 165–181
Roberts, F.S. and L. Sheng, Phylogeny numbers **87** (1-3) (1998) 213–228
Robins, G., *see* W.R. Pearson **71** (1-3) (1996) 231–246
Robinson, D.F., *see* L.R. Foulds **1** (1979) 75–87
Robinson, R.W., *see* J.W. Kennedy **26** (1990) 121–124
Rochat, Y., *see* A. Hertz **65** (1-3) (1996) 285–318
Roditty, Y. and B. Shoham, On broadcasting multiple messages in a d-dimensional grid **75** (3) (1997) 277–284
Rödl, V., *see* S. Poljak **3** (1981) 301–312
Rödl, V., *see* C.J. Colbourn **4** (1982) 103–111
Rödl, V., *see* S. Poljak **6** (1983) 193–205
Rodriguez, J., *see* F.T. Boesch **59** (1) (1995) 1–10
Rodriguez, R.V., *see* F.D. Anger **15** (1986) 1–10
Roelants van Baronaigien, D. and F. Ruskey, Generating permutations with given ups and downs **36** (1992) 57–65
Rogers, D.G., *see* D. Merlini **91** (1-3) (1999) 197–213
Rogers, T.D. and J.R. Pounder, Cycle structure in discrete-density models **4** (1982) 199–210
Rolim, J., P. Tvrdí, J. Trdlička and I. Vrto, Bisecting de Bruijn and Kautz graphs **85** (1) (1998) 87–97
Rom, W.O., *see* M.S. Hung **13** (1986) 223–237
Romanik, K., Directed rectangle-visibility graphs have unbounded dimension **73** (1) (1997) 35–39
Roncato, A., *see* P. Flocchini **87** (1-3) (1998) 99–115
Ronse, C., *see* M. Davio **5** (1983) 253–277
Ronse, C., Minimal test patterns for connectivity preservation in parallel thinning algorithms for binary digital images **21** (1988) 67–79
Roos, C., *see* J.P. Warners **78** (1-3) (1997) 251–282
Roos, T., Voronoi diagrams over dynamic scenes **43** (1993) 243–259
Rosa, A. and W.D. Wallis, Premature sets of 1-factors or how not to schedule round robin tournaments **4** (1982) 291–297
Rosa, A., *see* C.J. Colbourn **20** (1988) 31–38
Rosa, A., On a class of completable partial edge-colourings **35** (1992) 293–299
Rose, G., *see* B. Alspach **6** (1983) 109–115
Rosen, J.B., *see* B. Kalantari **16** (1987) 179–182
Rosen, J.B., *see* P.M. Pardalos **17** (1987) 255–261
Rosenbaum, Z., *see* F.S. Roberts **22** (1988/89) 69–79
Rosenberg, A.L., Product-shuffle networks: toward reconciling shuffles and butterflies **37/38** (1992) 465–488
Rosenberg, I.G., Structural rigidity II: Almost infinitesimally rigid bar frameworks **13** (1986) 41–59
Rosenberg, I.G., *see* L. Haddad **24** (1989) 133–143
Rosenberg, I.G., *see* M. Miyakawa **28** (1990) 231–249
Rosenfeld, A., *see* S. Khuller **70** (3) (1996) 217–229
Rosenfeld, M., On spanning subgraphs of 4-connected planar graphs **25** (1989) 279–287
Rosenmüller, J. and P. Sudhölter, The nucleolus of homogeneous games with steps **50** (1) (1994) 53–76
Rosenstiehl, P., *see* H. de Fraysseix **56** (2-3) (1995) 157–179
Rosenthal, A., Optimal mass production (*Communication*) **2** (1980) 167–170
Rosenthal, J.W., *see* J. Franco **17** (1987) 295–299
Rossi, F., *see* A. Agnetis **72** (3) (1997) 243–260
Roth, A., *see* T.J.N. Brown **67** (1-3) (1996) 51–66
Roth, A., *see* T.J.N. Brown **75** (2) (1997) 199–200
Rothblum, U.G., H. Schneider and M.H. Schneider, Characterizations of max-balanced flows **39** (1992) 241–261

Rothblum, U.G., *see* F.K. Hwang **50** (1) (1994) 93–96
Rothblum, U.G., *see* H.G. Abeledo **54** (1) (1994) 1–27
Rothblum, U.G., *see* H. Abeledo **63** (1) (1995) 1–12
Roubens, M. and P. Vincke, Linear orders and semiorders close to an interval order (*Note*) **6** (1983) 311–314
Roucairol, C., A parallel branch and bound algorithm for the quadratic assignment problem **18** (1987) 211–225
Roucairol, C., *see* T. Mautor **55** (3) (1994) 281–293
Roucairol, C., *see* M. Davis-Moradkhan **62** (1-3) (1995) 131–165
Roucairol, C., *see* B. Mans **66** (1) (1996) 57–74
Rouvray, D.H., The challenge of characterizing branching in molecular species **19** (1988) 317–338
Rovan, B., *see* J. Hromkovič **32** (1991) 155–182
Row, D., *see* J. Oxley **81** (1-3) (1998) 109–122
Row, D., *see* D. Palmer **86** (2-3) (1998) 249–262
Rowlinson, P., *see* D. Cvetković **62** (1-3) (1995) 119–130
Rowlinson, P., The characteristic polynomials of modified graphs **67** (1-3) (1996) 209–219
Royle, G.F., *see* R. Davies **74** (3) (1997) 217–228
Rozenberg, G., *see* A. Ehrenfeucht **2** (1980) 73–76
Rozenberg, G. and R. Verraedt, Synchronized and desynchronized E0L forms **2** (1980) 233–247
Rozenberg, G., *see* A. Ehrenfeucht **3** (1981) 235–255
Rozenberg, G. and A. Salomaa, Table systems with unconditional transfer (*Communication*) **3** (1981) 319–322
Rozenberg, G., *see* A. Ehrenfeucht **4** (1982) 11–22
Rozenberg, G. and R. Verraedt, A note on the similarity depth (*Communication*) **4** (1982) 237–241
Rozenberg, G. and R. Verraedt, The goodness of S, a-EOL forms is decidable **6** (1983) 263–299
Rozenberg, G., *see* A. Ehrenfeucht **8** (1984) 313–317
Rozenberg, G., *see* IJ.J. Aalbersberg **11** (1985) 299–306
Rozenberg, G., *see* A. Ehrenfeucht **12** (1985) 115–122
Rozenberg, G. and R. Verraedt, On erasing in EOL forms **12** (1985) 175–189
Rozenberg, G., *see* IJ.J. Aalbersberg **13** (1986) 79–85
Rozenberg, G. and E. Welzl, Combinatorial properties of boundary NLC graph languages **16** (1987) 59–73
Rozenberg, G., *see* A. Ehrenfeucht **32** (1991) 103–129
Rozenberg, G., *see* A. Mateescu **84** (1-3) (1998) 145–163
Ruciński, A., *see* Z. Palka **15** (1986) 75–83
Rudolf, R., Recognition of d-dimensional Monge arrays **52** (1) (1994) 71–82
Rudolf, R., *see* B. Klinz **60** (1-3) (1995) 223–248
Rudolf, R., *see* B. Klinz **63** (1) (1995) 43–74
Rudolf, R., *see* R.E. Burkard **65** (1-3) (1996) 123–139
Rudolf, R., *see* R.E. Burkard **70** (2) (1996) 95–161
Ruf, B., *see* E. Kranakis **77** (3) (1997) 237–257
Ruiz, S., *see* G.S. Bloom **49** (1994) 61–75
Ruohonen, K., A note on off-line machines with 'Brownian' input heads **9** (1984) 69–75
Ruohonen, K., *see* A. Ehrenfeucht **12** (1985) 115–122
Ruskey, F., *see* D. Roelants van Baronaigien **36** (1992) 57–65
Ruskey, F., M. Jiang and A. Weston, The Hamiltonicity of directed σ–τ Cayley graphs (Or: A tale of backtracking) **57** (1) (1995) 75–83
Rusu, I., *see* V. Giakoumakis **80** (2-3) (1997) 255–261
Ryabko, B.Ya., *see* R.E. Krichevskii **3** (1981) 67–72
Ryabko, B.Ya., *see* R.E. Krichevsky **12** (1985) 293–302
Ryan, C.T. and K.M. Ryan, The minimum weight of the Grassmann codes $C(k, n)$ **28** (1990) 149–156
Ryan, C.T., Linear sections of the general linear group: A geometric approach (*Note*) **35** (1992) 81–86
Ryan, J., The structure of an integral monoid and integer programming feasibility **28** (1990) 251–263
Ryan, J., *see* D.C. Llewellyn **45** (1993) 261–275
Ryan, J., *see* D.C. Fisher **50** (1994) 89–91
Ryan, J., The depth and width of local minima in discrete solution spaces **56** (1) (1995) 75–82
Ryan, J., *see* D.C. Fisher **56** (1) (1995) 87–91
Ryan, K.M., *see* C.T. Ryan **28** (1990) 149–156
Sabatier, G., *see* M. Hucher **2** (1980) 255–257

Sachs, H. and H. Zernitz, Remark on the dimer problem **51** (1-2) (1994) 171–179
Sack, J.-R., *see* E. Kranakis **75** (1) (1997) 71–80
Saclé, J.-F., *see* M. Mahéo **53** (1-3) (1994) 275–285
Saclé, J.-F., *see* M. Mahéo **53** (1-3) (1994) 287–290
Sagiv, Y. and Y. Saraiya, Minimizing restricted-fanout queries **40** (1992) 245–264
Saheb, N., Concurrency measure in commutation monoids **24** (1989) 223–236
Saigal, R., *see* P.C. Jones **13** (1986) 131–156
Saito, N., *see* K. Takamizawa **3** (1981) 75–76
Saito, N., *see* T. Asano **7** (1984) 1–15
Saito, N., *see* A. Frank **40** (1992) 363–378
Saito, S., *see* K. Fukuda **31** (1991) 141–149
Saito, S., *see* K. Fukuda **31** (1991) 151–165
Sajith, G. and S. Saxena, Optimal parallel algorithm for Brooks' colouring bounded degree graphs in logarithmic time on EREW PRAM **64** (3) (1996) 249–265
Sajo, A., On subword complexity functions (*Communication*) **8** (1984) 209–212
Sakai Troxell, D., No-hole k-tuple $(r+1)$-distant colorings **64** (1) (1996) 67–85
Sakata, S., Two-dimensional shift register synthesis and Gröbner bases for polynomial ideals over an integer residue ring **33** (1991) 191–203
Saks, M. and R. Statman, An intersection problem for finite automata **21** (1988) 245–255
Sali, A., *see* J. Demetrovics **40** (1992) 139–153
Salkin, H.M., *see* C.-H.M. Lin **6** (1983) 149–156
Sallee, J.F., A note on minimal triangulations of an n-cube **4** (1982) 211–215
Salomaa, A., *see* H.A. Maurer **3** (1981) 119–135
Salomaa, A., *see* H.A. Maurer **3** (1981) 289–299
Salomaa, A., *see* G. Rozenberg **3** (1981) 319–322
Salomaa, A., *see* K. Culik **4** (1982) 149–152
Salomaa, A., Simple reductions between *D0L* language and sequence equivalence problems (*Note*) **41** (93) 271–274
Salomaa, A., *see* G. Păun **61** (3) (1995) 257–270
Salomaa, A., *see* A. Mateescu **84** (1-3) (1998) 145–163
Salomon, M., *see* S. Van Hoesel **48** (1994) 289–303
Salowe, J.S., Euclidean spanner graphs with degree four **54** (1) (1994) 55–66
Saltzman, M.J., *see* E. Balas **23** (1989) 201–229
Sampson, A.R., *see* T.T. Nguyen **11** (1985) 187–205
Sanchis, L.A., Generating hard and diverse test sets for NP-hard graph problems **58** (1) (1995) 35–66
Sandholzer, W., *see* R.E. Burkard **32** (1991) 61–76
Sankoff, D. and J.H. Nadeau, Conserved synteny as a measure of genomic distance **71** (1-3) (1996) 247–257
Sanlaville, E., Nearly on line scheduling of preemptive independent tasks **57** (2-3) (1995) 229–241
Sanlaville, E., *see* Z. Liu **58** (3) (1995) 253–280
Santis, A.D., *see* R.D. Prisco **75** (2) (1997) 105–123
Santoro, N., *see* J. Czyzowicz **50** (2) (1994) 149–157
Santoro, N., *see* P. Flocchini **87** (1-3) (1998) 99–115
Santos, C., *see* D. Naddef **21** (1988) 133–145
Saraiya, Y., *see* Y. Sagiv **40** (1992) 245–264
Sarkar, P. and R. Barua, The set of reversible 90/150 cellular automata is regular **84** (1-3) (1998) 199–213
Sarmiento, J., *see* F.D. Anger **15** (1986) 1–10
Sarrafzadeh, M., *see* R.D. Lou **40** (1992) 433–457
Saruwatari, Y., *see* M. Shigeno **56** (2-3) (1995) 333–343
Sarvate, D.G., *see* J. Hammer **16** (1987) 151–155
Sassano, A., *see* C. De Simone **41** (93) 121–129
Satyan, C.R. and C. Pandu Rangan, The parity path problem on some subclasses of perfect graphs **68** (3) (1996) 293–302
Satyanarayana, A., *see* C.J. Colbourn **44** (1993) 221–232
Savage, C.D., *see* T.M. Barnes **78** (1-3) (1997) 17–26
Savelsbergh, M., *see* G. Kindervater **42** (1993) 211–225

Saviozzi, G., On degeneracy in linear complementarity problems (*Communication*) **11** (1985) 311–314
Saxe, J.B., On the number of range queries in k-space **1** (1979) 217–225
Saxena, S., *see* G. Sajith **64** (3) (1996) 249–265
Schaar, G., Remarks on Hamiltonian properties of powers of digraphs **51** (1-2) (1994) 181–186
Schaefer, D., *see* J.M. Klein **36** (1992) 25–34
Schäffer, A.A., *see* J. Feigenbaum **12** (1985) 123–138
Schäffer, A.A., Recognizing brittle graphs: remarks on a paper of Hoàng and Khouzam **31** (1991) 29–35
Schäffer, A.A., A faster algorithm to recognize undirected path graphs **43** (1993) 261–295
Schäffer, A.A., *see* F. Aurenhammer **52** (1) (1994) 17–28
Schäffter, M., Drawing graphs on rectangular grids **63** (1) (1995) 75–89
Schäffter, M.W., Scheduling with forbidden sets **72** (1-2) (1997) 155–166
Scheffer, P., *see* K. Jansen **75** (2) (1997) 135–155
Scheffler, P., *see* A. Parra **79** (1-3) (1997) 171–188
Scheinerman, E.R. and J.C. Wierman, Optimal and near-optimal broadcast in random graphs **25** (1989) 289–297
Scheinerman, E.R., *see* A.S. Fraenkel **30** (1991) 155–162
Scheinerman, E.R. and A. Trenk, On generalized perfect graphs: bounded degree and bounded edge perfection **44** (1993) 233–245
Schelp, R.H., *see* A. Gyárfás **85** (2) (1998) 139–147
Schelten, A. and I. Schiermeyer, Ramsey numbers $r(K_3, G)$ for connected graphs G of order seven **79** (1-3) (1997) 189–200
Schelten, U. and I. Schiermeyer, Small cycles in Hamiltonian graphs **79** (1-3) (1997) 201–211
Schibell, S.T. and R.M. Stafford, Processor interconnection networks from Cayley graphs **40** (1992) 333–357
Schieber, B., *see* Z. Galil **20** (1988) 173–175
Schieber, B. and U. Vishkin, Finding all nearest neighbors for convex polygons in parallel: A new lower bound technique and a matching algorithm **29** (1990) 97–111
Schieber, B., *see* P.K. Agarwal **31** (1991) 97–111
Schieber, B., *see* A. Bar-Noy **58** (3) (1995) 213–222
Schieber, B., *see* L. Cai **73** (1) (1997) 27–34
Schiermeyer, I., *see* H.J. Broersm **51** (1-2) (1994) 39–46
Schiermeyer, I., *see* A. Schelten **79** (1-3) (1997) 189–200
Schiermeyer, I., *see* U. Schelten **79** (1-3) (1997) 201–211
Schilling, K., Random knapsacks with many constraints **48** (1994) 163–174
Schilling, K.E., *see* J.W. Mamer **28** (1990) 223–230
Schindelhauer, C., *see* A. Jakoby **83** (1-3) (1998) 179–206
Schlipf, J.S., *see* K.A. Berman **60** (1-3) (1995) 77–91
Schmeichel, E., *see* D. Bauer **28** (1990) 191–195
Schmeichel, E., *see* D. Bauer **79** (1-3) (1997) 35–44
Schmeichel, E.F., *see* A. Bagchi **64** (2) (1996) 105–116
Schmidt, B.H., *see* K. Mehlhorn **15** (1986) 315–327
Schmidt, G., *see* J. Błażewicz **28** (1990) 11–20
Schmidt, G., *see* M. Pattloch **65** (1-3) (1996) 409–419
Schmitt, W.R. and M.S. Waterman, Linear trees and RNA secondary structure **51** (3) (1994) 317–323
Schneider, H., *see* U.G. Rothblum **39** (1992) 241–261
Schneider, M.H., *see* P.C. Jones **13** (1986) 131–156
Schneider, M.H., *see* U.G. Rothblum **39** (1992) 241–261
Schneider, R.F., *see* D.D. Klingman **13** (1986) 183–206
Schneider, T.D. and D.N. Mastronarde, Fast multiple alignment of ungapped DNA sequences using information theory and a relaxation method **71** (1-3) (1996) 259–268
Schöbel, A., *see* H. Martini **89** (1-3) (1998) 181–195
Schönheim, J., *see* F. Gavril **4** (1982) 181–191
Schrader, R., Approximations to clustering and subgraph problems on trees **6** (1983) 301–309
Schrader, R., *see* U. Derigs **15** (1986) 241–248
Schrader, R., *see* U. Faigle **15** (1986) 261–269
Schrader, R., *see* A. von Arnim **28** (1990) 3–9

Schrader, R., *see* U. Faigle **35** (1992) 73–79
Schrader, R., *see* U. Faigle **40** (1992) 19–28
Schrader, R. and G. Wambach, The setup polyhedron of series–parallel posets **79** (1-3) (1997) 213–221
Schrefl, M., *see* G. Gottlob **40** (1992) 187–216
Schreiber, G., *see* T. Andreae **79** (1-3) (1997) 3–34
Schreuder, J.A.M., *see* M. Čangalović **35** (1992) 177–195
Schreuder, J.A.M., Combinatorial aspects of construction of competition Dutch Professional Football Leagues **35** (1992) 301–312
Schrijver, A., Polyhedral proof methods in combinatorial optimization **14** (1986) 111–133
Schulz, A.S., The permutahedron of series-parallel posets **57** (1) (1995) 85–90
Schulz, A.S., *see* A. von Arnim **72** (1-2) (1997) 179–192
Schuster, G.W., *see* T. Andreae **79** (1-3) (1997) 3–34
Schuster, P., *see* I.L. Hofacker **88** (1-3) (1998) 207–237
Schütte, H., *see* H.J. Bandelt **16** (1987) 191–215
Schwander, P., *see* P. Fishburn **75** (1) (1997) 39–61
Schwarzkopf, O., *see* M. Aigner **61** (3) (1995) 187–194
Schwärzler, W., *see* A. Recski **39** (1992) 137–146
Schwing, J.L., *see* D. Bhagavathi **77** (3) (1997) 201–220
Scott, A.D., Better bounds for perpetual gossiping **75** (2) (1997) 189–197
Scott, D.D., The competition-common enemy graph of a digraph **17** (1987) 269–280
Scutellà, M.G., A strongly polynomial algorithm for the uniform balanced network flow problem **81** (1-3) (1998) 123–131
Seager, S., *see* C. Cable **23** (1989) 231–241
Seager, S.M., The double competition number of some triangle-free graphs **28** (1990) 265–269
Sebő, A. and Z. Waksman, Optimal binary trees with order constraints **91** (1-3) (1999) 305–311
Séébold, P., Sequences generated by infinitely iterated morphisms **11** (1985) 255–264
Séébold, P., *see* J. Berstel **46** (1993) 275–281
Segal, M. and D.M. Topkis, Acyclic k-connected subgraphs for distributed alternate routing in communications networks **22** (1988/89) 181–189
Séguin, G.E., Low complexity normal bases for $F_{2^{mn}}$ (*Communication*) **28** (1990) 308–312
Seifter, N., *see* S. Klavžar **59** (2) (1995) 129–136
Seitz, W.A., D.J. Klein and G.E. Hite, Interacting dimers on a Sierpinski gasket **19** (1988) 339–348
Sekharan, C.N., *see* K. Han **77** (1) (1997) 59–71
Sekiguchi, Y., A decomposition theory based on a dominance relation and composite jobs **17** (1987) 187–211
Sen, S. and H.D. Sherali, A branch and bound algorithm for extreme point mathematical programming problems **11** (1985) 265–280
Senechal, M., Color groups **1** (1979) 51–73
Seneta, E. and W.L. Steiger, A new lad curve-fitting algorithm: Slightly overdetermined equation systems in L_1 **7** (1984) 79–91
Seng, H., *see* T. Andreae **79** (1-3) (1997) 3–34
Serafini, P., *see* C.H. Papadimitriou **42** (1993) 271–278
Serra, O., *see* Y.O. Hamidoune **37/38** (1992) 275–280
Servatius, B., *see* A. Bagchi **60** (1-3) (1995) 25–37
Sessa, C., *see* A. Dickenstein **33** (1991) 73–94
Setaro, G., *see* L. Gargano **36** (1992) 299–306
Sevast'janov, S.V., On some geometric methods in scheduling theory: a survey **55** (1) (1994) 59–82
Seyffarth, K., *see* M. Fellows **61** (2) (1995) 133–153
Sgall, J., *see* D. Bonch **71** (1-3) (1996) 79–94
Shafransky, Y.M., *see* M.Y. Kovalyov **84** (1-3) (1998) 253–257
Shahrokhi, F., *see* D.W. Matula **27** (1990) 113–123
Shakhlevich, N.V., *see* Y.N. Sotskov **59** (3) (1995) 237–266
Shallit, J., *see* P. Enflo **52** (3) (1994) 275–285
Shamir, R., *see* D.S. Hochbaum **28** (1990) 45–57
Shamir, R., *see* I. Adler **44** (1993) 21–38
Shamir, R., *see* E. Boros **49** (1994) 77–93

Shamir, R., *see* S. Istrail **71** (1-3) (1996) 1–4
Shao, J.Y. and Q. Li, On the index of maximum density for irreducible Boolean matrices **21** (1988) 147–156
Shao, J., *see* R.A. Brualdi **74** (3) (1997) 275–293
Shapiro, L., Random walks with absorbing points **39** (1992) 57–67
Shapiro, L.W., S. Getu, W.-J. Woan and L.C. Woodson, The Riordan group **34** (1991) 229–239
Shastri, A., Time-relaxed broadcasting in communication networks **83** (1-3) (1998) 263–278
Shawe-Taylor, J., M. Anthony and N.L. Biggs, Bounding sample size with the Vapnik–Chervonenkis dimension **42** (1993) 65–73
Shawe-Taylor, J., *see* M. Anthony **47** (1993) 207–217
Shawe-Taylor, J., *see* M. Anthony **61** (1) (1995) 1–25
Shawe-Taylor, J., *see* J. Wood **69** (1-2) (1996) 33–60
Shawe-Taylor, J., *see* M. Anthony **77** (1) (1997) 1–12
Sheikh, S.A., *see* P. Solé **37/38** (1992) 501–510
Shen, X., C.L. Liu, Y.Z. Cai and C.P. Kruskal, Generalized Latin squares I **25** (1989) 155–178
Sheng, L., *see* F.S. Roberts **87** (1-3) (1998) 213–228
Shengyuan, Z., On the nonexistence of extremal self-dual codes **91** (1-3) (1999) 277–286
Shepp, L., *see* P. Fishburn **75** (1) (1997) 39–61
Sher, D.B., *see* X. He **59** (1) (1995) 33–50
Sherali, H.D. and C.M. Shetty, A finitely convergent procedure for facial disjunctive programs **4** (1982) 135–148
Sherali, H.D., *see* S. Sen **11** (1985) 265–280
Sherali, H.D. and D.C. Myers, Dual formulations and subgradient optimization strategies for linear programming relaxations of mixed-integer programs **20** (1988) 51–68
Sherali, H.D., S. Ramachandran and S. Kim, A localization and reformulation discrete programming approach for the rectilinear distance location-allocation problem **49** (1994) 357–378
Sherali, H.D. and W.P. Adams, A hierarchy of relaxations and convex hull characterizations for mixed-integer zero–one programming problems **52** (1) (1994) 83–106
Sherali, H.D. and Y. Lee, Tighter representations for set partitioning problems **68** (1-2) (1996) 153–167
Shermer, T.C., *see* A.L. Liestman **68** (1-2) (1996) 119–144
Shetty, C.M., *see* H.D. Sherali **4** (1982) 135–148
Shi, C.-J. and J.A. Brzozowski, A characterization of signed hypergraphs and its applications to VLSI via minimization and logic synthesis **90** (1-3) (1999) 223–243
Shi, W., *see* A. Bagchi **60** (1-3) (1995) 25–37
Shibata, Y., *see* T. Hasunuma **78** (1-3) (1997) 103–116
Shier, D., *see* R. Laskar **6** (1983) 139–147
Shier, D.R., Some aspects of perfect elimination orderings in chordal graphs **7** (1984) 325–331
Shier, D.R., *see* P.M. Dearing **20** (1988) 181–190
Shier, D.R., E.J. Valvo and R.E. Jamison, Generating the states of a binary stochastic system **37/38** (1992) 489–500
Shigeno, M., Y. Saruwatari and T. Matsui, An algorithm for fractional assignment problems **56** (2-3) (1995) 333–343
Shigeno, M. and S. Iwata, A cost-scaling algorithm for 0–1 submodular flows **73** (3) (1997) 261–273
Shih, W.-K. and W.-L. Hsu, An $O(n^{1.5})$ algorithm to color proper circular arcs (*Note*) **25** (1989) 321–323
Shimony, S.E., *see* A.A. Melkman **73** (1) (1997) 23–26
Shing, M.T. and T.C. Hu, A decomposition algorithm for multi-terminal network flows **13** (1986) 165–181
Shinoda, S., On the characteristic polynomial of the adjacency matrix of the subdivision graph of a graph (*Note*) **2** (1980) 349–351
Shiode, S., *see* H. Ishii **3** (1981) 263–273
Shioura, A., Minimization of an M-convex function **84** (1-3) (1998) 215–220
Shiourat, A., A constructive proof for the induction of M-convex functions through networks **82** (1-3) (1998) 271–278
Shiu, W.C. and P.C.B. Lam, The Wiener number of the hexagonal net **73** (2) (1997) 101–111
Shiu, W.C., C.S. Tong and P.C.B. Lam, Wiener number of hexagonal jagged-rectangles **80** (1) (1997) 83–96
Shmoys, D.B., *see* D.B. West **8** (1984) 295–305
Shoham, B., *see* Y. Roditty **75** (3) (1997) 277–284

Shuchat, A., *see* R. Shull **23** (1989) 267–283
Shuchat, A., *see* R. Shull **41** (93) 13–53
Shull, R., J.B. Orlin, A. Shuchat and M.L. Gardner, The structure of bases in bicircular matroids **23** (1989) 267–283
Shull, R., A. Shuchat, J.B. Orlin and M. Lepp, Recognizing hidden bicircular networks **41** (93) 13–53
Shull, R. and A.N. Trenk, Cliques that are tolerance digraphs **80** (2-3) (1997) 119–134
Shum, H. and L.E. Trotter Jr, Cardinality-restricted chains and antichains in partially ordered sets **65** (1-3) (1996) 421–439
Shyr, H.J., *see* M. Ito **24** (1989) 187–196
Shyr, H.J. and S.S. Yu, The single loop representations of regular languages **82** (1-3) (1998) 219–229
Siegrist, K.T., A.T. Amin and P.J. Slater, The optimal unicyclic graphs for pair-connected reliability **41** (93) 235–243
Sierksma, G., The skeleton of the symmetric Traveling Salesman Polytope **43** (1993) 63–74
Sierksma, G., Interchange graphs and the Hamiltonian cycle polytope **81** (1-3) (1998) 217–224
Sierksma, G., *see* M. Libura **87** (1-3) (1998) 159–185
Sievers, B., *see* P. Brucker **49** (1994) 107–127
Sill, J., The capacity of monotonic functions **86** (1) (1998) 95–107
Silverberg, E.B., *see* E.M. Arkin **18** (1987) 1–8
Simchi-Levi, D., *see* C.-L. Li **26** (1990) 105–115
Simchi-Levi, D., *see* C.-L. Li **36** (1992) 267–292
Simeone, B., *see* U.N. Peled **12** (1985) 57–69
Simeone, B., *see* P. Hansen **14** (1986) 269–281
Simeone, B., An asymptotically exact polynomial algorithm for equipartition problems **14** (1986) 283–293
Simeone, B., *see* P. Hansen **29** (1990) 187–193
Simeone, B., D. de Werra and M. Cochand, Recognition of a class of unimodular functions **29** (1990) 243–250
Simeone, B., *see* M. Lucertini **42** (1993) 227–256
Simeone, B., *see* U.N. Peled **49** (1994) 309–323
Simeone, B., *see* Y. Liu **81** (1-3) (1998) 69–91
Simić, S., *see* D. Cvetković **62** (1-3) (1995) 119–130
Simion, R.E., Finite automata for languages of combinatorial interest: An order theoretical point of view **24** (1989) 237–246
Simonyi, G., *see* G. Cohen **24** (1989) 103–114
Simovici, D. and C. Reischer, Iterative characterizations of Boolean algebras (*Note*) **15** (1986) 111–116
Simovici, D.A. and C. Reischer, An algebraic point of view of the data sructures of database systems **24** (1989) 247–260
Sinden, F.W., Coloring drawings of bipartite graphs: A problem in automated assembly **41** (93) 55–68
Singh, S., *see* K. Ravishankar **53** (1-3) (1994) 299–319
Singh, S., *see* K. Ravishankar **61** (1) (1995) 61–82
Singhal, S., *see* G.L. Thompson **10** (1985) 179–195
Sit, W.Y., *see* D. Goldfarb **1** (1979) 277
Skiena, S.S., *see* T. Chen **71** (1-3) (1996) 269–295
Skordev, G., *see* J.-P. Allouche **66** (1) (1996) 1–22
Skorin-Kapov, D., *see* D. Granot **48** (1994) 129–145
Skorin-Kapov, J., *see* F. Granot **41** (93) 139–146
Skorobogatov, A.N., The parameters of subcodes of algebraic-geometric codes over prime subfields **33** (1991) 205–214
Skowrońska, M. and M.M. Sysło, An algorithm to recognize a middle graph **7** (1984) 201–208
Skowrońska, M., The binding number of Halin graphs (*Note*) **22** (1988/89) 93–97
Skrien, D., Chronological orderings of interval graphs **8** (1984) 69–83
Slanina, Z., Chemical graphs enumeration and chemical reactivity: Thermodynamic and kinetic considerations **19** (1988) 349–365
Slater, P.J., Accretion centers: A generalization of branch weight centroids **3** (1981) 187–192
Slater, P.J., *see* K.T. Siegrist **41** (93) 235–243
Slater, P.J., *see* D.L. Grinstead **54** (2-3) (1994) 151–168
Slobodová, A., *see* J. Hromkovič **32** (1991) 155–182

Smetanich, Y.S., Y.B. Kazanovich and V.V. Kornilov, A combinatorial approach to the problem of self-assembly **57** (1) (1995) 45–65
Smith, J.M. and B. Toppur, Euclidean Steiner minimal trees, minimum energy configurations, and the embedding problem of weighted graphs in E^3 **71** (1-3) (1996) 187–215
Smith, T.H.C., T.W.S. Meyer and G.L. Thompson, Lower bounds for the symmetric travelling salesman problem from Lagrangean relaxations **26** (1990) 209–217
Smriglio, S., *see* C. Arbib **92** (1) (1999) 1–15
Smuga-Otto, M.J., *see* H.L. Abbott **61** (2) (1995) 177–180
Smutnicki, C., *see* E. Nowicki **46** (1993) 21–41
Smutnicki, C., *see* E. Nowicki **48** (1994) 69–79
Sniedovich, M., C-programming problems: A class of non-linear optimization problems (*Communication*) **9** (1984) 301–305
Snir, M., *see* C.P. Kruskal **37/38** (1992) 359–385
Soardi, P.M. and W. Woess, Uniqueness of currents in infinite resistive networks **31** (1991) 37–49
Solé, P. and A. Ghafoor, The covering radius of doubled 2-designs in $2O_k$ **33** (1991) 215–224
Solé, P., A. Ghafoor and S.A. Sheikh, The covering radius of Hadamard codes in odd graphs **37/38** (1992) 501–510
Solé, P. and T. Zaslavsky, The covering radius of the cycle code of a graph **45** (1993) 63–70
Solé, P., Expanding and forwarding **58** (1) (1995) 67–78
Solé, P., *see* S. Litsyn **82** (1-3) (1998) 177–191
Solel, N., *see* E. Korach **43** (1993) 97–101
Soma, N.Y., *see* H.H. Yanasse **18** (1987) 235–245
Soma, N.Y., A.S.I. Zinober, H.H. Yanasse and P.J. Harley, A polynomial approximation scheme for the subset sum problem **57** (2-3) (1995) 243–253
Somers, J. and I. Adler, The max-flow problem with parametric capacities **1** (1979) 287–300
Soneoka, T., H. Nakada and M. Imase, Design of a d-connected digraph with a minimum number of edges and a quasiminimal diameter **27** (1990) 255–265
Soneoka, T., Super edge-connectivity of dense digraphs and graphs **37/38** (1992) 511–523
Soneoka, T., M. Imase and Y. Manabe, Design of a d-connected digraph with a minimum number of edges and a quasiminimal diameter: II **64** (3) (1996) 267–279
Song, X., *see* X. Tan **90** (1-3) (1999) 245–255
Sontag, E.D., *see* P. Koiran **86** (1) (1998) 63–79
Sorkin, G.B., *see* M. Jerrum **82** (1-3) (1998) 155–175
Soroker, D., *see* P.B. Gibbons **29** (1990) 35–62
Soroker, D., Optimal parallel construction of prescribed tournaments **29** (1990) 113–125
Sotomayor, M., *see* D. Gale **11** (1985) 223–232
Sotomayor, M., *see* G. Demange **16** (1987) 217–222
Sotskov, Y.N. and N.V. Shakhlevich, NP-hardness of shop-scheduling problems with three jobs **59** (3) (1995) 237–266
Sotskov, Yu.N., V.K. Leontev and E.N. Gordeev, Some concepts of stability analysis in combinatorial optimization **58** (2) (1995) 169–190
Sotteau, D., *see* M.C. Heydemann **23** (1989) 103–123
Sotteau, D., *see* M.C. Heydemann **37/38** (1992) 287–296
Sotteau, D., *see* M.C. Heydemann **37/38** (1992) 297–317
Sotteau, D., *see* A. Germa **83** (1-3) (1998) 135–155
Soumis, F., *see* S. Martello **75** (2) (1997) 169–188
Spadoni, M., *see* A. Mingozzi **62** (1-3) (1995) 221–248
Spangher, W., On Bayer's deformation and the associativity formula **33** (1991) 225–233
Speckenmeyer, E., *see* B. Monien **10** (1985) 287–295
Spencer, J., *see* P. Erdős **30** (1991) 151–154
Spencer, J., Threshold spectra via the Ehrenfeucht game **30** (1991) 235–252
Spencer, J., *see* N. Alon **57** (1) (1995) 1–10
Speranza, M.G., *see* L. Bianco **62** (1-3) (1995) 35–50
Speranza, M.G., *see* P. Dell'Olmo **72** (1-2) (1997) 71–84
Spieker, B., The set of super-stable marriages forms a distributive lattice **58** (1) (1995) 79–84

Spieksma, F.C.R., *see* H.-J. Bandelt **49** (1994) 25–50
Spieksma, F.C.R., *see* M. Queyranne **76** (1-3) (1997) 239–253
Spinrad, J., A. Brandstädt and L. Stewart, Bipartite permutation graphs **18** (1987) 279–292
Spinrad, J., P_4-trees and substitution decomposition **39** (1992) 263–291
Spinrad, J. and R. Sritharan, Algorithms for weakly triangulated graphs **59** (2) (1995) 181–191
Spinrad, J.P. and G. Vijayan, Worst case analysis of a graph coloring algorithm (*Note*) **12** (1985) 89–92
Spinrad, J.P., *see* R.B. Borie **91** (1-3) (1999) 287–292
Sprague, A., *see* T.-H. Lai **12** (1985) 303–318
Sprague, A.P. and H. Tamaki, Routings for involutions of a hypercube **48** (1994) 175–186
Sprugnoli, R., *see* D. Merlini **91** (1-3) (1999) 197–213
Sreenivasa Kumar, P. and C.E. Veni Madhavan, Minimal vertex separators of chordal graphs **89** (1-3) (1998) 155–168
Sridhar, R., *see* K. Han **77** (1) (1997) 59–71
Srinivas, M.A., Matroid optimization with generalized constraints **63** (2) (1995) 161–174
Srinivasan, A., *see* D.G. Kirkpatrick **89** (1-3) (1998) 143–153
Srinivasan, M.K., *see* U.N. Peled **29** (1990) 211–219
Sritharan, R., *see* J. Spinrad **59** (2) (1995) 181–191
Srivastav, A. and P. Stangier, Weighted fractional and integral k-matching in hypergraphs **57** (2-3) (1995) 255–269
Srivastav, A. and P. Stangier, Tight approximations for resource constrained scheduling and bin packing **79** (1-3) (1997) 223–245
Srivastava, B., *see* B. Chen **66** (1) (1996) 81–94
Stacho, L. and I. Vrt'o, Bisection widths of transposition graphs **84** (1-3) (1998) 221–235
Stadje, W., Selecting jobs for scheduling on a machine subject to failure **63** (3) (1995) 257–265
Stadler, P.F., *see* I.L. Hofacker **88** (1-3) (1998) 207–237
Stafford, R.M., *see* S.T. Schibell **40** (1992) 333–357
Stallaert, J.I.A., The complementary class of generalized flow cover inequalities **77** (1) (1997) 73–80
Stangier, P., *see* A. Srivastav **57** (2-3) (1995) 255–269
Stangier, P., *see* A. Srivastav **79** (1-3) (1997) 223–245
Stanley, R.P., On dimer coverings of rectangles of fixed width **12** (1985) 81–87
Stanley, R.P., Some applications of algebra to combinatorics **34** (1991) 241–277
Statman, R., *see* M. Saks **21** (1988) 245–255
Stee, R., *see* D. Palmer **86** (2-3) (1998) 249–262
Steel, M., M.D. Hendy and D. Penny, Reconstructing phylogenies from nucleotide pattern probabilities: A survey and some new results **88** (1-3) (1998) 367–396
Steel, M., *see* V. Moulton **91** (1-3) (1999) 215–233
Steel, M.A., Distributions on bicoloured binary trees arising from the principle of parsimony **41** (93) 245–261
Steele, J.M. and W.L. Steiger, Algorithms and complexity for least median of squares regression **14** (1986) 93–100
Steelle, J.M., On Frieze's $\zeta(3)$ limit for lengths of minimal spanning trees (*Note*) **18** (1987) 99–103
Steger, A., *see* H.J. Prömel **44** (1993) 283–294
Steif, J.E., *see* F.S. Roberts **6** (1983) 323–326
Steiger, W.L., *see* E. Seneta **7** (1984) 79–91
Steiger, W.L., *see* J.M. Steele **14** (1986) 93–100
Stein, C., *see* C. Armen **88** (1-3) (1998) 29–57
Steiner, G., A compact labeling scheme for series-parallel graphs **11** (1985) 281–297
Steiner, G., *see* J.S. Deogun **39** (1992) 165–172
Steiner, G., Minimizing the number of tardy jobs with precedence constraints and agreeable due dates **72** (1-2) (1997) 167–177
Steinparz, F.X., *see* J.R. Mühlbacher **9** (1984) 235–244
Steinsaltz, D., Fluctuation bounds for sock-sorting and other stochastic processes **86** (1) (1998) 109–123
Stelling, P., *see* D. Gusfield **88** (1-3) (1998) 167–180
Stephens, P.W., Gap strings and spanning forests for bridge graphs of biconnected graphs **69** (1-2) (1996) 125–145
Steppat, H., *see* M. Kunde **10** (1985) 165–177

Stewart, I.A., Finding regular subgraphs in both arbitrary and planar graphs **68** (3) (1996) 223–235
Stewart, L., *see* J. Spinrad **18** (1987) 279–292
Stewart, L., *see* J. Gimbel **48** (1994) 111–127
Stewart, L., *see* N. Abbas **91** (1-3) (1999) 1–23
Stewart, L.K., *see* E.S. Elmallah **44** (1993) 65–77
Stewart Burlingham, L., *see* D.G. Corneil **3** (1981) 163–174
Stinson, D.R., *see* C.J. Colbourn **14** (1986) 239–254
Stinson, D.R., *see* C. Blundo **77** (1) (1997) 13–28
Stivaros, C. and K. Sutner, Computing optimal assignments for residual network reliability **75** (3) (1997) 285–295
Stöhr, E.A., *see* R. Klasing **53** (1-3) (1994) 183–197
Stojmenović, I., On Sheffer symmetric functions in three-valued logic **22** (1988/89) 267–274
Stojmenović, I., *see* M. Miyakawa **23** (1989) 179–192
Stojmenović, I., *see* M. Miyakawa **28** (1990) 231–249
Stojmenović, I., Multiplicative circulant networks Topological properties and communication algorithms **77** (3) (1997) 281–305
Stolte, C.R., *see* A.L. Liestman **68** (1-2) (1996) 119–144
Storchi, G., *see* P. Hansen **78** (1-3) (1997) 89–102
Stougie, L., *see* A.H.G. Rinnooy Kan **42** (1993) 279–290
Stougie, L., A fast randomized algorithm for partitioning a graph into paths of fixed length **42** (1993) 291–303
Struik, R., *see* S. Litsyn **82** (1-3) (1998) 177–191
Strusevich, V.A., Two machine flow shop scheduling problem with no wait in process: Controllable machine speeds **59** (1) (1995) 75–86
Stumptner, M., *see* G. Gottlob **40** (1992) 187–216
Stutzman, B.R., *see* C. Alexopoulos **91** (1-3) (1999) 25–38
Sudan, M., *see* R. Motwani **54** (1) (1994) 81–88
Sudborough, I.H., *see* F. Makedon **23** (1989) 243–265
Sudhölter, P., *see* J. Rosenmüller **50** (1) (1994) 53–76
Sudit, M., *see* R.L. Rardin **39** (1992) 37–56
Sudit, M., *see* R.L. Rardin **43** (1993) 155–174
Suffel, C., *see* C.J. Colbourn **44** (1993) 221–232
Suffel, C.L., *see* F.T. Boesch **3** (1981) 9–18
Sugihara, K., A unifying approach to descriptive geometry and mechanisms **5** (1983) 313–328
Sugihara, K., An algebraic and combinatorial approach to the analysis of line drawings of polyhedra **9** (1984) 77–104
Sugihara, K., Detection of structural inconsistency in systems of equations with degrees of freedom and its applications **10** (1985) 297–312
Sugita, K., *see* K. Uemura **91** (1-3) (1999) 243–249
Suhl, U.H., *see* E.L. Johnson **2** (1980) 39–55
Sun, D., *see* M. Queyranne **46** (1993) 43–72
Sun, F., *see* U. Peled **49** (1994) 325–330
Sun, F., *see* U.N. Peled **60** (1-3) (1995) 311–318
Sun, W. and Y.X. Yang, Correlation functions of a family of generalized geometric sequences **80** (2-3) (1997) 193–201
Sun, X., *see* P.L. Hammer **28** (1990) 35–44
Sun, X., *see* E. Boros **55** (1) (1994) 1–13
Sunderam, V.S. and P. Winkler, Fast information sharing in a complete network **42** (1993) 75–86
Suri, S., *see* P.K. Agarwal **31** (1991) 97–111
Sutner, K., *see* C.J. Colbourn **44** (1993) 221–232
Sutner, K., *see* C. Stivaros **75** (3) (1997) 285–295
Sutter, A., *see* W.E. Adams **29** (1990) 131–142
Suzuki, H., A. Ishiguro and T. Nishizeki, Edge-disjoint paths in a grid bounded by two nested rectangles **27** (1990) 157–178
Suzuki, H., *see* A. Frank **40** (1992) 363–378
Swaminathan, R., *see* F. Annexstein **88** (1-3) (1998) 7–28

Swaminathan, R.P. and D.K. Wagner, The arborescence-realization problem **59** (3) (1995) 267–283
Swart, H.C., *see* G.H. Fricke **68** (1-2) (1996) 85–91
Swart, H.C., *see* P. Dankelmann **79** (1-3) (1997) 91–103
Sweedyk, E., *see* L.A. Goldberg **71** (1-3) (1996) 111–136
Sweedyk, E., *see* B. DasGupta **88** (1-3) (1998) 59–82
Sysło, M.M., *see* M. Skowrońska **7** (1984) 201–208
Sysło, M.M., Optimal constructions of reversible digraphs **7** (1984) 209–220
Sysło, M.M., *see* H. Galina **19** (1988) 167–176
Sysło, M.M., *see* P. Winter **54** (2-3) (1994) 267–280
Sysło, M.M., On some new types of greedy chains and greedy linear extensions of partially ordered sets **60** (1-3) (1995) 349–358
Székely, L., *see* P.L. Erdős **87** (1-3) (1998) 67–75
Székely, L.A., *see* L.H. Clark **34** (1991) 83–105
Székely, L.A., *see* P.L. Erdős **47** (1993) 1–8
Székely, L.A., *see* C.A. Barefoot **80** (1) (1997) 37–56
Szpankowski, W., *see* P. Kirschenhofer **25** (1989) 129–143
Szwarcfiter, J.L., R.C.M. Persiano and A.A.F. Oliveira, Orientations with single source and sink **10** (1985) 313–321
Szwarcfiter, J.L., Job shop scheduling with unit time operations under resource constraints and release dates **18** (1987) 227–233
Szwarcfiter, J.L., *see* Z. Carmen Ortiz **82** (1-3) (1998) 209–217
Szwarcfiter, J.L., *see* C.M.H. de Figueiredo **91** (1-3) (1999) 293–297
Szymański, J., *see* K.T. Balińska **67** (1-3) (1996) 13–25
Szymczak, T., *see* A. Brandstädt **89** (1-3) (1998) 59–73
Tai, S.C., M.W. Du and R.C.T. Lee, Transformation completeness properties of SVPC transformation sets **32** (1991) 263–273
Takamizawa, K., T. Nishizeki and N. Saito, Combinatorial problems on series-parallel graphs (*Communication*) **3** (1981) 75–76
Tal, A., *see* E. Korach **41** (93) 147–164
Talamo, M., *see* G. Gambosi **73** (1) (1997) 13–22
Tallini, L.G. and U. Vaccaro, Efficient m-ary balanced codes **92** (1) (1999) 17–56
Tamaki, H., *see* A.P. Sprague **48** (1994) 175–186
Tamir, A., On the solution of discrete bottleneck problems **4** (1982) 299–302
Tamir, A., *see* R. Chandrasekaran **9** (1984) 117–123
Tamir, A., *see* W.W. Bein **10** (1985) 117–124
Tamir, A., Totally balanced and totally unimodular matrices defined by center location problems **16** (1987) 245–263
Tamir, A., *see* Y. Kaufman **47** (1993) 251–261
Tamir, A., A unifying location model on tree graphs based on submodularity properties **47** (1993) 275–283
Tamir, A., Fully polynomial approximation schemes for locating a tree-shaped facility: A generalization of the knapsack problem **87** (1-3) (1998) 229–243
Tamm, U., Deterministic communication complexity of set intersection **61** (3) (1995) 271–283
Tamura, A., *see* K. Fukuda **31** (1991) 141–149
Tamura, A., *see* K. Fukuda **31** (1991) 151–165
Tamura, A., *see* Y. Ikebe **47** (1993) 227–232
Tamura, A., *see* T. Matsui **50** (3) (1994) 283–296
Tamura, A., *see* K. Fukuda **84** (1-3) (1998) 107–119
Tamura, S., *see* T. Matsui **56** (2-3) (1995) 311–321
Tan, J.J.M. and Y.-C. Hsueh, A generalization of the stable matching problem **59** (1) (1995) 87–102
Tan, X. and X. Song, Routing multiterminal nets on a hexagonal grid **90** (1-3) (1999) 245–255
Tang, C.Y., *see* M.S. Chang **39** (1992) 1–12
Tang, C.Y., *see* C.L. Lu **87** (1-3) (1998) 203–211
Tani, S., *see* Y. Ishigami **74** (2) (1997) 123–134
Tani, S., *see* Y. Ishigami **74** (3) (1997) 229–240

Tardella, F., On a class of functions attaining their maximum at the vertices of a polyhedron (*Communication*) **22** (1988/89) 191–195
Tardos, É., *see* A. Frank **40** (1992) 363–378
Tarnanen, H., Upper bounds for constant weight and Lee codes slightly outside the Plotkin range **16** (1987) 265–277
Tavares, S.E., *see* C.M. Adams **39** (1992) 155–159
Tay, E.G., *see* K.M. Koh **78** (1-3) (1997) 163–174
Tchuente, M., *see* E. Goles **8** (1984) 319–322
Tchuente, M., *see* Y. Robert **11** (1985) 245–253
Tchuente, M., Computation on binary tree-networks **14** (1986) 295–310
Tchuente, M., Cycles generated by sequential iterations **20** (1988) 165–172
Telle, J.A. and A. Proskurowski, Efficient sets in partial k-trees **44** (1993) 109–117
Telles, G.P., *see* J. Meidanis **88** (1-3) (1998) 325–354
Temperley, H.N.V., New results on the enumeration of non-intersecting random walks **19** (1988) 367–379
Terlaky, T., *see* J.P. Warners **78** (1-3) (1997) 251–282
Tesman, B., *see* J.-P. Barthélemy **60** (1-3) (1995) 39–76
Tesman, B.A., List T-colorings of graphs **45** (1993) 277–289
Tetali, P., *see* N. Alon **57** (1) (1995) 1–10
Thalheim, B., The number of keys in relational and nested relational databases **40** (1992) 265–282
Thayse, A., Discrete function expansions in integer powers **1** (1979) 127–136
Thayse, A., Universal algorithms for evaluating Boolean functions **3** (1981) 53–65
Thi, V.D., *see* J. Demetrovics **69** (1-2) (1996) 61–73
Thierrin, G., *see* M. Ito **24** (1989) 187–196
Thilikos, D.M., *see* H.L. Bodlaender **79** (1-3) (1997) 45–61
Thimonier, L., *see* P. Flajolet **39** (1992) 207–229
Thomas, R. and J. Richelle, Positive feedback loops and multistationarity **19** (1988) 381–396
Thomason, A., *see* B. Bollobás **6** (1983) 1–11
Thompson, G.L. and S. Singhal, A successful algorithm for the undirected Hamiltonian Path problem **10** (1985) 179–195
Thompson, G.L., *see* T.H.C. Smith **26** (1990) 209–217
Tian, F., B. Wei and L. Zhang, Hamiltonicity in 3-domination-critical graphs with $\alpha=\delta+2$ **92** (1) (1999) 57–71
Tichy, R.F., *see* G. Larcher **18** (1987) 309–313
Tietäväinen, A., On the covering radius of long binary BCH codes (*Note*) **16** (1987) 75–77
Timkovsky, V.G., A polynomial-time algorithm for the two-machine unit-time release-date job-shop schedule-length problem **77** (2) (1997) 185–200
Timkovsky, V.G., Is a unit-time job shop not easier than identical parallel machines? **85** (2) (1998) 149–162
Tind, J., *see* S. Holm **20** (1988) 205–219
Tinhofer, G., *see* J.R. Mühlbacher **9** (1984) 235–244
Tinhofer, G., Strong tree-cographs are Birkhoff graphs **22** (1988/89) 275–288
Tinhofer, G., A note on compact graphs **30** (1991) 253–264
Tinhofer, G., *see* L. Babel **51** (1-2) (1994) 3–25
Tinhofer, G., Bin-packing and matchings in threshold graphs **62** (1-3) (1995) 279–289
Tiwari, P., *see* A.J. Goldman **13** (1986) 213–221
Toczyłowski, E., A perfect matching algorithm for sparse bipartite graphs **9** (1984) 263–268
Tokura, N., *see* T. Masuzawa **17** (1987) 67–105
Tokuyama, T., *see* K. Fukuda **31** (1991) 151–165
Tokuyama, T., *see* A. Aggarwal **85** (1) (1998) 1–24
Tomescu, I., *see* A.T. Balaban **19** (1988) 5–16
Tomescu, I. and M. Zimand, Minimum spanning hypertrees **54** (1) (1994) 67–76
Tomescu, I., *see* D.R. Popescu **68** (1-2) (1996) 145–152
Tompa, M., *see* A.K. Chandra **29** (1990) 21–33
Tonchev, V.D., Self-dual codes and Hadamard matrices **33** (1991) 235–240
Tong, C.S., *see* W.C. Shiu **80** (1) (1997) 83–96
Topkis, D.M., *see* M. Segal **22** (1988/89) 181–189
Topp, J. and P.D. Vestergaard, Well irredundant graphs **63** (3) (1995) 267–276

Toppur, B., *see* J.M. Smith **71** (1-3) (1996) 187–215
Torkington, J.A., *see* M. Gordon **2** (1980) 207–223
Torney, D.C., *see* E. Knill **88** (1-3) (1998) 261–290
Toth, P., *see* S. Martello **3** (1981) 275–288
Toth, P., *see* P.M. Camerini **15** (1986) 181–197
Toth, P., *see* G. Carpaneto **18** (1987) 137–153
Toth, P., *see* S. Martello **28** (1990) 59–70
Toth, P., *see* S. Martello **75** (2) (1997) 169–188
Totik, V., *see* J. Csirik **21** (1988) 163–167
Tovey, C., *see* D.C. Llewellyn **23** (1989) 157–178
Tovey, C.A., A simplified NP-complete satisfiability problem **8** (1984) 85–89
Tovey, C.A., *see* D.C. Llewellyn **43** (1993) 131–153
Trapp, R., *see* J.D. Chavez **87** (1-3) (1998) 25–32
Traverso, C., *see* P. Conti **33** (1991) 61–72
Trdlička, J., *see* J. Rolim **85** (1) (1998) 87–97
Trenk, A., *see* E.R. Scheinerman **44** (1993) 233–245
Trenk, A.N., Generalized perfect graphs: Characterizations and inversion **60** (1-3) (1995) 359–387
Trenk, A.N., *see* R. Shull **80** (2-3) (1997) 119–134
Trick, M., *see* D.C. Llewellyn **23** (1989) 157–178
Triesch, E., A group testing problem for hypergraphs of bounded rank **66** (2) (1996) 185–188
Trilochan Sastry, S., *see* S. Chopra **85** (3) (1998) 165–192
Trinajstić, N., *see* D. Babić **67** (1-3) (1996) 5–11
Tripathy, A., Computerised decision aid for timetabling – a case analysis **35** (1992) 313–323
Trotter, W.T., *see* L.B. Hopkins **8** (1984) 163–187
Trotter, W.T., *see* M.C. Golumbic **9** (1984) 157–170
Trotter Jr, W.T., *see* R.A. Brualdi **50** (2) (1994) 111–123
Trotter, L.E. and D.B. West, Two easy duality theorems for product partial orders (*Note*) **16** (1987) 283–286
Trotter Jr, L.E., *see* H. Shum **65** (1-3) (1996) 421–439
Troutman, B.M. and M.R. Karlinger, A note on subtrees rooted along the primary path of a binary tree **42** (1993) 87–93
Trubian, M., *see* G. Righini **91** (1-3) (1999) 235–242
Trudeau, P., *see* M. Dror **50** (3) (1994) 239–254
Truemper, K., *see* F.T. Tseng **15** (1986) 329–364
Truszczynski, M., *see* Y. Han **36** (1992) 141–152
Trystram, D., *see* P. Michallon **53** (1-3) (1994) 291–298
Trystram, D., *see* E. Bampis **72** (1-2) (1997) 5–24
Tsai, L.-H., The modified differencing method for the set partitioning problem with cardinality constraints **63** (2) (1995) 175–180
Tsay, J.-J., *see* K.-S. Ding **83** (1-3) (1998) 41–59
Tseng, F.T. and K. Truemper, A decomposition of the matroids with the max-flow min-cut property **15** (1986) 329–364
Tsfasman, M.A., Algebraic-geometric codes and asymptotic problems **33** (1991) 241–256
Turán, G., On the succinct representation of graphs **8** (1984) 289–294
Turán, G., *see* U. Faigle **40** (1992) 19–28
Turán, Gy., *see* W. Cook **18** (1987) 25–38
Turzík, D., *see* S. Poljak **3** (1981) 301–312
Turzík, D., *see* S. Poljak **13** (1986) 27–32
Turzík, D., *see* S. Poljak **13** (1986) 33–39
Tuza, Z., On two intersecting set systems and k-continuous Boolean functions (*Note*) **16** (1987) 183–185
Tuza, Z., On the context-free production complexity of finite languages **18** (1987) 293–304
Tuza, Z., *see* A. Kornai **36** (1992) 87–92
Tuza, Z., *see* J. Kratochvíl **50** (3) (1994) 297–302
Tuza, Z., Inequalities for minimal covering sets in set systems of given rank **51** (1-2) (1994) 187–195
Tuza, Z., *see* P. Hell **52** (3) (1994) 295–306
Tuza, Z., *see* Y. Manoussakis **68** (3) (1996) 279–291

Tuza, Zs., *see* P. Dell'Olmo **72** (1-2) (1997) 71–84
Tuza, Zs. and M. Voigt, List colorings and reducibility **79** (1-3) (1997) 247–256
Tvrdí, P., *see* J. Rolim **85** (1) (1998) 87–97
Tvrdik, P., R. Harbane and M.-C. Heydemann, Uniform homomorphisms of de Bruijn and Kautz networks **83** (1-3) (1998) 279–301
Uchimura, K., Divisor generating functions and insertion into a heap **18** (1987) 73–81
Uemura, K., T. Yaku and K. Sugita, Induced permutation automata and coverings of strongly connected automata **91** (1-3) (1999) 243–249
Ueno, S., *see* Y. Kajitani **9** (1984) 213–216
Ueno, S., *see* T. Arai **41** (93) 69–74
Úlehla, J., *see* A. Pultr **12** (1985) 165–173
Unger, R., *see* D. Kandel **71** (1-3) (1996) 171–185
Unger, W., *see* S. Bezrukov **83** (1-3) (1998) 21–29
Urabe, M., On a partition into convex polygons **64** (2) (1996) 179–191
Urbanek, F.J., *see* H. Prodinger **5** (1983) 223–239
Urrutia, J., *see* M.J. Atallah **21** (1988) 177–183
Urrutia, J., *see* R. Nowakowski **27** (1990) 147–156
Urrutia, J., *see* J. Czyzowicz **50** (2) (1994) 149–157
Urrutia, J., *see* J. Czyzowicz **51** (3) (1994) 325–328
Urrutia, J., *see* F. Gavril **52** (2) (1994) 195–209
Urrutia, J., *see* E. Kranakis **75** (1) (1997) 71–80
Urrutia, J., *see* E. Kranakis **77** (3) (1997) 237–257
Ustimenko, V.A., *see* F. Lazebnik **60** (1-3) (1995) 275–284
Vaccaro, U., *see* R.M. Capocelli **23** (1989) 55–71
Vaccaro, U., *see* R.M. Capocelli **33** (1991) 25–41
Vaccaro, U., *see* L. Gargano **36** (1992) 191–197
Vaccaro, U., *see* L. Gargano **36** (1992) 299–306
Vaccaro, U., *see* A. De Bonis **61** (2) (1995) 121–131
Vaccaro, U., *see* L. Gargano **83** (1-3) (1998) 97–119
Vaccaro, U., *see* L.G. Tallini **92** (1) (1999) 17–56
Vaessens, R.J.M., E.H.L. Aarts and J.H. van Lint, Genetic algorithms in coding theory — a table for $A_3(n, d)$ **45** (1993) 71–87
Vakharia, A.J. and B. Çatay, Two machine openshop scheduling with machine-dependent processing times **73** (3) (1997) 283–288
Valerio, M., L.E. Moser and P.M. Melliar-Smith, Classic squares and broadcast squares **54** (1) (1994) 89–96
Valvo, E.J., *see* D.R. Shier **37/38** (1992) 489–500
Van den Heuvel, J., *see* D. Bauer **79** (1-3) (1997) 35–44
Vanderbei, R.J., *see* P. Fishburn **75** (1) (1997) 39–61
Van der Poort, E.S., *see* M. Libura **87** (1-3) (1998) 159–185
Van der Veen, J.A.A., An $O(n)$ algorithm to solve the Bottleneck Traveling Salesman Problem restricted to ordered product matrices **47** (1993) 57–75
Van der Veen, J.A.A., *see* M. Libura **87** (1-3) (1998) 159–185
Van der Werf, A., *see* W.F.J. Verhaegh **89** (1-3) (1998) 213–242
Vande Vate, J.H., Structural properties of matroid matchings **39** (1992) 69–85
Van de Velde, S.L., *see* J.A. Hoogeveen **55** (3) (1994) 259–272
Van Hoesel, C.P.M., *see* A.W.J. Kolen **55** (2) (1994) 145–162
Van Hoesel, S. and A. Wagelmans, Sensitivity analysis of the economic lot-sizing problem **45** (1993) 291–312
Van Hoesel, S., R. Kuik, M. Salomon and L.N. Van Wassenhove, The single-item discrete lotsizing and scheduling problem: Optimization by linear and dynamic programming **48** (1994) 289–303
Van Hoesel, S. and A. Wagelmans, On the complexity of postoptimality analysis of 0/1 programs **91** (1-3) (1999) 251–263
Van Lint, J.H., *see* H.D.L. Hollmann **37/38** (1992) 319–340
Van Lint, J.H., *see* R.J.M. Vaessens **45** (1993) 71–87
Van Meerbergen, J.L., *see* W.F.J. Verhaegh **89** (1-3) (1998) 213–242
Vannelli, A., *see* W. Liu **59** (2) (1995) 137–151

Van Roy, T.J. and L.A. Wolsey, Valid inequalities for mixed 0–1 programs **14** (1986) 199–213
Van Scoy, F.L. and J.A. Brooks, Broadcasting multiple messages in a grid **53** (1-3) (1994) 321–336
Vanstone, S.A., *see* R.C. Mullin **22** (1988/89) 149–161
Vanstone, S.A., *see* D.W. Ash **25** (1989) 191–210
Van Wassenhove, L.N., *see* T.S. Abdul-Razaq **26** (1990) 235–253
Van Wassenhove, L.N., *see* S. Van Hoesel **48** (1994) 289–303
Varvarigos, E.A., Optimal communication algorithms for Manhattan Street networks **83** (1-3) (1998) 303–326
Vazirani, V.V. and M. Yannakakis, Pfaffian orientations, 0–1 permanents, and even cycles in directed graphs **25** (1989) 179–190
Veltman, B., *see* J.A. Hoogeveen **55** (3) (1994) 259–272
Veni Madhavan, C.E., *see* P. Sreenivasa Kumar **89** (1-3) (1998) 155–168
Venkatesh, S.S., *see* A. Orlitsky **64** (2) (1996) 151–178
Ventriglia, F., *see* A. Aiello **2** (1980) 159–161
Vercellis, C., *see* A.H.G. Rinnooy Kan **42** (1993) 279–290
Vergara, J.P.C., *see* L.S. Heath **81** (1-3) (1998) 169–180
Vergara, J.P.C., *see* L.S. Heath **88** (1-3) (1998) 181–206
Verhaegh, W.F.J., P.E.R. Lippens, E.H.L. Aarts, J.L. van Meerbergen and A. van der Werf, The complexity of multidimensional periodic scheduling **89** (1-3) (1998) 213–242
Verraedt, R., *see* A. Ehrenfeucht **2** (1980) 73–76
Verraedt, R., *see* G. Rozenberg **2** (1980) 233–247
Verraedt, R., *see* A. Ehrenfeucht **3** (1981) 235–255
Verraedt, R., *see* A. Ehrenfeucht **4** (1982) 11–22
Verraedt, R., *see* G. Rozenberg **4** (1982) 237–241
Verraedt, R., *see* G. Rozenberg **6** (1983) 263–299
Verraedt, R., *see* G. Rozenberg **12** (1985) 175–189
Verrall, H., Compatible Euler tours of K_n^{**} **84** (1-3) (1998) 237–251
Verrall, H., Compatible Hamilton decompositions of directed wrapped butterfly graphs **91** (1-3) (1999) 265–275
Verri, M.C., *see* D. Merlini **91** (1-3) (1999) 197–213
Vertigan, D., *see* C.J. Colbourn **60** (1-3) (1995) 119–129
Vestergaard, P.D., *see* J. Topp **63** (3) (1995) 267–276
Vial, J.P., *see* O. Bahn **49** (1994) 3–23
Vigo, D., *see* M. Dell'Amico **63** (1) (1995) 25–41
Vijayan, G., *see* J.P. Spinrad **12** (1985) 89–92
Vijayan, G., *see* A.V. Iyer **30** (1991) 43–52
Vilarem, M.C., *see* J. Amilhastre **86** (2-3) (1998) 125–144
Villar, J.L., The underlying graph of a line digraph **37/38** (1992) 525–538
Vince, A., Scheduling periodic events **25** (1989) 299–310
Vince, A., *see* W.Z. Kitto **52** (1) (1994) 39–51
Vincke, P., *see* M. Roubens **6** (1983) 311–314
Vingron, M. and M.S. Waterman, Alignment networks and electrical networks **71** (1-3) (1996) 297–309
Vingron, M., *see* O. Eulenstein **88** (1-3) (1998) 103–128
Vishkin, U., An optimal parallel connectivity algorithm **9** (1984) 197–207
Vishkin, U., *see* D. Coppersmith **10** (1985) 27–45
Vishkin, U., *see* Y. Perl **12** (1985) 71–80
Vishkin, U., *see* B. Schieber **29** (1990) 97–111
Vishkin, U., *see* O. Berkman **57** (1) (1995) 11–28
Vitray, R.P., *see* R.C. Brigham **66** (2) (1996) 101–108
Vlach, M., Conditions for the existence of solutions of the three-dimensional planar transportation problem **13** (1986) 61–78
Vogler, W., On hyperedge replacement and BNLC graph grammars **46** (1993) 253–273
Vohra, R.V. and N.G. Hall, A probabilistic analysis of the maximal covering location problem **43** (1993) 175–183
Voigt, M. and H. Walther, Chromatic number of prime distance graphs **51** (1-2) (1994) 197–209
Voigt, M., *see* Zs. Tuza **79** (1-3) (1997) 247–256
Volkmann, L., On graphs with equal domination and covering numbers **51** (1-2) (1994) 211–217

Volkmann, L., *see* Y. Guo **79** (1-3) (1997) 127–135
Voloshin, V.I., *see* F.F. Dragan **68** (3) (1996) 259–266
Voloshin, V.I., *see* E. Bulgaru **77** (1) (1997) 29–41
Volpentesta, A., Equi-assignments and explicit solutions of a particular discrete optimization problem (*Communication*) **2** (1980) 261–265
Von Arnim, A., U. Faigle and R. Schrader, The permutahedron of series-parallel posets **28** (1990) 3–9
Von Arnim, A. and C. de la Higuera, Computing the jump number on semi-orders is polynomial **51** (1-2) (1994) 219–232
Von Arnim, A. and A.S. Schulz, Facets of the generalized permutahedron of a poset **72** (1-2) (1997) 179–192
Von Haeseler, F., *see* J.-P. Allouche **66** (1) (1996) 1–22
Von Randow, R., The bank safe problem (*Note*) **4** (1982) 335–337
Von Stengel, B. and R. Werchner, Complexity of searching an immobile hider in a graph **78** (1-3) (1997) 235–249
Voß, S., Steiner's problem in graphs: heuristic methods **40** (1992) 45–72
Voss, H.-J., *see* A. Brandstädt **64** (3) (1996) 197–205
Vovor, T., *see* P. Hansen **78** (1-3) (1997) 89–102
Vrt'o, I., Two remarks on "Expanding and Forwarding" by P. Solé **58** (1) (1995) 85–89
Vrt'o, I., *see* L. Stacho **84** (1-3) (1998) 221–235
Vrto, I., *see* J. Rolim **85** (1) (1998) 87–97
Vucetic, B. and S. Lin, Block coded modulation and concatenated coding schemes for error control on fading channels **33** (1991) 257–269
Vygen, J., NP-completeness of some edge-disjoint paths problems **61** (1) (1995) 83–90
Vyskoč, J., Partial information in public key cryptography (*Note*) **20** (1988) 261–263
Wada, K. and K. Kawaguchi, Efficient fault-tolerant fixed routings on $(k+1)$-connected digraphs **37/38** (1992) 539–552
Wagelmans, A., *see* S. Van Hoesel **45** (1993) 291–312
Wagelmans, A., *see* S. Van Hoesel **91** (1-3) (1999) 251–263
Wagelmans, A.P.M., *see* A.W.J. Kolen **55** (2) (1994) 145–162
Wagner, A. and D.G. Corneil, On the complexity of the embedding problem for hypercube related graphs **43** (1993) 75–95
Wagner, D. and F. Wagner, A generalization of the zero-one principle for sorting algorithms **30** (1991) 265–273
Wagner, D. and F. Wagner, An efficient parallel logarithmic time algorithm for the channel routing problem **40** (1992) 73–81
Wagner, D.K., *see* C.R. Coullard **32** (1991) 223–240
Wagner, D.K., *see* C.R. Coullard **43** (1993) 197–215
Wagner, D.K., *see* C.R. Coullard **46** (1993) 191–220
Wagner, D.K., *see* R.P. Swaminathan **59** (3) (1995) 267–283
Wagner, D.K., *see* C.R. Coullard **66** (1) (1996) 33–43
Wagner, F., *see* D. Wagner **30** (1991) 265–273
Wagner, F., *see* D. Wagner **40** (1992) 73–81
Wagner, F., *see* F. Aurenhammer **52** (1) (1994) 17–28
Wahid, S.A., *see* E.J. Farrell **7** (1984) 45–54
Wahid, S.A., *see* E.J. Farrell **8** (1984) 31–40
Waksman, Z., *see* A. Sebő **91** (1-3) (1999) 305–311
Walker, J., *see* M.E. Dyer **16** (1987) 135–149
Wallis, W.D., *see* A. Rosa **4** (1982) 291–297
Walther, H., *see* J. Harant **51** (1-2) (1994) 103–105
Walther, H., *see* M. Voigt **51** (1-2) (1994) 197–209
Walther, H., Polyhedral graphs without hamiltonian cycles **79** (1-3) (1997) 257–263
Wambach, G., *see* R. Schrader **79** (1-3) (1997) 213–221
Wang, C. and A.C. Williams, The threshold order of a Boolean function **31** (1991) 51–69
Wang, C., *see* F.R. McMorris **88** (1-3) (1998) 315–324
Wang, J.-Z. and J.-X. Meng, The exponent of the primitive Cayley digraphs on finite Abelian groups **80** (2-3) (1997) 177–191
Wang, L., *see* J. Hein **71** (1-3) (1996) 153–169

Wang, L., *see* D. Gusfield **88** (1-3) (1998) 167–180
Wang, Z., The solution of a nonlinear partial difference equation (*Note*) **28** (1990) 177–181
Wanke, E., k-NLC graphs and polynomial algorithms **54** (2-3) (1994) 251–266
Waren, A.D., *see* M.S. Hung **13** (1986) 223–237
Warner, D.D., *see* P.M. Dearing **20** (1988) 181–190
Warner, M.W., *see* A. Muir **7** (1984) 65–78
Warners, J.P., T. Terlaky, C. Roos and B. Jansen, A potential reduction approach to the frequency assignment problem **78** (1-3) (1997) 251–282
Warnow, T., *see* L.A. Goldberg **71** (1-3) (1996) 111–136
Warnow, T.J., *see* C. Phillips **71** (1-3) (1996) 311–335
Watanabe, T., T. Ae and A. Nakamura, On the removal of forbidden graphs by edge-deletion or by edge-contraction (*Communication*) **3** (1981) 151–153
Watanabe, T., *see* T. Nishizeki **5** (1983) 211–222
Watanabe, T., T. Ae and A. Nakamura, On the NP-hardness of edge-deletion and -contraction problems **6** (1983) 63–78
Watanabe, T. and A. Nakamura, A smallest augmentation to 3-connect a graph (*Communication*) **28** (1990) 183–186
Waterman, M.S., *see* W.R. Schmitt **51** (3) (1994) 317–323
Waterman, M.S., *see* M. Vingron **71** (1-3) (1996) 297–309
Webb, W.A., How to cut a cake fairly using a minimal number of cuts **74** (2) (1997) 183–190
Weber, K., *see* S. Bezrukov **46** (1993) 99–116
Wechsung, G., *see* S. Bezrukov **83** (1-3) (1998) 21–29
Wegener, I., *see* A. Conrad **50** (2) (1994) 125–134
Wegener, I., *see* O. Kyek **74** (2) (1997) 171–181
Wegenera, I., *see* P. Fischer **91** (1-3) (1999) 83–92
Węglarz, J., *see* J. Błażewicz **65** (1-3) (1996) 81–95
Wei, B., *see* F. Tian **92** (1) (1999) 57–71
Wei, S.-S., *see* T.-H. Lai **74** (1) (1997) 33–55
Wei, W.-D., *see* J.Y.-T. Leung **51** (3) (1994) 307–316
Wei, W.-D., *see* K.I.-J. Ho **78** (1-3) (1997) 117–132
Weinberger, M.J. and A. Lempel, Factorization of symmetric circulant matrices in finite fields **28** (1990) 271–285
Weintraub, A., *see* O. Barros **13** (1986) 109–130
Weisbuch, G., *see* F. Fogelman **6** (1983) 95–98
Welsh, D.J.A., Randomised algorithms **5** (1983) 133–145
Welzl, E., *see* K.-J. Lange **16** (1987) 17–30
Welzl, E., *see* G. Rozenberg **16** (1987) 59–73
Welzl, E., *see* W. Gutjahr **35** (1992) 29–45
Wenchen, H., H. Wenjie and H. Ying, Cut invariant d and bond orders of Kekuléan benzenoids **67** (1-3) (1996) 137–147
Wenger, R., *see* P. Egyed **31** (1991) 133–140
Wenjie, H., *see* H. Wenchen **67** (1-3) (1996) 137–147
Werchner, R., *see* B. von Stengel **78** (1-3) (1997) 235–249
Werman, M., *see* T.Y. Kong **16** (1987) 239–243
Werner, F. and A. Winkler, Insertion techniques for the heuristic solution of the job shop problem **58** (2) (1995) 191–211
Werner, F., *see* H. Bräsel **59** (1) (1995) 11–21
Werner, F., *see* P. Brucker **65** (1-3) (1996) 97–122
Werner, F., *see* P. Brucker **72** (1-2) (1997) 47–69
Wernisch, L., *see* S. Felsner **74** (1) (1997) 13–32
Wesselkamper, T.C., The algebraic representation of partial functions **1** (1979) 137–142
Wessels, J., *see* J. Korst **51** (3) (1994) 291–305
West, D.B., *see* L.B. Hopkins **8** (1984) 163–187
West, D.B. and D.B. Shmoys, Recognizing graphs with fixed interval number is NP-complete **8** (1984) 295–305
West, D.B., *see* L.E. Trotter **16** (1987) 283–286

West, D.B., The maximum number of winning 2-sets **34** (1991) 279–284
West, D.B., *see* Y.-W. Chang **44** (1993) 205–220
Westbrook, J., *see* K. Keeler **58** (3) (1995) 239–252
Weston, A., *see* F. Ruskey **57** (1) (1995) 75–83
Whiteley, W., A correspondence between scene analysis and motions of frameworks **9** (1984) 269–295
Whiteley, W., Weavings, sections and projections of spherical polyhedra **32** (1991) 275–294
Whitman, D., *see* F. Glover **2** (1980) 251–254
Widmayer, P., *see* E. Ihler **90** (1-3) (1999) 173–194
Widmer, M., *see* A. Hertz **65** (1-3) (1996) 1–3
Widmer, M., *see* A. Hertz **65** (1-3) (1996) 319–345
Widmer, M., *see* J. Błażewicz **76** (1-3) (1997) 1–2
Wieners-Lummer, C., A Manhattan channel router with good theoretical and practical performance **40** (1992) 83–104
Wierman, J.C., *see* E.R. Scheinerman **25** (1989) 289–297
Wigderson, E., *see* D.S. Hochbaum **14** (1986) 17–32
Williams, A.C., *see* C. Wang **31** (1991) 51–69
Williams, C. and D. Richards, Efficient algorithms for path partitions **27** (1990) 267–276
Williams, H.P., A characterisation of all feasible solutions to an integer program **5** (1983) 147–155
Williams, H.P., A duality theorem for linear congruences **7** (1984) 93–103
Williams, K., *see* Y.-L. Lai **73** (2) (1997) 133–141
Williamson Hoke, K., Completely unimodal numberings of a simple polytope **20** (1988) 69–81
Willson, S.J., Cellular automata can generate fractals **8** (1984) 91–99
Willson, S.J., Calculating growth rates and moments for additive cellular automata **35** (1992) 47–65
Wilson, D.C., *see* W.Z. Kitto **52** (1) (1994) 39–51
Wilson, R.M., *see* R.C. Mullin **22** (1988/89) 149–161
Wimer, S., *see* I. Gederbaum **40** (1992) 303–318
Wimer, S., I. Koren and I. Cederbaum, On paths with the shortest average arc length in weighted graphs **45** (1993) 169–179
Winkler, A., *see* F. Werner **58** (2) (1995) 191–211
Winkler, P., Mean distance in a tree **27** (1990) 179–185
Winkler, P., *see* V.S. Sunderam **42** (1993) 75–86
Winkler, P., *see* D. Kandel **71** (1-3) (1996) 171–185
Winkler, P.M., Isometric embedding in products of complete graphs **7** (1984) 221–225
Winter, P., Steiner problem in Halin networks **17** (1987) 281–294
Winter, P., Euclidean Steiner minimal trees with obstacles and Steiner visibility graphs **47** (1993) 187–206
Winter, P. and M.M. Syslo, Maximal outerplanar graphs with perfect face-independent vertex covers **54** (2-3) (1994) 267–280
Wittenberg, H., Local medians in chordal graphs **28** (1990) 287–296
Wittmann, P., Vertex-distinguishing edge-colorings of 2-regular graphs **79** (1-3) (1997) 265–277
Woan, W.-J., *see* L.W. Shapiro **34** (1991) 229–239
Woeginger, G., *see* W. Gutjahr **35** (1992) 29–45
Woeginger, G., *see* H. Kellerer **45** (1993) 249–259
Woeginger, G., *see* H. Kellerer **47** (1993) 165–173
Woeginger, G., *see* E. Kranakis **77** (3) (1997) 237–257
Woeginger, G.J., *see* H.L. Bodlaender **55** (3) (1994) 219–232
Woeginger, G.J., *see* B. Klinz **60** (1-3) (1995) 223–248
Woeginger, G.J., *see* B. Klinz **63** (1) (1995) 43–74
Woeginger, G.J., *see* R.E. Burkard **65** (1-3) (1996) 123–139
Woeginger, G.J., *see* U. Pferschy **77** (3) (1997) 271–280
Woess, W., *see* P.M. Soardi **31** (1991) 37–49
Wohlgemuth, A., *see* G. Markowsky **6** (1983) 255–262
Woirgard, F., *see* I. Charon **80** (2-3) (1997) 211–215
Wojda, A.P. and M. Zwonek, Coloring edges of self-complementary graphs **79** (1-3) (1997) 279–284
Wolfsthal, Y., *see* S. Moran **43** (1993) 233–241
Wolsey, L.A., The b-hull of an integer program **3** (1981) 193–201

Wolsey, L.A., *see* T.J. Van Roy **14** (1986) 199–213
Wolsey, L.A., *see* M.E. Dyer **26** (1990) 255–270
Wolsey, L.A., Valid inequalities for 0–1 knapsacks and mips with generalised upper bound constraints **29** (1990) 251–261
Wolsey, L.A., *see* E.H. Aghezzaf **50** (2) (1994) 101–109
Wolsey, L.A., *see* Y. Pochet **59** (1) (1995) 57–74
Wong, C.K., *see* D.T. Lee **70** (3) (1996) 185–215
Wood, D., *see* H.A. Maurer **3** (1981) 119–135
Wood, D., *see* H.A. Maurer **3** (1981) 289–299
Wood, D., *see* T. Ottmann **32** (1991) 195–209
Wood, D., *see* V. Estivill-Castro **42** (1993) 1–16
Wood, D., *see* H. Cameron **55** (1) (1994) 15–35
Wood, J. and J. Shawe-Taylor, Representation theory and invariant neural networks **69** (1-2) (1996) 33–60
Woodall, D.R., *see* J.D. Lamb **72** (3) (1997) 261–293
Woodall, D.R., *see* J.D. Lamb **73** (2) (1997) 143–173
Woodall, D.R., *see* J.D. Lamb **73** (3) (1997) 211–250
Woodall, D.R., Monotonicity of single-seat preferential election rules **77** (1) (1997) 81–98
Woodhams, F.W., *see* W.L. Price **26** (1990) 219–233
Woodson, L.C., *see* L.W. Shapiro **34** (1991) 229–239
Wool, A., *see* D. Peleg **74** (1) (1997) 69–83
Wool, A., *see* O. Gerstel **83** (1-3) (1998) 157–178
Wormald, N.C., *see* P. Eades **28** (1990) 111–134
Wormald, N.C., *see* M.P. Ng **69** (1-2) (1996) 19–31
Wöstmann, B., *see* P. Brucker **76** (1-3) (1997) 43–59
Wotherspoon, S., *see* D. Palmer **86** (2-3) (1998) 249–262
Woźniak, M., Embedding graphs of small size **51** (1-2) (1994) 233–241
Wrathall, C., Trace monoids with some invertible generators: two decision problems **32** (1991) 211–222
Wrege, D.E., *see* W.R. Pearson **71** (1-3) (1996) 231–246
Wu, L., *see* F.E. Bennett **26** (1990) 25–40
Wu, L., *see* F.E. Bennett **81** (1-3) (1998) 9–17
Wu, W., *see* D.-Z. Du **78** (1-3) (1997) 51–60
Wunsch, J., The Shields–Harary number for wheel and broken wheel graphs **59** (2) (1995) 193–199
Xiaofeng, G., *see* Z. Fuji **32** (1991) 295–302
Xie, S., Notes on de Bruijn sequences **16** (1987) 157–177
Xie, S., The complexity of a periodic sequence over GF(p) **21** (1988) 81–86
Xie, S., *see* W. He **35** (1992) 91–106
Xu, I.M., *see* Q. Li **46** (1993) 179–183
Xu, Y., *see* F.S. Roberts **49** (1994) 331–356
Xueliang, L., *see* H.J. Broersma **46** (1993) 79–86
Yadegar, J., *see* A.M. Frieze **5** (1983) 89–98
Yaku, T., *see* K. Uemura **91** (1-3) (1999) 243–249
Yamamoto, P., *see* M.E. Houle **43** (1993) 217–232
Yamasaki, M., Maximization of input conductances of an infinite network **1** (1979) 301–309
Yamasaki, M., Quasiharmonic classification of infinite networks **2** (1980) 339–344
Yamasaki, M., *see* T. Kayano **22** (1988/89) 53–68
Yamasaki, M., *see* K.O. Kortanek **58** (1) (1995) 19–33
Yamasaki, Y., A difficulty in particular Shannon-like games (*Note*) **30** (1991) 87–90
Yan, J.-H., *see* M.-S. Chang **66** (3) (1996) 189–203
Yan, J.-H., J.-J. Chen and G.J. Chang, Quasi-threshold graphs **69** (3) (1996) 245–253
Yan, J.-H., G.J. Chang, S.M. Hedetniemi and S.T. Hedetniemi, k-Path partitions in trees **78** (1-3) (1997) 227–233
Yanasse, H.H. and N.Y. Soma, A new enumeration scheme for the knapsack problem **18** (1987) 235–245
Yanasse, H.H., *see* N.Y. Soma **57** (2-3) (1995) 243–253
Yang, B.-Y., *see* W.-C. Huang **73** (2) (1997) 113–131
Yang, C.D., *see* D.T. Lee **70** (3) (1996) 185–215

Yang, F. and D.-Z. Du, The complexity of determinacy problem on group testing **28** (1990) 71–81
Yang, Y.X., *see* W. Sun **80** (2-3) (1997) 193–201
Yang, Z., On optimal strategies for a betting game **28** (1990) 157–169
Yannakakis, M., *see* V.V. Vazirani **25** (1989) 179–190
Yannakakis, M., *see* C.H. Papadimitriou **42** (1993) 271–278
Yano, K., *see* K. Makino **74** (3) (1997) 251–274
Yao, E.-Y., *see* R.E. Burkard **28** (1990) 21–34
Yao, S.-Z., *see* C.J. Alpert **90** (1-3) (1999) 3–26
Yao, Y.C., *see* F.K. Hwang **72** (3) (1997) 199–207
Yarmush, M.L., *see* R. Gross **19** (1988) 177–194
Yebra, J.L.A., *see* J. Gómez **37/38** (1992) 227–243
Yeh, H.-G. and G.J. Chang, Weighted connected domination and Steiner trees in distance-hereditary graphs **87** (1-3) (1998) 245–253
Yeh, Y.-N., I. Gutman and C.-M. Fu, Graph transformations which preserve the multiplicity of an eigenvalue **67** (1-3) (1996) 221–228
Yeh, Y.-N., *see* W.-C. Huang **73** (2) (1997) 113–131
Yen, C.-C. and R.C.T. Lee, The weighted perfect domination problem and its variants **66** (2) (1996) 147–160
Yen, Y.-N., *see* J. Labelle **24** (1989) 213–221
Yeo, A., *see* G. Gutin **69** (1-2) (1996) 75–82
Yeo, A., *see* J. Bang-Jensen **82** (1-3) (1998) 247–250
Yesha, Y., *see* A.S. Fraenkel **1** (1979) 15–30
Ying, H., *see* H. Wenchen **67** (1-3) (1996) 137–147
Yinnone, H., Maximum number of disjoint paths connecting specified terminals in a graph **55** (2) (1994) 183–195
Yinnone, H., On paths avoiding forbidden pairs of vertices in a graph **74** (1) (1997) 85–92
Yoshida, N., *see* T. Kikuno **2** (1980) 361–363
Yoshida, N., *see* T. Kikuno **5** (1983) 299–311
Yoshimura, N., *see* Y. Dai **65** (1-3) (1996) 167–190
Young, N., *see* S. Khuller **69** (3) (1996) 279–287
Ytrehus, Ø., *see* N. Hamada **47** (1993) 219–226
Yu, G., *see* D. Nehme **74** (1) (1997) 57–68
Yu, M.-L., *see* G. MacGillivray **91** (1-3) (1999) 143–153
Yu, M.-S., *see* C.-M. Liu **87** (1-3) (1998) 187–201
Yu, S., A property of real-time trellis automata (*Note*) **15** (1986) 117–119
Yu, S., Can the catenation of two weakly sparse languages be dense? (*Note*) **20** (1988) 265–267
Yu, S., *see* K. Culik **32** (1991) 85–101
Yu, S., *see* P. Enflo **52** (3) (1994) 275–285
Yu, S., *see* C. Calude **80** (2-3) (1997) 203–209
Yu, S.S., *see* H.J. Shyr **82** (1-3) (1998) 219–229
Yu, S.S., d-minimal languages **89** (1-3) (1998) 243–262
Yu, V.K.M., *see* J.Y.-T. Leung **51** (3) (1994) 307–316
Yu, W., Augmentations of consistent partial orders for the one-machine total tardiness problem **68** (1-2) (1996) 189–202
Yue, F.L., *see* T.W. Lam **85** (1) (1998) 71–86
Yung-ching (Zhu Youngjin), C., An extended result of Kleitman and Saks concerning binary trees **10** (1985) 255–259
Zaguia, N., Minimizing bumps for posets of width two **21** (1988) 157–162
Zaks, A., *see* N. Alon **82** (1-3) (1998) 1–13
Zaks, J., *see* J. Czyzowicz **50** (2) (1994) 149–157
Zaks, S., *see* D.A. Plaisted **2** (1980) 65–72
Zaks, S., *see* N. Dershowitz **25** (1989) 241–255
Zaks, S., *see* O. Gerstel **83** (1-3) (1998) 157–178
Zalcstein, Y. and S.P. Franklin, Testing homotopy equivalence is isomorphism complete (*Communication*) **13** (1986) 101–104
Zaragozà, M., *see* J. Fàbrega **78** (1-3) (1997) 61–74

Zaroliagis, C.D., *see* S.R. Arikati **78** (1-3) (1997) 1–16
Zaslavsky, T., Signed graphs **4** (1982) 47–74
Zaslavsky, T., *see* P. Solé **45** (1993) 63–70
Zdrzałka, S. and J. Grabowski, An algorithm for single machine sequencing with release dates to minimize maximum cost **23** (1989) 73–89
Zdrzałka, S., *see* E. Nowicki **26** (1990) 271–287
Zdrzałka, S., *see* E. Nowicki **63** (3) (1995) 237–256
Zdrzałka, S., A sequencing problem with family setup times **66** (2) (1996) 161–183
Zefirov, N.S., *see* M.E. Muzychuk **67** (1-3) (1996) 175–187
Zeitlin, Z., Minimization of maximum absolute deviation in integers **3** (1981) 203–220
Zemel, E., *see* D. Hartvigsen **39** (1992) 113–123
Zemor, G., On positive and negative atoms of Cayley digraphs (*Note*) **23** (1989) 193–195
Zémor, G. and G.D. Cohen, Application of coding theory to interconnection networks **37/38** (1992) 553–562
Zernitz, H., *see* H. Sachs **51** (1-2) (1994) 171–179
Žerovnik, J., *see* S. Klavžar **68** (1-2) (1996) 93–100
Žerovnik, J., *see* M. Juvan **80** (1) (1997) 57–71
Zhang, C.-Q., Optimal alphabetic binary tree for a nonregular cost function **8** (1984) 307–312
Zhang, F., *see* I. Gutman **15** (1986) 25–33
Zhang, F. and M. Zhou, Matching polynomials of two classes of graphs **20** (1988) 253–260
Zhang, F. and R. Chen, When each hexagon of a hexagonal system covers it **30** (1991) 63–75
Zhang, F., X. Li and H. Zhang, Hexagonal systems with fixed bonds **47** (1993) 285–296
Zhang, F., *see* X. Li **51** (1-2) (1994) 107–111
Zhang, F., *see* H. Zhang **69** (1-2) (1996) 147–167
Zhang, F., *see* H. Zhang **73** (1) (1997) 5–12
Zhang, F. and H. Zhang, A note on the number of perfect matchings of bipartite graphs **73** (3) (1997) 275–282
Zhang, F., *see* R. Chen **74** (2) (1997) 147–158
Zhang, F., *see* R. Chen **74** (2) (1997) 191–196
Zhang, F. and H. Li, On acyclic conjugated molecules with minimal energies **92** (1) (1999) 73–86
Zhang, G., A new version of on-line variable-sized bin packing **72** (3) (1997) 193–197
Zhang, H., *see* F. Zhang **47** (1993) 285–296
Zhang, H. and F. Zhang, The Clar covering polynomial of hexagonal systems I **69** (1-2) (1996) 147–167
Zhang, H. and F. Zhang, The rotation graphs of perfect matchings of plane bipartite graphs **73** (1) (1997) 5–12
Zhang, H., *see* F. Zhang **73** (3) (1997) 275–282
Zhang, K., *see* J. Hein **71** (1-3) (1996) 153–169
Zhang, L., Studies on hypergraphs I: hyperforests **42** (1993) 95–112
Zhang, L., *see* F. Tian **92** (1) (1999) 57–71
Zhang, P., *see* F.R. McMorris **88** (1-3) (1998) 315–324
Zhang, T., *see* W.R. Pearson **71** (1-3) (1996) 231–246
Zhang, Z., B. He and W. Miller, Local multiple alignment via subgraph enumeration **71** (1-3) (1996) 337–365
Zhang, Z.L., *see* Q. Li **46** (1993) 179–183
Zhao, C., *see* A.J.W. Hilton **65** (1-3) (1996) 347–377
Zhao, C., *see* A.J.W. Hilton **76** (1-3) (1997) 205–211
Zheng, M., *see* P. Hansen **65** (1-3) (1996) 275–284
Zhou, H., The chromatic difference sequence of the Cartesian product of graphs: Part II **41** (93) 263–267
Zhou, M., *see* F. Zhang **20** (1988) 253–260
Zhu, H., *see* D.J. Klein **67** (1-3) (1996) 157–173
Zhu, N. and K. Broughan, On aggregating two linear Diophantine equations **82** (1-3) (1998) 231–246
Zhu, N., A relation between the knapsack and group knapsack problems **87** (1-3) (1998) 255–268
Zhu, X., A simple proof of the multiplicativity of directed cycles of prime power length (*Communication*) **36** (1992) 313–315
Zhu, X., *see* P. Hell **70** (1) (1996) 23–36
Zhu, Y. and D. Mutchler, On constructing the elimination tree (*Note*) **48** (1994) 93–98
Zimand, M., *see* I. Tomescu **54** (1) (1994) 67–76
Zimmerman, G.W. and A.-H. Esfahanian, Chordal rings as fault-tolerant loops **37/38** (1992) 563–573
Zimmermann, U., Minimization on submodular flows **4** (1982) 303–323

Zimmermann, U., Linear and combinatorial sharing problems **15** (1986) 85–104
Zimmermann, U., Duality for balanced submodular flows **15** (1986) 365–376
Zimmermann, U., Negative circuits for flows and submodular flows **36** (1992) 179–189
Zimmermann, U., On the complexity of the dual method for maximum balanced flows **50** (1) (1994) 77–88
Zinober, A.S.I., *see* N.Y. Soma **57** (2-3) (1995) 243–253
Zissimopoulos, V., *see* E. Angel **82** (1-3) (1998) 15–25
Zissimopoulos, V., *see* W. Fernandez de la Vega **82** (1-3) (1998) 93–101
Ziviani, N., *see* H.P.L. Luna **18** (1987) 199–210
Živković, T.P., Graphical representation of regular resonance structures and their linear dependence **19** (1988) 397–414
Zwonek, M., *see* A.P. Wojda **79** (1-3) (1997) 279–284